




Product Information						
Client	LDS			Protocol	WiFi+BLE	
Project Number	幻影霓虹灯带控制器			Sample Quantity	1	
Model Number				PCB Version		
Chip Type				Structure Version	正式模	
Sample Picutres						
Summary						
No.	Iterms	Idex			Test Result	Conclusion
1	<u>Efficiency (%)</u>	A (≥40%)	B (25%~40%)	C≤24.99%	55%	A
2	<u>VSWR</u>	≤2.5			1.96	PASS
3	<u>Distance Test</u>	WiFi 100m	BLE 10M	Zigbee 40M	WiFi 100米 BT 10米	PASS
Author		DeYun Li			Test Date	2022.12.21
Verifier		DeYun Li			Review Date	2022.12.21
Version		V1.0			Revise Content	Reviser


## SY-16M Test System







## Sample Picture



## VNA Data



Chamber Data				
Frequency (MHz)	Gain (dBi)	Efficiency (dB)	3D	$\theta = 90^\circ$ (XY Plane)
2400	3.64	-2.34		
2410	4.03	-2.17		
2420	4.10	-2.13		
2430	3.89	-2.33		
2440	3.82	-2.35		
2450	4.11	-2.22		
2460	4.06	-2.25		
2470	3.48	-2.60	$\phi = 0^\circ$ (XZ Plane)	$\phi = 90^\circ$ (YZ Plane)
2480	3.41	-2.53		
2490	3.40	-2.29		
2500	3.20	-2.59		
MIN	3.20	-2.60		
MAX	4.11	-2.13		
AVG	3.74	-2.35		

Manufacturer: Leedarson IoT Technology Inc.

Address: No.1511, 2nd Fanghu North Rd, Huli District, Xiamen, China