

Appendix A
RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: Sound bar

Trade Mark: SineAudio

Test Model: DS6502

FCC ID: 2AP93-DS6X


Environmental Conditions

Temperature:	22.5 ° C
Relative Humidity:	55.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Gary Qian
Supervised by:	Eden Hu


A.1 20 dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit(MHz)	Verdict
GFSK	LCH	0.928	Not Specified	PASS
GFSK	MCH	0.919	Not Specified	PASS
GFSK	HCH	0.934	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.332	Not Specified	PASS
$\pi/4$ DQPSK	MCH	1.332	Not Specified	PASS
$\pi/4$ DQPSK	HCH	1.338	Not Specified	PASS


Test Graph





GFSK/HCH

Agilent Spectrum Analyzer - Occupied BW							
☒ R L	RF	50 Ω	AC	CORREC	SENSE:PULSE	ALIGN:AUTO	06:40:02 PM Sep 29, 2018
Center Freq 2.480000000 GHz				Center Freq: 2.480000000 GHz		Radio Std: None	
				Trig: Free Run		Avg/Hold: 100/100	
				#IFGain: Low		#Atten: 30 dB	
						Radio Device: BTS	
							
Center 2.48 GHz				#Res BW 20 kHz		Span 2 MHz	
				#VBW 62 kHz		Sweep 6.2 ms	
Occupied Bandwidth				Total Power		-5.74 dBm	
873.77 kHz							
Transmit Freq Error				-19.461 kHz		OBW Power	
				933.7 kHz		99.00 %	
x dB Bandwidth				x dB		-20.00 dB	
MSG  File <temp.png> saved							
STATUS							

π /4DQPSK/LCH

Agilent Spectrum Analyzer - Occupied BW							
☒ R L	RF	50 Ω	AC	CORREC	SENSE:PULSE	ALIGN:AUTO	06:41:20 PM Sep 29, 2018
Center Freq 2.402000000 GHz				Center Freq: 2.402000000 GHz		Radio Std: None	
				Trig: Free Run		Avg/Hold: 100/100	
				#IFGain: Low		#Atten: 30 dB	
						Radio Device: BTS	
							
Center 2.402 GHz				#Res BW 20 kHz		Span 2 MHz	
				#VBW 62 kHz		Sweep 6.2 ms	
Occupied Bandwidth				Total Power		-6.07 dBm	
1.1878 MHz							
Transmit Freq Error				-15.951 kHz		OBW Power	
				1.332 MHz		99.00 %	
x dB Bandwidth				x dB		-20.00 dB	
MSG  File <temp.png> saved							
STATUS							


$\pi/4$ DQPSK/MCH	Agilent Spectrum Analyzer - Occupied BW				SENSE:PULSE		ALIGN AUTO	06:42:33 PM Sep 29, 2018	Frequency	
	RL	RF	50 Ω	AC	CORREC	Center Freq: 2.441000000 GHz	Trig: Free Run	Avg/Hold: 100/100	Radio Std: None	
	Center Freq 2.441000000 GHz				#IFGain:Low		#Atten: 30 dB	Radio Device: BTS		
									Center Freq 2.441000000 GHz	
	Center 2.441 GHz #Res BW 20 kHz								#VBW 62 kHz	Span 2 MHz Sweep 6.2 ms
Occupied Bandwidth				Total Power		-6.30 dBm				
1.1893 MHz										
Transmit Freq Error				-16.651 kHz		OBW Power		99.00 %		
x dB Bandwidth				1.332 MHz		x dB		-20.00 dB		
MSG  File <temp.png> saved								STATUS		


$\pi/4$ DQPSK/HCH	Agilent Spectrum Analyzer - Occupied BW				SENSE:PULSE		ALIGN AUTO	06:43:30 PM Sep 29, 2018	Frequency	
	RL	RF	50 Ω	AC	CORREC	Center Freq: 2.480000000 GHz	Trig: Free Run	Avg/Hold: 100/100	Radio Std: None	
	Center Freq 2.480000000 GHz				#IFGain:Low		#Atten: 30 dB	Radio Device: BTS		
									Center Freq 2.480000000 GHz	
	Center 2.48 GHz #Res BW 20 kHz								#VBW 62 kHz	Span 2 MHz Sweep 6.2 ms
Occupied Bandwidth				Total Power		-7.01 dBm				
1.1917 MHz										
Transmit Freq Error				-15.348 kHz		OBW Power		99.00 %		
x dB Bandwidth				1.338 MHz		x dB		-20.00 dB		
MSG  File <temp.png> saved								STATUS		


A.2 Dwell Time


Mode	Packet	Chann el	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	0.002919	106.7	0.311421	0.4	PASS
GFSK	DH5	MCH	0.002918	106.7	0.311389	0.4	PASS
GFSK	DH5	HCH	0.002919	106.7	0.31141	0.4	PASS
π /4DQPSK	2DH5	LCH	0.002924	106.7	0.311948	0.4	PASS
π /4DQPSK	2DH5	MCH	0.002923	106.7	0.311922	0.4	PASS
π /4DQPSK	2DH5	HCH	0.002924	106.7	0.31198	0.4	PASS

Test Graph












A.3 Carrier Frequency Separation


Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.999	0.619	PASS
GFSK	MCH	0.997	0.613	PASS
GFSK	HCH	0.996	0.623	PASS
$\pi/4$ DQPSK	LCH	1.001	0.888	PASS
$\pi/4$ DQPSK	MCH	1.000	0.888	PASS
$\pi/4$ DQPSK	HCH	1.000	0.892	PASS

Test Graph










A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel[N]	Limit[N]	Verdict
GFSK	Hop	79	≥ 15	PASS
$\pi/4$ DQPSK	Hop	79	≥ 15	PASS

Test Graph








A.5 Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.48	21	PASS
GFSK	MCH	-3.56	21	PASS
GFSK	HCH	-4.41	21	PASS
$\pi/4$ DQPSK	LCH	-2.34	21	PASS
$\pi/4$ DQPSK	MCH	-2.38	21	PASS
$\pi/4$ DQPSK	HCH	-3.18	21	PASS

Test Graph














A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Frequency Hopping	Carrier Frequency Power [dBm]	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	Off	-3.64	-39.72	-23.64	PASS
			On	-3.61	-33.53	-23.61	PASS
GFSK	HCH	2480	Off	-4.51	-33.53	-24.51	PASS
			On	-4.19	-54.81	-24.19	PASS
$\pi/4$ DQPSK	LCH	2402	Off	-3.68	-39.66	-23.68	PASS
			On	-3.54	-38.45	-23.54	PASS
$\pi/4$ DQPSK	HCH	2480	Off	-4.58	-57.06	-24.58	PASS
			On	-4.00	-55.80	-24.00	PASS


Test Graph




GFSK/LCH/Hop	Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC CORREC SENSE: PULSE ALIGN: AUTO 04:28:34 PM Sep 30, 2018 Center Freq 2.40000000 GHz PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB #Avg Type: RMS Avg/Hold: 100/100 TRACE 1 2 3 4 5 6 TYPE M W W W W W W W DET P N N N N N N 10 dB/div Ref 20.00 dBm Log  Mkr2 2.400 00 GHz -33.530 dBm Start 2.37000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 5.867 ms (2001 pts) <table><tr><th>MKR</th><th>MODE</th><th>TRG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.390 00 GHz</td><td>-52.983 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 00 GHz</td><td>-33.530 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.402 01 GHz</td><td>-3.606 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSG File <temp.png> savedSTATUS Frequency Auto Tune Center Freq 2.40000000 GHz Start Freq 2.37000000 GHz Stop Freq 2.43000000 GHz CF Step 6.000000 MHz AutoMan Freq Offset 0 Hz	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.390 00 GHz	-52.983 dBm				2	N	1	f	2.400 00 GHz	-33.530 dBm				3	N	1	f	2.402 01 GHz	-3.606 dBm				4									5									6									7									8									9									10									11								
	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																				
1	N	1	f	2.390 00 GHz	-52.983 dBm																																																																																																								
2	N	1	f	2.400 00 GHz	-33.530 dBm																																																																																																								
3	N	1	f	2.402 01 GHz	-3.606 dBm																																																																																																								
4																																																																																																													
5																																																																																																													
6																																																																																																													
7																																																																																																													
8																																																																																																													
9																																																																																																													
10																																																																																																													
11																																																																																																													
GFSK/HCH/No Hop	Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC CORREC SENSE: PULSE ALIGN: AUTO 06:40:12 PM Sep 29, 2018 Center Freq 2.48925000 GHz PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB #Avg Type: RMS Avg/Hold: 100/100 TRACE 1 2 3 4 5 6 TYPE M W W W W W W W DET P N N N N N N 10 dB/div Ref 20.00 dBm Log  Mkr2 2.500 000 GHz -56.023 dBm Start 2.47850 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.133 ms (2001 pts) <table><tr><th>MKR</th><th>MODE</th><th>TRG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.483 500 GHz</td><td>-53.012 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.500 000 GHz</td><td>-56.023 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.479 994 GHz</td><td>-4.507 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSG File <temp.png> savedSTATUS Frequency Auto Tune Center Freq 2.48925000 GHz Start Freq 2.47850000 GHz Stop Freq 2.50000000 GHz CF Step 2.150000 MHz AutoMan Freq Offset 0 Hz	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.483 500 GHz	-53.012 dBm				2	N	1	f	2.500 000 GHz	-56.023 dBm				3	N	1	f	2.479 994 GHz	-4.507 dBm				4									5									6									7									8									9									10									11								
	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																				
1	N	1	f	2.483 500 GHz	-53.012 dBm																																																																																																								
2	N	1	f	2.500 000 GHz	-56.023 dBm																																																																																																								
3	N	1	f	2.479 994 GHz	-4.507 dBm																																																																																																								
4																																																																																																													
5																																																																																																													
6																																																																																																													
7																																																																																																													
8																																																																																																													
9																																																																																																													
10																																																																																																													
11																																																																																																													

GFSK/HCH/Hop	Agilent Spectrum Analyzer - Swept SA Center Freq 2.483500000 GHz RLRF50 ΩACCORRECSENSE: PULSEALIGN: AUTO04:28:59 PM Sep 30, 2018 PN0: FastIF Gain: LowTrig: Free Run#Atten: 30 dB#Avg Type: RMSAvg/Hold: 100/100TRACE 1 2 3 4 5 6TYPE M W W W W W W W W WDET P N N N N N N 10 dB/divRef 20.00 dBm Log  Start 2.45350 GHz#Res BW 100 kHz#VBW 300 kHzSweep 5.867 ms (2001 pts)Stop 2.51350 GHz <table><tr><th>Mkrf</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.483 50 GHz</td><td>-55.248 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.500 00 GHz</td><td>-54.812 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.468 18 GHz</td><td>-4.189 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSGFile <temp.png> savedSTATUS Frequency Auto Tune Center Freq2.483500000 GHz Start Freq2.453500000 GHz Stop Freq2.513500000 GHz CF Step6.000000 MHzAutoMan Freq Offset0 Hz	Mkrf	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.483 50 GHz	-55.248 dBm				2	N	1	f	2.500 00 GHz	-54.812 dBm				3	N	1	f	2.468 18 GHz	-4.189 dBm				4									5									6									7									8									9									10									11									
	Mkrf	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																					
1	N	1	f	2.483 50 GHz	-55.248 dBm																																																																																																									
2	N	1	f	2.500 00 GHz	-54.812 dBm																																																																																																									
3	N	1	f	2.468 18 GHz	-4.189 dBm																																																																																																									
4																																																																																																														
5																																																																																																														
6																																																																																																														
7																																																																																																														
8																																																																																																														
9																																																																																																														
10																																																																																																														
11																																																																																																														
Agilent Spectrum Analyzer - Swept SA Center Freq 2.356750000 GHz RLRF50 ΩACCORRECSENSE: PULSEALIGN: AUTO06:41:31 PM Sep 29, 2018 PN0: FastIF Gain: LowTrig: Free Run#Atten: 30 dB#Avg Type: RMSAvg/Hold: 100/100TRACE 1 2 3 4 5 6TYPE M W W W W W W W W WDET P N N N N N N 10 dB/divRef 20.00 dBm Log  Start 2.31000 GHz#Res BW 100 kHz#VBW 300 kHzSweep 9.067 ms (2001 pts)Stop 2.40350 GHz <table><tr><th>Mkrf</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.390 00 GHz</td><td>-56.937 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 00 GHz</td><td>-39.656 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.402 00 GHz</td><td>-3.683 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSGFile <temp.png> savedSTATUS Frequency Auto Tune Center Freq2.356750000 GHz Start Freq2.310000000 GHz Stop Freq2.403500000 GHz CF Step9.350000 MHzAutoMan Freq Offset0 Hz	Mkrf	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.390 00 GHz	-56.937 dBm				2	N	1	f	2.400 00 GHz	-39.656 dBm				3	N	1	f	2.402 00 GHz	-3.683 dBm				4									5									6									7									8									9									10									11										
Mkrf	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																						
1	N	1	f	2.390 00 GHz	-56.937 dBm																																																																																																									
2	N	1	f	2.400 00 GHz	-39.656 dBm																																																																																																									
3	N	1	f	2.402 00 GHz	-3.683 dBm																																																																																																									
4																																																																																																														
5																																																																																																														
6																																																																																																														
7																																																																																																														
8																																																																																																														
9																																																																																																														
10																																																																																																														
11																																																																																																														


$\pi/4$ DQPSK/LCH/Hop	Agilent Spectrum Analyzer - Swept SA RLRF50ΩACCORRECSENSE:PULSEALIGN:AUTO04:29:58 PM Sep 30, 2018 Center Freq 2.40000000 GHz PN0: FastIFGain:LowTrig: Free Run#Atten: 30 dB#Avg Type: RMSAvg/Hold>>100/100 10 dB/divRef 20.00 dBm Log Mkr2 2.400 00 GHz-38.445 dBm 3 2 1 Start 2.37000 GHz#Res BW 100 kHz#VBW 300 kHzSweep 5.867 ms (2001 pts) Stop 2.43000 GHz <table><tr><th>MKR</th><th>MODE</th><th>TRG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.390 00 GHz</td><td>-54.383 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 00 GHz</td><td>-38.445 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.422 17 GHz</td><td>-3.541 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSGFile <temp.png> savedSTATUS Frequency Auto Tune Center Freq2.40000000 GHz Start Freq2.370000000 GHz Stop Freq2.430000000 GHz CF Step6.000000 MHzAutoMan Freq Offset0 Hz	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.390 00 GHz	-54.383 dBm				2	N	1	f	2.400 00 GHz	-38.445 dBm				3	N	1	f	2.422 17 GHz	-3.541 dBm				4									5									6									7									8									9									10									11									$\pi/4$ DQPSK/HCH/No Hop	Agilent Spectrum Analyzer - Swept SA RLRF50ΩACCORRECSENSE:PULSEALIGN:AUTO06:43:41 PM Sep 29, 2018 Center Freq 2.489250000 GHz PN0: FastIFGain:LowTrig: Free Run#Atten: 30 dB#Avg Type: RMSAvg/Hold: 100/100 10 dB/divRef 20.00 dBm Log Mkr2 2.500 000 GHz-57.467 dBm 3 2 1 Start 2.47850 GHz#Res BW 100 kHz#VBW 300 kHzSweep 2.133 ms (2001 pts) Stop 2.50000 GHz <table><tr><th>MKR</th><th>MODE</th><th>TRG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.483 500 GHz</td><td>-57.055 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.500 000 GHz</td><td>-57.467 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.479 994 GHz</td><td>-4.583 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSGFile <temp.png> savedSTATUS Frequency Auto Tune Center Freq2.489250000 GHz Start Freq2.478500000 GHz Stop Freq2.500000000 GHz CF Step2.150000 MHzAutoMan Freq Offset0 Hz	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.483 500 GHz	-57.055 dBm				2	N	1	f	2.500 000 GHz	-57.467 dBm				3	N	1	f	2.479 994 GHz	-4.583 dBm				4									5									6									7									8									9									10									11								
MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																																																																																																																																			
1	N	1	f	2.390 00 GHz	-54.383 dBm																																																																																																																																																																																																																						
2	N	1	f	2.400 00 GHz	-38.445 dBm																																																																																																																																																																																																																						
3	N	1	f	2.422 17 GHz	-3.541 dBm																																																																																																																																																																																																																						
4																																																																																																																																																																																																																											
5																																																																																																																																																																																																																											
6																																																																																																																																																																																																																											
7																																																																																																																																																																																																																											
8																																																																																																																																																																																																																											
9																																																																																																																																																																																																																											
10																																																																																																																																																																																																																											
11																																																																																																																																																																																																																											
$\pi/4$ DQPSK/HCH/No Hop	Agilent Spectrum Analyzer - Swept SA RLRF50ΩACCORRECSENSE:PULSEALIGN:AUTO06:43:41 PM Sep 29, 2018 Center Freq 2.489250000 GHz PN0: FastIFGain:LowTrig: Free Run#Atten: 30 dB#Avg Type: RMSAvg/Hold: 100/100 10 dB/divRef 20.00 dBm Log Mkr2 2.500 000 GHz-57.467 dBm 3 2 1 Start 2.47850 GHz#Res BW 100 kHz#VBW 300 kHzSweep 2.133 ms (2001 pts) Stop 2.50000 GHz <table><tr><th>MKR</th><th>MODE</th><th>TRG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.483 500 GHz</td><td>-57.055 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.500 000 GHz</td><td>-57.467 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.479 994 GHz</td><td>-4.583 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> MSGFile <temp.png> savedSTATUS Frequency Auto Tune Center Freq2.489250000 GHz Start Freq2.478500000 GHz Stop Freq2.500000000 GHz CF Step2.150000 MHzAutoMan Freq Offset0 Hz	MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.483 500 GHz	-57.055 dBm				2	N	1	f	2.500 000 GHz	-57.467 dBm				3	N	1	f	2.479 994 GHz	-4.583 dBm				4									5									6									7									8									9									10									11																																																																																																																						
MKR	MODE	TRG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																																																																																																																																			
1	N	1	f	2.483 500 GHz	-57.055 dBm																																																																																																																																																																																																																						
2	N	1	f	2.500 000 GHz	-57.467 dBm																																																																																																																																																																																																																						
3	N	1	f	2.479 994 GHz	-4.583 dBm																																																																																																																																																																																																																						
4																																																																																																																																																																																																																											
5																																																																																																																																																																																																																											
6																																																																																																																																																																																																																											
7																																																																																																																																																																																																																											
8																																																																																																																																																																																																																											
9																																																																																																																																																																																																																											
10																																																																																																																																																																																																																											
11																																																																																																																																																																																																																											




A.7 RF Conducted Spurious Emissions
Test Graph



GFSK MCH Graphs




Frequency	
Auto Tune	
Center Freq 2.441000000 GHz	
Start Freq 2.440000000 GHz	
Stop Freq 2.442000000 GHz	
CF Step 200.000 kHz	Auto Man
Freq Offset 0 Hz	




Frequency	
Auto Tune	
Center Freq	13.250004500 GHz
Start Freq	9.000 kHz
Stop Freq	26.500000000 GHz
CF Step	2.649999100 GHz
Auto	Man
Freq Offset	0 Hz

GFSK HCH Graphs





Frequency	
Auto Tune	
Center Freq 2.480000000 GHz	
Start Freq 2.479000000 GHz	
Stop Freq 2.481000000 GHz	
CF Step 200.000 kHz	Man
Auto	
Freq Offset 0 Hz	




Frequency	
Auto Tune	
Center Freq	13.250004500 GHz
Start Freq	9.000 kHz
Stop Freq	26.500000000 GHz
CF Step	2.649999100 GHz
Auto Man	
Freq Offset	0 Hz


$\pi/4$ DQPSK LCH Graphs




$\pi/4$ DQPSK MCH Graphs



Frequency	
Auto Tune	
Center Freq	2.441000000 GHz
Start Freq	2.440000000 GHz
Stop Freq	2.442000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz



Frequency	
Auto Tune	
Center Freq	13.250004500 GHz
Start Freq	9.000 kHz
Stop Freq	26.500000000 GHz
CF Step	2.649999100 GHz
Auto	Man
Freq Offset	0 Hz




A.8 Restrict-band measurements

Type	Carrier Frequency (MHz)	Frequency(MHz)	Gain	Ground Factor	Peak Value(dBm)	E [dBuV/m]	Limit [dBuV/m]	Average Value(dBm)	E [dBuV/m]	Limit [dBuV/m]	Conclusion
1DH5	2402	2310	2.00	0.00	-53.37	43.83	74	-60.19	37.01	54	Pass
1DH5	2402	2390	2.00	0.00	-50.24	46.96	74	-57.98	39.22	54	Pass
1DH5	2480	2483.5	2.00	0.00	-49.24	47.96	74	-55.11	42.09	54	Pass
1DH5	2480	2500	2.00	0.00	-45.6	51.6	74	-55.36	41.84	54	Pass
2DH5	2402	2310	2.00	0.00	-54.37	42.83	74	-60.21	36.99	54	Pass
2DH5	2402	2390	2.00	0.00	-49.77	47.43	74	-58.09	39.11	54	Pass
2DH5	2480	2483.5	2.00	0.00	-47.87	49.33	74	-55.84	41.36	54	Pass
2DH5	2480	2500	2.00	0.00	-47.18	50.02	74	-55.47	41.73	54	Pass


Test Graph




Restrict-band band-edge measurements_2480_PEAK_DH5




Restrict-band band-edge measurements_2480_AV_DH5




Restrict-band band-edge measurements_2402_PEAK_2DH5



Restrict-band band-edge measurements_2402_AV_2DH5



Restrict-band band-edge measurements_2480_PEAK_2DH5



Restrict-band band-edge measurements_2480_AV_2DH5

