

Antenna Approval Sheet

안테나 승인원

Product name	Internal FPCB Antenna	
Model name	RHI-LF2W25DEC80PT	
Vendor code		
Date	11-Nov-24	
Manufacturer	RE Haus Technology	

Request antenna approval.

11-Nov-24

Manufacturer	RE Haus Technology
Address	3F, 233, Doyoji-ro, Seo-gu, Incheon, Republic of Korea
Tel.	+82-32-262-0824
Fax.	+82-0504-292-2536
Writer	JH LEE

	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	1 / 12

Content 목 차

1. DOCUMENT CHANGE RECODE. 개정 이력	2
2. MATERIAL CERTIFICATE. 재질 증명서.....	3
3. TECHNICAL INFORMATION. 기술적 사항	4
3.1. Electrical specifications. 전기적인 사양	4
3.2. Mechanical specifications. 기구적인 사양	4
3.3. Packaging specifications. 포장 사양	4
4. ELECTRICAL REQUIREMENTS. 전기적 요구 사항	5
4.1. VSWR. 정재파비	5
4.2. Radiation pattern. 복사패턴	6
4.3. Antenna gain. 안테나 이득	6
5. ENVIRONMENTAL REQUIREMENTS. 환경 요구 사항.....	7
5.1. High temperature storage test. 고온 저장 시험	7
5.2. Cold storage test. 저온 저장 시험.	7
5.3. How to deal with defective parts. 부품 하자 시의 처리 방법.....	7
6. OTHER DOCUMENTS. 기타 구비 문서.....	8
6.1. Electrical characteristics. 전기적인 특성	8
6.1.1. Smith chart 스미스 차트, Return Loss 반사손실, VSWR 정재파비	8
6.2. Radiation pattern. 복사패턴	9
6.2.1. 2.4GHz Radiation Pattern	9
6.2.2. 5GHz Radiation Pattern	10
6.3. Mechanical drawing. 기구도면.....	11
7. ROHS. 환경 유해 물질	12

	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	2 / 12

1. Document change recode. 개정 이력

Revision	Detail revision and change	Date	Page	Writer
1.0	- Initial issue	11-Nov-24		JH

	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	3 / 12

2. Material certificate. 재질 증명서

No.	Part name	Material	Material company	Partner	Color	Processing method	Qt'y	Remarks
1	Φ1.13 Coaxial Cable	FEP, etc	-	-	Black		1	MHF PLUG
2	Antenna	FR4		-	Black	-	1	0.4T
3	Double side Tape	Acrylic Form	3M	-	Gray	-	1	0.8T
1, The original material should be written in full name. 원소재는 Full Name 으로 기재할 것. 2, The original material should be written accurately. 원소재의 재질은 부품명에 의거 정확하게 기재할 것								

	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	4 / 12

3. Technical information. 기술적 사항

3.1. Electrical specifications. 전기적인 사양

Band 대역	2.4GHz	5GHz
Frequency range 주파수 범위	2400~2483.5MHz	5150~5875MHz
Peak gain 최고 이득	1.58 dBi	3.91 dBi
VSWR 정재파비	6.0 : 1 below	3.0 : 1 below
Impedance 임피던스	50Ω	
Polarization 편파	Linear	
Radiation pattern 복사 패턴	Omi-Directional	

3.2. Mechanical specifications. 기구적인 사양

Dimension 크기	30.0(mm) x 5.0(mm) x 0.4(mm) + Tape 0.8(mm)
Cable length 케이블 길이	80mm
Cable Color 케이블 색상	Black
Operating temperature 동작 온도	-20℃ ~ +60℃
Storage Temperature 보관 온도	-20℃ ~ +45℃
Weight 중량	about 0.5g
Connector 컨넥터 종류	MHF1 PLUG

3.3. Packaging specifications. 포장 사양

Part name	Quantity	Material	Remarks
Polybag(small)		PP	220mm X 100mm
Polybag(Large)		PP	250mm X 200mm
Inner box		KBL Paper	
Out box		KBL Pater	


	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	5 / 12

4. Electrical requirements. 전기적 요구 사항

4.1. VSWR. 정재파비

The VSWR characteristics must satisfy the electrical demands. 안테나는 전기적 사양에 명시되어 있는 정재파비 요구 사항을 만족해야 한다.

Division	2.4GHz	5GHz	Remarks
	2400~2483.5MHz	5150~5875MHz	
VSWR	6.0 : 1 below	3.0 : 1 below	N/A



	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	6 / 12


4.2. Radiation pattern. 복사패턴

Radiation pattern of this antenna has Omni-directional specification in H-Plane. 이 안테나의 복사 패턴은 H-Plane에서 무지향성 특성을 갖는다.

4.3. Antenna gain. 안테나 이득

The antenna gain is measured after calibrating with a standard horn antenna as a value measured in H-Plane, the unit is [dBi] and it must satisfy the following specifications. 안테나의 이득은 WLAN 대역의 STANDARD HORN 안테나를 이용하여 Calibration 한 후, H-Plane에서 측정한 값으로서 단위는[dBi]이며 아래의 사양을 만족하여야 한다.

Frequency	2.4GHz	5GHz	Remarks
	2400~2483.5MHz	5150~5875MHz	
Peak gain(dBi)	1.58 dBi	3.91 dBi	



	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	7 / 12

5. Environmental requirements. 환경 요구 사항

5.1. High temperature storage test. 고온 저장 시험

The antenna is placed in a temperature chamber with a humidity of 80% and a temperature of +80°C for 24 hours. After taking out the antenna from the chamber, 24 hours have elapsed before measurement at room temperature. There shall be no apparent defects and the electrical requirements shall be satisfied during the measurement. 안테나를 24시간 동안 습도 80%, 온도 +80°C의 온도 챔버에 놓는다. 안테나를 챔버에서 꺼내고 나서 24시간 지난 후 상온에서 측정한다. 외관상 결함이 발생해서는 안되고, 측정하는 동안 전기적 요구 사항을 만족해야 한다.

5.2. Cold storage test. 저온 저장 시험.

The antenna is placed in a temperature chamber at a temperature of -40°C for 48 hours. After taking the antenna out of the chamber, 1 hour has passed and then measured at room temperature. There shall be no apparent defects and the electrical requirements shall be satisfied during the measurement. 안테나를 48시간 동안 온도 -25°C 온도 챔버에 놓는다. 안테나를 챔버에서 꺼내고 나서 1시간 지난 후 상온에서 측정한다. 외관상 결함이 발생해서는 안되고, 측정하는 동안 전기적 요구 사항을 만족해야 한다.

5.3. How to deal with defective parts. 부품 하자 시의 처리 방법.


In case of defective parts, Sorting, rework, or 1:1 exchange according to customer requirements. 부품의 하자 발생 시 고객의 요구 사항에 따라 선별, 재 작업, 또는 1:1 교환을 실시한다.

	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	8 / 12

6. Other documents. 기타 구비 문서

6.1. Electrical characteristics. 전기적인 특성


6.1.1. Smith chart 스미스 차트, Return Loss 반사손실, VSWR 정재파비



Date	Document	Product name / Model name	Revision	Page
11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	9 / 12


6.2. Radiation pattern. 복사패턴

6.2.1. 2.4GHz Radiation Pattern




	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	10 / 12

6.2.2. 5GHz Radiation Pattern



	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RHI-LF2W25DEC80PT	1.0	11 / 12

6.3. Mechanical drawing. 기구도면



	Date	Document	Product name / Model name	Revision	Page
	11-Nov-24	Antenna Approval sheet	Internal FPCB Antenna RH1-LF2W25DEC80PT	1.0	12 / 12

7. RoHS. 환경 유해 물질

Environmental Declaration

Supplier	RE Haus Technology
Product Name	LF2W25DEC80PT
Writer	SHIN JUNG WON
Writer e-mail	shinyw@re-haus-tech.com
Created on	2024-11-11

Component Information

PRODUCT Name	Part W(g)	Material				Analysis Result ppm=mg/kg																Test Organisation	Report Number	Test Date (YYYY-MM-DD)	Analysis Report																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
						RoHS								Phthalates				Halogen		Antimony	RoHS				Phthalates	Halogen	MSDS	REACH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
						Cd	Pb	Hg	Cr6+	PBB	PBDE	BBP	DBP	DEHP	Br	Cl																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
LF2W25DEC80PT	PCB	FR-4	Seoul Chemical Research Laboratory CO.,LTD.	Content (Wt%)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

RF-QP-009-1

(주)리하우스테크놀로지

A4(210x297mm)