

MODULAR APPROVAL LETTER

Modular Approval Requirement	Yes	No
(i) The radio elements of the modular	Х	
transmitter must have their own shielding. The		
physical crystal and tuning capacitors may be		
located external to the shielded radio elements.		
(ii) The modular transmitter must have buffered	X	
modulation/data inputs (if such inputs are		
provided) to ensure that the module will comply		
with part		
15 requirements under conditions of excessive		
data rates or over-modulation.		
(iii) The modular transmitter must have its own	X	
power supply regulation.		
(iv) The modular transmitter must comply with	X	
the antenna and transmission system		
requirements of §§ 15.203, 15.204(b) and		
15.204(c). The antenna must either be		
permanently attached or employ a "unique"		
antenna coupler (at all connections between the		
module and the antenna, including the cable).		
The "professional installation" provision of §		
15.203 is not applicable to modules but can		
apply to limited modular		
approvals under paragraph (b) of this section.		
(v) The modular transmitter must be tested in a	X	
stand-alone configuration		
(vi) The modular transmitter must be equipped	X	
with either a permanently affixed label or must		
be capable of electronically displaying its FCC		
identification number.		



(vii) The modular transmitter must comply with	Х	
any specific rules or operating requirements that		
ordinarily apply to a complete transmitter and		
the manufacturer must provide adequate		
instructions along with the module to explain		
any such requirements. A copy of these		
instructions must be included in the application		
for equipment authorization.		
(viii) The modular transmitter must comply with	Х	
any applicable RF exposure requirements in its		
final configuration.		

Dean Mason

Dean Mason Director, Product Compliance goTenna Inc.