


廠內自印 PRODUCT LABEL

P/N

5412841000-R



NOTES:


1. BLANK LABEL P/N : 5412840000-R (BLANK,23*6mm,POLYESTER SILVER)
2. PRINT COLOR : BLACK
3. HARDWARE NUMBER TEXT BY JOB ORDER.
4. THE LAST CODE OF PART NUMBER (-R,-C,-H,-E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.
 - R: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION.
 - C: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION.
 - H: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION,AND CAN MEET UIC'S NON-HALIDE LIMIT.
 - E: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

						DRN. TONY CHANG	DATE 2020.12.25	TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE	UNIT	PROJ.
						DSN. TONY CHANG	DATE 2020.12.25	X. ± 0.5 .X ± 0.25 .XX ± 0.15 .XXX ± 0.05 ANGLES ± 1/4°		2 : 1	mm	
1	2020.12.25	N/A	NEW DRAWING	TONY CHANG	ARTHUR CHEN	CHKD. ARTHUR CHEN	DATE 2020.12.25	☐ REMOVE ALL SHARP EDGE & BURS	TITLE UIC LABEL,RoHS PRODUCT,23*6mm,POLYESTER SILVER	MODEL NO. UIC680VG		
REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	APPD. ARTHUR CHEN	DATE 2020.12.25		MATERIAL: SEE NOTES	FINISH: SEE NOTES	DWG NO 5412841000-R	SHEET 1/1

廠內自印 S/N LABEL

P/N

5412842000-R



A 請依生產工單上產品型號規格，並依下列所定義的序號對應內容印製(共十二碼)。

例：XXXYYMMXXXXX ← 流水號每個月產品流水號從00001開始

← 月份

← 西元

← 產品代碼，如MFC243代碼為296

NOTES:

1. BLANK LABEL P/N : 5412840000-R (BLANK,23*6mm,POLYESTER SILVER)

2. PRINT COLOR : BLACK

3. SERIAL NUMBER WITH BARCODE 128 BELOW, INPUT PER TABELA.

4. THE LAST CODE OF PART NUMBER (-R,-C,-H,-E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.

-R: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION.

-C: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION.

-H: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION,AND CAN MEET UIC'S NON-HALIDE LIMIT.


-E: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

						DRN. TONY CHANG	DATE 2020.12.07	TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE	UNIT	PROJ.
						DSN. TONY CHANG	DATE 2020.12.07	X. ± 0.5 .X ± 0.25 .XX ± 0.15 .XXX ± 0.05 ANGLES ± 1/4°	TITLE UIC LABEL,RoHS S/N,23*6mm,POLYESTER SILVER	2 : 1	mm	
A	2021.10.28		NEW DRAWING	CI WU	Dennis Liao	CHKD. ARTHUR CHEN	DATE 2020.12.07	REMOVE ALL SHARP EDGE & BURS	MODEL NO. UIC680VG			
REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	APPD. ARTHUR CHEN	DATE 2020.12.07		MATERIAL: SEE NOTES	FINISH: SEE NOTES	DWG NO 5412842000-R	SHEET 1/1

廠內自印 PRODUCT LABEL

P/N

5412851000-R



A 請依生產工單上產品型號規格，並依下列所定義的序號對應內容印製(共十二碼)。

例: XXXYYMMXXXXX ← 流水號(每個月產品流水號從00001開始)

← 月份(例01~12)

← 西元年後二碼(例2020即為20)

← 產品代碼(例 UIC680VG代碼為295)

NOTES:

1. BLANK LABEL P/N : 5412492000-R (BLANK,44.5*19.5mm,POLYESTER SILVER)
2. PRINT COLOR : BLACK
3. HARDWARE NUMBER TEXT BY JOB ORDER.
4. P/N TEXT BY JOB ORDER.
5. SERIAL NUMBER WITH BARCODE 128 BELOW, INPUT PER TABLE A.
6. THE LAST CODE OF PART NUMBER (-R,-C,-H,-E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.
 - R: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION.
 - C: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION.
 - H: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.
 - E: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

						DRN. CI WU	DATE 2021.09.27	TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE	UNIT	PROJ.
						DSN. CI WU	DATE 2021.09.27	X. ± 0.5 .X ± 0.25 .XX ± 0.15 .XXX ± 0.05 ANGLES ± 1/4"		NONE	mm	
1	2021.09.27	N/A	NEW DRAWING	CI WU	DENNIS LIAO	CHKD. DENNIS LIAO	DATE 2021.09.27	REMOVE ALL SHARP EDGE & BURS	TITLE UIC LABEL, RoHS PRODUCT, 44.5*19.5mm, POLYESTER SILVER	MODEL NO. UIC680VG		
REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	APPD. DENNIS LIAO	DATE 2021.09.27		MATERIAL: SEE NOTES	FINISH: SEE NOTES	DWG NO 5412851000-R	SHEET 1/1

