


Band 3 – Straddle Channel
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

[illegible]







WIFI	Band 3 Straddle Channel Band Edge @ 3m	
ANT	802.11ax HE40 Full CH142 5710MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HV Condition : STRADLES U-NI-1A2A 3m 9120D_02360_231030 HORIZONTAL -65dBm/100kHz+100kHz+15dBm/100kHz+15dBm/100kHz+15dBm/100kHz	Left blank

[illegible]

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
ANT	802.11ax HE40 Full CH142 5710MHz - R	
1+2	Vertical	Fundamental
Peak	Date: 2024-05-24 Level (dBm/Hz) Frequency (MHz) STRADDLES U-NII-162A Site : 03CH20-HY Condition : STRADDLES U-NII-162A 3m 91200_02360_230330 VERTICAL SAMP=1000000000 Hz USRP-X300 (NOISE)+ CMT.dmm	Left blank






Band 3 – Straddle Channel
WIFI 802.11ax HE80 Full (Band Edge @ 3m)


WIFI	Band 3 Straddle Channel Band Edge @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : STRADDLES U-NIT-1A2A 3m 91200_02360_231030 HORIZONTAL DRAW:NNNNNNNNNN+VSWR:NNNNNNNN+SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT) 3m 91200_02360_231030 HORIZONTAL DRAW:NNNNNNNNNN+VSWR:NNNNNNNN+SWT:Auto
Avg.	 Site : 03CH20-HY Condition : U-NIT-1A2A AVERAGE 3m 91200_02360_231030 HORIZONTAL DRAW:NNNNNNNNNN+VSWR:NNNNNNNN+SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_231030 HORIZONTAL DRAW:NNNNNNNNNN+VSWR:NNNNNNNN+SWT:Auto

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz - R	
1+2	Horizontal	Fundamental
Peak	Date: 2024-06-24 Level (dBm/Hz) Frequency (MHz) STRADDLES U-NII-1A2A Site : 03CH20-HY Condition : STRADDLES U-NII-1A2A 3m 9/200_02360_230190 HORIZONTAL @M=1000100000 Hz USIM-SIOX1000000 CMT: dmm	Left blank





WIFI	Band 3 Straddle Channel Band Edge @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : STRADDOLES U-NET-1A2A 3m 91200_02360_231030 VERTICAL - BW: 1000000Hz - VSW: 9000000Hz - CMT: Auto	 Site : 03CH20-HY Condition : AVS_54 3m 91200_02360_231030 VERTICAL - BW: 1000000Hz - VSW: 9000000Hz - CMT: Auto
Avg.	 Site : 03CH20-HY Condition : U-NET-1A2A AVERAGE 3m 91200_02360_231030 VERTICAL - BW: 1000000Hz - VSW: 9000000Hz - CMT: Auto	 Site : 03CH20-HY Condition : PEAK(UNIT) 3m 91200_02360_231030 VERTICAL - BW: 1000000Hz - VSW: 9000000Hz - CMT: Auto



WIFI	Band 3 Straddle Channel Band Edge @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : STRADDOLES U-NII-1A2A 3m 9120D_02360_231030 VERTICAL - 65dBm/100kHz - 15dBm/100kHz - 15dBm/100kHz - 15dBm/100kHz	Left blank



Band 3 - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11a CH144 5720MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT) 3m 91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition : PEAK(UNIT) 3m 91200_02360_231030 VERTICAL



WIFI	Band 3 5470~5725MHz Harmonic @ 3m	
ANT	802.11a CH144 5720MHz	
1+2	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL



Band 3 – Straddle Channel
WIFI 802.11ax HE20 Full (Harmonic @ 3m)



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE20 Full CH144 5720MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-4V Condition : PEAK(UNIT) 3m 91200_02360_231030 HORIZONTAL	 Site : 03CH20-4V Condition : PEAK(UNIT) 3m 91200_02360_231030 VERTICAL



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE20 Full CH144 5720MHz	
1+2	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 45 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 55 dBuV/m. The date is 2024-05-25. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL



Band 3 - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE40 Full CH142 5710MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-4V Condition : PEAK(UNIT) 3m 91200_02360_231030 HORIZONTAL	 Site : 03CH20-4V Condition : PEAK(UNIT) 3m 91200_02360_231030 VERTICAL



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE40 Full CH142 5710MHz	
1+2	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 60 dBuV/m. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL



Band 3 – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-4V Condition : PEAK(UNIT) 3m 91200_02360_231030 HORIZONTAL	 Site : 03CH20-4V Condition : PEAK(UNIT) 3m 91200_02360_231030 VERTICAL



WIFI	Band 3 Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz	
1+2	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 14470 to 14500 MHz. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 14470 to 14500 MHz. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 17700 to 18000 MHz. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a flat line at approximately 50 dBuV/m across the frequency range 17700 to 18000 MHz. The date is 2024-05-27. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_231030 VERTICAL





Emission above 18GHz
5GHz WIFI 802.11ax HE40 Full (SHF @ 1m)

WIFI	5GHz WIFI	
ANT	802.11ax HE40 Full SHF	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT) 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH20-HY Condition : PEAK(UNIT) 1m SHF_00993_231124 VERTICAL



Emission below 1GHz
5GHz WIFI 802.11ax HE40 Full (LF)



WIFI	5GHz WIFI	
ANT	802.11ax HE40 Full LF	
1+2	Horizontal	Vertical
QP / Peak	 Site : 03CH20-HY Condition : QP 3m LF_55606_231020_200 HORIZONTAL	 Site : 03CH20-HY Condition : QP 3m LF_55606_231020_200 VERTICAL



Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11a	99.01	-	-	10Hz
1+2	5GHz 802.11ax HE20 Full RU	99.58	-	-	10Hz
1+2	5GHz 802.11ax HE20 106 RU	92.79	9270	0.11	110Hz
1+2	5GHz 802.11ax HE40 Full RU	99.64	-	-	10Hz
1+2	5GHz 802.11ax HE40 242 RU	99.62	-	-	10Hz
1+2	5GHz 802.11ax HE80 Full RU	99.11	-	-	10Hz
1+2	5GHz 802.11ax HE80 484 RU	99.33	-	-	10Hz
1+2	5GHz 802.11ax HE160 Full RU	99.31	-	-	10Hz
1+2	5GHz 802.11ax HE160 996 RU	97.93	711	1.41	1.5kHz

MIMO <Ant. 1+2>







5GHz 802.11ax HE40 242 RU




5GHz 802.11ax HE80 Full RU




5GHz 802.11ax HE80 484 RU



5GHz 802.11ax HE160 Full RU



5GHz 802.11ax HE160 996 RU



Appendix G. Spot Check Evaluation on KC50E15

Conducted power test and radiated spurious emission test configurations were selected from the worst cases identified in the reference model and tested to demonstrate the test data from reference model remains representative for the variant model.

The deviation between the spot check and the referenced values is within 3dB, therefore data referencing is justified according to the guidance in the ECR inquiry

Mode	Test Item	UZ7KC50A15 Reference Worst mode Test Result	UZ7KC50E15 Variant Check Test Result	Deviation	Limit (dB)
Bluetooth	Number of Channels	79	79	0	Within the authorized block
	Hopping Channel Separation	1.298	0.994	0.304	Within the authorized block
	Dwell Time of Each Channel	0.31	0.31	0	Within the authorized block
	20dB Bandwidth	0.895	0.943	0.048	Within the authorized frequency block
	99% Bandwidth	0.829	0.835	0.006	Within the authorized frequency block
	Conducted Band Edges	-40.99	-41.96	0.97	Deviation (ddB) < 3 dB
	Conducted Spurious Emission	-31.60	-31.83	0.23	Deviation (ddB) < 3 dB
	Peak Output Power	5.51	6.55	1.04	Deviation (ddB) < 3 dB
	Radiated Band Edges and Radiated Spurious Emission	29.69	30.55	0.86	Deviation (ddB) < 3 dB
	AC Conducted Emission	40.20	42.89	2.69	Deviation (ddB) < 3 dB
Bluetooth-LE	6dB Bandwidth	1.152	1.145	0.007	Within the authorized frequency block
	99% Bandwidth	2.002	1.998	0.004	Within the authorized frequency block
	Power Spectral Density	-12.50	-12.91	0.41	Deviation (ddB) < 3 dB
	Conducted Band Edges	-41.12	-42.06	0.94	Deviation (ddB) < 3 dB
	Conducted Spurious Emission	-31.67	-31.99	0.32	Deviation (ddB) < 3 dB
	Power Output Measurement	4.9	4.8	0.1	Deviation (ddB) < 3 dB
	Radiated Band Edges and Spurious Emission	35.09	32.18	2.91	Deviation (ddB) < 3 dB
	AC Conducted Emission	40.20	42.89	2.69	Deviation (ddB) < 3 dB
WIFI 2.4G	6dB Bandwidth	8.05	8.08	0.03	Within the authorized frequency block
	99% Bandwidth	19.33	19.33	0	Within the authorized frequency block
	Power Spectral Density	3.48	3.54	0.06	Deviation (ddB) < 3 dB
	Conducted Band Edges	-41.60	-41.47	0.13	Deviation (ddB) < 3 dB
	Conducted Spurious Emission	-42.45	-42.79	0.34	Deviation (ddB) < 3 dB
	Output Power	26.47	26.37	0.1	Deviation (ddB) < 3 dB
	Radiated Band Edges and Spurious Emission	52.42	52.41	0.01	Deviation (ddB) < 3 dB
	AC Conducted Emission	40.20	42.89	2.69	Deviation (ddB) < 3 dB



Mode	Test Item	UZ7KC50A15 Reference Worst mode Test Result	UZ7KC50E15 Variant Check Test Result	Deviation	Limit (dB)
WIFI 5G	26dB Bandwidth	165.46	166.13	0.67	Within the authorized frequency block
	99% Bandwidth	156.56	156.56	0.00	Within the authorized frequency block
	Power Spectral Density	10.06	10.01	0.05	Deviation (ddB) < 3 dB
	Maximum Conducted Output Power	23.14	22.68	0.46	Deviation (ddB) < 3 dB
	Unwanted Emissions	52.91	52.13	0.78	Deviation (ddB) < 3 dB
	AC Conducted Emission	41.22	42.43	1.21	Deviation (ddB) < 3 dB
WIFI 6G (Indoor Client)	26dB Emission Bandwidth	166.37	166.94	0.57	Within the authorized frequency block
	99% Occupied Bandwidth	156.56	156.32	0.24	Within the authorized frequency block
	Contention Based Protocol	-66.39	-63.16	3.23	Within the authorized block
	Fundamental Maximum EIRP	20.18	20.13	0.05	Deviation (ddB) < 3 dB
	Fundamental Power Spectral Density	-1.14	-1.11	0.03	Deviation (ddB) < 3 dB
	In-Band Emissions (Channel Mask)	-43.14	-44.97	1.83	Deviation (ddB) < 3 dB
	Unwanted Emissions	66.75	64.43	2.32	Deviation (ddB) < 3 dB
	AC Conducted Emission	40.50	37.56	2.94	Deviation (ddB) < 3 dB



List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
AC Power Source	ACPOWER	AFC-11003G	F317040033	N/A	N/A	Jul. 16, 2024	N/A	Conduction (CO07-HY)
Software	Rohde & Schwarz	EMC32 V10.30	N/A	N/A	N/A	Jul. 16, 2024	N/A	Conduction (CO07-HY)
Pulse Limiter	SCHWARZBECK	VTSD 9561-FN	9561-FN00373	9kHz-200MHz	Oct. 20, 2023	Jul. 16, 2024	Oct. 19, 2024	Conduction (CO07-HY)
RF Cable	HUBER + SUHNER	RG 214/U	1358175	9kHz~30MHz	Mar. 14, 2024	Jul. 16, 2024	Mar. 13, 2025	Conduction (CO07-HY)
Two-Line V-Network	TESEQ	NNB 51	45051	N/A	Mar. 10, 2024	Jul. 16, 2024	Mar. 09, 2025	Conduction (CO07-HY)
Four-Line V-Network	TESEQ	NNB 52	36122	N/A	Mar. 07, 2024	Jul. 16, 2024	Mar. 06, 2025	Conduction (CO07-HY)
EMI Test Receiver	Rohde & Schwarz	ESR3	102317	9kHz~3.6GHz	Sep. 20, 2023	Jul. 16, 2024	Sep. 19, 2024	Conduction (CO07-HY)
EMI Test Receiver	Keysight	N9038A(MXE)	MY54130085	N/A	Oct. 06, 2023	Aug. 28, 2024~Aug. 30, 2024	Oct. 05, 2024	Radiation (03CH20-HY)
Loop Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Sep. 12, 2023	Aug. 28, 2024~Aug. 30, 2024	Sep. 11, 2024	Radiation (03CH20-HY)
Preamplifier	EMEC	EM18G40G	060801	18GHz~40GHz	May 27, 2024	Aug. 28, 2024~Aug. 30, 2024	May 26, 2025	Radiation (03CH20-HY)
Controller	ChainTek	3000-1	N/A	Control Turn table & Ant Mast	N/A	Aug. 28, 2024~Aug. 30, 2024	N/A	Radiation (03CH20-HY)
Antenna Mast	ChainTek	MBS-520-1	N/A	1m~4m	N/A	Aug. 28, 2024~Aug. 30, 2024	N/A	Radiation (03CH20-HY)
Turn Table	ChainTek	T-200-S-1	N/A	0~360 Degree	N/A	Aug. 28, 2024~Aug. 30, 2024	N/A	Radiation (03CH20-HY)
Signal Analyzer	Keysight	N9010B	MY60240520	N/A	Dec. 12, 2023	Aug. 28, 2024~Aug. 30, 2024	Dec. 11, 2024	Radiation (03CH20-HY)
Bilog Antenna	TESEQ	CBL 6111D&00802 N1D01N-06	55606 & 08	30MHz~1GHz	Oct. 20, 2023	Aug. 28, 2024~Aug. 30, 2024	Oct. 19, 2024	Radiation (03CH20-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120 D	02360	1GHz-18GHz	Oct. 30, 2023	Aug. 28, 2024~Aug. 30, 2024	Oct. 29, 2024	Radiation (03CH20-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	1223	18GHz-40GHz	Jun. 24, 2024	Aug. 28, 2024~Aug. 30, 2024	Jun. 23, 2025	Radiation (03CH20-HY)
Preamplifier	COM-POWER	PAM-103	18020201	1MHz-1000MHz	Jan. 01, 2024	Aug. 28, 2024~Aug. 30, 2024	Dec. 31, 2024	Radiation (03CH20-HY)
Amplifier	EMCI	EMC118A45SE	980792	N/A	Nov. 13, 2023	Aug. 28, 2024~Aug. 30, 2024	Nov. 12, 2024	Radiation (03CH20-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	519229/2,804 015/2,804027 /2	N/A	Jan. 17, 2024	Aug. 28, 2024~Aug. 30, 2024	Jan. 16, 2025	Radiation (03CH20-HY)
Hygrometer	TECEPEL	DTM-303A	TP211382	N/A	Mar. 27, 2024	Aug. 28, 2024~Aug. 30, 2024	Mar. 26, 2025	Radiation (03CH20-HY)
Software	Audix	N/A	RK-002156	N/A	N/A	Aug. 28, 2024~Aug. 30, 2024	N/A	Radiation (03CH20-HY)



Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Hygrometer	TECPEL	DTM-303A	TP201996	N/A	Nov. 07, 2023	Jul. 23, 2024~ Sep. 02, 2024	Nov. 06, 2024	Conducted (TH05-HY)
Power Sensor	DARE	RPR3006W	15I00041SNO 10 (NO:248)	10MHz~6GHz	Jan. 10, 2024	Jul. 23, 2024~ Sep. 02, 2024	Jan. 09, 2025	Conducted (TH05-HY)
Switch Control Mainframe	Burgeon	ETF-058	EC1300485 (BOX4)	N/A	Apr. 08, 2024	Jul. 23, 2024~ Sep. 02, 2024	Apr. 07, 2025	Conducted (TH05-HY)
Signal Analyzer	Rohde & Schwarz	FSV40	101564	10Hz ~ 40GHz	Sep. 12, 2023	Jul. 23, 2024~ Sep. 02, 2024	Sep. 11, 2024	Conducted (TH05-HY)
Software	Sporton	BTWIFI_Final_ version_24041 1	N/A	Conducted Other Test Item	N/A	Jul. 23, 2024~ Sep. 02, 2024	N/A	Conducted (TH05-HY)

————THE END————