

Page: 1 of 7





# RF EXPOSURE REPORT

FCC Applicant: silex technology, Inc.

2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237,

Japan

**Product Name:** SX-PCEAX

Brand Name: Silex Technology

Model No.: SX-PCEAX

Model Difference: N/A

Report Number: TESA2304000233ES

FCC ID N6C-PCEAX

**Issue Date:** May. 17, 2023

Date of EUT Received: Apr. 20, 2023

Approved By

John Yeh

## We hereby certify that:

The above equipment was evaluate by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §1.1307.

The results of this report relate only to the sample identified in this report.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 2 of 7

| Revision History |          |             |               |            |        |  |  |
|------------------|----------|-------------|---------------|------------|--------|--|--|
| Report Number    | Revision | Description | Issue Date    | Revised By | Remark |  |  |
| TESA2304000233ES | 00       | Original    | May. 17, 2023 | Cindy Chou |        |  |  |
|                  |          |             |               |            |        |  |  |
|                  |          |             |               |            |        |  |  |
|                  |          |             |               |            |        |  |  |
|                  |          |             |               |            |        |  |  |
|                  |          |             |               |            |        |  |  |
|                  |          |             |               |            |        |  |  |

### Note:

1 . The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 3 of 7

# **Contents**

| 1 | DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)  | 4 |
|---|--------------------------------------------|---|
|   | 1.1 Product Description                    | 4 |
|   | 1.2 EVALUATION SITE                        |   |
| 2 | FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)     | 6 |
|   | 2.1 FCC STANDARD APPLICABLE                | 6 |
|   | 2.2 Power Density Calculation (Worst Case) | 7 |
|   | 2.3 COLLOCATED POWER DENSITY CALCULATION   | 7 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 4 of 7

# **DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)**

# **Product Description**

| Product Name:     | SX-PCEAX         |
|-------------------|------------------|
| Brand Name:       | Silex Technology |
| Model No.:        | SX-PCEAX         |
| Model Difference: | N/A              |

#### 1.2 **Evaluation site**

| Laboratory                         | Site Address |                                                                                                         | FCC<br>Designation<br>number | ISED<br>Company<br>Number | CAB<br>Identifier |
|------------------------------------|--------------|---------------------------------------------------------------------------------------------------------|------------------------------|---------------------------|-------------------|
| SGS Taiwan Ltd.                    | $\boxtimes$  | No. 134, Wu Kung Road, New Taipei<br>Industrial Park, Wuku District, New<br>Taipei City, 24803, Taiwan. | TW0027                       | 4620A                     |                   |
| Central RF Lab.<br>(TAF code 3702) |              | No. 2, Keji 1st Rd., Guishan Township,<br>Taoyuan County, 333 Taiwan.                                   | TW0028                       | 4620E                     | TW3702            |
|                                    |              | 1F, No. 8, Alley 15, Lane 120, Sec. 1,<br>Nei Hu Road, Neihu District, Taipei<br>City, 222 Taiwan.      | TW0029                       | 23862                     |                   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 5 of 7

#### 1.3 **Antenna Information:**

The antenna information is provided by the applicant.

#### BT / WLAN 2.4GHz 1.3.1

| Antenna<br>Type          | Supplier | Chain 0 /<br>Chain 1 | Antenna<br>Part No. | Freq.<br>(MHz) | Peak<br>Antenna<br>Gain (dBi) | MIMO<br>Antenna<br>Gain (dBi) |  |
|--------------------------|----------|----------------------|---------------------|----------------|-------------------------------|-------------------------------|--|
| Monopole TE connectivity |          | Chain 0              | 2118907-8           | 2.4GHz         | 2.31                          | 5.32                          |  |
|                          |          | Chain 1              | 2110907-0           | 2.4002         | 2.01                          |                               |  |
| Monopole Taoglas         |          | Chain 0              | GW.05.0153          | 2.4GHz         | 0.37                          | 3.38                          |  |
| Worldpole                | i augias | Chain 1              | GVV.03.0133         | 2.40112        | 0.37                          | 5.30                          |  |

#### 1.3.2 **WLAN 5GHz**

| Antenna<br>Type  | Supplier          | Antenna<br>Part No. | Chain 0 /<br>Chain 1 | Note  |
|------------------|-------------------|---------------------|----------------------|-------|
| Monopole         | TE connectivity   | 2118907-8           | Chain 0              | Ant 1 |
| Wionopole        | T L COITIECTIVITY | 2110307-0           | Chain 1              | Ant 2 |
| Monopole Taoglas |                   | GW.05.0153          | Chain 0              | Ant 3 |
| ivioriopole      | i aogias          | GVV.03.0133         | Chain 1              | Ant 4 |

| Op<br>Fre<br>( | Ant 1<br>Peak<br>Gain<br>(dBi) | Ant 2<br>Peak<br>Gain<br>(dBi) | Ant 3<br>Peak<br>Gain<br>(dBi) | Ant 4<br>Peak<br>Gain<br>(dBi) |      |      |
|----------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|------|------|
| 5150.0         | ~                              | 5250.0                         | 1.44                           | 1.44                           | 1.69 | 1.69 |
| 5250.0         | ~                              | 5350.0                         | 2.09                           | 2.09                           | 1.92 | 1.92 |
| 5470.0         | ~                              | 5725.0                         | 2.81                           | 2.81                           | 2.18 | 2.18 |
| 5725.0         | ~                              | 5850.0                         | 1.71                           | 1.71                           | 2.43 | 2.43 |
| 5845.0         | ~                              | 5885.0                         | 2.27                           | 2.27                           | 2.07 | 2.07 |
| 5925.0         | ~                              | 6425.0                         | 2.99                           | 2.99                           | 3.09 | 3.09 |
| 6425.0         | ~                              | 6525.0                         | 2.70                           | 2.70                           | 2.94 | 2.94 |
| 6525.0         | ~                              | 6875.0                         | 3.23                           | 3.23                           | 2.55 | 2.55 |
| 6875.0         | ~                              | 7125.0                         | 2.02                           | 2.02                           | 2.48 | 2.48 |

**Note:** Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路  $134 \,$ 號



Page: 6 of 7

# FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

#### 2.1 **FCC Standard Applicable**

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

| Frequency Range | Electric Field                                      | Magnetic Field | Power Density          | Averaging Time |  |  |  |  |
|-----------------|-----------------------------------------------------|----------------|------------------------|----------------|--|--|--|--|
| (MHz)           | Strength (V/m)                                      | Strength (A/m) | (mW/cm <sup>2</sup> )  | (minute)       |  |  |  |  |
|                 | Limits for General Population/Uncontrolled Exposure |                |                        |                |  |  |  |  |
| 0.3-1.34        | 614                                                 | 1.63           | *(100)                 | 30             |  |  |  |  |
| 1.34-30         | 824/f                                               | 2.19/f         | *(180/f <sup>2</sup> ) | 30             |  |  |  |  |
| 30-300          | 27.5                                                | 0.073          | 0.2                    | 30             |  |  |  |  |
| 300-1500        | /                                                   | 1              | f/1500                 | 30             |  |  |  |  |
| 1500-100000     | /                                                   | /              | 1.0                    | 30             |  |  |  |  |

f = frequency in MHz

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

<sup>\* =</sup> Plane-wave equipment power density



Page: 7 of 7

#### **Power Density Calculation (Worst Case)** 2.2

### Muti TX

| Operation<br>Mode | Evaluation<br>Frequency<br>(MHz) | Operation<br>Distance<br>(cm) | Max.Output<br>Power Include<br>Tolerance<br>(dBm) | Antenna<br>Gain<br>(dBi) | Max. EIRP<br>(mW) | Power<br>Density<br>(PD)<br>(mW/cm <sup>2</sup> ) | Limit<br>(mW/cm <sup>2</sup> ) | Pass / Fail | Power<br>Density /<br>Limit |
|-------------------|----------------------------------|-------------------------------|---------------------------------------------------|--------------------------|-------------------|---------------------------------------------------|--------------------------------|-------------|-----------------------------|
| BT                | 2480                             | 20                            | 16                                                | 5.32                     | 135.52            | 0.0270                                            | 1.000                          | Pass        | 0.027                       |
| WLAN 2.4G         | 2442                             | 20                            | 22.5                                              | 5.32                     | 605.34            | 0.120                                             | 1.000                          | Pass        | 0.120                       |
| WLAN 5G           | 5470                             | 20                            | 22                                                | 5.82                     | 605.34            | 0.120                                             | 1.000                          | Pass        | 0.120                       |
| WLAN 5.9G         | 5845                             | 20                            | 20.07                                             | 5.28                     | 342.77            | 0.068                                             | 1.000                          | Pass        | 0.068                       |
| WLAN 6G           | 6525                             | 20                            | 19                                                | 6.24                     | 334.20            | 0.067                                             | 1.000                          | Pass        | 0.067                       |

#### 2.3 **Collocated Power Density Calculation**

## **FCC Collocated MPE**

| Operation Mode | (Power Density / Limit) |
|----------------|-------------------------|
| 2.4G + 6G      | 0.187                   |
| 2.4G +5G       | 0.240                   |
| 2.4G + 5.9G    | 0.188                   |
| 6G +BT         | 0.094                   |
| 5G +BT         | 0.147                   |
| 5.9G + BT      | 0.095                   |

## Note:

- 1. Σ(Power Density / Limit): This is a summation of [(Power Density for each transmitter/antenna included in the simultaneous transmission) / (corresponding MPE limit)].
- 2. Considering the collocated transmitters, the aggregated (Power Density /limit) is smaller than 1, and MPE of collocated transmitters is compliant

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號