

深圳市一线通线缆有限公司

地址：深圳市宝安区沙井街道万丰98工业城21栋

天线规格承认书

客户名称 *Antenna Specification for Approval*

CustomerName: 深圳市魔样科技有限公司_____

产品名称: _

ProductName: 2.4G天线 全长25mm红色

客户型号:

ProductName: _____

产品料号:

Part NO.: C10- 35-2.5

制 表 :

WriteBy: 庄杰彬

日 期:


IssuedDate: 2021-10-08

客 户:

工程 <i>R&D Dept</i>	采购 <i>Business Dept</i>	承认 <i>Approved By</i>

一线通

研发 <i>R&D Dept</i>	工程 <i>Engineer Dept</i>	审核 <i>Approval</i>
庄彩虹	庄杰彬	庄杰彬



Product Specification

A. Electrical Characteristics

Frequency 2400MHz

~2500MHz VSWR<3.0

Efficiency >30%

Impedance 50

Ohm Polarization

Line Gain

0.17DBi

B. Material & Mechanical Characteristics

Material of Radiator Cu

Cable Type 1.0 19P 红

Connector Type : NO

Dimension

C. Environmental

Operation Temperature - 30 °C ~ + 80

**°C Storage Temperature - 30 °C ~ +
85 °C**

Test Equipment & Conditions

1. Network Analyzers:

Agilent 8753D 5071C

2. Communications TestSet:

Agilent E5525C

3. 3D Chamber TestSystem

Efficiency& Gain





Efficiency& Gain


2.40 -2.17

2.440 0.12


2.48 0.17

Radiation Pattern:





0.52 -1.11 -2.74 -4.37 -6 -7.63 -9.25 -10.88 -12.52



0.86 -1.9 -2.45 -4.01 -5.57 -7.12 -8.68 -10.24 -11.79