





































































2. Maximum Conducted Output Power

2.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Output Power (dBm)	Limit (dBm)	Verdict
			Ant 1		
802.11a	5180	SISO	4.15	≤23.98	PASS
	5200	SISO	4.08	≤23.98	PASS
	5240	SISO	4.45	≤23.98	PASS
	5260	SISO	4.26	≤23.98	PASS
	5300	SISO	3.47	≤23.98	PASS
	5320	SISO	3.26	≤23.98	PASS
	5500	SISO	3.93	≤23.98	PASS
	5580	SISO	3.99	≤23.98	PASS
	5600	SISO	4.30	≤23.98	PASS
	5700	SISO	3.62	≤23.98	PASS
	5745	SISO	3.70	≤30.00	PASS
	5785	SISO	4.02	≤30.00	PASS
	5825	SISO	4.52	≤30.00	PASS
802.11n(HT20)	5180	SISO	2.35	≤23.98	PASS
	5200	SISO	2.57	≤23.98	PASS
	5240	SISO	2.90	≤23.98	PASS
	5260	SISO	4.44	≤23.98	PASS
	5300	SISO	3.71	≤23.98	PASS
	5320	SISO	3.36	≤23.98	PASS
	5500	SISO	3.37	≤23.98	PASS
	5580	SISO	3.46	≤23.98	PASS
	5600	SISO	3.84	≤23.98	PASS
	5700	SISO	3.24	≤23.98	PASS
	5745	SISO	3.74	≤30.00	PASS
	5785	SISO	3.09	≤30.00	PASS
	5825	SISO	2.20	≤30.00	PASS
802.11n(HT40)	5190	SISO	2.92	≤23.98	PASS
	5230	SISO	3.03	≤23.98	PASS
	5270	SISO	4.46	≤23.98	PASS
	5310	SISO	3.79	≤23.98	PASS
	5510	SISO	4.30	≤23.98	PASS
	5550	SISO	3.48	≤23.98	PASS
	5590	SISO	4.71	≤23.98	PASS
	5670	SISO	4.70	≤23.98	PASS
	5755	SISO	4.47	≤30.00	PASS
	5795	SISO	3.95	≤30.00	PASS
802.11ac(VHT20)	5180	SISO	4.30	≤23.98	PASS
	5200	SISO	4.53	≤23.98	PASS
	5240	SISO	4.76	≤23.98	PASS
	5260	SISO	4.53	≤23.98	PASS
	5300	SISO	3.76	≤23.98	PASS
	5320	SISO	3.51	≤23.98	PASS
	5500	SISO	3.99	≤23.98	PASS
	5580	SISO	3.83	≤23.98	PASS
	5600	SISO	4.15	≤23.98	PASS
	5700	SISO	3.88	≤23.98	PASS
	5745	SISO	4.15	≤30.00	PASS
	5785	SISO	3.47	≤30.00	PASS
	5825	SISO	2.40	≤30.00	PASS
802.11ac(VHT40)	5190	SISO	3.48	≤23.98	PASS
	5230	SISO	3.71	≤23.98	PASS
	5270	SISO	3.34	≤23.98	PASS

	5310	SISO	2.62	≤ 23.98	PASS
	5510	SISO	3.10	≤ 23.98	PASS
	5550	SISO	2.46	≤ 23.98	PASS
	5590	SISO	3.57	≤ 23.98	PASS
	5670	SISO	3.34	≤ 23.98	PASS
	5755	SISO	3.30	≤ 30.00	PASS
	5795	SISO	2.60	≤ 30.00	PASS
802.11ac(VHT80)	5210	SISO	1.39	≤ 23.98	PASS
	5290	SISO	2.49	≤ 23.98	PASS
	5530	SISO	2.11	≤ 23.98	PASS
	5610	SISO	2.95	≤ 23.98	PASS
	5775	SISO	2.24	≤ 30.00	PASS

2.2 Test Graph

