


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85103G	53.86	88.20	-34.34	45.70	3	Vertical	208	2.03	-	40.50	10.44	42.78			
RMS	13.84927G	42.68	68.20	-25.52	34.51	3	Vertical	208	2.03	-	40.50	10.44	42.77			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85098G	53.80	88.20	-34.40	45.64	3	Horizontal	16	1.08	-	40.50	10.44	42.78			
RMS	13.84759G	42.65	68.20	-25.55	34.48	3	Horizontal	16	1.08	-	40.50	10.44	42.77			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76351G	51.26	83.54	-32.28	46.24	1	Vertical	337	2.57	-	38.21	15.81	49.00			
AV	20.78988G	37.62	63.54	-25.92	32.56	1	Vertical	337	2.57	-	38.22	15.83	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78358G	52.76	83.54	-30.78	47.71	1	Horizontal	143	2.92	-	38.21	15.83	48.99			
AV	20.78838G	39.59	63.54	-23.95	34.53	1	Horizontal	143	2.92	-	38.22	15.83	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00826G	54.06	88.20	-34.14	45.79	3	Vertical	137	2.89	-	40.72	10.50	42.95			
RMS	14.00774G	42.93	68.20	-25.27	34.66	3	Vertical	137	2.89	-	40.72	10.50	42.95			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	14.00896G	54.04	88.20	-34.16	45.77	3	Horizontal	191	1.70	-	40.72	10.50	42.95				
RMS	14.00761G	42.94	68.20	-25.26	34.68	3	Horizontal	191	1.70	-	40.72	10.50	42.96				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00909G	52.54	83.54	-31.00	47.10	1	Vertical	11	2.93	-	38.31	16.01	48.88			
AV	21.02523G	38.73	63.54	-24.81	33.26	1	Vertical	11	2.93	-	38.33	16.02	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02418G	51.23	83.54	-32.31	45.76	1	Horizontal	147	2.17	-	38.33	16.02	48.88			
AV	21.02478G	38.73	63.54	-24.81	33.26	1	Horizontal	147	2.17	-	38.33	16.02	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0812G	95.14	Inf	-Inf	94.11	3	Vertical	223	2.71	-	36.44	7.02	42.43			
RMS	7.081G	83.18	Inf	-Inf	82.15	3	Vertical	223	2.71	-	36.44	7.02	42.43			
PK	7.1378G	58.79	88.20	-29.41	57.71	3	Vertical	223	2.71	-	36.55	7.04	42.51			
RMS	7.1784G	48.44	68.20	-19.76	47.19	3	Vertical	223	2.71	-	36.77	7.05	42.57			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0848G	105.21	Inf	-Inf	104.18	3	Horizontal	230	1.00	-	36.43	7.03	42.43			
RMS	7.0828G	93.28	Inf	-Inf	92.26	3	Horizontal	230	1.00	-	36.43	7.02	42.43			
PK	7.1334G	60.43	88.20	-27.77	59.36	3	Horizontal	230	1.00	-	36.53	7.04	42.50			
RMS	7.129G	48.94	68.20	-19.26	47.88	3	Horizontal	230	1.00	-	36.52	7.04	42.50			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16844G	55.84	88.20	-32.36	47.20	3	Vertical	352	1.93	-	40.70	10.58	42.64			
RMS	14.16802G	43.91	68.20	-24.29	35.27	3	Vertical	352	1.93	-	40.70	10.58	42.64			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16937G	55.53	88.20	-32.67	46.89	3	Horizontal	137	2.14	-	40.70	10.58	42.64			
RMS	14.16762G	43.91	68.20	-24.29	35.27	3	Horizontal	137	2.14	-	40.70	10.58	42.64			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25428G	53.11	83.54	-30.43	47.16	1	Vertical	269	1.50	-	38.60	16.20	48.85			
AV	21.25224G	37.76	63.54	-25.78	31.81	1	Vertical	269	1.50	-	38.60	16.20	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25131G	46.87	83.54	-36.67	40.92	1	Horizontal	88	1.50	-	38.60	16.20	48.85			
AV	21.24504G	33.07	63.54	-30.47	27.13	1	Horizontal	88	1.50	-	38.59	16.20	48.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	56.36	88.20	-31.84	58.27	3	Vertical	221	2.33	-	34.85	6.31	43.07			
RMS	5.9234G	45.64	68.20	-22.56	47.56	3	Vertical	221	2.33	-	34.84	6.31	43.07			
PK	5.9582G	94.34	Inf	-Inf	96.05	3	Vertical	221	2.33	-	35.00	6.34	43.05			
RMS	6.0094G	81.57	Inf	-Inf	83.21	3	Vertical	221	2.33	-	35.00	6.39	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	61.17	88.20	-27.03	63.08	3	Horizontal	176	1.07	-	34.85	6.31	43.07			
RMS	5.9246G	46.79	68.20	-21.41	48.70	3	Horizontal	176	1.07	-	34.85	6.31	43.07			
PK	5.9758G	102.64	Inf	-Inf	104.32	3	Horizontal	176	1.07	-	35.00	6.36	43.04			
RMS	6.011G	91.02	Inf	-Inf	92.66	3	Horizontal	176	1.07	-	35.00	6.39	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97096G	52.30	74.00	-21.70	46.89	3	Vertical	270	1.38	-	38.60	9.72	42.91			
AV	11.96958G	40.97	54.00	-13.03	35.57	3	Vertical	270	1.38	-	38.60	9.71	42.91			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97018G	52.36	74.00	-21.64	46.96	3	Horizontal	103	1.23	-	38.60	9.71	42.91			
AV	11.96934G	40.95	54.00	-13.05	35.55	3	Horizontal	103	1.23	-	38.60	9.71	42.91			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.96433G	45.65	83.54	-37.89	41.98	1	Vertical	304	1.50	-	37.73	15.28	49.34			
AV	17.96619G	33.61	63.54	-29.93	29.95	1	Vertical	304	1.50	-	37.73	15.28	49.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.95602G	54.37	83.54	-29.17	50.71	1	Horizontal	360	1.50	-	37.71	15.27	49.32			
AV	17.95791G	39.51	63.54	-24.03	35.85	1	Horizontal	360	1.50	-	37.71	15.27	49.32			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44858G	51.55	74.00	-22.45	46.20	3	Vertical	117	1.17	-	38.50	9.90	43.05			
AV	12.44776G	40.55	54.00	-13.45	35.20	3	Vertical	117	1.17	-	38.50	9.90	43.05			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44878G	51.52	74.00	-22.48	46.17	3	Horizontal	158	1.06	-	38.50	9.90	43.05			
AV	12.4476G	40.59	54.00	-13.41	35.24	3	Horizontal	158	1.06	-	38.50	9.90	43.05			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66627G	48.55	83.54	-34.99	44.92	1	Vertical	238	1.53	-	37.93	15.27	49.57			
AV	18.67485G	36.60	63.54	-26.94	32.95	1	Vertical	238	1.53	-	37.94	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6831G	49.66	83.54	-33.88	46.00	1	Horizontal	66	1.81	-	37.95	15.27	49.56			
AV	18.67155G	38.58	63.54	-24.96	34.93	1	Horizontal	66	1.81	-	37.94	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76841G	53.66	88.20	-34.54	47.49	3	Vertical	311	1.62	-	38.87	10.03	42.73			
RMS	12.7675G	41.85	68.20	-26.35	35.68	3	Vertical	311	1.62	-	38.87	10.03	42.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7687G	53.67	88.20	-34.53	47.50	3	Horizontal	20	1.19	-	38.87	10.03	42.73			
RMS	12.76769G	41.89	68.20	-26.31	35.72	3	Horizontal	20	1.19	-	38.87	10.03	42.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.16643G	47.03	83.54	-36.51	43.27	1	Vertical	285	1.69	-	37.97	15.24	49.45				
AV	19.16862G	36.02	63.54	-27.52	32.26	1	Vertical	285	1.69	-	37.97	15.24	49.45				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15698G	49.17	83.54	-34.37	45.42	1	Horizontal	356	1.72	-	37.96	15.24	49.45			
AV	19.16523G	36.02	63.54	-27.52	32.26	1	Horizontal	356	1.72	-	37.97	15.24	49.45			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92785G	53.91	88.20	-34.29	47.09	3	Vertical	350	1.30	-	39.26	10.09	42.53			
RMS	12.92752G	42.36	68.20	-25.84	35.54	3	Vertical	350	1.30	-	39.26	10.09	42.53			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92845G	53.24	88.20	-34.96	46.42	3	Horizontal	289	1.02	-	39.26	10.09	42.53			
RMS	12.92767G	42.38	68.20	-25.82	35.56	3	Horizontal	289	1.02	-	39.26	10.09	42.53			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.40853G	48.07	83.54	-35.47	44.52	1	Vertical	307	1.69	-	37.94	15.23	49.62			
AV	19.39431G	36.02	63.54	-27.52	32.46	1	Vertical	307	1.69	-	37.94	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39206G	49.02	83.54	-34.52	45.46	1	Horizontal	20	2.55	-	37.94	15.23	49.61			
AV	19.39446G	35.02	63.54	-28.52	31.46	1	Horizontal	20	2.55	-	37.94	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09023G	53.69	88.20	-34.51	46.48	3	Vertical	149	2.57	-	39.48	10.15	42.42			
RMS	13.09239G	42.20	68.20	-26.00	34.99	3	Vertical	149	2.57	-	39.48	10.15	42.42			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09214G	53.11	88.20	-35.09	45.90	3	Horizontal	39	2.65	-	39.48	10.15	42.42			
RMS	13.09189G	42.24	68.20	-25.96	35.03	3	Horizontal	39	2.65	-	39.48	10.15	42.42			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.64841G	48.19	83.54	-35.35	44.63	1	Vertical	32	1.35	-	37.90	15.22	49.56			
AV	19.64634G	38.80	63.54	-24.74	35.24	1	Vertical	32	1.35	-	37.90	15.22	49.56			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.64235G	48.93	83.54	-34.61	45.37	1	Horizontal	356	2.34	-	37.90	15.22	49.56			
AV	19.64589G	36.77	63.54	-26.77	33.21	1	Horizontal	356	2.34	-	37.90	15.22	49.56			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24949G	55.56	88.20	-32.64	47.93	3	Vertical	41	2.16	-	39.80	10.21	42.38			
RMS	13.24772G	42.72	68.20	-25.48	35.09	3	Vertical	41	2.16	-	39.80	10.21	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24988G	54.09	88.20	-34.11	46.46	3	Horizontal	170	1.10	-	39.80	10.21	42.38			
RMS	13.24773G	42.73	68.20	-25.47	35.10	3	Horizontal	170	1.10	-	39.80	10.21	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8705G	47.20	83.54	-36.34	43.42	1	Vertical	106	1.23	-	37.95	15.21	49.38			
AV	19.8744G	35.59	63.54	-27.95	31.80	1	Vertical	106	1.23	-	37.95	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88271G	48.52	83.54	-35.02	44.73	1	Horizontal	199	1.92	-	37.95	15.21	49.37			
AV	19.87206G	36.57	63.54	-26.97	32.78	1	Horizontal	199	1.92	-	37.95	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40803G	55.22	88.20	-32.98	47.27	3	Vertical	14	2.51	-	40.02	10.27	42.34			
RMS	13.40764G	43.34	68.20	-24.86	35.39	3	Vertical	14	2.51	-	40.02	10.27	42.34			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41206G	55.56	88.20	-32.64	47.61	3	Horizontal	73	2.71	-	40.02	10.27	42.34			
RMS	13.40775G	43.33	68.20	-24.87	35.38	3	Horizontal	73	2.71	-	40.02	10.27	42.34			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11365G	48.89	83.54	-34.65	44.75	1	Vertical	168	2.32	-	38.09	15.29	49.24			
AV	20.12907G	36.79	63.54	-26.75	32.63	1	Vertical	168	2.32	-	38.10	15.30	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12961G	49.18	83.54	-34.36	45.02	1	Horizontal	32	1.27	-	38.10	15.30	49.24			
AV	20.12979G	37.78	63.54	-25.76	33.62	1	Horizontal	32	1.27	-	38.10	15.30	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56766G	55.85	88.20	-32.35	47.73	3	Vertical	111	1.47	-	40.20	10.33	42.41			
RMS	13.5681G	43.65	68.20	-24.55	35.53	3	Vertical	111	1.47	-	40.20	10.33	42.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56838G	54.63	88.20	-33.57	46.51	3	Horizontal	293	2.40	-	40.20	10.33	42.41			
RMS	13.56875G	43.67	68.20	-24.53	35.55	3	Horizontal	293	2.40	-	40.20	10.33	42.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34936G	47.15	83.54	-36.39	42.61	1	Vertical	66	2.41	-	38.24	15.48	49.18			
AV	20.35377G	36.52	63.54	-27.02	31.98	1	Vertical	66	2.41	-	38.24	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35542G	48.05	83.54	-35.49	43.51	1	Horizontal	32	1.01	-	38.24	15.48	49.18			
AV	20.35437G	38.50	63.54	-25.04	33.96	1	Horizontal	32	1.01	-	38.24	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72754G	54.88	88.20	-33.32	46.79	3	Vertical	96	2.98	-	40.31	10.40	42.62			
RMS	13.72802G	43.26	68.20	-24.94	35.17	3	Vertical	96	2.98	-	40.31	10.40	42.62			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72987G	54.85	88.20	-33.35	46.75	3	Horizontal	216	2.83	-	40.32	10.40	42.62			
RMS	13.7277G	43.26	68.20	-24.94	35.17	3	Horizontal	216	2.83	-	40.31	10.40	42.62			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59452G	47.18	83.54	-36.36	42.33	1	Vertical	195	1.55	-	38.26	15.68	49.09			
AV	20.60859G	38.31	63.54	-25.23	33.44	1	Vertical	195	1.55	-	38.26	15.69	49.08			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.60199G	47.38	83.54	-36.16	42.53	1	Horizontal	220	2.07	-	38.26	15.68	49.09			
AV	20.5944G	36.34	63.54	-27.20	31.49	1	Horizontal	220	2.07	-	38.26	15.68	49.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88906G	54.52	88.20	-33.68	46.31	3	Vertical	102	1.78	-	40.58	10.46	42.83			
RMS	13.88762G	43.15	68.20	-25.05	34.93	3	Vertical	102	1.78	-	40.58	10.46	42.82			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89133G	54.23	88.20	-33.97	46.02	3	Horizontal	344	2.80	-	40.58	10.46	42.83			
RMS	13.88764G	43.13	68.20	-25.07	34.91	3	Horizontal	344	2.80	-	40.58	10.46	42.82			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83968G	49.64	83.54	-33.90	44.49	1	Vertical	256	2.12	-	38.24	15.87	48.96			
AV	20.84982G	37.77	63.54	-25.77	32.61	1	Vertical	256	2.12	-	38.24	15.88	48.96			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.82303G	48.00	83.54	-35.54	42.88	1	Horizontal	8	1.56	-	38.23	15.86	48.97			
AV	20.84757G	35.75	63.54	-27.79	30.59	1	Horizontal	8	1.56	-	38.24	15.88	48.96			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0414G	96.46	Inf	-Inf	95.34	3	Vertical	198	2.96	-	36.48	7.01	42.37			
RMS	7.0382G	85.35	Inf	-Inf	84.23	3	Vertical	198	2.96	-	36.48	7.01	42.37			
PK	7.2238G	59.12	88.20	-29.08	57.74	3	Vertical	198	2.96	-	36.95	7.07	42.64			
RMS	7.223G	48.66	68.20	-19.54	47.28	3	Vertical	198	2.96	-	36.95	7.07	42.64			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.017G	101.22	Inf	-Inf	100.11	3	Horizontal	233	1.10	-	36.43	7.01	42.33			
RMS	7.0178G	89.45	Inf	-Inf	88.34	3	Horizontal	233	1.10	-	36.44	7.01	42.34			
PK	7.1254G	61.15	88.20	-27.05	60.10	3	Horizontal	233	1.10	-	36.50	7.04	42.49			
RMS	7.2214G	48.64	68.20	-19.56	47.26	3	Horizontal	233	1.10	-	36.94	7.07	42.63			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05009G	54.97	88.20	-33.23	46.52	3	Vertical	333	1.30	-	40.80	10.52	42.87			
RMS	14.05216G	43.40	68.20	-24.80	34.95	3	Vertical	333	1.30	-	40.80	10.52	42.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04789G	55.01	88.20	-33.19	46.57	3	Horizontal	67	1.40	-	40.80	10.52	42.88			
RMS	14.04947G	43.35	68.20	-24.85	34.90	3	Horizontal	67	1.40	-	40.80	10.52	42.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07608G	48.84	83.54	-34.70	43.26	1	Vertical	267	1.50	-	38.39	16.06	48.87			
AV	21.07749G	35.85	63.54	-27.69	30.27	1	Vertical	267	1.50	-	38.39	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.06696G	47.15	83.54	-36.39	41.59	1	Horizontal	280	1.50	-	38.38	16.05	48.87			
AV	21.07149G	33.94	63.54	-29.60	28.36	1	Horizontal	280	1.50	-	38.39	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8888G	57.56	88.20	-30.64	59.74	3	Vertical	189	1.26	-	34.63	6.28	43.09			
RMS	5.9224G	46.42	68.20	-21.78	48.35	3	Vertical	189	1.26	-	34.83	6.31	43.07			
PK	6.058G	96.20	Inf	-Inf	97.74	3	Vertical	189	1.26	-	35.02	6.45	43.01			
RMS	6.1012G	83.49	Inf	-Inf	84.89	3	Vertical	189	1.26	-	35.10	6.50	43.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8948G	59.45	88.20	-28.75	61.58	3	Horizontal	178	1.00	-	34.67	6.29	43.09			
RMS	5.9236G	47.39	68.20	-20.81	49.31	3	Horizontal	178	1.00	-	34.84	6.31	43.07			
PK	6.0766G	100.67	Inf	-Inf	102.15	3	Horizontal	178	1.00	-	35.05	6.47	43.00			
RMS	6.031G	88.32	Inf	-Inf	89.92	3	Horizontal	178	1.00	-	35.00	6.42	43.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04961G	52.78	74.00	-21.22	47.44	3	Vertical	323	1.11	-	38.50	9.75	42.91			
AV	12.04814G	41.21	54.00	-12.79	35.87	3	Vertical	323	1.11	-	38.50	9.75	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05247G	52.47	74.00	-21.53	47.13	3	Horizontal	352	2.06	-	38.50	9.75	42.91			
AV	12.0475G	41.23	54.00	-12.77	35.88	3	Horizontal	352	2.06	-	38.51	9.75	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08892G	49.48	83.54	-34.06	45.86	1	Vertical	360	1.50	-	37.80	15.30	49.48			
AV	18.08487G	35.72	63.54	-27.82	32.10	1	Vertical	360	1.50	-	37.80	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08994G	49.69	83.54	-33.85	46.07	1	Horizontal	1	1.50	-	37.80	15.30	49.48			
AV	18.06642G	37.65	63.54	-25.89	34.02	1	Horizontal	1	1.50	-	37.80	15.30	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37094G	51.44	74.00	-22.56	46.15	3	Vertical	165	1.67	-	38.44	9.87	43.02			
AV	12.36772G	40.17	54.00	-13.83	34.88	3	Vertical	165	1.67	-	38.44	9.87	43.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36899G	51.12	74.00	-22.88	45.83	3	Horizontal	21	2.49	-	38.44	9.87	43.02			
AV	12.36795G	40.14	54.00	-13.86	34.85	3	Horizontal	21	2.49	-	38.44	9.87	43.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56352G	49.68	83.54	-33.86	46.20	1	Vertical	58	2.27	-	37.85	15.27	49.64			
AV	18.56988G	36.27	63.54	-27.27	32.77	1	Vertical	58	2.27	-	37.86	15.27	49.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56856G	47.97	83.54	-35.57	44.48	1	Horizontal	233	1.80	-	37.85	15.27	49.63			
AV	18.56997G	32.26	63.54	-31.28	28.76	1	Horizontal	233	1.80	-	37.86	15.27	49.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68754G	52.57	74.00	-21.43	46.63	3	Vertical	344	2.30	-	38.78	9.99	42.83			
AV	12.68956G	41.74	54.00	-12.26	35.79	3	Vertical	344	2.30	-	38.78	10.00	42.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6896G	52.41	74.00	-21.59	46.46	3	Horizontal	173	2.35	-	38.78	10.00	42.83			
AV	12.68964G	41.71	54.00	-12.29	35.76	3	Horizontal	173	2.35	-	38.78	10.00	42.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04499G	49.83	83.54	-33.71	46.03	1	Vertical	24	2.26	-	37.92	15.25	49.37			
AV	19.03392G	38.26	63.54	-25.28	34.46	1	Vertical	24	2.26	-	37.91	15.25	49.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03068G	49.90	83.54	-33.64	46.10	1	Horizontal	290	1.95	-	37.91	15.25	49.36			
AV	19.03455G	36.27	63.54	-27.27	32.47	1	Horizontal	290	1.95	-	37.91	15.25	49.36			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01057G	54.73	88.20	-33.47	47.65	3	Vertical	140	1.84	-	39.40	10.12	42.44			
RMS	13.0075G	42.22	68.20	-25.98	35.14	3	Vertical	140	1.84	-	39.40	10.12	42.44			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Z_TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0092G	54.44	88.20	-33.76	47.36	3	Horizontal	349	2.11	-	39.40	10.12	42.44			
RMS	13.00807G	42.24	68.20	-25.96	35.16	3	Horizontal	349	2.11	-	39.40	10.12	42.44			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Z_TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51641G	50.81	83.54	-32.73	47.36	1	Vertical	157	1.39	-	37.90	15.22	49.67			
AV	19.51005G	37.84	63.54	-25.70	34.39	1	Vertical	157	1.39	-	37.90	15.22	49.67			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51371G	48.60	83.54	-34.94	45.15	1	Horizontal	217	1.71	-	37.90	15.22	49.67			
AV	19.51341G	37.82	63.54	-25.72	34.37	1	Horizontal	217	1.71	-	37.90	15.22	49.67			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33014G	54.82	74.00	-19.18	46.98	3	Vertical	156	1.46	-	39.96	10.24	42.36			
AV	13.32751G	43.22	54.00	-10.78	35.38	3	Vertical	156	1.46	-	39.96	10.24	42.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32814G	54.92	74.00	-19.08	47.08	3	Horizontal	245	1.91	-	39.96	10.24	42.36			
AV	13.32785G	43.24	54.00	-10.76	35.40	3	Horizontal	245	1.91	-	39.96	10.24	42.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00871G	48.10	83.54	-35.44	44.15	1	Vertical	261	1.86	-	38.01	15.21	49.27			
AV	19.99368G	36.81	63.54	-26.73	32.89	1	Vertical	261	1.86	-	38.00	15.20	49.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98144G	49.34	83.54	-34.20	45.44	1	Horizontal	262	1.33	-	37.99	15.20	49.29			
AV	19.99464G	37.81	63.54	-25.73	33.88	1	Horizontal	262	1.33	-	38.00	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Z_TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65052G	54.10	88.20	-34.10	46.05	3	Vertical	294	2.95	-	40.20	10.37	42.52			
RMS	13.64765G	43.17	68.20	-25.03	35.12	3	Vertical	294	2.95	-	40.20	10.36	42.51			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Z_TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65153G	53.94	88.20	-34.26	45.89	3	Horizontal	16	1.91	-	40.20	10.37	42.52			
RMS	13.65232G	43.19	68.20	-25.01	35.14	3	Horizontal	16	1.91	-	40.20	10.37	42.52			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4657G	49.55	83.54	-33.99	44.84	1	Vertical	199	2.03	-	38.29	15.57	49.15			
AV	20.4744G	38.44	63.54	-25.10	33.72	1	Vertical	199	2.03	-	38.29	15.58	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.46696G	48.57	83.54	-34.97	43.86	1	Horizontal	313	2.84	-	38.29	15.57	49.15			
AV	20.47458G	37.43	63.54	-26.11	32.71	1	Horizontal	313	2.84	-	38.29	15.58	49.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.97G	91.82	Inf	-Inf	90.78	3	Vertical	190	2.45	-	36.40	6.98	42.34			
RMS	6.969G	81.06	Inf	-Inf	80.02	3	Vertical	190	2.45	-	36.40	6.98	42.34			
PK	7.216G	60.45	88.20	-27.75	59.08	3	Vertical	190	2.45	-	36.93	7.07	42.63			
RMS	7.2145G	48.68	68.20	-19.52	47.30	3	Vertical	190	2.45	-	36.93	7.07	42.62			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9805G	99.94	Inf	-Inf	98.88	3	Horizontal	234	1.14	-	36.40	6.99	42.33			
RMS	6.968G	87.39	Inf	-Inf	86.36	3	Horizontal	234	1.14	-	36.40	6.98	42.35			
PK	7.149G	60.78	88.20	-27.42	59.67	3	Horizontal	234	1.14	-	36.60	7.04	42.53			
RMS	7.131G	48.95	68.20	-19.25	47.89	3	Horizontal	234	1.14	-	36.52	7.04	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97224G	54.50	88.20	-33.70	46.24	3	Vertical	220	2.49	-	40.70	10.49	42.93			
RMS	13.96751G	42.92	68.20	-25.28	34.66	3	Vertical	220	2.49	-	40.70	10.49	42.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96965G	54.17	88.20	-34.03	45.91	3	Horizontal	176	2.47	-	40.70	10.49	42.93			
RMS	13.96753G	42.93	68.20	-25.27	34.67	3	Horizontal	176	2.47	-	40.70	10.49	42.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9562G	47.96	83.54	-35.58	42.62	1	Vertical	267	1.50	-	38.28	15.96	48.90			
AV	20.95185G	34.37	63.54	-29.17	29.04	1	Vertical	267	1.50	-	38.28	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX

EUT_Z_2TX
Setting 12
04-H-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94906G	47.06	83.54	-36.48	41.73	1	Horizontal	281	1.50	-	38.28	15.96	48.91			
AV	20.95368G	33.56	63.54	-29.98	28.22	1	Horizontal	281	1.50	-	38.28	15.96	48.90			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

24/08/2024




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

24/08/2024




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

24/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411626G	-14.27	6.451075G	-63.90	-54.27	-9.63	1
6.411601G	-14.37	6.4422G	-64.71	-54.37	-10.34	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TX

24/08/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.437299G	-14.51	6.47185G	-64.13	-54.51	-9.62	1
6.437324G	-14.67	6.47115G	-64.73	-54.67	-10.06	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TX

24/08/2024

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473G	-14.24	6.5073G	-64.06	-54.24	-9.82	1
6.472351G	-14.71	6.507825G	-64.43	-54.71	-9.72	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TX

24/08/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511751G	-14.18	6.484625G	-64.21	-54.18	-10.03	1
6.511776G	-14.51	6.486775G	-63.99	-54.51	-9.48	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

24/08/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538674G	-14.67	6.490975G	-64.17	-54.67	-9.50	1
6.539274G	-14.75	6.503475G	-64.16	-54.75	-9.41	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

24/08/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.700524G	-14.00	6.723025G	-64.64	-54.00	-10.64	1
6.700524G	-14.14	6.730175G	-65.10	-54.14	-10.96	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

24/08/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TX

24/08/2024



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

24/08/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.999949G	-14.32	6.947825G	-62.76	-54.32	-8.44	1
6.998074G	-14.64	6.9641G	-63.28	-54.64	-8.64	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TX

24/08/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.098049G	-14.17	7.124725G	-63.85	-54.17	-9.68	1
7.100574G	-14.71	7.13035G	-64.05	-54.71	-9.34	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

24/08/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.118649G	-14.08	7.161125G	-63.56	-54.08	-9.48	1
7.119299G	-14.19	7.16365G	-64.11	-54.19	-9.92	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/08/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957999G	-14.31	5.965025G	-18.35	-15.21	-3.14	1
5.957899G	-14.54	5.965075G	-20.24	-14.74	-5.50	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

24/08/2024



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

24/08/2024

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438074G	-14.42	6.445025G	-17.00	-15.82	-1.18	1
6.430601G	-14.63	6.445075G	-18.50	-14.83	-3.67	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

24/08/2024

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.479374G	-14.38	6.4851G	-17.57	-15.08	-2.49	1
6.476875G	-14.46	6.485175G	-18.64	-16.66	-1.98	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

24/08/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518099G	-14.09	6.5251G	-17.43	-16.99	-0.44	1
6.517G	-14.77	6.525125G	-19.42	-15.47	-3.95	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

24/08/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5336G	-14.25	6.504575G	-64.11	-54.25	-9.86	1
6.532851G	-14.57	6.54495G	-18.86	-15.57	-3.29	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

24/08/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

24/08/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897824G	-14.56	6.905G	-19.38	-14.96	-4.42	1
6.899099G	-14.67	6.927125G	-63.15	-54.67	-8.48	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

24/08/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.000549G	-14.31	7.005025G	-20.22	-14.61	-5.61	1
6.996725G	-14.44	7.004975G	-18.70	-14.84	-3.86	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

24/08/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09405G	-14.27	7.127875G	-63.75	-54.27	-9.48	1
7.099149G	-14.47	7.13635G	-63.98	-54.47	-9.51	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

24/08/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.119174G	-14.16	7.1556G	-63.60	-54.16	-9.44	1
7.11355G	-14.58	7.149225G	-64.09	-54.58	-9.51	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

24/08/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

24/08/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

24/08/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

24/08/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

24/08/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

24/08/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

24/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35141G	-7.63	6.4255G	-22.78	-14.63	-8.15	1
6.42279G	-8.06	6.4256G	-24.99	-17.06	-7.93	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

24/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4492G	-7.86	6.6345G	-53.69	-47.86	-5.83	1
6.4626G	-7.89	6.3411G	-57.92	-47.89	-10.03	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

24/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

24/08/2024



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

24/08/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853G	-7.31	7.0183G	-55.59	-47.31	-8.28	1
6.84121G	-7.80	6.9909G	-56.38	-47.80	-8.58	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

24/08/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96939G	-7.85	6.9853G	-22.03	-13.05	-8.98	1
6.97159G	-8.08	6.8154G	-57.19	-48.08	-9.11	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

24/08/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

24/08/2024



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

24/08/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25318G	-7.19	6.267G	-33.30	-27.19	-6.11	1
6.23739G	-7.50	6.508G	-53.86	-47.50	-6.36	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

24/08/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3488G	-7.02	6.4274G	-35.37	-27.02	-8.35	1
6.3388G	-7.45	6.4272G	-34.59	-27.45	-7.14	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

24/08/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5088G	-7.57	6.9046G	-53.91	-47.57	-6.34	1
6.5G	-7.82	6.587G	-33.19	-27.82	-5.37	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

24/08/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6614G	-7.31	7.0016G	-53.23	-47.31	-5.92	1
6.6482G	-7.64	7.0022G	-53.52	-47.64	-5.88	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

24/08/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

24/08/2024



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-73.30	2.70	-76.04	≤ -62
						Minimal	-74.30	2.70	-77.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-68.30	2.70	-71.09	≤ -62
						Minimal	-69.30	2.70	-72.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-66.30	2.70	-69.03	≤ -62
						Minimal	-67.30	2.70	-70.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-68.30	2.70	-71.04	≤ -62
						Minimal	-69.30	2.70	-72.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-75.30	2.70	-78.03	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6185	OFF	-77.30	2.70	-80.07	≤ -62
						Minimal	-78.30	2.70	-81.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	6260	OFF	-75.30	2.70	-78.07	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-69.30	2.70	-72.04	≤ -62
						Minimal	-70.30	2.70	-73.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6505	OFF	-76.30	2.70	-79.04	≤ -62
						Minimal	-77.30	2.70	-80.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	6580	OFF	-70.30	2.70	-73.02	≤ -62
						Minimal	-71.30	2.70	-74.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-70.30	2.70	-73.07	≤ -62
						Minimal	-71.30	2.70	-74.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6665	OFF	-75.30	2.70	-78.06	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	6740	OFF	-72.30	2.70	-75.02	≤ -62
						Minimal	-73.30	2.70	-76.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62


8	207	160	6985	Low edge	6910	OFF	-71.30	2.70	-74.02	≤ -62
						Minimal	-72.30	2.70	-75.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6985	OFF	-77.30	2.70	-80.04	≤ -62
						Minimal	-78.30	2.70	-81.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	7060	OFF	-75.30	2.70	-78.05	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-76.04	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-71.09	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-69.03	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.04	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-78.03	OFF	10	100	90	PASS
				Center	6185	-80.07	OFF	10	100	90	PASS
				High edge	6260	-78.07	OFF	9	90	90	PASS
6	111	160	6505	Low edge	6430	-72.04	OFF	10	100	90	PASS
				Center	6505	-79.04	OFF	10	100	90	PASS
				High edge	6580	-73.02	OFF	9	90	90	PASS
7	143	160	6665	Low edge	6590	-73.07	OFF	10	100	90	PASS
				Center	6665	-78.06	OFF	9	90	90	PASS
				High edge	6740	-75.02	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-74.02	OFF	10	100	90	PASS
				Center	6985	-80.04	OFF	9	90	90	PASS
				High edge	7060	-78.05	OFF	9	90	90	PASS

Bandwidth: 20MHz

Traffic Loading Plot



Date: 5 SEP 2024 20:40:00

Traffic Loading Calculation

R&S | Agilent

VISA session

GPIB0::20:

Threshold (dBm)

-30

Mean Level (dBm)

-2.93

RMS Level (dBm)

-2.89

Marker 1 (sec)

0

Marker 2 (sec)

0.1

Total Trace of Points

32001

Space Time of Point

0.000003

Mark 1 Point

1

Mark 2 Point

32001

No. of Pulse

30331

Close TX Time(sec)


94.784375m

Duty (%)

94.78

Bandwidth: 160MHz

Traffic Loading Plot



Date: 5.SEP.2024 20:53:41

Traffic Loading Calculation


R&S | Agilent

VISA session 1 GPIB0::20:	Threshold (dBm) -30	Marker 1 (sec) 0	Space Time of Point 0.000003	No. of Pulse 13613
	Mean Level (dBm) -12.06	Marker 2 (sec) 0.1	Mark 1 Point 1	Close TX Time(sec) 42.540625m
	RMS Level (dBm) -11.98	Total Trace of Points 32001	Mark 2 Point 32001	Duty (%) 42.54

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 6 SEP. 2024 06:35:45

Frequency (MHz): 6455 MHz




Date: 6 SEP. 2024 06:36:27

Frequency (MHz): 6695 MHz



Date: 6 SEP. 2024 06:04:34


Frequency (MHz): 7015 MHz



Date: 6 SEP. 2024 06:05:30


Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 6 SEP. 2024 06:34:13

Frequency (MHz): 6185 MHz




Date: 6 SEP. 2024 11:03:56

Frequency (MHz): 6260 MHz




Date: 6 SEP. 2024 06:10:32

Frequency (MHz): 6430 MHz




Date: 6 SEP. 2024 11:10:00

Frequency (MHz): 6505 MHz




Date: 6.SEP.2024 06:12:02

Frequency (MHz): 6580 MHz




Date: 6.SEP.2024 11:10:34

Frequency (MHz): 6590 MHz




Date: 6 SEP. 2024 06:13:37

Frequency (MHz): 6665 MHz




Date: 6 SEP. 2024 06:34:47

Frequency (MHz): 6740 MHz




Date: 6.SEP.2024 06:15:32

Frequency (MHz): 6910 MHz




Date: 6.SEP.2024 11:11:14

Frequency (MHz): 6985 MHz



Date: 6.SEP.2024 06:18:07

Frequency (MHz): 7060 MHz




Date: 6.SEP.2024 11:12:07

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 5 SEP, 2024 20:45:06

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 5 SEP, 2024 20:39:03

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 5 SEP, 2024 20:35:08

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 5 SEP, 2024 20:26:48

Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 6 SEP, 2024 02:56:50

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6185 MHz



Date: 6 SEP, 2024 03:04:15

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6260 MHz



Date: 6 SEP, 2024 03:16:59

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6430 MHz



Date: 6 SEP, 2024 02:21:57

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6505 MHz



Date: 6 SEP, 2024 02:26:40

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6580 MHz



Date: 6 SEP, 2024 02:33:04

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6590 MHz



Date: 6 SEP, 2024 02:06:19

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6665 MHz



Date: 6 SEP, 2024 02:07:01

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6740 MHz



Date: 6 SEP, 2024 02:07:54

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6910 MHz



Date: 6 SEP, 2024 02:04:06

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6985 MHz



Date: 6 SEP, 2024 02:03:23

Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Date: 6 SEP, 2024 02:01:59

Note : M1 : Inject AWGN signal