




Wireless Charger

User Manual



Applicable equipments


Apple:

iPhone 12 /12 Pro /12 Pro Max /12 Mini
iPhone 13 /13 Pro /13 Pro Max /13 Mini
iPhone 14 /14 Plus / 14 Pro /14 Pro Max
iPhone 15 /15 Plus / 15 Pro /15 Pro Max
iPhone 16 Series and Later


Others:

Qi-compatible Phone with Magnetic Case

Instructions



Connect to Wall Adapter



- ① Connect the adapter and the charger with the provided USB cable.
- ② Plug the Wall Adapter into the socket.

Reminder: You'll need a USB-C charger

| Working Condition | LED indicator Color&Status |
|--------------------|---|
| Power on | Green light is on for 0.5 seconds ,blue light is on for 0.5 ,and the blue and green light is on for 0.5 seconds |
| Standby | Green light on,and turn off after 30 seconds |
| Charging | Blue light breathing,and turn off after 30 seconds |
| Charging Completed | Blue light off |
| FOD & Error | Blue and green light flashing |

Product Parameters

Input: 5V---2A/9V---2A/12V---1.5A
Output: 5W/7.5W/10W/15W(self adjustable)
Frequency: 113kHz-205kHz
Conversion Rate: ≥72%
Dimension: 118*70*78mm
Net Weight: 125g

Tips

- 1.Do not disassemble or throw into fire or water to avoid causing a short circuit.
2. Do not use wireless charger in extremely hot, humid or corrosive environment.
- 3.Do not use near magnetic bank card or IC card to avoid malfunctioning.
4. Keep out of reach of children and pets.
5. The images in this manual are sketch drawing of actual product only,actual product might be slightly different.

*Adapter is not included in this package, please purchase in separately

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
--Reorient or relocate the receiving antenna.
--Increase the separation between the equipment and receiver.
--Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
--Consult the dealer or an experienced radio/TV technician for help.

The FCC certification of this device refers to RF exposure testing performed in typical operating conditions, where a person is no closer than 20 centimeters from the device surface at all times,

except for non-repetitive patterns with transient time intervals in the order of a second. Only in the stated conditions, the device is shown to fully comply with the FCC RF Exposure requirements of KDB 447498.

IC warning Statement

This device complies with Industry Canada's licence-exempt RSSs.

Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The equipment meets the ISED radiation exposure limits set for an uncontrolled environment. During the operation of the device, a distance of 10cm should be kept around the device and above the top surface of the device.

Cet appareil est conforme aux CNR exemptes de licence d'Industrie Canada .

Son fonctionnement est soumis aux deux conditions suivantes :

- (1) Ce d ispositif ne peut causer d'interf érences ; et
- (2)Ce d ispositif doit accepter toute interf érence ,y compris les interf érences qui peuvent causer un mauvais fonctionnement de l'appareil.

L'équipement respecte les limites d'exposition aux rayonnements ionisants

fixées pour un environnement non contr?lé . Pendant le fonctionnement du

d ispositif, une distance de 10cm devrait être maintenue autour du d ispositif et

au-dessus de la surface sup érieure du d ispositif.