





FR1 n26 / 5MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




10:00:46 PM 03/17/2025



10:12:46 PM 03/17/2025

Channel power -13dBm > -14.88dBm (PASS)

N/A



11:32:25 PM 03/17/2025

N/A



FR1 n26 / 5MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB



Lowest Band Edge



Highest Band Edge




**FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 10MHz / DFT-s-OFDM / QPSK / Full RB****Lowest Band Edge****Highest Band Edge**

**FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM / Full RB****Lowest Band Edge****Highest Band Edge**



FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge



10:27:49 PM 03/17/2025

Highest Band Edge



10:34:52 PM 03/17/2025

FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge






10:28:52 PM 03/17/2025

Highest Band Edge




10:29:56 PM 03/17/2025

**FR1 n26 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 15MHz / DFT-s-OFDM / QPSK / Full RB****Lowest Band Edge****Highest Band Edge**




FR1 n26 / 15MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge




Highest Band Edge




FR1 n26 / 15MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge



Highest Band Edge




**FR1 n26 / 15MHz / DFT-s-OFDM / 256QAM / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 15MHz / CP OFDM / QPSK / Full RB****Lowest Band Edge****Highest Band Edge**




FR1 n26 / 20MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 20MHz / DFT-s-OFDM / QPSK / Full RB


Lowest Band Edge



Highest Band Edge



**FR1 n26 / 20MHz / DFT-s-OFDM / 16QAM / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 20MHz / DFT-s-OFDM / 64QAM / Full RB****Lowest Band Edge****Highest Band Edge**

**FR1 n26 / 20MHz / DFT-s-OFDM / 256QAM / Full RB****Lowest Band Edge**

10:50:42 PM 03/17/2025

Highest Band Edge

11:01:43 PM 03/17/2025

FR1 n26 / 20MHz / CP OFDM / QPSK / Full RB**Lowest Band Edge**

10:55:40 PM 03/17/2025

Highest Band Edge

10:56:45 PM 03/17/2025




Conducted Spurious Emission

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



Middle Channel



Highest Channel



Frequency Stability






Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0000	PASS
40	Normal Voltage	0.0015	
30	Normal Voltage	0.0167	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0143	
0	Normal Voltage	0.0054	
-10	Normal Voltage	0.0182	
-20	Normal Voltage	0.0098	
-30	Normal Voltage	0.0048	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0031	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

**FR1 n26_Part90S****Peak-to-Average Ratio**

Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.88	4.48	5.44	5.86	PASS
Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.62				PASS

**FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB****PI/2 BPSK****QPSK****16QAM****64QAM****256QAM**

**26dB Bandwidth**


Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.24		9.80					

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.31	5.28	10.35	10.29				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.27	5.35	10.56	10.26				




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM







64QAM



256QAM



FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.49		8.97					

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.53	4.53	9.33	9.34				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.52	4.51	9.32	9.36				




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




**Emission masks – In-band emissions**

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest MASK / 1RB0




Highest MASK / 1RBmax



Channel power -13dBm > -15.14dBm (PASS)

N/A



N/A



FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / QPSK


Lowest MASK / 1RB0




Highest MASK / 1RBmax



Channel power -13dBm > -16.24dBm (PASS)



Channel power -13dBm > -16.27dBm (PASS)





FR1 n26 / 5MHz / DFT-S OFDM / QPSK

Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 16QAM

Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 64QAM

Lowest MASK / 1RB0




12:39:29 AM 03/15/2025

Highest MASK / 1RBmax



12:40:08 AM 03/15/2025

Lowest MASK / Full RB



12:40:11 AM 03/15/2025

Highest MASK / Full RB




12:48:50 AM 03/15/2025




FR1 n26 / 5MHz / DFT-S OFDM / 256QAM

Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB



Highest MASK / Full RB





FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB

Lowest MASK



Highest MASK





FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Middle MASK / Full RB



FR1 n26 / 10MHz / DFT-s-OFDM / QPSK


Lowest MASK / Full RB





FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM

Middle MASK / Full RB



FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM




Middle MASK / Full RB



**FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM****Middle MASK / Full RB****FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB****Middle MASK**

**Emission masks – Out of band emissions**

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel**Middle Channel****Highest Channel**

Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0048	PASS
40	Normal Voltage	0.0084	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0140	
0	Normal Voltage	0.0107	
-10	Normal Voltage	0.0024	
-20	Normal Voltage	0.0133	
-30	Normal Voltage	0.0083	
20	Maximum Voltage	0.0063	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0095	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.


**FR1 n26 Part90s Straddle Channel****Peak-to-Average Ratio**

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.64	4.46	5.44	5.76	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.48				PASS




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM








256QAM







**26dB Bandwidth**






Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.08		9.87		14.53		19.39	






Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.36	5.27	10.31	10.31	15.33	15.28	20.44	20.57
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.20	5.14	10.38	10.26	15.25	15.25	21.53	20.44

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.48		8.97		13.43		17.94	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.54	9.31	9.31	14.12	14.14	18.94	19.02
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.51	4.50	9.30	9.33	14.16	14.09	19.00	19.08




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM



FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB

QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0055	PASS
40	Normal Voltage	0.0050	
30	Normal Voltage	0.0078	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0093	
0	Normal Voltage	0.0000	
-10	Normal Voltage	0.0046	
-20	Normal Voltage	0.0001	
-30	Normal Voltage	0.0106	
20	Maximum Voltage	0.0055	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0024	

Note: Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.


**FR1 n41****Peak-to-Average Ratio**

Mode	FR1 n41 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.94	4.62	5.64	6.22	PASS
Mode	FR1 n41 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.62				PASS




FR1 n41 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM



64QAM



256QAM



**26dB Bandwidth**

Mode	FR1 n41 : 26dB BW(MHz) / DFT-S OFDM							
BW	10MHz	15MHz	20MHz	25MHz	30MHz	35MHz	40MHz	45MHz
Mod.	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK
Middle CH	10.13	14.62	19.52	24.90	29.83	35.25	38.59	41.41
BW	50MHz	60MHz	70MHz	80MHz	90MHz	100MHz		
Mod.	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK		
Middle CH	48.55	62.74	69.24	81.90	92.00	101.63		

Mode	FR1 n41 : 26dB BW(MHz) / CP OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	10.26	10.22	15.48	15.36	19.99	19.92	25.49	25.40
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	10.15	10.02	15.27	15.25	19.88	19.97	25.32	25.26
BW	30MHz		35MHz		40MHz		45MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	30.90	31.01	35.94	35.86	40.94	40.93	45.60	45.60
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	30.88	30.96	35.73	35.90	40.96	41.05	45.50	45.37
BW	50MHz		60MHz		70MHz		80MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	50.77	50.59	62.62	62.86	72.48	72.43	82.49	82.63
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	50.60	50.25	63.21	62.92	72.84	72.45	82.82	82.55
BW	90MHz		100MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	92.52	92.63	102.71	102.48				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	92.75	92.50	103.04	102.67				




FR1 n41 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n41 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM








64QAM



256QAM




FR1 n41 / 20MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n41 / 20MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n41 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 25MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM













64QAM








256QAM



FR1 n41 / 30MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n41 / 30MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM



FR1 n41 / 35MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n41 / 35MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n41 / 40MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n41 / 40MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n41 / 45MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 45MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n41 / 50MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 50MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n41 / 60MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 60MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM






FR1 n41 / 70MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 70MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n41 / 80MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n41 / 80MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM







FR1 n41 / 90MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK**FR1 n41 / 90MHz / CP OFDM / Middle Channel / Full RB**


QPSK



16QAM



64QAM



256QAM

