







2DH5\_Ant1\_Low\_Hop\_2402




2DH5\_Ant1\_High\_Hop\_2480




3DH5\_Ant1\_Low\_2402




3DH5\_Ant1\_High\_2480



3DH5\_Ant1\_Low\_Hop\_2402



3DH5\_Ant1\_High\_Hop\_2480




## Test Result for Spurious Emission:

| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | 2402           | 30~1000         | 10.15          | -49.48       | ≤-9.85      | PASS    |
|          |         |                | 1000~3000       | 10.15          | -47.72       | ≤-9.85      | PASS    |
|          |         |                | 3000~5000       | 10.15          | -45.88       | ≤-9.85      | PASS    |
|          |         |                | 5000~7000       | 10.15          | -46.89       | ≤-9.85      | PASS    |
|          |         |                | 7000~9000       | 10.15          | -47.57       | ≤-9.85      | PASS    |
|          |         |                | 9000~11000      | 10.15          | -46.71       | ≤-9.85      | PASS    |
|          |         |                | 11000~13000     | 10.15          | -47.54       | ≤-9.85      | PASS    |
|          |         |                | 13000~15000     | 10.15          | -42.26       | ≤-9.85      | PASS    |
|          |         |                | 15000~17000     | 10.15          | -40.1        | ≤-9.85      | PASS    |
|          |         |                | 17000~19000     | 10.15          | -40.14       | ≤-9.85      | PASS    |
|          |         |                | 19000~21000     | 10.15          | -39.86       | ≤-9.85      | PASS    |
|          |         |                | 21000~23000     | 10.15          | -38.73       | ≤-9.85      | PASS    |
|          |         |                | 23000~25000     | 10.15          | -37.53       | ≤-9.85      | PASS    |
|          |         | 2441           | 30~1000         | 10.09          | -49.37       | ≤-9.91      | PASS    |
|          |         |                | 1000~3000       | 10.09          | -47.71       | ≤-9.91      | PASS    |
|          |         |                | 3000~5000       | 10.09          | -46.67       | ≤-9.91      | PASS    |
|          |         |                | 5000~7000       | 10.09          | -46.09       | ≤-9.91      | PASS    |
|          |         |                | 7000~9000       | 10.09          | -48.25       | ≤-9.91      | PASS    |
|          |         |                | 9000~11000      | 10.09          | -47.19       | ≤-9.91      | PASS    |
|          |         |                | 11000~13000     | 10.09          | -47.35       | ≤-9.91      | PASS    |
|          |         |                | 13000~15000     | 10.09          | -42.62       | ≤-9.91      | PASS    |
|          |         |                | 15000~17000     | 10.09          | -41.12       | ≤-9.91      | PASS    |
|          |         |                | 17000~19000     | 10.09          | -40.81       | ≤-9.91      | PASS    |
|          |         |                | 19000~21000     | 10.09          | -38.83       | ≤-9.91      | PASS    |
|          |         |                | 21000~23000     | 10.09          | -38.5        | ≤-9.91      | PASS    |
|          |         |                | 23000~25000     | 10.09          | -37.79       | ≤-9.91      | PASS    |
|          |         | 2480           | 30~1000         | 10.24          | -49.91       | ≤-9.76      | PASS    |
|          |         |                | 1000~3000       | 10.24          | -47.52       | ≤-9.76      | PASS    |
|          |         |                | 3000~5000       | 10.24          | -45.91       | ≤-9.76      | PASS    |
|          |         |                | 5000~7000       | 10.24          | -46.62       | ≤-9.76      | PASS    |
|          |         |                | 7000~9000       | 10.24          | -47.5        | ≤-9.76      | PASS    |
|          |         |                | 9000~11000      | 10.24          | -47.36       | ≤-9.76      | PASS    |
|          |         |                | 11000~13000     | 10.24          | -47.91       | ≤-9.76      | PASS    |
|          |         |                | 13000~15000     | 10.24          | -42.45       | ≤-9.76      | PASS    |
|          |         |                | 15000~17000     | 10.24          | -41.11       | ≤-9.76      | PASS    |
|          |         |                | 17000~19000     | 10.24          | -41.08       | ≤-9.76      | PASS    |
|          |         |                | 19000~21000     | 10.24          | -39.55       | ≤-9.76      | PASS    |
|          |         |                | 21000~23000     | 10.24          | -39.44       | ≤-9.76      | PASS    |
|          |         |                | 23000~25000     | 10.24          | -37.03       | ≤-9.76      | PASS    |
| 2DH5     | Ant1    | 2402           | 30~1000         | 8.44           | -49.63       | ≤-11.56     | PASS    |
|          |         |                | 1000~3000       | 8.44           | -47.27       | ≤-11.56     | PASS    |
|          |         |                | 3000~5000       | 8.44           | -46.08       | ≤-11.56     | PASS    |
|          |         |                | 5000~7000       | 8.44           | -46.44       | ≤-11.56     | PASS    |
|          |         |                | 7000~9000       | 8.44           | -47.26       | ≤-11.56     | PASS    |
|          |         |                | 9000~11000      | 8.44           | -46.62       | ≤-11.56     | PASS    |
|          |         |                | 11000~13000     | 8.44           | -46.37       | ≤-11.56     | PASS    |
|          |         |                | 13000~15000     | 8.44           | -42.26       | ≤-11.56     | PASS    |


|      |      |      |             |      |        |         |      |
|------|------|------|-------------|------|--------|---------|------|
|      |      |      | 15000~17000 | 8.44 | -41.24 | ≤-11.56 | PASS |
|      |      |      | 17000~19000 | 8.44 | -40.49 | ≤-11.56 | PASS |
|      |      |      | 19000~21000 | 8.44 | -39.07 | ≤-11.56 | PASS |
|      |      |      | 21000~23000 | 8.44 | -38.31 | ≤-11.56 | PASS |
|      |      |      | 23000~25000 | 8.44 | -36.82 | ≤-11.56 | PASS |
|      |      | 2441 | 30~1000     | 7.82 | -49.69 | ≤-12.18 | PASS |
|      |      |      | 1000~3000   | 7.82 | -48.03 | ≤-12.18 | PASS |
|      |      |      | 3000~5000   | 7.82 | -45.51 | ≤-12.18 | PASS |
|      |      |      | 5000~7000   | 7.82 | -46.63 | ≤-12.18 | PASS |
|      |      |      | 7000~9000   | 7.82 | -48.15 | ≤-12.18 | PASS |
|      |      |      | 9000~11000  | 7.82 | -46.7  | ≤-12.18 | PASS |
|      |      |      | 11000~13000 | 7.82 | -48    | ≤-12.18 | PASS |
|      |      |      | 13000~15000 | 7.82 | -42.56 | ≤-12.18 | PASS |
|      |      |      | 15000~17000 | 7.82 | -41.43 | ≤-12.18 | PASS |
|      |      |      | 17000~19000 | 7.82 | -40.44 | ≤-12.18 | PASS |
|      |      |      | 19000~21000 | 7.82 | -39.24 | ≤-12.18 | PASS |
|      |      |      | 21000~23000 | 7.82 | -39.02 | ≤-12.18 | PASS |
|      |      |      | 23000~25000 | 7.82 | -37.64 | ≤-12.18 | PASS |
|      |      | 2480 | 30~1000     | 8.96 | -49.91 | ≤-11.04 | PASS |
|      |      |      | 1000~3000   | 8.96 | -48.02 | ≤-11.04 | PASS |
|      |      |      | 3000~5000   | 8.96 | -46.44 | ≤-11.04 | PASS |
|      |      |      | 5000~7000   | 8.96 | -46.7  | ≤-11.04 | PASS |
|      |      |      | 7000~9000   | 8.96 | -47.98 | ≤-11.04 | PASS |
|      |      |      | 9000~11000  | 8.96 | -46.11 | ≤-11.04 | PASS |
|      |      |      | 11000~13000 | 8.96 | -46.44 | ≤-11.04 | PASS |
|      |      |      | 13000~15000 | 8.96 | -43.06 | ≤-11.04 | PASS |
|      |      |      | 15000~17000 | 8.96 | -41.22 | ≤-11.04 | PASS |
|      |      |      | 17000~19000 | 8.96 | -40.6  | ≤-11.04 | PASS |
|      |      |      | 19000~21000 | 8.96 | -39    | ≤-11.04 | PASS |
|      |      |      | 21000~23000 | 8.96 | -39.06 | ≤-11.04 | PASS |
|      |      |      | 23000~25000 | 8.96 | -37.84 | ≤-11.04 | PASS |
| 3DH5 | Ant1 | 2402 | 30~1000     | 8.63 | -49.03 | ≤-11.37 | PASS |
|      |      |      | 1000~3000   | 8.63 | -47.84 | ≤-11.37 | PASS |
|      |      |      | 3000~5000   | 8.63 | -46.6  | ≤-11.37 | PASS |
|      |      |      | 5000~7000   | 8.63 | -46.35 | ≤-11.37 | PASS |
|      |      |      | 7000~9000   | 8.63 | -47.86 | ≤-11.37 | PASS |
|      |      |      | 9000~11000  | 8.63 | -46.66 | ≤-11.37 | PASS |
|      |      |      | 11000~13000 | 8.63 | -47.14 | ≤-11.37 | PASS |
|      |      |      | 13000~15000 | 8.63 | -41.9  | ≤-11.37 | PASS |
|      |      |      | 15000~17000 | 8.63 | -40.84 | ≤-11.37 | PASS |
|      |      |      | 17000~19000 | 8.63 | -40.61 | ≤-11.37 | PASS |
|      |      |      | 19000~21000 | 8.63 | -38.82 | ≤-11.37 | PASS |
|      |      |      | 21000~23000 | 8.63 | -38.7  | ≤-11.37 | PASS |
|      |      |      | 23000~25000 | 8.63 | -37.76 | ≤-11.37 | PASS |
|      |      | 2441 | 30~1000     | 7.56 | -50.16 | ≤-12.44 | PASS |
|      |      |      | 1000~3000   | 7.56 | -47.73 | ≤-12.44 | PASS |
|      |      |      | 3000~5000   | 7.56 | -46.33 | ≤-12.44 | PASS |
|      |      |      | 5000~7000   | 7.56 | -46.9  | ≤-12.44 | PASS |
|      |      |      | 7000~9000   | 7.56 | -47.45 | ≤-12.44 | PASS |
|      |      |      | 9000~11000  | 7.56 | -47.21 | ≤-12.44 | PASS |
|      |      |      | 11000~13000 | 7.56 | -47.98 | ≤-12.44 | PASS |

|  |  |      |             |      |        |               |      |
|--|--|------|-------------|------|--------|---------------|------|
|  |  |      | 13000~15000 | 7.56 | -42.71 | $\leq -12.44$ | PASS |
|  |  |      | 15000~17000 | 7.56 | -41.56 | $\leq -12.44$ | PASS |
|  |  |      | 17000~19000 | 7.56 | -40.72 | $\leq -12.44$ | PASS |
|  |  |      | 19000~21000 | 7.56 | -39.66 | $\leq -12.44$ | PASS |
|  |  |      | 21000~23000 | 7.56 | -39.36 | $\leq -12.44$ | PASS |
|  |  |      | 23000~25000 | 7.56 | -36.99 | $\leq -12.44$ | PASS |
|  |  | 2480 | 30~1000     | 8.77 | -49.86 | $\leq -11.23$ | PASS |
|  |  |      | 1000~3000   | 8.77 | -47.61 | $\leq -11.23$ | PASS |
|  |  |      | 3000~5000   | 8.77 | -46.58 | $\leq -11.23$ | PASS |
|  |  |      | 5000~7000   | 8.77 | -47.28 | $\leq -11.23$ | PASS |
|  |  |      | 7000~9000   | 8.77 | -47.13 | $\leq -11.23$ | PASS |
|  |  |      | 9000~11000  | 8.77 | -47.11 | $\leq -11.23$ | PASS |
|  |  |      | 11000~13000 | 8.77 | -48.08 | $\leq -11.23$ | PASS |
|  |  |      | 13000~15000 | 8.77 | -42.45 | $\leq -11.23$ | PASS |
|  |  |      | 15000~17000 | 8.77 | -39.55 | $\leq -11.23$ | PASS |
|  |  |      | 17000~19000 | 8.77 | -40.39 | $\leq -11.23$ | PASS |
|  |  |      | 19000~21000 | 8.77 | -38.62 | $\leq -11.23$ | PASS |
|  |  |      | 21000~23000 | 8.77 | -37.75 | $\leq -11.23$ | PASS |
|  |  |      | 23000~25000 | 8.77 | -37.24 | $\leq -11.23$ | PASS |


DH5\_Ant1\_2402\_30~1000




DH5\_Ant1\_2402\_1000~3000



DH5\_Ant1\_2402\_3000-5000




DH5\_Ant1\_2402\_5000-7000




DH5\_Ant1\_2402\_7000-9000




DH5\_Ant1\_2402\_9000~11000




DH5\_Ant1\_2402\_11000~13000




DH5\_Ant1\_2402\_13000~15000




DH5\_Ant1\_2402\_15000~17000




DH5\_Ant1\_2402\_17000~19000




DH5\_Ant1\_2402\_19000~21000




DH5\_Ant1\_2402\_21000-23000




DH5\_Ant1\_2402\_23000-25000




DH5\_Ant1\_2441\_30-1000




DH5\_Ant1\_2441\_1000~3000




DH5\_Ant1\_2441\_3000~5000




DH5\_Ant1\_2441\_5000~7000




DH5\_Ant1\_2441\_7000~9000




DH5\_Ant1\_2441\_9000~11000




DH5\_Ant1\_2441\_11000~13000




DH5\_Ant1\_2441\_13000-15000




DH5\_Ant1\_2441\_15000-17000




DH5\_Ant1\_2441\_17000-19000




DH5\_Ant1\_2441\_19000~21000




DH5\_Ant1\_2441\_21000~23000




DH5\_Ant1\_2441\_23000~25000




DH5\_Ant1\_2480\_30~1000




DH5\_Ant1\_2480\_1000~3000




DH5\_Ant1\_2480\_3000~5000




DH5\_Ant1\_2480\_5000~7000




DH5\_Ant1\_2480\_7000~9000




DH5\_Ant1\_2480\_9000~11000




DH5\_Ant1\_2480\_11000~13000




DH5\_Ant1\_2480\_13000~15000




DH5\_Ant1\_2480\_15000~17000




DH5\_Ant1\_2480\_17000~19000




DH5\_Ant1\_2480\_19000~21000




DH5\_Ant1\_2480\_21000~23000




DH5\_Ant1\_2480\_23000~25000




2DH5\_Ant1\_2402\_30~1000




2DH5\_Ant1\_2402\_1000~3000




2DH5\_Ant1\_2402\_3000~5000




2DH5\_Ant1\_2402\_5000~7000




2DH5\_Ant1\_2402\_7000~9000




2DH5\_Ant1\_2402\_9000~11000




2DH5\_Ant1\_2402\_11000~13000




2DH5\_Ant1\_2402\_13000~15000




2DH5\_Ant1\_2402\_15000~17000




2DH5\_Ant1\_2402\_17000~19000




2DH5\_Ant1\_2402\_19000~21000



2DH5\_Ant1\_2402\_21000~23000



2DH5\_Ant1\_2402\_23000~25000



2DH5\_Ant1\_2441\_30~1000