


Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11653.1000	34.40	8.32	42.72	54.00	-11.28	AVG	
2	11654.8000	42.78	8.32	51.10	74.00	-22.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	71.83	12.97	84.80	109.40	-24.60	Peak	
2	5725.0000	75.14	13.00	88.14	122.20	-34.06	Peak	
3 *	5755.4000	105.93	13.09	119.02	122.20	-3.18	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.9250	32.90	8.45	41.35	54.00	-12.65	AVG	
2	11511.2500	41.04	8.45	49.49	74.00	-24.51	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.0000	105.04	13.23	118.27	122.20	-3.93	Peak	No Limit
2	5850.0000	56.86	13.40	70.26	122.20	-51.94	Peak	
3	5860.0000	51.04	13.43	64.47	109.40	-44.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.4750	31.48	8.38	39.86	54.00	-14.14	AVG	
2	11601.8500	39.70	8.37	48.07	74.00	-25.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5643.2000	48.33	12.73	61.06	68.20	-7.14	Peak	
2	5715.0000	69.78	12.97	82.75	109.40	-26.65	Peak	
3	5725.0000	71.44	13.00	84.44	122.20	-37.76	Peak	
4 *	5777.2000	103.57	13.16	116.73	122.20	-5.47	Peak	No Limit
5	5850.0000	63.32	13.40	76.72	122.20	-45.48	Peak	
6	5860.0000	59.92	13.43	73.35	109.40	-36.05	Peak	
7	5950.2000	45.29	13.72	59.01	68.20	-9.19	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11541.6500	40.67	8.43	49.10	74.00	-24.90	Peak	
2 *	11544.0000	31.53	8.42	39.95	54.00	-14.05	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode Channel 159 (UNII-3)	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	37734.000	53.49	10.70	64.19	77.70	-13.51	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode Channel 159 (UNII-3)	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39461.000	51.94	11.89	63.83	83.50	-19.67	peak	
2	*	39461.000	41.24	11.89	53.13	63.50	-10.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

The worst case of simultaneous transmission:

Test Mode	TX WLAN 2.4G B Mode 2437MHz + WLAN 5G AC40 Mode 5795MHz + LTE Band 26	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		8276.000	40.43	8.14	48.57	74.00	-25.43	peak	
2	*	8276.000	29.31	8.14	37.45	54.00	-16.55	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX WLAN 2.4G B Mode 2437MHz + WLAN 5G AC40 Mode 5795MHz + LTE Band 26	Polarization	Horizontal
-----------	---	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11931.000	40.22	9.60	49.82	74.00	-24.18	peak	
2	*	11931.000	29.72	9.60	39.32	54.00	-14.68	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	19.308	16.400
40	5200	19.590	16.400
48	5240	19.090	16.400

CH36




Date: 27.APR.2024 03:41:39

CH40
26 dB Bandwidth




Date: 27.APR.2024 03:42:15

CH48




Date: 27.APR.2024 03:43:00


99 % Occupied Bandwidth



Date: 27.APR.2024 03:41:18



Date: 27.APR.2024 03:41:54




Date: 27.APR.2024 03:42:38

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.899	17.600
40	5200	21.090	17.600
48	5240	20.989	17.600

CH36




Date: 27.APR.2024 03:56:04

CH40
26 dB Bandwidth




Date: 27.APR.2024 03:56:46

CH48




Date: 27.APR.2024 03:57:32


99 % Occupied Bandwidth



Date: 27.APR.2024 03:55:43



Date: 27.APR.2024 03:56:25




Date: 27.APR.2024 03:57:11

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.200	36.000
46	5230	40.008	36.000

CH38




Date: 27.APR.2024 04:36:30

CH46
26 dB Bandwidth




Date: 27.APR.2024 04:37:28

99 % Occupied Bandwidth



Date: 27.APR.2024 04:36:01




Date: 27.APR.2024 04:37:07

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.002	75.200

CH42 26 dB Bandwidth



Date: 27.APR.2024 04:46:32

99 % Occupied Bandwidth




Date: 27.APR.2024 04:46:05

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.290	18.900
40	5200	21.450	18.900
48	5240	21.200	18.900

CH36




Date: 27.APR.2024 04:09:18

CH40
26 dB Bandwidth




Date: 27.APR.2024 04:10:27

CH48




Date: 27.APR.2024 04:11:36


99 % Occupied Bandwidth



Date: 27.APR.2024 04:09:58



Date: 27.APR.2024 04:10:07




Date: 27.APR.2024 04:11:15

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.100	37.800
46	5230	40.100	38.000

CH38




Date: 27.APR.2024 04:25:08

CH46
26 dB Bandwidth




Date: 27.APR.2024 04:25:51

99 % Occupied Bandwidth



Date: 27.APR.2024 04:26:40




Date: 27.APR.2024 04:25:30

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.814	76.800

CH42 26 dB Bandwidth



Date: 27.APR.2024 04:53:29

99 % Occupied Bandwidth




Date: 27.APR.2024 04:53:03

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.949	16.400
60	5300	18.990	16.400
64	5320	19.090	16.400

CH52




Date: 27.APR.2024 03:44:11

CH60
26 dB Bandwidth




Date: 27.APR.2024 03:44:52

CH64




Date: 27.APR.2024 03:45:40


99 % Occupied Bandwidth



Date: 27.APR.2024 03:43:50



Date: 27.APR.2024 03:44:01




Date: 27.APR.2024 03:45:19

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.499	17.600
60	5300	20.449	17.600
64	5320	20.650	17.600

CH52




Date: 27.APR.2024 03:58:40

CH60
26 dB Bandwidth




Date: 27.APR.2024 03:59:30

CH64




Date: 27.APR.2024 04:00:58


99 % Occupied Bandwidth



Date: 27.APR.2024 03:58:19



Date: 27.APR.2024 03:59:10




Date: 27.APR.2024 04:00:38

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.500	36.000
62	5310	39.100	36.000

CH54




Date: 27.APR.2024 04:38:30

CH62
26 dB Bandwidth




Date: 27.APR.2024 04:39:52

99 % Occupied Bandwidth



Date: 27.APR.2024 04:38:04




Date: 27.APR.2024 04:39:24


Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.198	75.200

CH58 26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.899	18.900
60	5300	20.850	18.800
64	5320	21.200	18.900

CH52




Date: 27.APR.2024 04:12:35

CH60
26 dB Bandwidth




Date: 27.APR.2024 04:13:23

CH64




Date: 27.APR.2024 04:14:08


99 % Occupied Bandwidth



Date: 27.APR.2024 04:12:14



Date: 27.APR.2024 04:13:03




Date: 27.APR.2024 04:13:48

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.000	37.800
62	5310	40.000	37.600

CH54




Date: 27.APR.2024 04:27:06

CH62
26 dB Bandwidth




Date: 27.APR.2024 04:27:53

99 % Occupied Bandwidth



Date: 27.APR.2024 04:26:39




Date: 27.APR.2024 04:27:26

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.800	77.200

CH58 26 dB Bandwidth



Date: 27.APR.2024 04:54:44

99 % Occupied Bandwidth




Date: 27.APR.2024 04:54:19


Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	160.400	154.400

CH50 26 dB Bandwidth



99 % Occupied Bandwidth




Date: 27.APR.2024 05:04:49


Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	161.700	155.200

CH50 26 dB Bandwidth



99 % Occupied Bandwidth




Date: 27.APR.2024 05:02:28

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	18.899	16.400
116	5580	18.909	16.400
140	5700	18.950	16.400

CH100




Date: 27.APR.2024 03:46:51

CH116
26 dB Bandwidth




Date: 27.APR.2024 03:47:32

CH140




Date: 27.APR.2024 03:49:28


99 % Occupied Bandwidth



Date: 27.APR.2024 03:46:51



Date: 27.APR.2024 03:47:10




Date: 27.APR.2024 03:49:07

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.750	17.600
116	5580	20.490	17.500
140	5700	20.650	17.600

CH100




Date: 27.APR.2024 04:02:01

CH116
26 dB Bandwidth




Date: 27.APR.2024 04:03:03

CH140




Date: 27.APR.2024 04:03:52


99 % Occupied Bandwidth



Date: 27.APR.2024 04:02:41



Date: 27.APR.2024 04:02:42




Date: 27.APR.2024 04:03:32

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.100	36.000
110	5550	39.200	36.000
134	5670	39.100	36.000

CH102




Date: 27.APR.2024 04:40:60

CH110
26 dB Bandwidth




Date: 27.APR.2024 04:41:28

CH134




Date: 27.APR.2024 04:42:22


99 % Occupied Bandwidth



Date: 27.APR.2024 04:40:11



Date: 27.APR.2024 04:41:01




Date: 27.APR.2024 04:41:52

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.400	75.200
122	5610	81.190	75.200

CH106




Date: 27.APR.2024 04:48:29

CH122
26 dB Bandwidth




Date: 27.APR.2024 04:50:07

99 % Occupied Bandwidth



Date: 27.APR.2024 04:48:03




Date: 27.APR.2024 04:49:42


Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	161.500	154.400

CH114 26 dB Bandwidth



99 % Occupied Bandwidth




Date: 27.APR.2024 05:05:38

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.000	18.900
116	5580	21.190	18.900
140	5700	20.790	18.800

CH100




Date: 27.APR.2024 04:14:56

CH116
26 dB Bandwidth




Date: 27.APR.2024 04:18:41

CH140




Date: 27.APR.2024 04:20:11


99 % Occupied Bandwidth



Date: 27.APR.2024 04:14:55



Date: 27.APR.2024 04:18:20




Date: 27.APR.2024 04:19:51

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.700	37.600
110	5550	40.200	37.800
134	5670	40.300	37.800

CH102




Date: 27.APR.2024 04:29:28

CH110
26 dB Bandwidth




Date: 27.APR.2024 04:30:18

CH134




Date: 27.APR.2024 04:31:34


99 % Occupied Bandwidth



Date: 27.APR.2024 04:29:58



Date: 27.APR.2024 04:29:51




Date: 27.APR.2024 04:31:06

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.400	76.800
122	5610	82.400	76.800

CH106




Date: 27.APR.2024 04:55:30

CH122
26 dB Bandwidth




Date: 27.APR.2024 04:59:38

99 % Occupied Bandwidth



Date: 27.APR.2024 04:55:04




Date: 27.APR.2024 04:59:13


Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	161.300	155.200

CH114 26 dB Bandwidth



99 % Occupied Bandwidth



Date: 27.APR.2024 05:03:43