












































































Appendix A3: Min Emission Bandwidth**Test Result**


Test Mode	Antenna	Channel	6dB EBW [MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.52	0.5	PASS
		5785	16.60	0.5	PASS
		5825	16.36	0.5	PASS
11AC20SISO	Ant1	5745	17.64	0.5	PASS
		5785	17.84	0.5	PASS
		5825	17.68	0.5	PASS
11AC40SISO	Ant1	5755	36.40	0.5	PASS
		5795	36.40	0.5	PASS
11AX20SISO	Ant1	5745	19.00	0.5	PASS
		5785	19.12	0.5	PASS
		5825	18.92	0.5	PASS
11AX40SISO	Ant1	5755	38.08	0.5	PASS
		5795	38.00	0.5	PASS


Test Graphs

















Appendix B: Maximum Conducted Output Power**Test Result**

Test Mode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	15.67	≤23.98	PASS
		5200	14.92	≤23.98	PASS
		5240	14.88	≤23.98	PASS
		5260	16.29	≤23.98	PASS
		5280	16.11	≤23.98	PASS
		5320	16.48	≤23.98	PASS
		5500	11.66	≤23.98	PASS
		5580	11.08	≤23.98	PASS
		5700	10.85	≤23.98	PASS
		5745	17.84	≤30.00	PASS
		5785	17.86	≤30.00	PASS
		5825	16.73	≤30.00	PASS
11AC20SISO	Ant1	5180	15.71	≤23.98	PASS
		5200	15.06	≤23.98	PASS
		5240	14.97	≤23.98	PASS
		5260	14.16	≤23.98	PASS
		5280	14.44	≤23.98	PASS
		5320	14.83	≤23.98	PASS
		5500	11.69	≤23.98	PASS
		5580	11.16	≤23.98	PASS
		5700	10.94	≤23.98	PASS
		5745	17.89	≤30.00	PASS
		5785	17.91	≤30.00	PASS
		5825	16.76	≤30.00	PASS
11AC40SISO	Ant1	5190	13.43	≤23.98	PASS
		5230	12.95	≤23.98	PASS
		5270	12.02	≤23.98	PASS
		5310	12.57	≤23.98	PASS
		5510	11.73	≤23.98	PASS
		5550	10.99	≤23.98	PASS
		5670	11.73	≤23.98	PASS
		5755	18.04	≤30.00	PASS
		5795	17.48	≤30.00	PASS
11AX20SISO	Ant1	5180	13.93	≤23.98	PASS
		5200	13.22	≤23.98	PASS
		5240	12.97	≤23.98	PASS
		5260	12.03	≤23.98	PASS
		5280	12.34	≤23.98	PASS
		5320	12.74	≤23.98	PASS
		5500	11.70	≤23.98	PASS
		5580	11.21	≤23.98	PASS