





FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0013	PASS
40	Normal Voltage	0.0015	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0003	
0	Normal Voltage	0.0023	
-10	Normal Voltage	0.0031	
-20	Normal Voltage	0.0031	
20	Maximum Voltage	0.0017	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0032	

Note:

1. Normal Voltage = 3.8 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.2 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
4	Part 22H	NR SA n26	L	1651	-43.22	RMS	24.69	-25.14	0.63	-95.23	51.83	-13.00	-30.22	V	Ant1
4	Part 24E	NR SA n25	L	5556	-38.30	RMS	32.81	-21.78	0.66	-95.23	45.24	-13.00	-25.30	V	Ant1
5	Part 27L	NR SA n66	L	5136	-42.34	RMS	32.67	-21.47	0.39	-95.23	41.30	-13.00	-29.34	V	Ant1
7	Part 27H	NR SA n12	M	1402	-50.37	RMS	24.60	-25.56	0.91	-95.23	44.91	-13.00	-37.37	H	Ant1
10	Part 27F	NR SA n13	H	1565	-45.90	RMS	24.35	-25.25	0.70	-95.23	49.53	-42.15	-3.75	H	Ant1
11	Part 27F	NR SA n13	M	1556	-40.08	RMS	24.26	-25.27	0.71	-95.23	55.44	-13.00	-27.08	V	Ant1
14	Part 27D	NR SA n30	M	13848	-44.16	RMS	40.50	-21.40	0.43	-95.23	31.54	-40.00	-4.16	V	Ant5
15	Part 27D	NR SA n30	M	13835	-43.77	RMS	40.47	-21.39	0.43	-95.23	31.95	-40.00	-3.77	V	Ant5
17	Part 27N	NR SA n71	L	1329	-49.01	RMS	24.30	-25.73	1.37	-95.23	46.28	-13.00	-36.01	H	Ant1
20	Part 27M	NR SA n7	H	5065	-38.91	RMS	32.60	-21.40	0.40	-95.23	44.72	-25.00	-13.91	V	Ant5
24	Part 27M	NR SA n41	M	5089	-35.67	RMS	32.60	-21.42	0.40	-95.23	47.98	-25.00	-10.67	V	Ant5
25	Part 27M	NR SA n41	L	7492	-41.40	RMS	36.72	-20.69	0.71	-95.23	37.09	-25.00	-16.40	V	Ant2
26	Part 27M	NR SA n41	L	4995	-41.64	RMS	32.79	-21.34	0.40	-95.23	41.74	-25.00	-16.64	H	Ant3
27	Part 27M	NR SA n41	M	10177	-54.72	RMS	37.30	-21.13	0.51	-95.23	23.83	-25.00	-29.72	V	Ant4
28	Part 27Q	NR SA n77	L	13806	-44.03	RMS	40.41	-21.37	0.64	-95.23	31.52	-13.00	-31.03	H	Ant8
29	Part 27Q	NR SA n77	H	13846	-49.71	RMS	40.49	-21.39	0.64	-95.23	25.78	-13.00	-36.71	V	Ant9
30	Part 27Q	NR SA n77	M	13826	-49.50	RMS	40.45	-21.38	0.64	-95.23	26.02	-13.00	-36.50	V	Ant3
31	Part 27Q	NR SA n77	M	6913	-42.57	RMS	36.30	-20.93	1.07	-95.23	36.22	-13.00	-29.57	V	Ant4
32	Part 27Q	NR SA n77	L	10355	-42.15	RMS	37.38	-21.30	0.88	-95.23	36.12	-13.00	-29.15	V	Ant8+9
38	Part 27O	NR SA n77	L	7403	-41.32	RMS	36.80	-20.72	1.08	-95.23	36.75	-13.00	-28.32	H	Ant8
39	Part 27O	NR SA n77	M	15165	-50.01	RMS	41.04	-22.49	0.83	-95.23	25.84	-13.00	-37.01	V	Ant9
40	Part 27O	NR SA n77	M	15165	-49.99	RMS	41.04	-22.49	0.83	-95.23	25.86	-13.00	-36.99	H	Ant3
41	Part 27O	NR SA n77	M	7583	-43.53	RMS	36.60	-20.70	1.02	-95.23	34.78	-13.00	-30.53	H	Ant4
42	Part 27O	NR SA n77	M	7583	-36.77	RMS	36.60	-20.70	1.02	-95.23	41.54	-13.00	-23.77	H	Ant8+9
2	Part 90R	NR SA n14	L	1577	-44.97	RMS	24.40	-25.24	0.64	-95.23	50.46	-42.15	-2.82	H	Ant1
6	Part 90S	NR SA n26	H	1639	-46.18	RMS	24.60	-25.16	0.64	-95.23	48.97	-13.00	-33.18	H	Ant1
7	Part 90S	NR SA n26	M	2444	-50.52	RMS	26.70	-24.11	0.61	-95.23	41.51	-13.00	-37.52	H	Ant1
8	Part 90S	NR SA n26	M	2453	-46.98	RMS	26.64	-24.10	0.60	-95.23	45.11	-13.00	-33.98	H	Ant1




Ant1

Part 22H Mode 4

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1651.00	-47.77	RMS	24.69	-25.14	0.63	-95.23	0.00	-13.00	-34.77	Horizontal
2	2476.00	-46.68	RMS	26.56	-24.07	0.59	-95.23	45.47	-13.00	-33.68	Horizontal
3	3301.00	-61.96	RMS	28.00	-22.73	0.40	-95.23	27.60	-13.00	-48.96	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1651.00	-43.22	RMS	24.69	-25.14	0.63	-95.23	51.83	-13.00	-30.22	Vertical
2	2476.00	-52.07	RMS	26.56	-24.07	0.59	-95.23	40.08	-13.00	-39.07	Vertical
3	3301.00	-60.87	RMS	28.00	-22.73	0.40	-95.23	28.69	-13.00	-47.87	Vertical




Ant1

Part 22H Mode 4

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-48.77	RMS	24.64	-25.14	0.63	-95.23	46.33	-13.00	-35.77	Horizontal
2	2483.00	-48.82	RMS	26.63	-24.06	0.59	-95.23	43.25	-13.00	-35.82	Horizontal
3	3311.00	-62.92	RMS	28.04	-22.72	0.40	-95.23	26.59	-13.00	-49.92	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-44.30	RMS	24.64	-25.14	0.63	-95.23	50.80	-13.00	-31.30	Vertical
2	2483.00	-51.23	RMS	26.63	-24.06	0.59	-95.23	40.84	-13.00	-38.23	Vertical
3	3311.00	-62.53	RMS	28.04	-22.72	0.40	-95.23	26.98	-13.00	-49.53	Vertical




Ant1

Part 22H Mode 4

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1661.00	-51.66	RMS	24.60	-25.13	0.63	-95.23	43.47	-13.00	-38.66	Horizontal
2	2491.00	-62.60	RMS	26.70	-24.05	0.58	-95.23	29.40	-13.00	-49.60	Horizontal
3	3321.00	-64.20	RMS	28.08	-22.70	0.39	-95.23	25.26	-13.00	-51.20	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	1661.00	-56.00	RMS	24.60	-25.13	0.63	-95.23	39.13	-13.00	-43.00	Vertical
2	2491.00	-54.79	RMS	26.70	-24.05	0.58	-95.23	37.21	-13.00	-41.79	Vertical
3	3321.00	-64.14	RMS	28.08	-22.70	0.39	-95.23	25.32	-13.00	-51.14	Vertical




Ant1

Part 24E Mode 4

NR SA n25 40M Ch374000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n25 40M Ch374000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3704.00	-57.58	RMS	29.63	-22.25	0.26	-95.23	30.01	-13.00	-44.58	Horizontal	
2	5556.00	-40.37	RMS	32.81	-21.78	0.66	-95.23	43.17	-13.00	-27.37	Horizontal	
3	7409.00	-54.51	RMS	36.80	-20.72	0.74	-95.23	23.90	-13.00	-41.51	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n25 40M Ch374000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3704.00	-58.83	RMS	29.63	-22.25	0.26	-95.23	28.76	-13.00	-45.83	Vertical	
2	5556.00	-38.30	RMS	32.81	-21.78	0.66	-95.23	45.24	-13.00	-25.30	Vertical	
3	7409.00	-54.65	RMS	36.80	-20.72	0.74	-95.23	23.76	-13.00	-41.65	Vertical	




Ant1

Part 24E Mode 4

NR SA n25 40M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n25 40M Ch376500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3729.00	-59.23	RMS	29.83	-22.22	0.27	-95.23	28.12	-13.00	-46.23	Horizontal			
2	5594.00	-48.94	RMS	32.89	-21.76	0.69	-95.23	34.47	-13.00	-35.94	Horizontal			
3	7459.00	-54.98	RMS	36.78	-20.70	0.72	-95.23	23.45	-13.00	-41.98	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n25 40M Ch376500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3729.00	-59.31	RMS	29.83	-22.22	0.27	-95.23	28.04	-13.00	-46.31	Vertical			
2	5594.00	-47.00	RMS	32.89	-21.76	0.69	-95.23	36.41	-13.00	-34.00	Vertical			
3	7459.00	-54.97	RMS	36.78	-20.70	0.72	-95.23	23.46	-13.00	-41.97	Vertical			




Ant1

Part 24E Mode 4

NR SA n25 40M Ch379000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n25 40M Ch379000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3754.00	-49.88	RMS	30.01	-22.19	0.28	-95.23	37.25	-13.00	-36.88	Horizontal	
2	5631.00	-41.24	RMS	33.09	-21.73	0.68	-95.23	41.95	-13.00	-28.24	Horizontal	
3	7509.00	-55.01	RMS	36.68	-20.69	0.71	-95.23	23.52	-13.00	-42.01	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n25 40M Ch379000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3754.00	-53.13	RMS	30.01	-22.19	0.28	-95.23	34.00	-13.00	-40.13	Vertical	
2	5631.00	-39.86	RMS	33.09	-21.73	0.68	-95.23	43.33	-13.00	-26.86	Vertical	
3	7509.00	-55.14	RMS	36.68	-20.69	0.71	-95.23	23.39	-13.00	-42.14	Vertical	




Ant1

Part 27L Mode 5

NR SA n66 40M Ch346000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 40M Ch346000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3424.00	-60.08	RMS	28.40	-22.60	0.63	-95.23	28.72	-13.00	-47.08	Horizontal	
2	5136.00	-46.05	RMS	32.67	-21.47	0.39	-95.23	37.59	-13.00	-33.05	Horizontal	
3	6849.00	-56.26	RMS	36.30	-20.94	0.33	-95.23	23.28	-13.00	-43.26	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 40M Ch346000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3424.00	-61.69	RMS	28.40	-22.60	0.63	-95.23	27.11	-13.00	-48.69	Vertical	
2	5136.00	-42.34	RMS	32.67	-21.47	0.39	-95.23	41.30	-13.00	-29.34	Vertical	
3	6849.00	-56.56	RMS	36.30	-20.94	0.33	-95.23	22.98	-13.00	-43.56	Vertical	




Ant1

Part 27L Mode 5

NR SA n66 40M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 40M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-60.06	RMS		28.52	-22.58	0.56	-95.23	28.67	-13.00	-47.06	Horizontal
2	5181.00	-58.10	RMS		32.64	-21.51	0.39	-95.23	25.61	-13.00	-45.10	Horizontal
3	6909.00	-56.52	RMS		36.30	-20.93	0.34	-95.23	23.00	-13.00	-43.52	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 40M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-61.28	RMS		28.52	-22.58	0.56	-95.23	27.45	-13.00	-48.28	Vertical
2	5181.00	-57.49	RMS		32.64	-21.51	0.39	-95.23	26.22	-13.00	-44.49	Vertical
3	6909.00	-56.24	RMS		36.30	-20.93	0.34	-95.23	23.28	-13.00	-43.24	Vertical




Ant1

Part 27L Mode 5

NR SA n66 40M Ch352000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 40M Ch352000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	3484.00	-61.95	RMS	28.70	-22.56	0.49	-95.23	26.65	-13.00	-48.95	Horizontal	
2	5226.00	-45.72	RMS	32.50	-21.55	0.41	-95.23	38.15	-13.00	-32.72	Horizontal	
3	6969.00	-55.87	RMS	36.30	-20.93	0.35	-95.23	23.64	-13.00	-42.87	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 40M Ch352000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	3484.00	-60.85	RMS	28.70	-22.56	0.49	-95.23	27.75	-13.00	-47.85	Vertical	
2	5226.00	-52.16	RMS	32.50	-21.55	0.41	-95.23	31.71	-13.00	-39.16	Vertical	
3	6969.00	-55.96	RMS	36.30	-20.93	0.35	-95.23	23.55	-13.00	-42.96	Vertical	




Ant1

Part 27H Mode 7

NR SA n12 15M Ch141300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1400.00	-51.57	RMS	24.60	-25.56	0.91	-95.23	43.71	-13.00	-38.57
2	2100.00	-66.75	RMS	26.20	-24.58	0.41	-95.23	26.45	-13.00	-53.75
3	2800.00	-64.38	RMS	27.80	-23.47	0.39	-95.23	26.13	-13.00	-51.38



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1400.00	-59.99	RMS	24.60	-25.56	0.91	-95.23	35.29	-13.00	-46.99
2	2100.00	-63.98	RMS	26.20	-24.58	0.41	-95.23	29.22	-13.00	-50.98
3	2800.00	-64.43	RMS	27.80	-23.47	0.39	-95.23	26.08	-13.00	-51.43




Ant1

Part 27H Mode 7

NR SA n12 15M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1402.00	-50.37	RMS	24.60	-25.56	0.91	-95.23	44.91	-13.00	-37.37
2	2103.00	-66.74	RMS	26.23	-24.57	0.41	-95.23	26.42	-13.00	-53.74
3	2804.00	-64.57	RMS	27.80	-23.46	0.39	-95.23	25.93	-13.00	-51.57



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1402.00	-57.72	RMS	24.60	-25.56	0.91	-95.23	37.56	-13.00	-44.72
2	2103.00	-65.18	RMS	26.23	-24.57	0.41	-95.23	27.98	-13.00	-52.18
3	2804.00	-64.68	RMS	27.80	-23.46	0.39	-95.23	25.82	-13.00	-51.68




Ant1

Part 27H Mode 7

NR SA n12 15M Ch141700 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1404.00	-51.18	RMS	24.60	-25.55	0.90	-95.23	44.10	-13.00	-38.18
2	2106.00	-66.64	RMS	26.26	-24.57	0.41	-95.23	26.49	-13.00	-53.64
3	2808.00	-64.56	RMS	27.80	-23.45	0.39	-95.23	25.93	-13.00	-51.56



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1404.00	-60.18	RMS	24.60	-25.55	0.90	-95.23	35.10	-13.00	-47.18
2	2106.00	-64.21	RMS	26.26	-24.57	0.41	-95.23	28.92	-13.00	-51.21
3	2808.00	-64.58	RMS	27.80	-23.45	0.39	-95.23	25.91	-13.00	-51.58




Ant1

Part 27F Mode 10

NR SA n13 5M Ch155900 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1555.00	-48.30	RMS	24.25	-25.27	0.72	-95.23	47.23	-13.00	-35.30	Horizontal
2	2333.00	-45.10	RMS	26.87	-24.26	0.55	-95.23	46.97	-13.00	-32.10	Horizontal
3	3110.00	-61.11	RMS	28.00	-22.96	0.43	-95.23	28.65	-13.00	-48.11	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1555.00	-42.03	RMS	24.25	-25.27	0.72	-95.23	53.50	-13.00	-29.03	Vertical
2	2333.00	-52.97	RMS	26.87	-24.26	0.55	-95.23	39.10	-13.00	-39.97	Vertical
3	3110.00	-62.70	RMS	28.00	-22.96	0.43	-95.23	27.06	-13.00	-49.70	Vertical




Ant1

Part 27F Mode 10

NR SA n13 5M Ch156400 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n13 5M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	1560.00	-48.58	RMS	24.30	-25.26	0.71	-95.23	46.90	-42.15	-6.43 Horizontal
2	2340.00	-46.30	RMS	26.80	-24.25	0.56	-95.23	45.82	-13.00	-33.30 Horizontal
3	3120.00	-61.59	RMS	28.00	-22.94	0.43	-95.23	28.15	-13.00	-48.59 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n13 5M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	1560.00	-46.30	RMS	24.30	-25.26	0.71	-95.23	49.18	-42.15	-4.15 Vertical
2	2340.00	-53.79	RMS	26.80	-24.25	0.56	-95.23	38.33	-13.00	-40.79 Vertical
3	3120.00	-61.35	RMS	28.00	-22.94	0.43	-95.23	28.39	-13.00	-48.35 Vertical




Ant1

Part 27F Mode 10

NR SA n13 5M Ch156900 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1565.00	-45.90	RMS	24.35	-25.25	0.70	-95.23	49.53	-42.15	-3.75	Horizontal
2	2348.00	-56.63	RMS	26.88	-24.24	0.57	-95.23	35.39	-13.00	-43.63	Horizontal
3	3130.00	-61.86	RMS	28.00	-22.93	0.43	-95.23	27.87	-13.00	-48.86	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1565.00	-51.38	RMS	24.35	-25.25	0.70	-95.23	44.05	-42.15	-9.23	Vertical
2	2348.00	-47.26	RMS	26.88	-24.24	0.57	-95.23	44.76	-13.00	-34.26	Vertical
3	3130.00	-63.38	RMS	28.00	-22.93	0.43	-95.23	26.35	-13.00	-50.38	Vertical




Ant1

Part 27F Mode 11

NR SA n13 10M Ch156400 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Reading	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1556.00	-47.61	RMS	24.26	-25.27	0.71	-95.23	47.91	-13.00	-34.61	Horizontal
2	2333.00	-45.97	RMS	26.87	-24.26	0.55	-95.23	46.10	-13.00	-32.97	Horizontal
3	3111.00	-61.47	RMS	28.00	-22.95	0.43	-95.23	28.28	-13.00	-48.47	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Reading	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1556.00	-40.08	RMS	24.26	-25.27	0.71	-95.23	55.44	-13.00	-27.08	Vertical
2	2333.00	-52.02	RMS	26.87	-24.26	0.55	-95.23	40.05	-13.00	-39.02	Vertical
3	3111.00	-61.80	RMS	28.00	-22.95	0.43	-95.23	27.95	-13.00	-48.80	Vertical




Ant5

Part 27D Mode 14

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4611.00	-54.16	RMS		31.74	-21.68	0.30	-95.23	30.71	-40.00	Horizontal
2	6917.00	-55.15	RMS		36.30	-20.93	0.34	-95.23	24.37	-40.00	Horizontal
3	13833.00	-46.85	RMS		40.47	-21.38	0.43	-95.23	28.86	-40.00	Horizontal
4	18448.00	-60.99	RMS		37.98	-39.93	-9.54	-95.23	45.73	-40.00	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4611.00	-50.37	RMS		31.74	-21.68	0.30	-95.23	34.50	-40.00	Vertical
2	6917.00	-52.90	RMS		36.30	-20.93	0.34	-95.23	26.62	-40.00	Vertical
3	13833.00	-44.53	RMS		40.47	-21.38	0.43	-95.23	31.18	-40.00	Vertical
4	18448.00	-63.09	RMS		37.98	-39.93	-9.54	-95.23	43.63	-40.00	Vertical




Ant5

Part 27D Mode 14

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-55.44	RMS	31.76	-21.68	0.30	-95.23	29.41	-40.00	-15.44	Horizontal
2	6924.00	-53.35	RMS	36.30	-20.93	0.34	-95.23	26.17	-40.00	-13.35	Horizontal
3	13848.00	-46.54	RMS	40.50	-21.40	0.43	-95.23	29.16	-40.00	-6.54	Horizontal
4	18472.00	-61.46	RMS	38.00	-39.94	-9.54	-95.23	45.25	-40.00	-21.46	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-48.78	RMS	31.76	-21.68	0.30	-95.23	36.07	-40.00	-8.78	Vertical
2	6924.00	-52.81	RMS	36.30	-20.93	0.34	-95.23	26.71	-40.00	-12.81	Vertical
3	13848.00	-44.16	RMS	40.50	-21.40	0.43	-95.23	31.54	-40.00	-4.16	Vertical
4	18472.00	-61.69	RMS	38.00	-39.94	-9.54	-95.23	45.02	-40.00	-21.69	Vertical




Ant5

Part 27D Mode 14

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4621.00	-54.15	RMS		31.78	-21.67	0.30	-95.23	30.67	-40.00	Horizontal
2	6932.00	-54.56	RMS		36.30	-20.93	0.35	-95.23	24.95	-40.00	Horizontal
3	13863.00	-46.83	RMS		40.55	-21.41	0.43	-95.23	28.83	-40.00	Horizontal
4	18488.00	-62.63	RMS		38.00	-39.96	-9.54	-95.23	44.10	-40.00	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4621.00	-50.10	RMS		31.78	-21.67	0.30	-95.23	34.72	-40.00	Vertical
2	6932.00	-52.52	RMS		36.30	-20.93	0.35	-95.23	26.99	-40.00	Vertical
3	13863.00	-45.36	RMS		40.55	-21.41	0.43	-95.23	30.30	-40.00	Vertical
4	18488.00	-63.55	RMS		38.00	-39.96	-9.54	-95.23	43.18	-40.00	Vertical




Ant5

Part 27D Mode 15

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4612.00	-54.60	RMS		31.75	-21.68	0.30	-95.23	30.26	-40.00	-14.60 Horizontal
2	6917.00	-55.18	RMS		36.30	-20.93	0.34	-95.23	24.34	-40.00	-15.18 Horizontal
3	13835.00	-46.05	RMS		40.47	-21.39	0.43	-95.23	29.67	-40.00	-6.05 Horizontal
4	18448.00	-61.50	RMS		37.98	-39.93	-9.54	-95.23	45.22	-40.00	-21.50 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4612.00	-51.63	RMS		31.75	-21.68	0.30	-95.23	33.23	-40.00	-11.63 Vertical
2	6917.00	-53.90	RMS		36.30	-20.93	0.34	-95.23	25.62	-40.00	-13.90 Vertical
3	13835.00	-43.77	RMS		40.47	-21.39	0.43	-95.23	31.95	-40.00	-3.77 Vertical
4	18448.00	-63.19	RMS		37.98	-39.93	-9.54	-95.23	43.53	-40.00	-23.19 Vertical




Ant1

Part 27N Mode 17

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1329.00	-49.01	RMS	24.30	-25.73	1.37	-95.23	46.28	-13.00	-36.01 Horizontal
2	1993.00	-65.03	RMS	26.03	-24.72	0.42	-95.23	28.47	-13.00	-52.03 Horizontal
3	2657.00	-65.18	RMS	27.33	-23.74	0.49	-95.23	25.97	-13.00	-52.18 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1329.00	-55.65	RMS	24.30	-25.73	1.37	-95.23	39.64	-13.00	-42.65 Vertical
2	1993.00	-67.11	RMS	26.03	-24.72	0.42	-95.23	26.39	-13.00	-54.11 Vertical
3	2657.00	-65.08	RMS	27.33	-23.74	0.49	-95.23	26.07	-13.00	-52.08 Vertical




Ant1

Part 27N Mode 17

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1344.00	-53.26	RMS	24.28	-25.69	1.27	-95.23	42.11	-13.00	-40.26
2	2015.00	-66.60	RMS	26.25	-24.69	0.42	-95.23	26.65	-13.00	-53.60
3	2687.00	-64.77	RMS	27.50	-23.68	0.47	-95.23	26.17	-13.00	-51.77



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1344.00	-63.44	RMS	24.28	-25.69	1.27	-95.23	31.93	-13.00	-50.44
2	2015.00	-66.45	RMS	26.25	-24.69	0.42	-95.23	26.80	-13.00	-53.45
3	2687.00	-65.14	RMS	27.50	-23.68	0.47	-95.23	25.80	-13.00	-52.14




Ant1

Part 27N Mode 17

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-53.27	RMS	24.49	-25.66	1.17	-95.23	41.96	-13.00	-40.27 Horizontal
2	2038.00	-66.88	RMS	26.20	-24.66	0.42	-95.23	26.39	-13.00	-53.88 Horizontal
3	2717.00	-64.41	RMS	27.57	-23.63	0.45	-95.23	26.43	-13.00	-51.41 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-64.41	RMS	24.49	-25.66	1.17	-95.23	30.82	-13.00	-51.41 Vertical
2	2038.00	-66.92	RMS	26.20	-24.66	0.42	-95.23	26.35	-13.00	-53.92 Vertical
3	2717.00	-64.55	RMS	27.57	-23.63	0.45	-95.23	26.29	-13.00	-51.55 Vertical




Ant5

Part 27M Mode 20

NR SA n7 40M Ch504000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n7 40M Ch504000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5005.00	-44.76	RMS	32.78	-21.34	0.40	-95.23	38.63	-25.00	-19.76	Horizontal	
2	7507.00	-45.98	RMS	36.69	-20.69	0.71	-95.23	32.54	-25.00	-20.98	Horizontal	
3	10009.00	-51.87	RMS	37.18	-20.97	0.51	-95.23	26.64	-25.00	-26.87	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n7 40M Ch504000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5005.00	-40.63	RMS	32.78	-21.34	0.40	-95.23	42.76	-25.00	-15.63	Vertical	
2	7507.00	-45.33	RMS	36.69	-20.69	0.71	-95.23	33.19	-25.00	-20.33	Vertical	
3	10009.00	-54.47	RMS	37.18	-20.97	0.51	-95.23	24.04	-25.00	-29.47	Vertical	




Ant5

Part 27M Mode 20

NR SA n7 40M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5035.00	-43.87	RMS	32.66	-21.37	0.40	-95.23	39.67	-25.00	-18.87	Horizontal	
2	7552.00	-48.06	RMS	36.60	-20.70	0.69	-95.23	30.58	-25.00	-23.06	Horizontal	
3	10069.00	-52.59	RMS	37.10	-21.03	0.51	-95.23	26.06	-25.00	-27.59	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n7 40M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5035.00	-39.53	RMS	32.66	-21.37	0.40	-95.23	44.01	-25.00	-14.53	Vertical	
2	7552.00	-45.59	RMS	36.60	-20.70	0.69	-95.23	33.05	-25.00	-20.59	Vertical	
3	10069.00	-53.96	RMS	37.10	-21.03	0.51	-95.23	24.69	-25.00	-28.96	Vertical	




Ant5

Part 27M Mode 20

NR SA n7 40M Ch510000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n7 40M Ch510000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5065.00	-44.22	RMS	32.60	-21.40	0.40	-95.23	39.41	-25.00	-19.22	Horizontal	
2	7597.00	-45.36	RMS	36.60	-20.71	0.68	-95.23	33.30	-25.00	-20.36	Horizontal	
3	10129.00	-51.87	RMS	37.22	-21.09	0.51	-95.23	26.72	-25.00	-26.87	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n7 40M Ch510000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5065.00	-38.91	RMS	32.60	-21.40	0.40	-95.23	44.72	-25.00	-13.91	Vertical	
2	7597.00	-42.97	RMS	36.60	-20.71	0.68	-95.23	35.69	-25.00	-17.97	Vertical	
3	10129.00	-53.50	RMS	37.22	-21.09	0.51	-95.23	25.09	-25.00	-28.50	Vertical	




Ant5

Part 27M Mode 24

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	4995.00	-40.82	RMS	32.79	-21.34	0.40	-95.23	42.56	-25.00	-15.82	Horizontal			
2	7492.00	-49.90	RMS	36.72	-20.69	0.71	-95.23	28.59	-25.00	-24.90	Horizontal			
3	9989.00	-54.76	RMS	37.18	-20.96	0.51	-95.23	23.74	-25.00	-29.76	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	4995.00	-37.20	RMS	32.79	-21.34	0.40	-95.23	46.18	-25.00	-12.20	Vertical			
2	7492.00	-45.42	RMS	36.72	-20.69	0.71	-95.23	33.07	-25.00	-20.42	Vertical			
3	9989.00	-54.14	RMS	37.18	-20.96	0.51	-95.23	24.36	-25.00	-29.14	Vertical			




Ant5

Part 27M Mode 24

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5089.00	-41.73	RMS	32.60	-21.42	0.40	-95.23	41.92	-25.00	-16.73	Horizontal			
2	7633.00	-47.57	RMS	36.60	-20.72	0.64	-95.23	31.14	-25.00	-22.57	Horizontal			
3	10177.00	-53.18	RMS	37.30	-21.13	0.51	-95.23	25.37	-25.00	-28.18	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5089.00	-35.67	RMS	32.60	-21.42	0.40	-95.23	47.98	-25.00	-10.67	Vertical			
2	7633.00	-46.37	RMS	36.60	-20.72	0.64	-95.23	32.34	-25.00	-21.37	Vertical			
3	10177.00	-54.20	RMS	37.30	-21.13	0.51	-95.23	24.35	-25.00	-29.20	Vertical			




Ant5

Part 27M Mode 24

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5183.00	-40.34	RMS	32.63	-21.51	0.39	-95.23	43.38	-25.00	-15.34 Horizontal
2	7774.00	-47.14	RMS	36.55	-20.77	0.45	-95.23	31.86	-25.00	-22.14 Horizontal
3	10365.00	-54.60	RMS	37.34	-21.31	0.50	-95.23	24.10	-25.00	-29.60 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5183.00	-38.47	RMS	32.63	-21.51	0.39	-95.23	45.25	-25.00	-13.47 Vertical
2	7774.00	-48.16	RMS	36.55	-20.77	0.45	-95.23	30.84	-25.00	-23.16 Vertical
3	10365.00	-55.01	RMS	37.34	-21.31	0.50	-95.23	23.69	-25.00	-30.01 Vertical




Ant2

Part 27M Mode 25

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-55.40	RMS	32.79	-21.34	0.40	-95.23	27.98	-25.00	-30.40 Horizontal
2	7492.00	-46.09	RMS	36.72	-20.69	0.71	-95.23	32.40	-25.00	-21.09 Horizontal
3	9989.00	-54.76	RMS	37.18	-20.96	0.51	-95.23	23.74	-25.00	-29.76 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-52.27	RMS	32.79	-21.34	0.40	-95.23	31.11	-25.00	-27.27 Vertical
2	7492.00	-41.40	RMS	36.72	-20.69	0.71	-95.23	37.09	-25.00	-16.40 Vertical
3	9989.00	-55.23	RMS	37.18	-20.96	0.51	-95.23	23.27	-25.00	-30.23 Vertical




Ant2

Part 27M Mode 25

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5089.00	-56.47	RMS	32.60	-21.42	0.40	-95.23	27.18	-25.00	-31.47	Horizontal
2	7633.00	-43.01	RMS	36.60	-20.72	0.64	-95.23	35.70	-25.00	-18.01	Horizontal
3	10177.00	-54.59	RMS	37.30	-21.13	0.51	-95.23	23.96	-25.00	-29.59	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5089.00	-53.48	RMS	32.60	-21.42	0.40	-95.23	30.17	-25.00	-28.48	Vertical
2	7633.00	-42.34	RMS	36.60	-20.72	0.64	-95.23	36.37	-25.00	-17.34	Vertical
3	10177.00	-54.68	RMS	37.30	-21.13	0.51	-95.23	23.87	-25.00	-29.68	Vertical




Ant2

Part 27M Mode 25

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	5003.00	-59.26	RMS	32.79	-21.34	0.40	-95.23	24.12	-25.00	-34.26 Horizontal
2	7504.00	-55.56	RMS	36.69	-20.69	0.71	-95.23	22.96	-25.00	-30.56 Horizontal
3	10005.00	-55.20	RMS	37.19	-20.96	0.51	-95.23	23.29	-25.00	-30.20 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	5003.00	-59.10	RMS	32.79	-21.34	0.40	-95.23	24.28	-25.00	-34.10 Vertical
2	7504.00	-55.44	RMS	36.69	-20.69	0.71	-95.23	23.08	-25.00	-30.44 Vertical
3	10005.00	-55.21	RMS	37.19	-20.96	0.51	-95.23	23.28	-25.00	-30.21 Vertical




Ant3

Part 27M Mode 26

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	4995.00	-41.64	RMS	32.79	-21.34	0.40	-95.23	41.74	-25.00	-16.64	Horizontal			
2	7492.00	-52.87	RMS	36.72	-20.69	0.71	-95.23	25.62	-25.00	-27.87	Horizontal			
3	9989.00	-55.21	RMS	37.18	-20.96	0.51	-95.23	23.29	-25.00	-30.21	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	4995.00	-44.54	RMS	32.79	-21.34	0.40	-95.23	38.84	-25.00	-19.54	Vertical			
2	7492.00	-55.22	RMS	36.72	-20.69	0.71	-95.23	23.27	-25.00	-30.22	Vertical			
3	9989.00	-55.36	RMS	37.18	-20.96	0.51	-95.23	23.14	-25.00	-30.36	Vertical			




Ant3

Part 27M Mode 26

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5089.00	-46.33	RMS	32.60	-21.42	0.40	-95.23	37.32	-25.00	-21.33 Horizontal
2	7633.00	-55.23	RMS	36.60	-20.72	0.64	-95.23	23.48	-25.00	-30.23 Horizontal
3	10177.00	-54.80	RMS	37.30	-21.13	0.51	-95.23	23.75	-25.00	-29.80 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5089.00	-47.19	RMS	32.60	-21.42	0.40	-95.23	36.46	-25.00	-22.19 Vertical
2	7633.00	-55.13	RMS	36.60	-20.72	0.64	-95.23	23.58	-25.00	-30.13 Vertical
3	10177.00	-54.86	RMS	37.30	-21.13	0.51	-95.23	23.69	-25.00	-29.86 Vertical




Ant3

Part 27M Mode 26

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	5183.00	-44.18	RMS	32.63	-21.51	0.39	-95.23	39.54	-25.00	-19.18	Horizontal	
2	7774.00	-55.59	RMS	36.55	-20.77	0.45	-95.23	23.41	-25.00	-30.59	Horizontal	
3	10365.00	-54.89	RMS	37.34	-21.31	0.50	-95.23	23.81	-25.00	-29.89	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	5183.00	-46.13	RMS	32.63	-21.51	0.39	-95.23	37.59	-25.00	-21.13	Vertical	
2	7774.00	-55.97	RMS	36.55	-20.77	0.45	-95.23	23.03	-25.00	-30.97	Vertical	
3	10365.00	-55.05	RMS	37.34	-21.31	0.50	-95.23	23.65	-25.00	-30.05	Vertical	




Ant4

Part 27M Mode 27

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-57.21	RMS	32.79	-21.34	0.40	-95.23	26.17	-25.00	-32.21 Horizontal
2	7492.00	-55.22	RMS	36.72	-20.69	0.71	-95.23	23.27	-25.00	-30.22 Horizontal
3	9989.00	-55.08	RMS	37.18	-20.96	0.51	-95.23	23.42	-25.00	-30.08 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-58.47	RMS	32.79	-21.34	0.40	-95.23	24.91	-25.00	-33.47 Vertical
2	7492.00	-55.34	RMS	36.72	-20.69	0.71	-95.23	23.15	-25.00	-30.34 Vertical
3	9989.00	-55.02	RMS	37.18	-20.96	0.51	-95.23	23.48	-25.00	-30.02 Vertical




Ant4

Part 27M Mode 27

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5089.00	-58.44	RMS	32.60	-21.42	0.40	-95.23	25.21	-25.00	-33.44	Horizontal			
2	7633.00	-55.57	RMS	36.60	-20.72	0.64	-95.23	23.14	-25.00	-30.57	Horizontal			
3	10177.00	-54.84	RMS	37.30	-21.13	0.51	-95.23	23.71	-25.00	-29.84	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5089.00	-59.00	RMS	32.60	-21.42	0.40	-95.23	24.65	-25.00	-34.00	Vertical			
2	7633.00	-55.37	RMS	36.60	-20.72	0.64	-95.23	23.34	-25.00	-30.37	Vertical			
3	10177.00	-54.72	RMS	37.30	-21.13	0.51	-95.23	23.83	-25.00	-29.72	Vertical			




Ant4

Part 27M Mode 27

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	5183.00	-58.56	RMS	32.63	-21.51	0.39	-95.23	25.16	-25.00	-33.56		Horizontal
2	7774.00	-55.68	RMS	36.55	-20.77	0.45	-95.23	23.32	-25.00	-30.68		Horizontal
3	10365.00	-54.93	RMS	37.34	-21.31	0.50	-95.23	23.77	-25.00	-29.93		Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	5183.00	-59.45	RMS	32.63	-21.51	0.39	-95.23	24.27	-25.00	-34.45		Vertical
2	7774.00	-55.64	RMS	36.55	-20.77	0.45	-95.23	23.36	-25.00	-30.64		Vertical
3	10365.00	-54.91	RMS	37.34	-21.31	0.50	-95.23	23.79	-25.00	-29.91		Vertical




Ant8

Part 27Q Mode 28

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	6903.00	-48.25	RMS	36.30	-20.93	1.08	-95.23	30.53	-13.00	-35.25	Horizontal
2	10355.00	-54.13	RMS	37.38	-21.30	0.88	-95.23	24.14	-13.00	-41.13	Horizontal
3	13806.00	-44.03	RMS	40.41	-21.37	0.64	-95.23	31.52	-13.00	-31.03	Horizontal
4	24160.00	-49.81	RMS	38.66	-33.00	-9.54	-95.23	49.30	-13.00	-36.81	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	6903.00	-51.57	RMS	36.30	-20.93	1.08	-95.23	27.21	-13.00	-38.57	Vertical
2	10355.00	-53.25	RMS	37.38	-21.30	0.88	-95.23	25.02	-13.00	-40.25	Vertical
3	13806.00	-47.95	RMS	40.41	-21.37	0.64	-95.23	27.60	-13.00	-34.95	Vertical
4	24160.00	-56.56	RMS	38.66	-33.00	-9.54	-95.23	42.55	-13.00	-43.56	Vertical




Ant8

Part 27Q Mode 28

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6913.00	-48.69	RMS	36.30	-20.93	1.07	-95.23	30.10	-13.00	-35.69	Horizontal
2	10370.00	-54.43	RMS	37.32	-21.32	0.88	-95.23	23.92	-13.00	-41.43	Horizontal
3	13826.00	-45.96	RMS	40.45	-21.38	0.64	-95.23	29.56	-13.00	-32.96	Horizontal
4	24195.00	-55.10	RMS	38.52	-33.00	-9.54	-95.23	44.15	-13.00	-42.10	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6913.00	-51.71	RMS	36.30	-20.93	1.07	-95.23	27.08	-13.00	-38.71	Vertical
2	10370.00	-54.04	RMS	37.32	-21.32	0.88	-95.23	24.31	-13.00	-41.04	Vertical
3	13826.00	-49.79	RMS	40.45	-21.38	0.64	-95.23	25.73	-13.00	-36.79	Vertical
4	24195.00	-55.30	RMS	38.52	-33.00	-9.54	-95.23	43.95	-13.00	-42.30	Vertical




Ant8

Part 27Q Mode 28

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-49.35	RMS	36.30	-20.93	1.07	-95.23	29.44	-13.00	-36.35	Horizontal
2	10385.00	-54.59	RMS	37.26	-21.33	0.88	-95.23	23.83	-13.00	-41.59	Horizontal
3	13846.00	-45.40	RMS	40.49	-21.39	0.64	-95.23	30.09	-13.00	-32.40	Horizontal
4	24230.00	-50.53	RMS	38.44	-32.99	-9.54	-95.23	48.79	-13.00	-37.53	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-50.05	RMS	36.30	-20.93	1.07	-95.23	28.74	-13.00	-37.05	Vertical
2	10385.00	-53.38	RMS	37.26	-21.33	0.88	-95.23	25.04	-13.00	-40.38	Vertical
3	13846.00	-49.28	RMS	40.49	-21.39	0.64	-95.23	26.21	-13.00	-36.28	Vertical
4	24230.00	-55.27	RMS	38.44	-32.99	-9.54	-95.23	44.05	-13.00	-42.27	Vertical




Ant9

Part 27Q Mode 29


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Horizontal
: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6903.00	-53.90	RMS		36.30	-20.93	1.08	-95.23	24.88	-13.00	-40.90	Horizontal
2	10355.00	-54.25	RMS		37.38	-21.30	0.88	-95.23	24.02	-13.00	-41.25	Horizontal
3	13806.00	-50.05	RMS		40.41	-21.37	0.64	-95.23	25.50	-13.00	-37.05	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Vertical
: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	6903.00	-53.77	RMS		36.30	-20.93	1.08	-95.23	25.01	-13.00	-40.77	Vertical
2	10355.00	-54.35	RMS		37.38	-21.30	0.88	-95.23	23.92	-13.00	-41.35	Vertical
3	13806.00	-49.96	RMS		40.41	-21.37	0.64	-95.23	25.59	-13.00	-36.96	Vertical




Ant9

Part 27Q Mode 29

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-54.48	RMS	36.30	-20.93	1.07	-95.23	24.31	-13.00	-41.48	Horizontal	
2	10370.00	-54.57	RMS	37.32	-21.32	0.88	-95.23	23.78	-13.00	-41.57	Horizontal	
3	13826.00	-49.97	RMS	40.45	-21.38	0.64	-95.23	25.55	-13.00	-36.97	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-53.90	RMS	36.30	-20.93	1.07	-95.23	24.89	-13.00	-40.90	Vertical	
2	10370.00	-54.52	RMS	37.32	-21.32	0.88	-95.23	23.83	-13.00	-41.52	Vertical	
3	13826.00	-50.13	RMS	40.45	-21.38	0.64	-95.23	25.39	-13.00	-37.13	Vertical	




Ant9

Part 27Q Mode 29


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Horizontal
: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-53.41	RMS		36.30	-20.93	1.07	-95.23	25.38	-13.00	-40.41	Horizontal
2	10385.00	-54.33	RMS		37.26	-21.33	0.88	-95.23	24.09	-13.00	-41.33	Horizontal
3	13846.00	-49.98	RMS		40.49	-21.39	0.64	-95.23	25.51	-13.00	-36.98	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Vertical
: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-54.01	RMS		36.30	-20.93	1.07	-95.23	24.78	-13.00	-41.01	Vertical
2	10385.00	-54.52	RMS		37.26	-21.33	0.88	-95.23	23.90	-13.00	-41.52	Vertical
3	13846.00	-49.71	RMS		40.49	-21.39	0.64	-95.23	25.78	-13.00	-36.71	Vertical




Ant3

Part 27Q Mode 30


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Horizontal
: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-52.67	RMS	36.30	-20.93	1.08	-95.23	26.11	-13.00	-39.67	Horizontal	
2	10355.00	-54.08	RMS	37.38	-21.30	0.88	-95.23	24.19	-13.00	-41.08	Horizontal	
3	13806.00	-50.04	RMS	40.41	-21.37	0.64	-95.23	25.51	-13.00	-37.04	Horizontal	



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Vertical
: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-53.22	RMS	36.30	-20.93	1.08	-95.23	25.56	-13.00	-40.22	Vertical	
2	10355.00	-53.87	RMS	37.38	-21.30	0.88	-95.23	24.40	-13.00	-40.87	Vertical	
3	13806.00	-49.72	RMS	40.41	-21.37	0.64	-95.23	25.83	-13.00	-36.72	Vertical	




Ant3

Part 27Q Mode 30

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-52.82	RMS	36.30	-20.93	1.07	-95.23	25.97	-13.00	-39.82	Horizontal	
2	10370.00	-54.34	RMS	37.32	-21.32	0.88	-95.23	24.01	-13.00	-41.34	Horizontal	
3	13826.00	-49.93	RMS	40.45	-21.38	0.64	-95.23	25.59	-13.00	-36.93	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-53.48	RMS	36.30	-20.93	1.07	-95.23	25.31	-13.00	-40.48	Vertical	
2	10370.00	-54.30	RMS	37.32	-21.32	0.88	-95.23	24.05	-13.00	-41.30	Vertical	
3	13826.00	-49.50	RMS	40.45	-21.38	0.64	-95.23	26.02	-13.00	-36.50	Vertical	




Ant3

Part 27Q Mode 30

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-55.06	RMS		36.30	-20.93	1.07	-95.23	23.73	-13.00	-42.06	Horizontal
2	10385.00	-54.21	RMS		37.26	-21.33	0.88	-95.23	24.21	-13.00	-41.21	Horizontal
3	13846.00	-50.06	RMS		40.49	-21.39	0.64	-95.23	25.43	-13.00	-37.06	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-55.58	RMS		36.30	-20.93	1.07	-95.23	23.21	-13.00	-42.58	Vertical
2	10385.00	-54.27	RMS		37.26	-21.33	0.88	-95.23	24.15	-13.00	-41.27	Vertical
3	13846.00	-49.84	RMS		40.49	-21.39	0.64	-95.23	25.65	-13.00	-36.84	Vertical




Ant4

Part 27Q Mode 31

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-45.21	RMS	36.30	-20.93	1.08	-95.23	33.57	-13.00	-32.21	Horizontal	
2	10355.00	-54.31	RMS	37.38	-21.30	0.88	-95.23	23.96	-13.00	-41.31	Horizontal	
3	13806.00	-50.46	RMS	40.41	-21.37	0.64	-95.23	25.09	-13.00	-37.46	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-45.69	RMS	36.30	-20.93	1.08	-95.23	33.09	-13.00	-32.69	Vertical	
2	10355.00	-54.68	RMS	37.38	-21.30	0.88	-95.23	23.59	-13.00	-41.68	Vertical	
3	13806.00	-50.17	RMS	40.41	-21.37	0.64	-95.23	25.38	-13.00	-37.17	Vertical	




Ant4

Part 27Q Mode 31

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6913.00	-45.21	RMS	36.30	-20.93	1.07	-95.23	33.58	-13.00	-32.21	Horizontal			
2	10370.00	-54.70	RMS	37.32	-21.32	0.88	-95.23	23.65	-13.00	-41.70	Horizontal			
3	13826.00	-50.20	RMS	40.45	-21.38	0.64	-95.23	25.32	-13.00	-37.20	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6913.00	-42.57	RMS	36.30	-20.93	1.07	-95.23	36.22	-13.00	-29.57	Vertical			
2	10370.00	-54.64	RMS	37.32	-21.32	0.88	-95.23	23.71	-13.00	-41.64	Vertical			
3	13826.00	-50.33	RMS	40.45	-21.38	0.64	-95.23	25.19	-13.00	-37.33	Vertical			




Ant4

Part 27Q Mode 31

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-45.00	RMS	36.30	-20.93	1.07	-95.23	33.79	-13.00	-32.00	Horizontal	
2	10385.00	-54.74	RMS	37.26	-21.33	0.88	-95.23	23.68	-13.00	-41.74	Horizontal	
3	13846.00	-50.08	RMS	40.49	-21.39	0.64	-95.23	25.41	-13.00	-37.08	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-43.30	RMS	36.30	-20.93	1.07	-95.23	35.49	-13.00	-30.30	Vertical	
2	10385.00	-54.79	RMS	37.26	-21.33	0.88	-95.23	23.63	-13.00	-41.79	Vertical	
3	13846.00	-50.22	RMS	40.49	-21.39	0.64	-95.23	25.27	-13.00	-37.22	Vertical	




Ant8+9

Part 27Q Mode 32


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Horizontal
: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-42.86	RMS	36.30	-20.93	1.08	-95.23	35.92	-13.00	-29.86	Horizontal	
2	10355.00	-46.98	RMS	37.38	-21.30	0.88	-95.23	31.29	-13.00	-33.98	Horizontal	
3	13806.00	-50.03	RMS	40.41	-21.37	0.64	-95.23	25.52	-13.00	-37.03	Horizontal	



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Vertical
: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.72	RMS	36.30	-20.93	1.08	-95.23	34.06	-13.00	-31.72	Vertical	
2	10355.00	-42.15	RMS	37.38	-21.30	0.88	-95.23	36.12	-13.00	-29.15	Vertical	
3	13806.00	-49.68	RMS	40.41	-21.37	0.64	-95.23	25.87	-13.00	-36.68	Vertical	




Ant8+9

Part 27Q Mode 32

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6913.00	-44.04	RMS	36.30	-20.93	1.07	-95.23	34.75	-13.00	-31.04	Horizontal
2	10370.00	-46.21	RMS	37.32	-21.32	0.88	-95.23	32.14	-13.00	-33.21	Horizontal
3	13826.00	-50.00	RMS	40.45	-21.38	0.64	-95.23	25.52	-13.00	-37.00	Horizontal
4	24195.00	-54.98	RMS	38.52	-33.00	-9.54	-95.23	44.27	-13.00	-41.98	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6913.00	-45.86	RMS	36.30	-20.93	1.07	-95.23	32.93	-13.00	-32.86	Vertical
2	10370.00	-43.33	RMS	37.32	-21.32	0.88	-95.23	35.02	-13.00	-30.33	Vertical
3	13826.00	-50.05	RMS	40.45	-21.38	0.64	-95.23	25.47	-13.00	-37.05	Vertical
4	24195.00	-57.53	RMS	38.52	-33.00	-9.54	-95.23	41.72	-13.00	-44.53	Vertical




Ant8+9

Part 27Q Mode 32

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-43.96	RMS		36.30	-20.93	1.07	-95.23	34.83	-13.00	-30.96 Horizontal
2	10385.00	-49.29	RMS		37.26	-21.33	0.88	-95.23	29.13	-13.00	-36.29 Horizontal
3	13846.00	-50.05	RMS		40.49	-21.39	0.64	-95.23	25.44	-13.00	-37.05 Horizontal
4	24230.00	-55.46	RMS		38.44	-32.99	-9.54	-95.23	43.86	-13.00	-42.46 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-43.30	RMS		36.30	-20.93	1.07	-95.23	35.49	-13.00	-30.30 Vertical
2	10385.00	-42.35	RMS		37.26	-21.33	0.88	-95.23	36.07	-13.00	-29.35 Vertical
3	13846.00	-47.96	RMS		40.49	-21.39	0.64	-95.23	27.53	-13.00	-34.96 Vertical
4	24230.00	-54.50	RMS		38.44	-32.99	-9.54	-95.23	44.82	-13.00	-41.50 Vertical




Ant8

Part 270 Mode 38

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-41.32	RMS	36.80	-20.72	1.08	-95.23	36.75	-13.00	-28.32	Horizontal	
2	11104.00	-47.31	RMS	37.91	-21.42	0.91	-95.23	30.52	-13.00	-34.31	Horizontal	
3	14805.00	-49.07	RMS	41.28	-22.51	0.76	-95.23	26.63	-13.00	-36.07	Horizontal	
4	18506.00	-65.13	RMS	38.00	-39.95	-9.54	-95.23	41.59	-13.00	-52.13	Horizontal	
5	25909.00	-56.83	RMS	39.30	-32.32	-9.54	-95.23	40.96	-13.00	-43.83	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-43.45	RMS	36.80	-20.72	1.08	-95.23	34.62	-13.00	-30.45	Vertical	
2	11104.00	-51.53	RMS	37.91	-21.42	0.91	-95.23	26.30	-13.00	-38.53	Vertical	
3	14805.00	-49.17	RMS	41.28	-22.51	0.76	-95.23	26.53	-13.00	-36.17	Vertical	
4	18506.00	-60.94	RMS	38.00	-39.95	-9.54	-95.23	45.78	-13.00	-47.94	Vertical	
5	25909.00	-56.05	RMS	39.30	-32.32	-9.54	-95.23	41.74	-13.00	-43.05	Vertical	




Ant8

Part 270 Mode 38

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7583.00	-45.60	RMS	36.60	-20.70	1.02	-95.23	32.71	-13.00	-32.60	Horizontal
2	11374.00	-47.99	RMS	38.50	-21.48	0.92	-95.23	29.30	-13.00	-34.99	Horizontal
3	15165.00	-50.11	RMS	41.04	-22.49	0.83	-95.23	25.74	-13.00	-37.11	Horizontal
4	18956.00	-61.34	RMS	37.70	-39.11	-9.54	-95.23	44.84	-13.00	-48.34	Horizontal
5	22748.00	-62.47	RMS	38.60	-34.47	-9.54	-95.23	38.17	-13.00	-49.47	Horizontal
6	26539.00	-62.71	RMS	39.77	-31.67	-9.54	-95.23	33.96	-13.00	-49.71	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7583.00	-44.64	RMS	36.60	-20.70	1.02	-95.23	33.67	-13.00	-31.64	Vertical
2	11374.00	-51.71	RMS	38.50	-21.48	0.92	-95.23	25.58	-13.00	-38.71	Vertical
3	15165.00	-50.03	RMS	41.04	-22.49	0.83	-95.23	25.82	-13.00	-37.03	Vertical
4	18956.00	-62.87	RMS	37.70	-39.11	-9.54	-95.23	43.31	-13.00	-49.87	Vertical
5	22748.00	-62.33	RMS	38.60	-34.47	-9.54	-95.23	38.31	-13.00	-49.33	Vertical
6	26539.00	-56.37	RMS	39.77	-31.67	-9.54	-95.23	40.30	-13.00	-43.37	Vertical




Ant8

Part 270 Mode 38

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		g	dBm		
1	7763.00	-47.44	RMS	36.53	-20.76	0.90	-95.23	31.12	-13.00	-34.44	Horizontal
2	11644.00	-53.68	RMS	38.50	-21.49	0.93	-95.23	23.61	-13.00	-40.68	Horizontal
3	15525.00	-50.47	RMS	40.75	-22.62	0.89	-95.23	25.74	-13.00	-37.47	Horizontal
4	19406.00	-61.66	RMS	37.99	-38.78	-9.54	-95.23	43.90	-13.00	-48.66	Horizontal
5	23288.00	-54.85	RMS	38.72	-33.84	-9.54	-95.23	45.04	-13.00	-41.85	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7763.00	-52.00	RMS		36.53	-20.76	0.90	-95.23	26.56	-13.00	Vertical
2	11644.00	-53.09	RMS		38.50	-21.49	0.93	-95.23	24.20	-13.00	Vertical
3	15525.00	-50.52	RMS		40.75	-22.62	0.89	-95.23	25.69	-13.00	Vertical
4	19406.00	-61.23	RMS		37.99	-38.78	-9.54	-95.23	44.33	-13.00	Vertical
5	23288.00	-55.62	RMS		38.72	-33.84	-9.54	-95.23	44.27	-13.00	Vertical




Ant9

Part 270 Mode 39

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-54.94	RMS	36.80	-20.72	1.08	-95.23	-95.23	23.13	-13.00	-41.94	Horizontal
2	11104.00	-53.96	RMS	37.91	-21.42	0.91	-95.23	-95.23	23.87	-13.00	-40.96	Horizontal
3	14805.00	-50.10	RMS	41.28	-22.51	0.76	-95.23	-95.23	25.60	-13.00	-37.10	Horizontal
4	18506.00	-62.42	RMS	38.00	-39.95	-9.54	-95.23	-95.23	44.30	-13.00	-49.42	Horizontal
5	25909.00	-58.36	RMS	39.30	-32.32	-9.54	-95.23	-95.23	39.43	-13.00	-45.36	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-54.60	RMS	36.80	-20.72	1.08	-95.23	-95.23	23.47	-13.00	-41.60	Vertical
2	11104.00	-54.14	RMS	37.91	-21.42	0.91	-95.23	-95.23	23.69	-13.00	-41.14	Vertical
3	14805.00	-50.35	RMS	41.28	-22.51	0.76	-95.23	-95.23	25.35	-13.00	-37.35	Vertical
4	18506.00	-64.90	RMS	38.00	-39.95	-9.54	-95.23	-95.23	41.82	-13.00	-51.90	Vertical
5	25909.00	-61.50	RMS	39.30	-32.32	-9.54	-95.23	-95.23	36.29	-13.00	-48.50	Vertical




Ant9

Part 270 Mode 39

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-54.18	RMS	36.60	-20.70	1.02	-95.23	24.13	-13.00	-41.18	Horizontal			
2	11374.00	-53.46	RMS	38.50	-21.48	0.92	-95.23	23.83	-13.00	-40.46	Horizontal			
3	15165.00	-50.06	RMS	41.04	-22.49	0.83	-95.23	25.79	-13.00	-37.06	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-55.02	RMS	36.60	-20.70	1.02	-95.23	23.29	-13.00	-42.02	Vertical			
2	11374.00	-53.49	RMS	38.50	-21.48	0.92	-95.23	23.80	-13.00	-40.49	Vertical			
3	15165.00	-50.01	RMS	41.04	-22.49	0.83	-95.23	25.84	-13.00	-37.01	Vertical			




Ant9

Part 270 Mode 39

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7763.00	-55.07	RMS	36.53	-20.76	0.90	-95.23	23.49	-13.00	-42.07 Horizontal
2	11644.00	-53.34	RMS	38.50	-21.49	0.93	-95.23	23.95	-13.00	-40.34 Horizontal
3	15525.00	-50.18	RMS	40.75	-22.62	0.89	-95.23	26.03	-13.00	-37.18 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7763.00	-55.09	RMS	36.53	-20.76	0.90	-95.23	23.47	-13.00	-42.09 Vertical
2	11644.00	-53.33	RMS	38.50	-21.49	0.93	-95.23	23.96	-13.00	-40.33 Vertical
3	15525.00	-50.34	RMS	40.75	-22.62	0.89	-95.23	25.87	-13.00	-37.34 Vertical




Ant3

Part 270 Mode 40

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	l	dB		g	dBm		
1	7403.00	-55.01	RMS	36.80	-20.72	1.08	-95.23	23.06	-13.00	-42.01	Horizontal
2	11104.00	-53.50	RMS	37.91	-21.42	0.91	-95.23	24.33	-13.00	-40.50	Horizontal
3	14805.00	-50.03	RMS	41.28	-22.51	0.76	-95.23	25.67	-13.00	-37.03	Horizontal
4	18506.00	-62.36	RMS	38.00	-39.95	-9.54	-95.23	44.36	-13.00	-49.36	Horizontal
5	25909.00	-58.33	RMS	39.30	-32.32	-9.54	-95.23	39.46	-13.00	-45.33	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-54.84	RMS	36.80	-20.72	1.08	-95.23	23.23	-13.00	-41.84	Vertical
2	11104.00	-54.00	RMS	37.91	-21.42	0.91	-95.23	23.83	-13.00	-41.00	Vertical
3	14805.00	-50.26	RMS	41.28	-22.51	0.76	-95.23	25.44	-13.00	-37.26	Vertical
4	18506.00	-64.84	RMS	38.00	-39.95	-9.54	-95.23	41.88	-13.00	-51.84	Vertical
5	25909.00	-62.37	RMS	39.30	-32.32	-9.54	-95.23	35.42	-13.00	-49.37	Vertical




Ant3

Part 270 Mode 40


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Horizontal
: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-54.76	RMS	36.60	-20.70	1.02	-95.23	23.55	-13.00	-41.76	Horizontal			
2	11374.00	-53.50	RMS	38.50	-21.48	0.92	-95.23	23.79	-13.00	-40.50	Horizontal			
3	15165.00	-49.99	RMS	41.04	-22.49	0.83	-95.23	25.86	-13.00	-36.99	Horizontal			



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1224_240624 Vertical
: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-52.89	RMS	36.60	-20.70	1.02	-95.23	25.42	-13.00	-39.89	Vertical			
2	11374.00	-53.36	RMS	38.50	-21.48	0.92	-95.23	23.93	-13.00	-40.36	Vertical			
3	15165.00	-50.11	RMS	41.04	-22.49	0.83	-95.23	25.74	-13.00	-37.11	Vertical			




Ant3

Part 270 Mode 40

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	7763.00	-55.10	RMS	36.53	-20.76	0.90	-95.23	23.46	-13.00	-42.10	Horizontal			
2	11644.00	-53.25	RMS	38.50	-21.49	0.93	-95.23	24.04	-13.00	-40.25	Horizontal			
3	15525.00	-50.05	RMS	40.75	-22.62	0.89	-95.23	26.16	-13.00	-37.05	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	7763.00	-51.51	RMS	36.53	-20.76	0.90	-95.23	27.05	-13.00	-38.51	Vertical			
2	11644.00	-53.54	RMS	38.50	-21.49	0.93	-95.23	23.75	-13.00	-40.54	Vertical			
3	15525.00	-50.46	RMS	40.75	-22.62	0.89	-95.23	25.75	-13.00	-37.46	Vertical			




Ant4

Part 270 Mode 41

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-46.99	RMS		36.80	-20.72	1.08	-95.23	31.08	-13.00	-33.99 Horizontal
2	11104.00	-54.01	RMS		37.91	-21.42	0.91	-95.23	23.82	-13.00	-41.01 Horizontal
3	14805.00	-50.13	RMS		41.28	-22.51	0.76	-95.23	25.57	-13.00	-37.13 Horizontal
4	25909.00	-59.57	RMS		39.30	-32.32	-9.54	-95.23	38.22	-13.00	-46.57 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-48.73	RMS		36.80	-20.72	1.08	-95.23	29.34	-13.00	-35.73 Vertical
2	11104.00	-53.56	RMS		37.91	-21.42	0.91	-95.23	24.27	-13.00	-40.56 Vertical
3	14805.00	-50.15	RMS		41.28	-22.51	0.76	-95.23	25.55	-13.00	-37.15 Vertical
4	25909.00	-62.01	RMS		39.30	-32.32	-9.54	-95.23	35.78	-13.00	-49.01 Vertical




Ant4

Part 270 Mode 41

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7583.00	-43.53	RMS	36.60	-20.70	1.02	-95.23	34.78	-13.00	-30.53 Horizontal
2	11374.00	-53.62	RMS	38.50	-21.48	0.92	-95.23	23.67	-13.00	-40.62 Horizontal
3	15165.00	-50.11	RMS	41.04	-22.49	0.83	-95.23	25.74	-13.00	-37.11 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7583.00	-44.25	RMS	36.60	-20.70	1.02	-95.23	34.06	-13.00	-31.25 Vertical
2	11374.00	-53.37	RMS	38.50	-21.48	0.92	-95.23	23.92	-13.00	-40.37 Vertical
3	15165.00	-49.90	RMS	41.04	-22.49	0.83	-95.23	25.95	-13.00	-36.90 Vertical




Ant4

Part 270 Mode 41

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-51.09	RMS	36.53	-20.76	0.90	-95.23	27.47	-13.00	-38.09	Horizontal			
2	11644.00	-53.25	RMS	38.50	-21.49	0.93	-95.23	24.04	-13.00	-40.25	Horizontal			
3	15525.00	-50.49	RMS	40.75	-22.62	0.89	-95.23	25.72	-13.00	-37.49	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-49.50	RMS	36.53	-20.76	0.90	-95.23	29.06	-13.00	-36.50	Vertical			
2	11644.00	-53.60	RMS	38.50	-21.49	0.93	-95.23	23.69	-13.00	-40.60	Vertical			
3	15525.00	-50.05	RMS	40.75	-22.62	0.89	-95.23	26.16	-13.00	-37.05	Vertical			




Ant8+9

Part 270 Mode 42

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-49.16	RMS	36.80	-20.72	1.08	-95.23	28.91	-13.00	-36.16	Horizontal	
2	11104.00	-54.05	RMS	37.91	-21.42	0.91	-95.23	23.78	-13.00	-41.05	Horizontal	
3	14805.00	-49.88	RMS	41.28	-22.51	0.76	-95.23	25.82	-13.00	-36.88	Horizontal	
4	18506.00	-60.38	RMS	38.00	-39.95	-9.54	-95.23	46.34	-13.00	-47.38	Horizontal	
5	25909.00	-52.63	RMS	39.30	-32.32	-9.54	-95.23	45.16	-13.00	-39.63	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-48.69	RMS	36.80	-20.72	1.08	-95.23	29.38	-13.00	-35.69	Vertical	
2	11104.00	-53.98	RMS	37.91	-21.42	0.91	-95.23	23.85	-13.00	-40.98	Vertical	
3	14805.00	-50.12	RMS	41.28	-22.51	0.76	-95.23	25.58	-13.00	-37.12	Vertical	
4	18506.00	-61.55	RMS	38.00	-39.95	-9.54	-95.23	45.17	-13.00	-48.55	Vertical	
5	25909.00	-56.87	RMS	39.30	-32.32	-9.54	-95.23	40.92	-13.00	-43.87	Vertical	




Ant8+9

Part 270 Mode 42

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7583.00	-36.77	RMS	36.60	-20.70	1.02	-95.23	41.54	-13.00	-23.77	Horizontal
2	11374.00	-52.78	RMS	38.50	-21.48	0.92	-95.23	24.51	-13.00	-39.78	Horizontal
3	15165.00	-49.53	RMS	41.04	-22.49	0.83	-95.23	26.32	-13.00	-36.53	Horizontal
4	18956.00	-63.15	RMS	37.70	-39.11	-9.54	-95.23	43.03	-13.00	-50.15	Horizontal
5	22748.00	-60.95	RMS	38.60	-34.47	-9.54	-95.23	39.69	-13.00	-47.95	Horizontal
6	26539.00	-58.39	RMS	39.77	-31.67	-9.54	-95.23	38.28	-13.00	-45.39	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7583.00	-43.28	RMS	36.60	-20.70	1.02	-95.23	35.03	-13.00	-30.28	Vertical
2	11374.00	-53.32	RMS	38.50	-21.48	0.92	-95.23	23.97	-13.00	-40.32	Vertical
3	15165.00	-50.10	RMS	41.04	-22.49	0.83	-95.23	25.75	-13.00	-37.10	Vertical
4	18956.00	-60.36	RMS	37.70	-39.11	-9.54	-95.23	45.82	-13.00	-47.36	Vertical
5	22748.00	-61.34	RMS	38.60	-34.47	-9.54	-95.23	39.30	-13.00	-48.34	Vertical
6	26539.00	-59.65	RMS	39.77	-31.67	-9.54	-95.23	37.02	-13.00	-46.65	Vertical




Ant8+9

Part 270 Mode 42

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7763.00	-49.74	RMS		36.53	-20.76	0.90	-95.23	28.82	-13.00	-36.74	Horizontal
2	11644.00	-52.92	RMS		38.50	-21.49	0.93	-95.23	24.37	-13.00	-39.92	Horizontal
3	15525.00	-50.45	RMS		40.75	-22.62	0.89	-95.23	25.76	-13.00	-37.45	Horizontal
4	19406.00	-62.93	RMS		37.99	-38.78	-9.54	-95.23	42.63	-13.00	-49.93	Horizontal
5	23288.00	-57.92	RMS		38.72	-33.84	-9.54	-95.23	41.97	-13.00	-44.92	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7763.00	-51.21	RMS		36.53	-20.76	0.90	-95.23	27.35	-13.00	-38.21	Vertical
2	11644.00	-53.54	RMS		38.50	-21.49	0.93	-95.23	23.75	-13.00	-40.54	Vertical
3	15525.00	-50.39	RMS		40.75	-22.62	0.89	-95.23	25.82	-13.00	-37.39	Vertical
4	19406.00	-62.03	RMS		37.99	-38.78	-9.54	-95.23	43.53	-13.00	-49.03	Vertical
5	23288.00	-59.24	RMS		38.72	-33.84	-9.54	-95.23	40.65	-13.00	-46.24	Vertical




Ant1

Part 90R Mode 2

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-44.97	RMS	24.40	-25.24	0.64	-95.23	50.46	-42.15	-2.82	Horizontal
2	2366.00	-53.76	RMS	26.94	-24.22	0.37	-95.23	38.38	-13.00	-40.76	Horizontal
3	3154.00	-61.28	RMS	28.01	-22.90	0.36	-95.23	28.48	-13.00	-48.28	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-52.06	RMS	24.40	-25.24	0.64	-95.23	43.37	-42.15	-9.91	Vertical
2	2366.00	-45.10	RMS	26.94	-24.22	0.37	-95.23	47.04	-13.00	-32.10	Vertical
3	3154.00	-63.15	RMS	28.01	-22.90	0.36	-95.23	26.61	-13.00	-50.15	Vertical




Ant1

Part 90R Mode 2

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-45.82	RMS	24.42	-25.23	0.64	-95.23	49.58	-42.15	-3.67	Horizontal
2	2373.00	-55.97	RMS	26.84	-24.21	0.37	-95.23	36.26	-13.00	-42.97	Horizontal
3	3164.00	-62.58	RMS	28.03	-22.89	0.36	-95.23	27.15	-13.00	-49.58	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-55.18	RMS	24.42	-25.23	0.64	-95.23	40.22	-42.15	-13.03	Vertical
2	2373.00	-49.05	RMS	26.84	-24.21	0.37	-95.23	43.18	-13.00	-36.05	Vertical
3	3164.00	-63.73	RMS	28.03	-22.89	0.36	-95.23	26.00	-13.00	-50.73	Vertical




Ant1

Part 90R Mode 2

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-46.30	RMS	24.47	-25.22	0.64	-95.23	49.04	-42.15	-4.15
2	2381.00	-56.33	RMS	26.70	-24.20	0.37	-95.23	36.03	-13.00	-43.33
3	3174.00	-62.46	RMS	28.05	-22.88	0.35	-95.23	27.25	-13.00	-49.46



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-52.89	RMS	24.47	-25.22	0.64	-95.23	42.45	-42.15	-10.74
2	2381.00	-50.81	RMS	26.70	-24.20	0.37	-95.23	41.55	-13.00	-37.81
3	3174.00	-63.12	RMS	28.05	-22.88	0.35	-95.23	26.59	-13.00	-50.12




Ant1

Part 90S Mode 6

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-53.24	RMS	24.60	-25.17	0.64	-95.23	41.92	-13.00	-40.24	Horizontal
2	2444.00	-49.71	RMS	26.70	-24.11	0.61	-95.23	42.32	-13.00	-36.71	Horizontal
3	3258.00	-63.94	RMS	28.00	-22.78	0.41	-95.23	25.66	-13.00	-50.94	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-51.65	RMS	24.60	-25.17	0.64	-95.23	43.51	-13.00	-38.65	Vertical
2	2444.00	-53.66	RMS	26.70	-24.11	0.61	-95.23	38.37	-13.00	-40.66	Vertical
3	3258.00	-63.51	RMS	28.00	-22.78	0.41	-95.23	26.09	-13.00	-50.51	Vertical




Ant1

Part 90S Mode 6

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-51.40	RMS	24.60	-25.16	0.64	-95.23	43.75	-13.00	-38.40	Horizontal
2	2451.00	-49.73	RMS	26.68	-24.10	0.60	-95.23	42.32	-13.00	-36.73	Horizontal
3	3268.00	-63.87	RMS	28.00	-22.77	0.41	-95.23	25.72	-13.00	-50.87	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-49.68	RMS	24.60	-25.16	0.64	-95.23	45.47	-13.00	-36.68	Vertical
2	2451.00	-50.38	RMS	26.68	-24.10	0.60	-95.23	41.67	-13.00	-37.38	Vertical
3	3268.00	-63.99	RMS	28.00	-22.77	0.41	-95.23	25.60	-13.00	-50.99	Vertical




Ant1

Part 90S Mode 6

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-46.18	RMS		24.60	-25.16	0.64	-95.23	48.97	-13.00	-33.18		Horizontal
2	2459.00	-50.28	RMS		26.52	-24.09	0.60	-95.23	41.92	-13.00	-37.28		Horizontal
3	3278.00	-63.80	RMS		28.00	-22.75	0.41	-95.23	25.77	-13.00	-50.80		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-46.29	RMS		24.60	-25.16	0.64	-95.23	48.86	-13.00	-33.29		Vertical
2	2459.00	-56.49	RMS		26.52	-24.09	0.60	-95.23	35.71	-13.00	-43.49		Vertical
3	3278.00	-63.72	RMS		28.00	-22.75	0.41	-95.23	25.85	-13.00	-50.72		Vertical




Ant1

Part 90S Mode 7

NR SA n26 10M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-53.21	RMS	24.60	-25.17	0.64	-95.23	41.95	-13.00	-40.21	Horizontal
2	2444.00	-50.52	RMS	26.70	-24.11	0.61	-95.23	41.51	-13.00	-37.52	Horizontal
3	3259.00	-63.86	RMS	28.00	-22.78	0.41	-95.23	25.74	-13.00	-50.86	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-51.95	RMS	24.60	-25.17	0.64	-95.23	43.21	-13.00	-38.95	Vertical
2	2444.00	-53.43	RMS	26.70	-24.11	0.61	-95.23	38.60	-13.00	-40.43	Vertical
3	3259.00	-64.29	RMS	28.00	-22.78	0.41	-95.23	25.31	-13.00	-51.29	Vertical




Ant1

Part 90S Mode 8

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-52.04	RMS		24.60	-25.16	0.64	-95.23	43.11	-13.00	-39.04		Horizontal
2	2453.00	-46.98	RMS		26.64	-24.10	0.60	-95.23	45.11	-13.00	-33.98		Horizontal
3	3270.00	-63.95	RMS		28.00	-22.76	0.41	-95.23	25.63	-13.00	-50.95		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-49.59	RMS		24.60	-25.16	0.64	-95.23	45.56	-13.00	-36.59		Vertical
2	2453.00	-52.13	RMS		26.64	-24.10	0.60	-95.23	39.96	-13.00	-39.13		Vertical
3	3270.00	-63.91	RMS		28.00	-22.76	0.41	-95.23	25.67	-13.00	-50.91		Vertical




Ant1

Part 90R Mode 2

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m CBL 6111D & 00800N1D01N-06_41912&05 Horizontal

: NR SA n14 5M Ch158100 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	791.00	18.34	RMS	27.60	0.00	0.00	-95.23	85.97	-13.00	31.34	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m CBL 6111D & 00800N1D01N-06_41912&05 Vertical

: NR SA n14 5M Ch158100 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	791.00	15.66	RMS	27.60	0.00	0.00	-95.23	83.29	-13.00	28.66	Vertical

Remark: #1 is fundamental signal which can be ignored.