

Element

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. +1.410.290.6652 / Fax +1.410.290.6654 http://www.element.com



RF EXPOSURE EVALUATION

Applicant Name:

Samsung Electronics Co., Ltd. 129, Samsung-ro, Maetan dong, Yeongtong-gu, Suwon-si Gyeonggi-do, 16677, Korea

Date of Evaluation:

11/15/2023

Test Site/Location:

Element Washington DC LLC,

Columbia, MD, USA

Document Serial No.: 1M2310100107-02.A3L

FCC ID: A3LEJPS928

APPLICANT: SAMSUNG ELECTRONICS CO., LTD.

DUT Type: Stylus **Application Type:** Certification FCC Rule Part(s): CFR §2.1093 EJ-PS928 Model:

SAR Test Exclusion

This device contains a transmitter with Bluetooth LE that may be used in close proximity to the user's body. The maximum allowed output power of the 2.4 GHz Bluetooth LE module is 0.9 mW.

Per FCC KDB Publication 447498 D01v06, 1g SAR exclusion threshold for distance < 50mm is defined by the following equation:

$$\frac{\textit{Max Power of Channel (mW)}}{\textit{Test Separation Distance (mm)}} \times \sqrt{\textit{Frequency (GHz)}} \leq 3.0$$

Based on the maximum output power of Bluetooth LE (rounded to the nearest mW) and the antenna to user separation distance, Bluetooth LE SAR was not required: $[(1/5) *\sqrt{2.480}] = 0.31 \le 3.0$. Per FCC KDB Publication 447498 D01v06, the maximum power of the channel was rounded to the nearest mW before calculation. Since the minimum separation distance is < 5mm, a distance of 5 mm is applied to determine SAR test exclusion.

Therefore, no SAR test is required to determine that this device will not exceed the FCC RF Exposure limit when being used at 0 mm from the human body.







FCC ID: A3LEJPS928	element	RF EXPOSURE EVALUATION	SAMSUNG	Approved by: Technical Manager
Document S/N: 1M2310100107-01.A3L	Evaluation Date: 11/15/2023	DUT Type: Stylus		Page 1 of 1