



802.11be(EHT80)_LCH_5530MHz_RU996_Left_MIMO_NTNV



802.11be(EHT80)_HCH_5610MHz_RU52_Right_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11be(EHT80)_HCH_5610MHz_RU996_Left_MIMO_NTNV



802.11be(EHT160)_MCH_5570MHz_RU52_Mid_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11be(EHT160)_MCH_5570MHz_2xRU996_Left_MIMO_NTNV



802.11be(EHT160)_MCH_5250MHz_RU52_Mid_MIMO_NTNV



802.11be(EHT160)_MCH_5250MHz_2xRU996_Left_MIMO_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5260	/	/	20	102	5259.960	5250 to 5350	Pass
						120	5259.960	5250 to 5350	Pass
						138	5259.980	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5259.960	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.020	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5299.980	5250 to 5350	Pass
						120	5299.980	5250 to 5350	Pass
						138	5299.980	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5299.980	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5299.980	5250 to 5350	Pass
					40	120	5299.940	5250 to 5350	Pass
					50	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.040	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5320.020	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 769 of 786

					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.040	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5500.000	5470 to 5725	Pass
					0	120	5500.000	5470 to 5725	Pass
					10	120	5500.020	5470 to 5725	Pass
					30	120	5500.000	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	/	/	20	102	5579.960	5470 to 5725	Pass
						120	5579.980	5470 to 5725	Pass
						138	5579.980	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5580.020	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5579.960	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	/	/	20	102	5700.020	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5700.000	5470 to 5725	Pass
					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5700.020	5470 to 5725	Pass
					-10	120	5699.980	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5699.960	5470 to 5725	Pass
802.11n (HT20)	MIMO	5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 770 of 786

					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.020	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5259.980	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
		5300	/	/	20	102	5300.000	5250 to 5350	Pass
						120	5300.060	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.060	5250 to 5350	Pass
					-10	120	5300.080	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	/	/	20	102	5320.020	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.040	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.060	5250 to 5350	Pass
					-10	120	5320.060	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.060	5250 to 5350	Pass
					30	120	5320.040	5250 to 5350	Pass
					40	120	5320.060	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5500.060	5470 to 5725	Pass
						120	5500.040	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5500.060	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.020	5470 to 5725	Pass
					30	120	5500.020	5470 to 5725	Pass
					40	120	5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 771 of 786

		5580	/	/	50	120	5499.980	5470 to 5725	Pass
					20	102	5580.000	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5579.940	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
		5700	/	/	20	102	5700.020	5470 to 5725	Pass
						120	5700.040	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.060	5470 to 5725	Pass
					0	120	5700.040	5470 to 5725	Pass
					10	120	5700.040	5470 to 5725	Pass
					30	120	5700.020	5470 to 5725	Pass
					40	120	5700.020	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
802.11n (HT40)	MIMO	5270	/	/	20	102	5270.080	5250 to 5350	Pass
						120	5270.080	5250 to 5350	Pass
						138	5270.120	5250 to 5350	Pass
					-30	120	5270.120	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.160	5250 to 5350	Pass
					0	120	5270.160	5250 to 5350	Pass
					10	120	5270.120	5250 to 5350	Pass
					30	120	5270.120	5250 to 5350	Pass
					40	120	5270.120	5250 to 5350	Pass
					50	120	5270.000	5250 to 5350	Pass
		5310	/	/	20	102	5310.080	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.120	5250 to 5350	Pass
					-10	120	5310.080	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 772 of 786

					0	120	5310.160	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.160	5250 to 5350	Pass
					40	120	5310.120	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.080	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.120	5470 to 5725	Pass
					-20	120	5510.080	5470 to 5725	Pass
					-10	120	5510.120	5470 to 5725	Pass
					0	120	5510.120	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	/	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.120	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.040	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.120	5470 to 5725	Pass
					0	120	5550.120	5470 to 5725	Pass
					10	120	5550.040	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	/	/	20	102	5670.080	5470 to 5725	Pass
						120	5670.120	5470 to 5725	Pass
						138	5670.120	5470 to 5725	Pass
					-30	120	5670.200	5470 to 5725	Pass
					-20	120	5670.080	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.120	5470 to 5725	Pass
					10	120	5670.120	5470 to 5725	Pass
					30	120	5670.160	5470 to 5725	Pass
					40	120	5670.120	5470 to 5725	Pass
					50	120	5670.120	5470 to 5725	Pass
802.11ac (VHT20)	MIMO	5260	/	/	20	102	5259.960	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 773 of 786

						138	5260.000	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.060	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5300.040	5250 to 5350	Pass
						120	5300.020	5250 to 5350	Pass
						138	5300.020	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.060	5250 to 5350	Pass
					0	120	5300.000	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	/	/	20	102	5320.080	5250 to 5350	Pass
						120	5320.060	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.060	5250 to 5350	Pass
					-10	120	5320.040	5250 to 5350	Pass
					0	120	5320.100	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.040	5250 to 5350	Pass
					40	120	5320.080	5250 to 5350	Pass
					50	120	5320.060	5250 to 5350	Pass
		5500	/	/	20	102	5500.040	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass
						138	5500.060	5470 to 5725	Pass
					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5500.020	5470 to 5725	Pass
					-10	120	5500.000	5470 to 5725	Pass
					0	120	5500.020	5470 to 5725	Pass
					10	120	5500.060	5470 to 5725	Pass
					30	120	5500.060	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 774 of 786

802.11ac (VHT40)	MIMO	5580	/	/	40	120	5500.040	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass
					20	102	5580.020	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5580.060	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
		5700	/	/	20	102	5700.040	5470 to 5725	Pass
						120	5700.040	5470 to 5725	Pass
						138	5700.000	5470 to 5725	Pass
					-30	120	5700.040	5470 to 5725	Pass
					-20	120	5699.980	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass
					10	120	5700.060	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5700.080	5470 to 5725	Pass
		5270	/	/	20	102	5270.000	5250 to 5350	Pass
						120	5270.000	5250 to 5350	Pass
						138	5269.960	5250 to 5350	Pass
					-30	120	5270.000	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.000	5250 to 5350	Pass
					40	120	5270.000	5250 to 5350	Pass
					50	120	5270.000	5250 to 5350	Pass
		5310	/	/	20	102	5310.080	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.040	5250 to 5350	Pass
					-30	120	5310.080	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 775 of 786

					-10	120	5310.080	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.080	5250 to 5350	Pass
					50	120	5310.080	5250 to 5350	Pass
		5510	/	/	20	102	5510.120	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.080	5470 to 5725	Pass
					-20	120	5510.000	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.120	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	/	/	20	102	5550.080	5470 to 5725	Pass
						120	5550.080	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.120	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.120	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.120	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	/	/	20	102	5670.200	5470 to 5725	Pass
						120	5670.000	5470 to 5725	Pass
						138	5670.160	5470 to 5725	Pass
					-30	120	5670.240	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.120	5470 to 5725	Pass
					10	120	5670.160	5470 to 5725	Pass
					30	120	5670.160	5470 to 5725	Pass
					40	120	5670.160	5470 to 5725	Pass
					50	120	5670.080	5470 to 5725	Pass
802.11ac	MIMO	5290	/	/	20	102	5290.075	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 776 of 786

(VHT80)						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
						-30	5290.075	5250 to 5350	Pass
						-20	5290.000	5250 to 5350	Pass
						-10	5290.075	5250 to 5350	Pass
						0	5290.000	5250 to 5350	Pass
						10	5290.000	5250 to 5350	Pass
						30	5290.000	5250 to 5350	Pass
						40	5290.075	5250 to 5350	Pass
						50	5290.000	5250 to 5350	Pass
		5530	/	/	20	102	5530.150	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
					0	120	5530.150	5470 to 5725	Pass
						120	5530.150	5470 to 5725	Pass
						120	5530.150	5470 to 5725	Pass
		5610	/	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.000	5470 to 5725	Pass
						120	5610.000	5470 to 5725	Pass
						120	5610.000	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
802.11ac (VHT160)	MIMO	5570	/	/	20	102	5570.000	5470 to 5725	Pass
						120	5570.150	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.150	5470 to 5725	Pass
						120	5570.150	5470 to 5725	Pass
						120	5570.150	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
					0	120	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
					10	120	5570.150	5470 to 5725	Pass
						120	5570.150	5470 to 5725	Pass
						120	5570.150	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 777 of 786

		5250	/	/	30	120	5570.075	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass
					20	102	5250.000	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5250.150	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.075	5150 to 5350	Pass
					10	120	5250.000	5150 to 5350	Pass
					30	120	5250.225	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.150	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5260	RU242	Left	20	102	5260.000	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.080	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5259.940	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
		5300	RU242	Left	20	102	5300.020	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5299.980	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.060	5250 to 5350	Pass
					10	120	5300.100	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5300.060	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	RU242	Left	20	102	5320.020	5250 to 5350	Pass
						120	5320.040	5250 to 5350	Pass
						138	5320.040	5250 to 5350	Pass
					-30	120	5320.120	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 778 of 786

					-20	120	5320.100	5250 to 5350	Pass
					-10	120	5320.160	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.060	5250 to 5350	Pass
					30	120	5320.080	5250 to 5350	Pass
					40	120	5320.000	5250 to 5350	Pass
					50	120	5320.080	5250 to 5350	Pass
		5500	RU242	Left	20	102	5500.020	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass
						138	5500.020	5470 to 5725	Pass
					-30	120	5500.060	5470 to 5725	Pass
					-20	120	5500.060	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5500.020	5470 to 5725	Pass
					10	120	5500.020	5470 to 5725	Pass
					30	120	5499.940	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	RU242	Left	20	102	5580.000	5470 to 5725	Pass
						120	5580.040	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5579.960	5470 to 5725	Pass
					-20	120	5579.980	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5579.940	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5579.960	5470 to 5725	Pass
		5700	RU242	Left	20	102	5699.960	5470 to 5725	Pass
						120	5700.040	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.040	5470 to 5725	Pass
					-20	120	5700.060	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5699.940	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 779 of 786

802.11ax (HEW40)	MIMO	5270	RU484	Left	20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.120	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.000	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5269.960	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.000	5250 to 5350	Pass
		5310	RU484	Left	20	102	5310.080	5250 to 5350	Pass
						120	5310.120	5250 to 5350	Pass
						138	5310.120	5250 to 5350	Pass
					-30	120	5310.160	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.160	5250 to 5350	Pass
					0	120	5310.000	5250 to 5350	Pass
					10	120	5310.000	5250 to 5350	Pass
					30	120	5310.120	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.120	5250 to 5350	Pass
		5510	RU484	Left	20	102	5510.160	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.120	5470 to 5725	Pass
					30	120	5510.080	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.120	5470 to 5725	Pass
		5550	RU484	Left	20	102	5550.000	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.120	5470 to 5725	Pass
					-20	120	5550.160	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 780 of 786

802.11ax (HEW80)	MIMO				10	120	5550.080	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	RU484	Left	20	102	5670.080	5470 to 5725	Pass
						120	5670.080	5470 to 5725	Pass
						138	5670.080	5470 to 5725	Pass
					-30	120	5670.080	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.120	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.160	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.080	5470 to 5725	Pass
		5290	RU996	Left	20	102	5290.150	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.000	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5289.925	5250 to 5350	Pass
					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.000	5250 to 5350	Pass
					40	120	5289.925	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	RU996	Left	20	102	5530.150	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	RU996	Left	20	102	5610.150	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 781 of 786

					-30	120	5610.150	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.150	5470 to 5725	Pass
802.11ax (HEW160)	MIMO	5570	2xRU996	Left	20	102	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.150	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.075	5470 to 5725	Pass
					10	120	5570.225	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.000	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
		5250	2xRU996	Left	20	102	5250.150	5150 to 5350	Pass
						120	5250.150	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5250.150	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.075	5150 to 5350	Pass
802.11be (EHT20)	MIMO	5260	RU242	Left	20	102	5260.020	5250 to 5350	Pass
						120	5260.040	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5259.900	5250 to 5350	Pass
					-20	120	5259.960	5250 to 5350	Pass
					-10	120	5259.960	5250 to 5350	Pass
					0	120	5259.980	5250 to 5350	Pass
					10	120	5260.020	5250 to 5350	Pass
					30	120	5260.060	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 782 of 786

					50	120	5260.040	5250 to 5350	Pass
						102	5300.060	5250 to 5350	Pass
					20	120	5300.060	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5300.040	5250 to 5350	Pass
					-10	120	5300.040	5250 to 5350	Pass
					0	120	5300.040	5250 to 5350	Pass
					10	120	5300.040	5250 to 5350	Pass
					30	120	5300.040	5250 to 5350	Pass
					40	120	5300.020	5250 to 5350	Pass
					50	120	5300.040	5250 to 5350	Pass
		5300	RU242	Left					
						102	5320.060	5250 to 5350	Pass
					20	120	5320.100	5250 to 5350	Pass
						138	5320.000	5250 to 5350	Pass
					-30	120	5320.120	5250 to 5350	Pass
					-20	120	5320.100	5250 to 5350	Pass
					-10	120	5320.080	5250 to 5350	Pass
					0	120	5320.020	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.040	5250 to 5350	Pass
					40	120	5320.080	5250 to 5350	Pass
					50	120	5320.040	5250 to 5350	Pass
		5320	RU242	Left					
						102	5500.080	5470 to 5725	Pass
					20	120	5500.020	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5499.960	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5500	RU242	Left					
						102	5580.000	5470 to 5725	Pass
					20	120	5579.980	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5579.960	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5579.980	5470 to 5725	Pass
		5580	RU242	Left					



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 783 of 786

					0	120	5579.960	5470 to 5725	Pass
					10	120	5580.020	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.020	5470 to 5725	Pass
					50	120	5579.960	5470 to 5725	Pass
		5700	RU242	Left	20	102	5700.020	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5700.020	5470 to 5725	Pass
					40	120	5700.000	5470 to 5725	Pass
					50	120	5699.960	5470 to 5725	Pass
802.11be (EHT40)	MIMO	5270	RU484	Left	20	102	5270.040	5250 to 5350	Pass
						120	5270.080	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.000	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.000	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass
					40	120	5270.040	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	RU484	Left	20	102	5310.080	5250 to 5350	Pass
						120	5310.120	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.080	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.080	5250 to 5350	Pass
					0	120	5310.080	5250 to 5350	Pass
					10	120	5310.120	5250 to 5350	Pass
					30	120	5310.120	5250 to 5350	Pass
					40	120	5310.080	5250 to 5350	Pass
					50	120	5310.080	5250 to 5350	Pass
		5510	RU484	Left	20	102	5510.080	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 784 of 786

						138	5510.000	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.080	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5510.120	5470 to 5725	Pass
		5550	RU484	Left	20	102	5550.040	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.040	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.120	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.080	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	RU484	Left	20	102	5670.040	5470 to 5725	Pass
						120	5670.080	5470 to 5725	Pass
						138	5670.120	5470 to 5725	Pass
					-30	120	5670.120	5470 to 5725	Pass
					-20	120	5670.080	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.080	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.160	5470 to 5725	Pass
802.11be (EHT80)	MIMO	5290	RU996	Left	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.000	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.150	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 785 of 786

802.11be (EHT160)	MIMO	5530	RU996	Left	40	120	5290.075	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
					20	102	5530.075	5470 to 5725	Pass
						120	5530.000	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.150	5470 to 5725	Pass
					0	120	5530.000	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.150	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	RU996	Left	20	102	5610.075	5470 to 5725	Pass
						120	5610.150	5470 to 5725	Pass
						138	5610.000	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.150	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.150	5470 to 5725	Pass
					30	120	5610.150	5470 to 5725	Pass
					40	120	5610.150	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5570	2xRU996	Left	20	102	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.150	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.150	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.075	5470 to 5725	Pass
					10	120	5570.150	5470 to 5725	Pass
					30	120	5570.150	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
		5250	2xRU996	Left	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.150	5150 to 5350	Pass
					-30	120	5250.150	5150 to 5350	Pass
					-20	120	5250.000	5150 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233103

Page: 786 of 786

					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass
					10	120	5250.150	5150 to 5350	Pass
					30	120	5250.000	5150 to 5350	Pass
					40	120	5250.000	5150 to 5350	Pass
					50	120	5250.075	5150 to 5350	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com