



11.3. APPENDIX C: MIN EMISSION BANDWIDTH 11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant1	5720	16.28	5711.84	5728.12		
	Ant2	5720	16.36	5711.80	5728.16		
	Ant1	5720_UNII-2C	13.16	5711.84	5725		
	Ant2	5720_UNII-2C	13.2	5711.80	5725		
	Ant1	5720_UNII-3	3.12	5725	5728.12	≥0.5	PASS
	Ant2	5720_UNII-3	3.16	5725	5728.16	≥0.5	PASS
11A	Ant1	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant2	5745	16.32	5736.80	5753.12	≥0.5	PASS
	Ant1	5785	15.16	5777.40	5792.56	≥0.5	PASS
	Ant2	5785	15.68	5777.44	5793.12	≥0.5	PASS
	Ant1	5825	15.08	5817.40	5832.48	≥0.5	PASS
	Ant2	5825	15.12	5817.44	5832.56	≥0.5	PASS
	Ant1	5720	17.28	5711.20	5728.48		
	Ant2	5720	17.56	5711.20	5728.76		
	Ant1	5720_UNII-2C	13.8	5711.20	5725		
	Ant2	5720_UNII-2C	13.8	5711.20	5725		
	Ant1	5720_UNII-3	3.48	5725	5728.48	≥0.5	PASS
	Ant2	5720_UNII-3	3.76	5725	5728.76	≥0.5	PASS
11N20MIMO	Ant1	5745	17.56	5736.20	5753.76	≥0.5	PASS
	Ant2	5745	17.56	5736.20	5753.76	≥0.5	PASS
	Ant1	5785	16.92	5776.56	5793.48	≥0.5	PASS
	Ant2	5785	16.28	5776.84	5793.12	≥0.5	PASS
	Ant1	5825	16.72	5816.80	5833.52	≥0.5	PASS
	Ant2	5825	17.56	5816.20	5833.76	≥0.5	PASS
	Ant1	5710	35.04	5692.48	5727.52		
	Ant2	5710	35.12	5692.48	5727.60		
	Ant1	5710_UNII-2C	32.52	5692.48	5725		
	Ant2	5710_UNII-2C	32.52	5692.48	5725		
	Ant1	5710_UNII-3	2.52	5725	5727.52	≥0.5	PASS
11N40MIMO	Ant2	5710_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5755	35.04	5737.48	5772.52	≥0.5	PASS
	Ant2	5755	35.04	5737.48	5772.52	≥0.5	PASS
	Ant1	5795	35.12	5777.48	5812.60	≥0.5	PASS
	Ant2	5795	35.12	5777.48	5812.60	≥0.5	PASS
	Ant1	5690	74.24	5653.36	5727.60		
	Ant2	5690	75.04	5652.40	5727.44		
	Ant1	5690_UNII-2C	71.64	5653.36	5725		
	Ant2	5690_UNII-2C	72.6	5652.40	5725		
11AC80MIMO	Ant1	5690 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5690_UNII-3	2.44	5725	5727.44	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	70.08	5742.52	5812.60	≥0.5	PASS
	Ant1	5720	18.24	5710.72	5728.96		
11AX20MIMO	Ant2	5720	18.04	5711.20	5729.24		
	Ant1	5720_UNII-2C	14.28	5710.72	5725		
	Ant2	5720_UNII-2C	13.8	5711.20	5725		
	Ant1	5720_UNII-3	3.96	5725	5728.96	≥0.5	PASS
	Ant2	5720_UNII-3	4.24	5725	5729.24	≥0.5	PASS
	Ant1	5745	16.24	5736.96	5753.20	≥0.5	PASS
	Ant2	5745	17.96	5735.80	5753.76	≥0.5	PASS
-	Ant1	5785	18.76	5775.64	5794.40	≥0.5	PASS
	Ant2	5785	16.36	5777.16	5793.52	≥0.5	PASS
	Ant1	5825	17.88	5816.04	5833.92	≥0.5	PASS




	Ant2	5825	19.00	5815.48	5834.48	≥0.5	PASS
	Ant1	5710	37.04	5691.52	5728.56		
	Ant2	5710	36.40	5692.40	5728.80		
	Ant1	5710_UNII-2C	33.48	5691.52	5725		
	Ant2	5710_UNII-2C	32.6	5692.40	5725		
11AX40MIMO	Ant1	5710_UNII-3	3.56	5725	5728.56	≥0.5	PASS
I IAA40IVIIIVIO	Ant2	5710_UNII-3	3.8	5725	5728.80	≥0.5	PASS
	Ant1	5755	36.24	5736.36	5772.60	≥0.5	PASS
	Ant2	5755	36.32	5736.20	5772.52	≥0.5	PASS
	Ant1	5795	37.68	5776.12	5813.80	≥0.5	PASS
	Ant2	5795	35.12	5777.48	5812.60	≥0.5	PASS
	Ant1	5690	73.92	5654.96	5728.88		
	Ant2	5690	72.64	5654.96	5727.60		
	Ant1	5690_UNII-2C	70.04	5654.96	5725		
11AX80MIMO	Ant2	5690_UNII-2C	70.04	5654.96	5725		
	Ant1	5690_UNII-3	3.88	5725	5728.88	≥0.5	PASS
	Ant2	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	72.48	5737.88	5810.36	≥0.5	PASS




11.3.2. Test Graphs







































































REPORT NO.: 4791581420-3-RF-4

Page 429 of 506

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit	ISED Limit	EIRP [dBm]	Limit [dBm]	Verdict
				[dBm]	[dBm]			
	Ant1	5180	14.38	≤23.98		18.39	≤22.69	PASS
	Ant2	5180	13.78	≤23.98		16.91	≤22.68	PASS
	Ant1	5200	14.55	≤23.98		18.56	≤22.76	PASS
	Ant2	5200	13.78	≤23.98		16.91	≤22.71	PASS
	Ant1	5240	14.34	≤23.98		18.35	≤22.33	PASS
	Ant2	5240	13.63	≤23.98		16.76	≤22.23	PASS
	Ant1	5260	14.46	≤23.98	≤23.71	18.47	≤29.71	PASS
	Ant2	5260	13.73	≤23.98	≤23.50	16.86	≤29.50	PASS
	Ant1	5280	14.55	≤23.98	≤23.71	18.56	≤29.71	PASS
	Ant2	5280	13.79	≤23.98	≤23.52	16.92	≤29.52	PASS
	Ant1	5320	14.68	≤23.98	≤23.72	18.69	≤29.72	PASS
	Ant2	5320	13.68	≤23.98	≤23.52	16.81	≤29.52	PASS
	Ant1	5500	14.30	≤23.98	≤23.76	18.31	≤29.76	PASS
11A	Ant2	5500	14.07	≤23.98	≤23.51	17.20	≤29.51	PASS
	Ant1	5580	14.47	≤23.98	≤23.70	18.48	≤29.70	PASS
	Ant2	5580	14.11	≤23.98	≤23.52	17.24	≤29.52	PASS
	Ant1	5700	14.23	≤23.98	≤23.73	18.24	≤29.73	PASS
	Ant2	5700	13.67	≤23.98	≤23.52	16.80	≤29.52	PASS
	Ant1	5720_UNII-2C	14.15	≤23.15	≤22.60	18.16	≤28.60	PASS
	Ant2	5720_UNII-2C	13.65	≤22.88	≤22.43	16.78	≤28.43	PASS
	Ant1	5720_UNII-3	5.38	≤30.00	≤30.00	9.39		PASS
	Ant2	5720_UNII-3	5.00	≤30.00	≤30.00	8.13		PASS
	Ant1	5745	14.26	≤30.00	≤30.00	18.27		PASS
	Ant2	5745	13.52	≤30.00	≤30.00	16.65		PASS
	Ant1	5785	14.08	≤30.00	≤30.00	18.09		PASS
	Ant2	5785	13.04	≤30.00	≤30.00	16.17		PASS
	Ant1	5825	14.08	≤30.00	≤30.00	18.09		PASS
	Ant2	5825	12.97	≤30.00	≤30.00	16.10		PASS
	Ant1	5180	8.86	≤23.98		12.87	≤22.92	PASS
	Ant2	5180	8.80	≤23.98		11.93	≤22.73	PASS
	total	5180	11.84	≤23.98		15.85	≤22.73	PASS
	Ant1	5200	8.98	≤23.98		12.99	≤22.96	PASS
	Ant2	5200	8.61	≤23.98		11.74	≤22.76	PASS
	total	5200	11.81	≤23.98		15.82	≤22.76	PASS
	Ant1	5240	8.57	≤23.98		12.58	≤22.56	PASS
	Ant2	5240	8.12	≤23.98		11.25	≤22.49	PASS
	total	5240	11.36	≤23.98		15.37	≤22.49	PASS
	Ant1	5260	14.42	≤23.98	≤23.95	18.43	≤29.95	PASS
	Ant2	5260	13.61	≤23.98	≤23.68	16.74	≤29.68	PASS
	total	5260	17.04	≤23.98	≤23.68	21.05	≤29.68	PASS
11N20MIMO	Ant1	5280	14.54	≤23.98	≤23.95	18.55	≤29.95	PASS
	Ant2	5280	13.81	≤23.98	≤23.69	16.94	≤29.69	PASS
	total	5280	17.20	≤23.98	≤23.69	21.21	≤29.69	PASS
	Ant1	5320	14.62	≤23.98	≤23.94	18.63	≤29.94	PASS
	Ant2	5320	13.65	≤23.98	≤23.72	16.78	≤29.72	PASS
	total	5320	17.17	≤23.98	≤23.72 ≤23.95	21.18	≤29.72	PASS
	Ant1	5500 5500	14.35 14.03	≤23.98		18.36	≤29.95 ≤29.71	PASS
	Ant2	5500		≤23.98	≤23.71	17.16		PASS
	total	5500 5580	17.20 14.42	≤23.98 ≤23.98	≤23.71 ≤23.96	21.21	≤29.71 ≤29.96	PASS PASS
	Ant1 Ant2	5580		≤23.98 ≤23.98	≤23.96 ≤23.69	18.43 17.29	≤29.96 ≤29.69	PASS
			14.16 17.30	≤23.98 ≤23.98	≤23.69 ≤23.69		≤29.69 ≤29.69	PASS
	total	5580 5700		≤23.98 ≤23.98	≤23.69 ≤23.94	21.31	≤29.69 ≤29.94	PASS
	Ant1 Ant2	5700	14.22 13.70	≤23.98 ≤23.98	≤23.94 ≤23.72	18.23 16.83	≤29.94 ≤29.72	PASS
	Anız	5/00	13.70	≥∠ა.98	≥∠3.1∠	10.03	≥29.12	FA33



16.98 ≤23.98 ≤23.72 ≤29.72 **PASS** total 5700 20.99 Ant1 5720_UNII-2C 13.99 ≤23.66 ≤22.73 18.00 ≤28.73 **PASS** 16.63 13.50 **PASS** Ant2 5720_UNII-2C ≤23.21 ≤22.54 ≤28.54 16.76 ≤23.98 ≤28.54 **PASS** 5720_UNII-2C ≤22.54 20.77 total 5720_UNII-3 5.72 ≤30.00 ≤30.00 9.73 **PASS** Ant1 ---Ant2 5720 UNII-3 5.20 ≤30.00 ≤30.00 8.33 ---PASS total 5720_UNII-3 8.48 ≤30.00 ≤30.00 12.49 PASS 18.24 Ant1 5745 14.23 ≤30.00 ≤30.00 **PASS** 5745 13.45 ≤30.00 ≤30.00 16.58 **PASS** Ant2 5745 ≤30.00 ≤30.00 20.88 **PASS** total 16.87 Ant1 5785 14.00 ≤30.00 ≤30.00 18.01 **PASS** Ant2 5785 12.89 ≤30.00 ≤30.00 16.02 **PASS** 5785 16.49 ≤30.00 ≤30.00 20.50 **PASS** total 5825 13.96 ≤30.00 ≤30.00 17.97 **PASS** Ant1 Ant2 5825 12.90 ≤30.00 ≤30.00 16.03 **PASS** total 5825 16.47 ≤30.00 ≤30.00 20.48 **PASS** Ant1 5190 11.85 ≤23.98 15.86 ≤23.01 **PASS** 5190 11.45 ≤23.98 14.58 ≤23.01 **PASS** Ant2 ≤23.98 total 5190 14.66 18.67 ≤23.01 **PASS** Ant1 5230 11.75 ≤23.98 15.76 ≤23.01 **PASS** ≤23.98 **PASS** Ant2 5230 11.21 14.34 ≤23.01 ---14.50 ≤23.98 PASS 5230 18.51 ≤23.01 total 12.52 ≤23.98 ≤23.98 16.53 ≤30.00 **PASS** Ant1 5270 **PASS** Ant2 5270 12.07 ≤23.98 ≤23.98 15.20 ≤30.00 total 5270 15.31 ≤23.98 ≤23.98 19.32 ≤30.00 PASS Ant1 5310 12.67 ≤23.98 ≤23.98 16.68 ≤30.00 **PASS** Ant2 5310 12.12 ≤23.98 ≤23.98 15.25 ≤30.00 **PASS** ≤23.98 19.42 ≤30.00 **PASS** total 5310 15.41 ≤23.98 Ant1 5510 11.85 ≤23.98 ≤23.98 15.86 ≤30.00 **PASS** Ant2 5510 12.48 ≤23.98 ≤23.98 15.61 ≤30.00 **PASS** total 5510 15.19 ≤23.98 ≤23.98 19.20 ≤30.00 **PASS** 5550 11.72 ≤23.98 ≤23.98 15.73 ≤30.00 **PASS** Ant1 15.69 11N40MIMO Ant2 5550 12.56 ≤23.98 ≤23.98 ≤30.00 PASS 5550 15.17 ≤23.98 ≤23.98 19.18 ≤30.00 **PASS** total Ant1 5670 11.28 ≤23.98 ≤23.98 15.29 ≤30.00 **PASS** Ant2 5670 12.53 ≤23.98 ≤23.98 15.66 ≤30.00 **PASS** ≤23.98 18.97 ≤30.00 **PASS** total 5670 14.96 ≤23.98 Ant1 5710_UNII-2C 10.74 ≤23.98 ≤23.98 14.75 ≤30.00 **PASS** 5710_UNII-2C Ant2 12.26 ≤23.98 ≤23.98 15.39 ≤30.00 **PASS** 14.58 ≤30.00 **PASS** total 5710_UNII-2C ≤23.98 ≤23.98 18.59 -4.05 **PASS** Ant1 5710_UNII-3 ≤30.00 ≤30.00 -0.04 -2.68 0.45 **PASS** 5710_UNII-3 ≤30.00 ≤30.00 Ant2 ---5710 UNII-3 ≤30.00 3.71 PASS total -0.30 ≤30.00 Ant1 5755 11.35 ≤30.00 ≤30.00 15.36 ---**PASS** Ant2 5755 12.76 ≤30.00 ≤30.00 15.89 **PASS** 5755 ≤30.00 ≤30.00 19.13 **PASS** total 15.12 Ant1 5795 11.27 ≤30.00 ≤30.00 15.28 **PASS** Ant2 5795 12.79 ≤30.00 ≤30.00 15.92 **PASS** ≤30.00 5795 **PASS** total 15.11 ≤30.00 19.12 5210 12.91 ≤23.98 ≤23.01 **PASS** Ant1 16.92 5210 ≤23.98 **PASS** Ant2 12.98 16.11 ≤23.01 5210 15.96 ≤23.98 19.97 **PASS** total ≤23.01 5290 12.80 ≤23.98 ≤23.98 16.81 ≤30.00 **PASS** Ant1 Ant2 5290 12.78 ≤23.98 ≤23.98 15.91 ≤30.00 **PASS** 11AC80MIMO total 5290 15.80 ≤23.98 ≤23.98 19.81 ≤30.00 **PASS** Ant1 5530 12.89 ≤23.98 ≤23.98 16.90 ≤30.00 **PASS** Ant2 5530 13.55 ≤23.98 ≤23.98 16.68 ≤30.00 **PASS** ≤23.98 ≤30.00 PASS total 5530 16.24 ≤23.98 20.25 ≤23.98 ≤23.98 16.70 ≤30.00 **PASS** Ant1 5610 12.69 Ant2 5610 13.42 ≤23.98 ≤23.98 16.55 ≤30.00 **PASS**



	total	5610	16.08	≤23.98	≤23.98	20.09	≤30.00	PASS
	Ant1	5690_UNII-2C	12.15	≤23.98	≤23.98	16.16	≤30.00	PASS
	Ant2	5690 UNII-2C	13.20	≤23.98	≤23.98	16.33	≤30.00	PASS
	total	5690_UNII-2C	15.72	≤23.98	≤23.98	19.73	≤30.00	PASS
	Ant1	5690_UNII-3	-7.92	≤30.00	≤30.00	-3.91		PASS
	Ant2	5690_UNII-3	-6.91	≤30.00	≤30.00	-3.78		PASS
	total	5690_UNII-3	-4.38	≤30.00	≤30.00	-0.37		PASS
	_							
	Ant1	5775	12.40	≤30.00	≤30.00	16.41		PASS
	Ant2	5775	13.53	≤30.00	≤30.00	16.66		PASS
	total	5775	16.01	≤30.00	≤30.00	20.02		PASS
	Ant1	5180	9.51	≤23.98		13.52	≤22.84	PASS
	Ant2	5180	9.18	≤23.98		12.31	≤22.84	PASS
	total	5180	12.36	≤23.98		16.37	≤22.84	PASS
	Ant1	5200	9.57	≤23.98		13.58	≤22.85	PASS
	Ant2	5200	9.10	≤23.98		12.23	≤22.86	PASS
	total	5200	12.35	≤23.98		16.36	≤22.85	PASS
	Ant1	5240	9.31	≤23.98		13.32	≤22.76	PASS
	Ant2	5240	8.71	≤23.98		11.84	≤22.76	PASS
		5240	12.03	≤23.98		16.04	≤22.76	PASS
	total				 <22 04			
	Ant1	5260	12.56	≤23.98	≤23.84	16.57	≤29.84	PASS
	Ant2	5260	12.41	≤23.98	≤23.83	15.54	≤29.83	PASS
	total	5260	15.50	≤23.98	≤23.83	19.51	≤29.83	PASS
	Ant1	5280	12.69	≤23.98	≤23.83	16.70	≤29.83	PASS
	Ant2	5280	12.49	≤23.98	≤23.82	15.62	≤29.82	PASS
	total	5280	15.60	≤23.98	≤23.82	19.61	≤29.82	PASS
	Ant1	5320	12.78	≤23.98	≤23.86	16.79	≤29.86	PASS
	Ant2	5320	12.73	≤23.98	≤23.83	15.86	≤29.83	PASS
	total	5320	15.77	≤23.98	≤23.83	19.78	≤29.83	PASS
	Ant1	5500	12.23	≤23.98	≤23.84	16.24	≤29.84	PASS
	Ant2	5500	12.49	≤23.98	≤23.86	15.62	≤29.86	PASS
	total	5500	15.37	≤23.98	≤23.84	19.38	≤29.84	PASS
11AX20MIMO								
	Ant1	5580	12.55	≤23.98	≤23.84	16.56	≤29.84	PASS
	Ant2	5580	13.17	≤23.98	≤23.83	16.30	≤29.83	PASS
	total	5580	15.88	≤23.98	≤23.83	19.89	≤29.83	PASS
	Ant1	5700	12.55	≤23.98	≤23.84	16.56	≤29.84	PASS
	Ant2	5700	13.48	≤23.98	≤23.85	16.61	≤29.85	PASS
	total	5700	16.05	≤23.98	≤23.84	20.06	≤29.84	PASS
	Ant1	5720_UNII-2C	11.76	≤22.96	≤22.64	15.77	≤28.64	PASS
	Ant2	5720_UNII-2C	12.70	≤23.02	≤22.64	15.83	≤28.64	PASS
	total	5720 UNII-2C	15.27	≤23.98	≤22.64	19.28	≤28.64	PASS
	Ant1	5720_UNII-3	3.47	≤30.00	≤30.00	7.48		PASS
	Ant2	5720_UNII-3	4.40	≤30.00	≤30.00	7.53		PASS
	total	5720_UNII-3	6.97	≤30.00	≤30.00	10.98		PASS
	Ant1	5745	12.04	≤30.00	≤30.00	16.05		PASS
	Ant2	5745 5745	13.08	≤30.00	≤30.00	16.21		PASS
	total	5745	15.60	≤30.00	≤30.00	19.61		PASS
	Ant1	5785	11.77	≤30.00	≤30.00	15.78		PASS
	Ant2	5785	12.76	≤30.00	≤30.00	15.89		PASS
	total	5785	15.30	≤30.00	≤30.00	19.31		PASS
	Ant1	5825	11.74	≤30.00	≤30.00	15.75		PASS
	Ant2	5825	12.51	≤30.00	≤30.00	15.64		PASS
	total	5825	15.15	≤30.00	≤30.00	19.16		PASS
	Ant1	5190	12.19	≤23.98		16.20	≤23.01	PASS
	Ant2	5190	11.94	≤23.98		15.07	≤23.01	PASS
	total	5190	15.08	≤23.98		19.09	≤23.01	PASS
	Ant1	5230	12.11	≤23.98		16.12	≤23.01	PASS
11AX40MIMO	Ant2	5230		≤23.98		14.99	≤23.01	PASS
			11.86					
	total	5230	15.00	≤23.98		19.01	≤23.01	PASS
	Ant1	5270	12.06	≤23.98	≤23.98	16.07	≤30.00	PASS
	Ant2	5270	11.73	≤23.98	≤23.98	14.86	≤30.00	PASS

REPORT NO.: 4791581420-3-RF-4 Page 432 of 506

	total	5270	14.91	≤23.98	≤23.98	18.92	≤30.00	PASS
		5310	12.28	≤23.98	≤23.98	16.92	≤30.00	PASS
	Ant1 Ant2	5310	12.20	≤23.98	≤23.98	15.27	≤30.00	PASS
	total	5310	15.22	≤23.98	≤23.98	19.23	≤30.00	PASS
		5510	12.26	≤23.98	≤23.98	16.27	≤30.00	PASS
	Ant1 Ant2	5510	12.43	≥23.96 ≤23.98	≥23.96 ≤23.98	15.56	≤30.00	PASS
		5510	15.36	≥23.96 ≤23.98	≥23.96 ≤23.98	19.37	≤30.00	PASS
	total	5550		≥23.96 ≤23.98	≥23.96 ≤23.98		≤30.00	PASS
	Ant1		12.33			16.34		PASS
	Ant2	5550 5550	12.71	≤23.98	≤23.98 ≤23.98	15.84	≤30.00 ≤30.00	PASS
	total		15.53	≤23.98		19.54		PASS
	Ant1	5670	11.74	≤23.98	≤23.98	15.75	≤30.00	
	Ant2	5670	12.45	≤23.98	≤23.98	15.58	≤30.00	PASS
	total	5670	15.12	≤23.98	≤23.98	19.13	≤30.00	PASS
	Ant1	5710_UNII-2C	11.20	≤23.98	≤23.98	15.21	≤30.00	PASS
	Ant2	5710_UNII-2C	11.99	≤23.98	≤23.98	15.12	≤30.00	PASS
	total	5710_UNII-2C	14.62	≤23.98	≤23.98	18.63	≤30.00	PASS
	Ant1	5710_UNII-3	-2.92	≤30.00	≤30.00	1.09		PASS
	Ant2	5710_UNII-3	-2.13	≤30.00	≤30.00	1.00		PASS
	total	5710_UNII-3	0.50	≤30.00	≤30.00	4.51		PASS
	Ant1	5755	12.00	≤30.00	≤30.00	16.01		PASS
	Ant2	5755	12.90	≤30.00	≤30.00	16.03		PASS
	total	5755	15.48	≤30.00	≤30.00	19.49		PASS
	Ant1	5795	11.71	≤30.00	≤30.00	15.72		PASS
	Ant2	5795	12.47	≤30.00	≤30.00	15.60		PASS
	total	5795	15.12	≤30.00	≤30.00	19.13		PASS
	Ant1	5210	12.47	≤23.98		16.48	≤23.01	PASS
	Ant2	5210	12.24	≤23.98		15.37	≤23.01	PASS
	total	5210	15.37	≤23.98		19.38	≤23.01	PASS
	Ant1	5290	12.35	≤23.98	≤23.98	16.36	≤30.00	PASS
	Ant2	5290	12.10	≤23.98	≤23.98	15.23	≤30.00	PASS
	total	5290	15.24	≤23.98	≤23.98	19.25	≤30.00	PASS
	Ant1	5530	11.48	≤23.98	≤23.98	15.49	≤30.00	PASS
	Ant2	5530	11.85	≤23.98	≤23.98	14.98	≤30.00	PASS
	total	5530	14.68	≤23.98	≤23.98	18.69	≤30.00	PASS
	Ant1	5610	11.27	≤23.98	≤23.98	15.28	≤30.00	PASS
11AX80MIMO	Ant2	5610	11.78	≤23.98	≤23.98	14.91	≤30.00	PASS
	total	5610	14.54	≤23.98	≤23.98	18.55	≤30.00	PASS
	Ant1	5690_UNII-2C	10.80	≤23.98	≤23.98	14.81	≤30.00	PASS
	Ant2	5690_UNII-2C	11.52	≤23.98	≤23.98	14.65	≤30.00	PASS
	total	5690_UNII-2C	14.19	≤23.98	≤23.98	18.20	≤30.00	PASS
	Ant1	5690_UNII-3	-8.68	≤30.00	≤30.00	-4.67		PASS
	Ant2	5690_UNII-3	-8.00	≤30.00	≤30.00	-4.87		PASS
	total	5690_UNII-3	-5.32	≤30.00	≤30.00	-1.31		PASS
	Ant1	5775	11.00	≤30.00	≤30.00	15.01		PASS
	Ant2	5775	11.88	≤30.00	≤30.00	15.01		PASS
	total	5775	14.47	≤30.00	≤30.00	18.48		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.



11.4.2. Test Graphs

