

DATE: January 9, 2002


Federal Communications Commission
Authorization and Evaluation Division
Equipment Authorization Branch
7435 Oakland Mills Road
Columbia, MD 21046

To whom it may concern:

We, the undersigned, hereby authorize PCTEST Engineering Laboratory Inc., to act on our behalf in all matters relating to applications for equipment authorization, including the signing of all documents relating to these matters. Any and all acts carried out by PCTEST Engineering Laboratory, Inc. on our behalf shall have the same effect as acts of our own.

We also hereby certify that no party to this application is subject to a denial of benefits, including FCC benefits, pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S. C. 853(a).

Sincerely,

 *Dec. 30, 2001*

Chang-Chih Su
Product Manager
BENQ Corporation

DATE: January 9, 2002

Federal Communications Commission
Equipment Authorization Branch
7435 Oakland Mills Road
Columbia, MD 21046


In re: BENQ Corporation
FCC ID: JVPH0622
FCC Part 22 Certification
FCC E911 Requirements Per §22.921

Gentlemen:

BENQ Corporation hereby certifies that the analog cellular telephone (FCC ID: JVPH0622), using the Automatic A/B Roaming- Intelligent Retry method, meets the E911 requirements specified in Section 22.921 of the FCC rules. This procedure recognizes when a "9-1-1" call is made and, at such time, will override any programming in the mobile unit that determines the handling of a non-911 call and permit the call to be handled by other analog carriers.

Should you have any questions or comments concerning the above, please contact the undersigned.

Sincerely,



George Chiou
Technical Manager
BENQ Corporation

AFFIDAVIT FOR ESN PROTECTION OF CELLULAR MOBILE TELEPHONES

We hereby certify that the Handheld Portable Cellular Telephone (FCC ID: JVPH0622) is so designed that it complies with all the requirements for ESN protection specified in Section 22.919 of the FCC Rules.

- a) The transmitter in service has a unique ESN.
- b) The ESN host component is permanently attached to a main circuit board of the mobile transmitter and the integrity of the unit operating software cannot be altered. The ESN is plated from fraudulent contact and tampering. The ESN is encoded using multiplication by a polynomial and the ESN data programmed in the memory with other information.
- c) The ESN is factory-set and cannot be altered, transferred, removed or otherwise able to be manipulated. Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change the ESN chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile transmitter inoperative.

Sincerely,



Signature
George Chiou / Technical Manager
BENQ Corporation