


Appendix-F Field Strength of Spurious Radiation-234G

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	52.58	-114.14	-61.56	-13.00	48.56	Horizontal	PASS
2	2510.00	43.48	-111.36	-67.88	-13.00	54.88	Horizontal	PASS
3	3346.40	47.69	-108.36	-60.67	-13.00	47.67	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	54.34	-114.14	-59.80	-13.00	46.80	Vertical	PASS
2	3346.80	42.53	-108.36	-65.83	-13.00	52.83	Vertical	PASS
3	8034.00	37.77	-95.48	-57.71	-13.00	44.71	Vertical	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3760.00	43.93	-107.25	-63.32	-13.00	50.32	Horizontal	PASS
2	5640.00	41.28	-100.83	-59.55	-13.00	46.55	Horizontal	PASS
3	7519.50	37.65	-96.78	-59.13	-13.00	46.13	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3760.00	45.55	-107.25	-61.70	-13.00	48.70	Vertical	PASS
2	5640.00	50.28	-100.83	-50.55	-13.00	37.55	Vertical	PASS
3	7520.00	40.32	-96.78	-56.46	-13.00	43.46	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.14	90.28	-84.95	5.33	-	-	Horizontal	NA
2	1961.05	49.78	-84.77	-34.99	-	-	Horizontal	NA
3	2976.50	40.27	-79.93	-39.66	-13.00	26.66	Horizontal	PASS
4	8893.00	37.04	-93.32	-56.28	-13.00	43.28	Horizontal	PASS
5	17347.00	32.10	-82.53	-50.43	-13.00	37.43	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.94	99.07	-84.95	14.12	-	-	Vertical	NA
2	2973.20	40.21	-79.91	-39.70	-13.00	26.70	Vertical	PASS
3	7367.50	37.06	-96.62	-59.56	-13.00	46.56	Vertical	PASS
4	17345.50	32.60	-82.60	-50.00	-13.00	37.00	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.24	98.46	-85.36	13.10	-	-	Horizontal	NA
2	2112.26	54.86	-84.33	-29.47	-	-	Horizontal	NA
3	2977.50	40.22	-79.94	-39.72	-13.00	26.72	Horizontal	PASS
4	10029.50	35.84	-91.59	-55.75	-13.00	42.75	Horizontal	PASS
5	17353.50	32.55	-82.54	-49.99	-13.00	36.99	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.44	107.06	-85.36	21.70	-	-	Vertical	NA
2	2113.56	41.42	-84.34	-42.92	-	-	Vertical	NA
3	2965.60	40.27	-79.94	-39.67	-13.00	26.67	Vertical	PASS
4	9505.00	36.65	-92.60	-55.95	-13.00	42.95	Vertical	PASS
5	17353.00	32.58	-82.52	-49.94	-13.00	36.94	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1772.00	43.82	-113.97	-70.15	-13.00	57.15	Horizontal	PASS
2	3429.60	40.79	-107.46	-66.67	-13.00	53.67	Horizontal	PASS
3	7961.20	37.66	-95.49	-57.83	-13.00	44.83	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1526.00	43.57	-114.13	-70.56	-13.00	57.56	Vertical	PASS
2	3896.00	39.44	-106.11	-66.67	-13.00	53.67	Vertical	PASS
3	8127.60	37.01	-95.04	-58.03	-13.00	45.03	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	95.43	-84.97	10.46	-	-	Horizontal	NA
2	1968.20	43.10	-84.84	-41.74	-	-	Horizontal	NA
3	2954.00	35.55	-79.99	-44.44	-13.00	31.44	Horizontal	PASS
4	9515.50	36.45	-92.63	-56.18	-13.00	43.18	Horizontal	PASS
5	17350.00	33.62	-82.40	-48.78	-13.00	35.78	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	102.75	-84.97	17.78	-	-	Vertical	NA
2	2969.60	35.27	-79.92	-44.65	-13.00	31.65	Vertical	PASS
3	9676.00	35.92	-92.10	-56.18	-13.00	43.18	Vertical	PASS
4	17352.50	32.30	-82.50	-50.20	-13.00	37.20	Vertical	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	103.94	-85.28	18.66	-	-	Horizontal	NA
2	2127.00	49.34	-84.46	-35.12	-	-	Horizontal	NA
3	2988.20	35.90	-80.12	-44.22	-13.00	31.22	Horizontal	PASS
4	8864.00	36.96	-92.80	-55.84	-13.00	42.84	Horizontal	PASS
5	17876.50	38.31	-82.78	-44.47	-13.00	31.47	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	111.36	-85.28	26.08	-	-	Vertical	NA
2	2135.60	37.51	-84.54	-47.03	-	-	Vertical	NA
3	2975.40	35.18	-79.91	-44.73	-13.00	31.73	Vertical	PASS
4	9510.50	37.71	-92.62	-54.91	-13.00	41.91	Vertical	PASS
5	17854.00	38.03	-82.51	-44.48	-13.00	31.48	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1536.40	43.25	-114.08	-70.83	-13.00	57.83	Horizontal	PASS
2	3479.60	40.48	-107.40	-66.92	-13.00	53.92	Horizontal	PASS
3	7280.40	37.12	-96.29	-59.17	-13.00	46.17	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1904.40	42.96	-113.58	-70.62	-13.00	57.62	Vertical	PASS
2	5473.60	39.89	-101.31	-61.42	-13.00	48.42	Vertical	PASS
3	8892.80	36.53	-93.13	-56.60	-13.00	43.60	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	100.80	-83.04	17.76	-	-	Horizontal	NA
2	2647.70	45.90	-82.20	-36.30	-	-	Horizontal	NA
3	2963.80	36.94	-79.95	-43.01	-25.00	18.01	Horizontal	PASS
4	9491.00	37.79	-92.76	-54.97	-25.00	29.97	Horizontal	PASS
5	17835.50	37.99	-82.67	-44.68	-25.00	19.68	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	102.33	-83.04	19.29	-	-	Vertical	NA
2	2986.40	36.85	-80.09	-43.24	-25.00	18.24	Vertical	PASS
3	6857.50	38.45	-97.55	-59.10	-25.00	34.10	Vertical	PASS
4	17529.50	39.04	-83.73	-44.69	-25.00	19.69	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	46.61	-114.33	-67.72	-13.00	54.72	Horizontal	PASS
2	2109.15	59.51	-113.21	-53.70	-13.00	40.70	Horizontal	PASS
3	6034.05	38.42	-99.63	-61.21	-13.00	48.21	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	44.19	-114.33	-70.14	-13.00	57.14	Vertical	PASS
2	3319.10	40.86	-108.25	-67.39	-13.00	54.39	Vertical	PASS
3	6344.50	41.27	-99.10	-57.83	-13.00	44.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1589.40	42.94	-114.25	-71.31	-40.00	31.31	Horizontal	PASS
2	3402.05	40.67	-107.50	-66.83	-13.00	53.83	Horizontal	PASS
3	7295.45	36.47	-95.97	-59.50	-13.00	46.50	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1587.65	43.31	-114.24	-70.93	-40.00	30.93	Vertical	PASS
2	2976.80	42.05	-109.17	-67.12	-13.00	54.12	Vertical	PASS
3	6998.30	38.10	-97.21	-59.11	-13.00	46.11	Vertical	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1576.40	42.81	-114.17	-71.36	-40.00	31.36	Horizontal	PASS
2	3474.40	40.59	-107.40	-66.81	-13.00	53.81	Horizontal	PASS
3	8350.80	36.39	-94.57	-58.18	-13.00	45.18	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1582.00	43.71	-114.20	-70.49	-13.00	57.49	Vertical	PASS
2	4308.40	38.10	-104.33	-66.23	-13.00	53.23	Vertical	PASS
3	8916.80	36.91	-93.48	-56.57	-13.00	43.57	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1410.90	45.91	-114.35	-68.44	-13.00	55.44	Horizontal	PASS
2	3299.50	41.42	-108.17	-66.75	-13.00	53.75	Horizontal	PASS
3	7378.05	37.10	-96.62	-59.52	-13.00	46.52	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	45.04	-114.35	-69.31	-13.00	56.31	Vertical	PASS
2	3590.70	40.87	-107.22	-66.35	-13.00	53.35	Vertical	PASS
3	7279.35	36.74	-96.31	-59.57	-13.00	46.57	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	94.22	-84.97	9.25	-	-	Horizontal	NA
2	1970.40	46.35	-84.86	-38.51	-	-	Horizontal	NA
3	2992.80	35.69	-80.20	-44.51	-13.00	31.51	Horizontal	PASS
4	9509.50	36.72	-92.62	-55.90	-13.00	42.90	Horizontal	PASS
5	17351.50	32.95	-82.46	-49.51	-13.00	36.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	102.97	-84.97	18.00	-	-	Vertical	NA
2	2954.60	35.33	-79.99	-44.66	-13.00	31.66	Vertical	PASS
3	5621.00	41.28	-101.09	-59.81	-13.00	46.81	Vertical	PASS
4	17356.50	33.13	-82.65	-49.52	-13.00	36.52	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1394.40	43.53	-114.30	-70.77	-13.00	57.77	Horizontal	PASS
2	2401.60	47.55	-112.21	-64.66	-13.00	51.66	Horizontal	PASS
3	7922.00	36.74	-95.59	-58.85	-13.00	45.85	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1352.80	43.32	-114.19	-70.87	-13.00	57.87	Vertical	PASS
2	2444.00	45.36	-111.24	-65.88	-13.00	52.88	Vertical	PASS
3	8044.40	36.94	-95.45	-58.51	-13.00	45.51	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849)
Bandwidth:	15MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1536.80	43.11	-114.08	-70.97	-13.00	57.97	Horizontal	PASS
2	3471.60	40.31	-107.41	-67.10	-13.00	54.10	Horizontal	PASS
3	7977.60	37.13	-95.52	-58.39	-13.00	45.39	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849)
Bandwidth:	15MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1393.60	43.78	-114.30	-70.52	-13.00	57.52	Vertical	PASS
2	3901.60	39.54	-106.11	-66.57	-13.00	53.57	Vertical	PASS
3	7967.20	37.35	-95.51	-58.16	-13.00	45.16	Vertical	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	95.93	-82.41	13.52	-	-	Horizontal	NA
2	2997.10	36.71	-80.27	-43.56	-25.00	18.56	Horizontal	PASS
3	9592.00	36.90	-92.47	-55.57	-25.00	30.57	Horizontal	PASS
4	17843.50	37.64	-82.55	-44.91	-25.00	19.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	98.97	-82.41	16.56	-	-	Vertical	NA
2	2983.20	36.61	-80.04	-43.43	-25.00	18.43	Vertical	PASS
3	9574.00	37.56	-92.58	-55.02	-25.00	30.02	Vertical	PASS
4	17337.50	38.44	-82.97	-44.53	-25.00	19.53	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	94.83	-82.41	12.42	-	-	Horizontal	NA
2	2989.30	37.13	-80.14	-43.01	-25.00	18.01	Horizontal	PASS
3	9612.50	37.48	-92.42	-54.94	-25.00	29.94	Horizontal	PASS
4	17883.00	38.90	-82.85	-43.95	-25.00	18.95	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	98.93	-82.40	16.53	-	-	Vertical	NA
2	2993.30	36.69	-80.21	-43.52	-25.00	18.52	Vertical	PASS
3	9499.50	37.62	-92.60	-54.98	-25.00	29.98	Vertical	PASS
4	17832.50	38.30	-82.71	-44.41	-25.00	19.41	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	110.20	-88.64	21.56	-	-	Horizontal	NA
2	7232.19	43.75	-95.97	-52.22	-40.00	12.22	Horizontal	PASS
3	10848.29	40.57	-91.44	-50.87	-40.00	10.87	Horizontal	PASS
4	17332.98	33.20	-83.56	-50.36	-40.00	10.36	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	109.83	-88.64	21.19	-	-	Vertical	NA
2	6195.30	33.54	-81.12	-47.58	-40.00	7.58	Vertical	PASS
3	9449.08	37.32	-93.19	-55.87	-40.00	15.87	Vertical	PASS
4	17870.81	32.23	-81.54	-49.31	-40.00	9.31	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	101.92	-85.18	16.74	-	-	Horizontal	NA
2	2137.60	49.27	-84.56	-35.29	-	-	Horizontal	NA
3	2975.40	35.46	-79.91	-44.45	-13.00	31.45	Horizontal	PASS
4	8841.50	36.80	-92.64	-55.84	-13.00	42.84	Horizontal	PASS
5	17866.00	37.87	-82.65	-44.78	-13.00	31.78	Horizontal	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	111.82	-85.18	26.64	-	-	Vertical	NA
2	2136.80	36.66	-84.55	-47.89	-	-	Vertical	NA
3	2896.20	36.16	-80.59	-44.43	-13.00	31.43	Vertical	PASS
4	8878.00	37.26	-93.05	-55.79	-13.00	42.79	Vertical	PASS
5	17967.00	38.86	-82.87	-44.01	-13.00	31.01	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	50.91	-114.21	-63.30	-13.00	50.30	Horizontal	PASS
2	3397.85	40.02	-107.55	-67.53	-13.00	54.53	Horizontal	PASS
3	6867.40	37.58	-97.69	-60.11	-13.00	47.11	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	MID
IMEI:	862818061792893	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	47.18	-114.21	-67.03	-13.00	54.03	Vertical	PASS
2	3422.70	40.26	-107.48	-67.22	-13.00	54.22	Vertical	PASS
3	6889.45	37.89	-97.65	-59.76	-13.00	46.76	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE CA	Band:	48C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	105.85	-88.61	17.24	-	-	Horizontal	NA
2	7247.91	46.46	-95.95	-49.49	-40.00	9.49	Horizontal	PASS
3	10872.06	37.90	-91.03	-53.13	-40.00	13.13	Horizontal	PASS
4	17855.86	31.47	-81.35	-49.88	-40.00	9.88	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	48C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	109.52	-88.61	20.91	-	-	Vertical	NA
2	7248.29	48.20	-95.95	-47.75	-40.00	7.75	Vertical	PASS
3	10871.68	43.52	-91.04	-47.52	-40.00	7.52	Vertical	PASS
4	17980.45	31.95	-81.75	-49.80	-40.00	9.80	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	66C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.00	106.66	-85.04	21.62	-	-	Horizontal	NA
2	2996.80	35.79	-80.27	-44.48	-13.00	31.48	Horizontal	PASS
3	5272.50	59.93	-101.84	-41.91	-13.00	28.91	Horizontal	PASS
4	17839.00	38.31	-82.62	-44.31	-13.00	31.31	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	66C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	862818061792455	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.00	100.75	-85.04	15.71	-	-	Vertical	NA
2	2171.40	39.73	-84.37	-44.64	-	-	Vertical	NA
3	2967.00	35.53	-79.94	-44.41	-13.00	31.41	Vertical	PASS
4	5261.50	61.09	-101.99	-40.90	-13.00	27.90	Vertical	PASS
5	17331.50	38.43	-83.25	-44.82	-13.00	31.82	Vertical	PASS

~The End~