Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 1 of 77

### **TEST REPORT**

| Test Result :            | PASS *   |
|--------------------------|--|
| Date of Issue:           | 2024/10/22   |
| Date of Test:            | 2023/07/05 to 2023/07/23; 2024/09/04 to 2024/10/22                         |
| Date of Receipt:         | 2023/06/05; 2024/08/27   |
| Standards:               | FCC 47 CFR Part 15, Subpart C  |
| FCC ID:                  | 2ACYESK-MH60TG-A8  |
| Trade Mark:              | Siklu  |
| Model No.:               | MH-T261-CNN-N-MWB  |
| EUT Description:         | Terminal unit of point-to-multipoint high BW system operating in 57-66 GHz |
| Address of Manufacturer: | 3 Uri Ariav St. Rosh Ha'Ayin, Israel 4810002                               |
| Manufacturer:            | Siklu Communication Ltd.   |
| Address of Applicant:    | 3 Uri Ariav St. Rosh Ha'Ayin, Israel 4810002                               |
| Applicant:               | Siklu Communication Ltd.   |
| Application No.:         | SUCR2408000312AT   |

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

cloudpend

Cloud Peng Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms.and-Conditions.gps</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms.and-Conditions.gps</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document is a transaction from exercising all their rights and obligations under the transaction dured the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and subject (so Text of the 3 avine. Stated the results shown in this test report refer only to the sample(s) test and subject and for 30 days only. Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at lelephone: (66-755) 8307 1443, or email: CN. Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业团区调胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 2 of 77

#### 1 Version

| Revision Record |                                       |            |          |                                |  |  |
|-----------------|---------------------------------------|------------|----------|--------------------------------|--|--|
| Version         | Chapter                               | Date       | Modifier | Remark                         |  |  |
| 01              | Add a<br>configuration of<br>Antenna2 | 2024/10/22 |          | Based on<br>SEWM2307000279RG01 |  |  |

| Prepared By | King-p Li) / Test Engineer |
|-------------|----------------------------|
| Checked By  | Stone Gu) / Reviewer       |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or repose this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No.6 Plant, No.1, Runsheng Road, Starbou Hoteshia Park, Starbou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 3 of 77

#### 2 Test Summary

| Test Item   | FCC Rule No.               | Test Method                         | Test Result | Result |
|---|----------------------------|-------------------------------------|-------------|--------|
| Antenna Requirement   | 15.203                     |                                     | Clause 4.1  | PASS   |
| AC Power Line Conducted<br>Emission   | 15.207                     | ANSI C63.10-2013<br>Section 6.2     | Clause 4.2  | PASS   |
| Transmitter power and power spectral density                                  | 15.255 (c)(1)              | ANSI C63.10-2013<br>Section 9.4/9.5 | Clause 4.3  | PASS   |
| Occupied bandwidth  | 15.215 (c),<br>15.255 (c3) | ANSI C63.10-2013<br>Section 9.3     | Clause 4.4  | PASS   |
| Radiated spurious emissions below<br>40 GHz                                   | 15.255 (d)(2)              | ANSI C63.10-2013<br>Section 9.13    | Clause 4.5  | PASS   |
| Radiated emissions outside<br>assigned band and above 40 GHz<br>up to 200 GHz | 15.255 (d)(3)              | ANSI C63.10-2013<br>Section 9.12    | Clause 4.6  | PASS   |
| Frequency stability   | 15.255 (f)                 | ANSI C63.10-2013<br>Section 9.14    | Clause 4.7  | PASS   |

Remark for report SUCR240800031201 issue on October 22, 2024:

This test report (Report No. : SUCR240800031201 issue on October 22, 2024) is based on the original testreport (Report No. : SEWM2307000279RG01 issue on July 28, 2023).

Review this report and original report, this report just changing the parts according to the declaration letterfrom client.


To account for the differences, the samples in this report were thoroughly retested.

Therefore, Antenna2 in this report is a new test result, and the Antenna1 test data refer to the original report of July 28, 2023, serial number SEWM2307000279RG01.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is uniawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: Conce the authencity of testing inspection report & certificate, please contact us at temptore. (6-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国 (江苏)自由贸易试验区苏州片区苏州工业层区消胜路1号约6号厂房南部 邮编: 215000



#### Contents

| 1 | Versio  | n   | 2            |
|---|---------|---|--------------|
| 2 | Test S  | ummary  | 3            |
| 3 | Genera  | al Information  | 5            |
|   | 3.1     | Details of Client                                       | 5            |
|   | 3.2     | Test Location   | 5            |
|   | 3.3     | Test Facility   | 5            |
|   | 3.4     | General Description of EUT                              | 6            |
|   | 3.5     | Test Environment  | 7            |
|   | 3.6     | Description of Support Units                            | 7            |
| 4 | Test re | esults and Measurement Data                             | 8            |
|   | 4.1     | Antenna Requirement                                     | 8            |
|   | 4.2     | AC Power Line Conducted Emissions                       | 9            |
|   | 4.3     | Transmitter power and power spectral density            | 15           |
|   | 4.4     | Occupied Bandwidth                                      | 16           |
|   | 4.5     | Radiated spurious emissions below 40 GHz                | 17           |
|   | 4.6     | Radiated emissions outside assigned band and above 40 G | Hz up to 200 |
|   | GHz     | 20  |              |
|   | 4.7     | Frequency Stability                                     | 22           |
| 5 | Measu   | rement Uncertainty (95% confidence levels, k=2)         | 23           |
| 6 | Equipr  | nent List   | 24           |
| 7 | Photoc  | graphs - Setup Photos                                   |              |



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or repose this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Ana, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业图区消胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 5 of 77

### 3 General Information

#### 3.1 Details of Client

| Applicant:               | Siklu Communication Ltd.                     |
|--------------------------|--|
| Address of Applicant:    | 3 Uri Ariav St. Rosh Ha'Ayin, Israel 4810002 |
| Manufacturer:            | Siklu Communication Ltd.                     |
| Address of Manufacturer: | 3 Uri Ariav St. Rosh Ha'Ayin, Israel 4810002 |

#### 3.2 Test Location

| Company:       | SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.   |
|----------------|--|
| Address:       | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone |
| Post code:     | 215000   |
| Test engineer: | King-p Li  |

#### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Condito-Terns-attrace/Terms-en-Conditions/Term</u>

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 6 of 77

#### 3.4 General Description of EUT

S

| EUT Description:            | Terminal unit of point-to-multipoint<br>GHz   | high BW system operating in 57-66 |  |  |  |
|-----------------------------|---|-----------------------------------|--|--|--|
| Model No.:                  | MH-T261-CNN-N-MWB   |                                   |  |  |  |
| Trade Mark:                 | Siklu   |                                   |  |  |  |
| Hardware Version(Antenna1): | A0  |                                   |  |  |  |
| Hardware Version(Antenna2): | В0  |                                   |  |  |  |
| Software Version:           | 2.1.2   |                                   |  |  |  |
| SN:                         | AD26100007  |                                   |  |  |  |
| Frequency Range:            | 57GHz-66GHz   |                                   |  |  |  |
| Modulation Technique:       | BPSK to QAM16   |                                   |  |  |  |
| Crystal:                    | 38.4MHz   |                                   |  |  |  |
| Antenna Model:              | Antenna1  | Antenna2                          |  |  |  |
| Antenna Model.              | FARF079   | FARF079A                          |  |  |  |
| Antenna Type:               | PCB Antenna   |                                   |  |  |  |
|                             | 22.5dBi   |                                   |  |  |  |
| Antenna Gain:               | Note:<br>The antenna gain are derived from the gain information report provided<br>by the manufacturer. |                                   |  |  |  |
| Remark:                     | and confirmed by the applicant SCS is   |                                   |  |  |  |

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, plaase contact us at telephone: (66-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 7 of 77

#### 3.5 Test Environment

| Environment Parameter             | 101.0 kPa Selected Values During Tests<br>44-46 % RH Ambient |     |  |  |  |  |
|-----------------------------------|--|-----|--|--|--|--|
| Relative Humidity                 |  |     |  |  |  |  |
| Value                             | Temperature(°C) Voltage(V)                                   |     |  |  |  |  |
| NTNV                              | 22~23  | 120 |  |  |  |  |
| LTNV                              | -20  | 120 |  |  |  |  |
| HTNV                              | 50   | 120 |  |  |  |  |
| Remark:                           |  |     |  |  |  |  |
| NV: Normal Voltage                | NT: Normal Temperature                                       |     |  |  |  |  |
| HT: High Extreme Test Temperature | LT: Low Extreme Test Temperat                                | ure |  |  |  |  |

#### 3.6 Description of Support Units

| Description | Manufacturer | Model No. | Inventory No. |
|-------------|--------------|-----------|---------------|
| Computer    | Lenovo       | T14       | SUWI-03-33-04 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) B307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 8 of 77

#### 4 Test results and Measurement Data

#### 4.1 Antenna Requirement

**Standard requirement:** 47 CFR Part 15C Section 15.203

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The antenna is PCB Antenna and no consideration of replacement. The best case gain of the antenna is 22.5dBi.

Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: O check the authenticity of testing Inspection report & certificate, places contact us at telephore: (66-755) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Fine Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路(号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 9 of 77

#### 4.2 AC Power Line Conducted Emissions

SG


| Test Requirement:     | 47 CFR Part 15C Section 15.207   |  |  |  |  |  |
|-----------------------|--|--|--|--|--|--|
| Test Method:          | ANSI C63.10-2013 Section 6.2   |  |  |  |  |  |
| Test Frequency Range: | 150kHz to 30MHz  |  |  |  |  |  |
| Receiver Setup:       | RBW = 9kHz, VBW = 30kHz  |  |  |  |  |  |
| Limit:                |  | Limit (d   | BuV)   |  |  |  |
|                       | Frequency range (MHz)  | Quasi-peak   | Average  |  |  |  |
|                       | 0.15-0.5   | 66 to 56*  | 56 to 46*  |  |  |  |
|                       | 0.5-5  | 56   | 46   |  |  |  |
|                       | 5-30   | 60   | 50   |  |  |  |
|                       | * Decreases with the log   | arithm of the frequency.   |  |  |  |  |
| Test Procedure:       | <ul> <li>room.</li> <li>2) The EUT was connect<br/>Impedance Stabilizat<br/>impedance. The pow<br/>connected to a secon<br/>plane in the same way<br/>multiple socket outlet<br/>single LISN provided</li> <li>3) The tabletop EUT was<br/>ground reference pla<br/>placed on the horizon</li> <li>4) The test was performed<br/>the EUT shall be 0.4<br/>vertical ground reference<br/>reference plane. The<br/>unit under test and by<br/>mounted on top of th<br/>the closest points of<br/>and associated equip</li> <li>5) In order to find the m<br/>and all of the interfate</li> </ul> | sturbance voltage test was contend to AC power source throw<br>ion Network) which provides<br>are cables of all other units of<br>and LISN 2, which was bonded<br>ay as the LISN 1 for the unit b<br>the rating of the LISN was not<br>splaced upon a non-metallic<br>ne. And for floor-standing arra-<br>ntal ground reference plane.<br>ed with a vertical ground reference<br>m from the vertical ground reference<br>ence plane was bonded to the<br>LISN 1 was placed 0.8 m froo<br>onded to a ground reference<br>e ground reference plane. The<br>the LISN 1 and the EUT. All co-<br>oment was at least 0.8 m from<br>aximum emission, the relative<br>ce cables must be changed a<br>inducted measurement. | igh a LISN 1 (Line<br>a $50\Omega/50\mu$ H + $5\Omega$ linear<br>the EUT were<br>to the ground reference<br>eing measured. A<br>ultiple power cables to a<br>bt exceeded.<br>table 0.8m above the<br>angement, the EUT was<br>rence plane. The rear of<br>ference plane. The<br>e horizontal ground<br>m the boundary of the<br>plane for LISNs<br>is distance was between<br>other units of the EUT<br>on the LISN 2.<br>e positions of equipment |  |  |  |



 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 10 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201


 Rev.:
 01

 Page:
 11 of 77

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

#### Antenna1:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/Terms.a

South of No. 6 Plant, No. 1, Runsheng Read, Stachou Industrial Park, Stachou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区港胜路1号的4号厂房南部 邮编: 215000

Report No.: SUCR240800031201

| hase: | Neu   | itral          |                         |                       |                       |   | Rev.:<br>Page:          | 0 <sup>-</sup><br>1:  | 1<br>2 of 77          |                      |                |
|-------|---|----------------|-------------------------|-----------------------|-----------------------|---|-------------------------|-----------------------|-----------------------|----------------------|----------------|
|       | 120 T.  |                |                         |                       | (ENV216_N+E           | NV216_N)                                      |                         |                       |                       |                      |                |
|       | 110<br>110<br>90<br>80<br>70<br>60<br>40<br>30<br>20<br>10<br>- | Munit          | A Manana                | Men Market Market     | War,johendanula       | . <mark>Navidi som dala vilje</mark> presiden |                         | 5                     |                       | ~                    |                |
| Final | 0   | AV Lim         |                         | ⊢ I I<br>1M           | Frequenc              | ι<br>y[Hz]                                    | 1 1 1 1                 | 1 I I<br>10M          |                       | ]<br>30M             |                |
| NO.   | Frequency<br>[MHz]  | Factor<br>[dB] | QP<br>Reading<br>[dBµV] | QP<br>Value<br>[dBµV] | QP<br>Limit<br>[dBµV] | QP<br>Margin<br>[dB]                          | AV<br>Reading<br>[dBμV] | AV<br>Value<br>[dBµV] | AV<br>Limit<br>[dBµV] | AV<br>Margin<br>[dB] | Verdic         |
| 1     | 0.1590  | 11.82          | 40.06                   | 51.88                 | 65.52                 | 13.64   | 27.41                   | 39.23                 | 55.52                 | 16.29                | PASS           |
| ~     | 0.4050  | 44 07          | 04.04                   | 45.04                 | 00.00                 | 47.04   | 00.00                   | 04 70                 | 50.00                 | 40.00                | <b>D</b> A O C |

0.1950 34.24 19.09 2 11.67 45.91 63.82 17.91 23.06 34.73 53.82 PASS 3 0.465 11.60 42.26 53.86 56.60 2.74 30.12 41.72 46.60 4.88 PASS 1.0275 30.36 46.00 15.54 4 11.73 42.09 56.00 13.91 18.73 30.46 PASS 5 7.9845 11.89 28.00 39.89 60.00 20.11 20.30 32.19 50.00 17.81 PASS 6 20.5170 11.99 45.10 60.00 14.90 26.86 50.00 11.15 PASS 33.11 38.85

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).


3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SUCR240800031201 Rev.: 01 13 of 77 Page:



Antenna2:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. a: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 14 of 77



| NO. | Frequency<br>[MHz] | Factor<br>[dB] | Reading<br>[dBµV] | Value<br>[dBµV] | Limit<br>[dBµV] | Margin<br>[dB] | Reading<br>[dBµV] | Value<br>[dBµV] | Limit<br>[dBµV] | Margin<br>[dB] | Verdict |  |
|-----|--------------------|----------------|-------------------|-----------------|-----------------|----------------|-------------------|-----------------|-----------------|----------------|---------|--|
| 1   | 0.2355             | 10.16          | 42.45             | 52.61           | 62.25           | 9.64           | 26.29             | 36.45           | 52.25           | 15.80          | PASS    |  |
| 2   | 0.4335             | 10.16          | 35.95             | 46.11           | 57.19           | 11.08          | 28.71             | 38.87           | 47.19           | 8.32           | PASS    |  |
| 3   | 0.5280             | 10.17          | 25.69             | 35.86           | 56.00           | 20.14          | 17.08             | 27.25           | 46.00           | 18.75          | PASS    |  |
| 4   | 0.7980             | 10.16          | 18.39             | 28.55           | 56.00           | 27.45          | 6.79              | 16.95           | 46.00           | 29.05          | PASS    |  |
| 5   | 1.4460             | 10.12          | 11.81             | 21.93           | 56.00           | 34.07          | 4.52              | 14.64           | 46.00           | 31.36          | PASS    |  |
| 6   | 3.9570             | 10.14          | 6.26              | 16.40           | 56.00           | 39.60          | -1.56             | 8.58            | 46.00           | 37.42          | PASS    |  |

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions,aspx.and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区港胜路1号的4号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 15 of 77

#### 4.3 Transmitter power and power spectral density

S

| Test Requirement:             | 47 CFR Part 15C Section 15.255 (c)(1)(ii)   |  |  |  |
|-------------------------------|---|--|--|--|
| Test Method:                  | ANSI C63.10-2013 Section 9.4, 9.5   |  |  |  |
| Test Setup:                   | Fundamental or<br>Harmonic Mixer<br>Fixture<br>Local<br>Oscillator<br>Source<br>Data Store  |  |  |  |
| Test Instruments:             | Refer to section 6 for details  |  |  |  |
| Test Procedure:               | <ol> <li>Place the EUT on the table and set it in the transmitting mode.</li> <li>SA set RBW=10MHz , VBW=3*RBW , Detector=Peak Trace: Mask Hold,<br/>Peak Search.</li> <li>The EUT was turned from 0 degrees to 360 degrees to find the maximum<br/>reading.</li> </ol> |  |  |  |
| Test Mode:                    | TX mode _ Keep the EUT in continuously transmitting mode  |  |  |  |
| Limit:                        | The average power of any emission shall not exceed 40 dBm and the peak power of any emission shall not exceed 43 dBm  |  |  |  |
| Test Results:                 | Pass  |  |  |  |
| The detailed test data see: A | opendix   |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extend for 80 days only. Attention: To here the authenticity of testing inspection report & certificate, glasse contact us at temporter (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 16 of 77

#### 4.4 Occupied Bandwidth

| Test Requirement:             | 47 CFR Part 15C Section 15.215(c), 15.255 (c3)   |
|-------------------------------|--|
| Test Method:                  | ANSI C63.10-2013 Section 9.3   |
| Test Setup:                   | Fundamental or<br>Harmonic Mixer<br>Fixture<br>Local<br>Oscillator<br>Source<br>Data Store   |
| Instruments Used:             | Refer to section 6 for details   |
| Test Procedure:               | <ol> <li>Place the EUT on the table and set it in the transmitting mode.</li> <li>SA set RBW=1%~5% OBW, or a minimum of 1 MHz if this is not possible<br/>due to a large OBW,VBW=3*RBW and Detector=Peak.</li> <li>Measure and record the result of 20dB and 99% bandwidth.</li> </ol> |
| Test Mode:                    | TX mode _ Keep the EUT in continuously transmitting mode   |
| Limit:                        | 57-71GHz   |
| Test Results:                 | Pass   |
| The detailed test data see: A | opendix  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extend for 80 days only. Attention: To here the authenticity of testing inspection report & certificate, glasse contact us at temporter (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 17 of 77

#### 4.5 Radiated spurious emissions below 40 GHz

S

| Test Requirement: | 47 CFR Part 15C Section 15.255 (d)(2)   |  |                       |                                     |                                  |                                |  |  |
|-------------------|---|--|-----------------------|-------------------------------------|----------------------------------|--------------------------------|--|--|
| Test Method:      | ANSI C63.10-2013 Section 9.13   |  |                       |                                     |                                  |                                |  |  |
| Limit:            | Below 30MHz:  |  |                       |                                     |                                  |                                |  |  |
|                   | Frequency   |  | Field Strength (µV/m) |                                     | Measurement Distance<br>(metres) |                                |  |  |
|                   | 9 - 490 kHz   |  | 2,400/I               | <sup>=</sup> (kHz)                  | 300                              |                                |  |  |
|                   | 490 - 1,705 kH  | lz   | 24,000/               | Γ (kHz)                             |                                  | 30                             |  |  |
|                   | 1.705-30 MHz  | 2  | 3                     | 0                                   |                                  | 30                             |  |  |
|                   | measurements em<br>frequency bands 9-<br>emission limits in th<br>an average detector                       | Remark: The emission limits shown in the above table are based on<br>measurements employing a CISPR quasi-peak detector except for the<br>frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated<br>emission limits in these three bands are based on measurements employing<br>an average detector, the peak field strength of any emission shall not exceed<br>the maximum permitted average limits specified above by more than 20 dB |                       |                                     |                                  |                                |  |  |
|                   | Above 30MHz:  |  |                       |                                     |                                  |                                |  |  |
|                   | Frequency (MH   | lz)  | Field Stren           | Strength (µV/m)                     |                                  | asurement Distance<br>(metres) |  |  |
|                   | 30-88   | 100**  |                       | 0**                                 | 3                                |                                |  |  |
|                   | 88-216  |  | 15                    | 0**                                 |                                  | 3                              |  |  |
|                   | 216-960   |  | 20                    | 0**                                 |                                  | 3                              |  |  |
|                   | Above 960   | 500  |                       |                                     | 3                                |                                |  |  |
|                   | ** Except as pro<br>intentional radiator<br>frequency bands &<br>However, operation<br>sections of this par | nall not<br>6 MHz  | or 470-806 MHz.       |                                     |                                  |                                |  |  |
|                   |   |  |                       |                                     | .= /                             |                                |  |  |
|                   |   |  |                       | strength at 3 n<br>/ithin restricte | n, dB(uV/m)*<br>ad banda         |                                |  |  |
|                   | Frequency (MHz)   |  | Peak                  | Quasi Pe                            |                                  | Average                        |  |  |
|                   | 0.009 - 0.090   |  | .5 - 128.5            | NA                                  |                                  | 128.5 - 108.5**                |  |  |
|                   | 0.090 - 0.110   |  | NA                    | 108.5 - 106                         | 5.8**                            | NA                             |  |  |
|                   | 0.110 - 0.490   | 126  | .8 - 113.8            | NA                                  |                                  | 106.8 - 93.8**                 |  |  |
|                   | 0.490 - 1.705   |  |                       | 73.8 - 63.                          | 0**                              |                                |  |  |
|                   | 1.705 - 30.0*   | 1  |                       | 69.5                                |                                  |                                |  |  |
|                   | 30 - 88   | 1  | NA                    | 40.0                                |                                  | NA                             |  |  |
|                   | 88 - 216  | 1  |                       | 43.5                                |                                  |                                |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Suchou Area, Chine (Jiangsu) Pilol Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

Report No.: SUCR240800031201 Rev.: 01 f 77

| Page: 18 o |
|------------|
|------------|


| 216 - 960   |      | 46.0       |         |  |  |  |  |
|---|------|------------|---------|--|--|--|--|
| Above 960   |      | 54.0       |         |  |  |  |  |
| 1000 - 200000   | 74.0 | N/A        | 54.0    |  |  |  |  |
| <ul> <li>*- The limit for 3 m test distance was calculated using the inverse square distance extrapolation factor as follows:<br/>LimS2 = LimS1 + 20 log (S1/S2), where S1 and S2 - standard defined and test distance respectively in meters.</li> <li>**- The limit decreases linearly with the logarithm of frequency.<br/>Note: The above field strength limits applied from the lowest radio frequency generated in the device, without going below 9 kHz up to the tenth harmonic of the highest fundamental frequency but not exceeding 40 GHz for intentional radiators operated below 10 GHz and up to the fifth harmonic of the highest fundamental frequency but not exceeding 200 GHz for intentional radiators operated above 30 GHz.</li> </ul> |      |            |         |  |  |  |  |
| Field strength at 1 m, dB(uV/m)*Frequency (MHz)Within restricted bands  |      |            |         |  |  |  |  |
| . , ,   | Peak | Quasi Peak | Average |  |  |  |  |
| 1000 - 200000   | 83.5 | N/A        | 63.5    |  |  |  |  |

Test Setup:

检验

用意 ction & Testing Services

SG



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and Juriadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test end and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at lelephone: (86-75) B307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Anea, China (Jlangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Report No.: SUCR240800031201

|                                     | Rev.: 01  |
|-------------------------------------|---|
|                                     | Page: 19 of 77  |
| Instruments Used:                   | Refer to section 6 for details  |
| Test Procedure:<br>Final Test Mode: | <ul> <li>a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>b. For 1-18GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>c. For 18-40GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 1 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.</li> <li>e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to the same hight (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.</li> <li>f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> <li>g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.</li> <li>h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.</li> <li>i. Repeat above procedures until all frequencies measured was complete.</li> <li>Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor Remark 2: For frequencies</li></ul> |
| Test Results:                       | Pass  |
| The detailed test data see:         |   |
|                                     |   |

٦ The detailed test data see: Appendix

F

SG

h



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or repose this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980

Report No.: SUCR240800031201 Rev.: 01 20 of 77 Page:

#### 4.6 Radiated emissions outside assigned band and above 40 GHz up to 200 GHz

| Test Requirement:  | 47 CFR Part 15C Section 15.255 (d)(3)   |   |              |   |  |  |  |  |  |  |
|--|---|---|--------------|---|--|--|--|--|--|--|
| Test Method:   | ANSI C63.10-20  | )13 Section 9.12  |              |   |  |  |  |  |  |  |
| Limit:   | Above 40GHz:  | Above 40GHz:  |              |   |  |  |  |  |  |  |
|  | Frequency<br>(GHz)  | Power<br>density at 3<br>m distance<br>(pW/cm2)   | Distance (m) | Field<br>strength<br>(dBuV/m)*,<br>peak | Field<br>strength<br>(dBuV/m)*,<br>average |  |  |  |  |  |
|  | 40 - 200  | 90  | 3.0          | 105.31                                  | 85.31                                      |  |  |  |  |  |
|  | 40 - 200  | 90  | 0.5          | 120.87**                                | 100.87**                                   |  |  |  |  |  |
|  | section 9 as for<br>distance specif<br>**- The limit for<br>extrapolation fa<br>LimS2 = LimS1 | <ul> <li>* - Field strength was calculated per equation (26) of ANSI C63.10-2013 section 9 as follows: E=sqrt(PD×377), where PD is the power density at the distance specified by the limit in W/m2, E- field strength in V/m.</li> <li>**- The limit for other test distance was calculated using the inverse distance extrapolation factor as follows:</li> <li>LimS2 = LimS1 + 20 log (S1/S2), where S1 and S2 - standard defined and test distance respectively in meters.</li> </ul> |              |   |  |  |  |  |  |  |
| Test Setup:  |   |   |              |   |  |  |  |  |  |  |
|  | toom<br>Gound Re  |   |              |   |  |  |  |  |  |  |
| Instruments Used:  | Refer to section  | Above 40GHz<br>6 for details  |              |   |  |  |  |  |  |  |
| Instruments Used:         Refer to section 6 for details           a1. For above 40GHz(Antenna1), the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 0.5 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation a2. For above 40GHz(Antenna2), the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation b. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. |   |   |              |   |  |  |  |  |  |  |



SG

| A STATE OF A | Unless otherwise agreed in writing, this document is issued by the<br>overleaf, available on request or accessible at <u>http://www.sgs.com/e</u><br>subject to Terms and Conditions for Electronic Documents at <u>http:</u><br>Attention is drawn to the limitation of liability, indemnification and j<br>advised that information contained hereon reflects the Company's<br>client's instructions, if any. The Company's sole responsibility is<br>transaction from exercising all their rights and obligations under t<br>except in full, without prior written approval of the Company. Any<br>appearance of this document is unlawful and offenders may be pros<br>results shown in this test report refer only to the sample(s) tested and<br>Attention. To check the authenticity of testing inspection report<br>or email: CA.Doccheck@sgs.com | n/Terms-and-Cor<br>//www.sgs.com/er<br>jurisdiction issues<br>findings at the tir<br>to its Client and<br>he transaction de<br>unauthorized alt<br>ecuted to the full<br>i such sample(s) a | iditions.aspx and, for electry<br>n/Terms-and-Conditions/Ter<br>s defined therein. Any hold<br>ne of its intervention only<br>i this document does not<br>couments. This document<br>ieration, forgery or falsifica<br>est extent of the law. Unles<br>are retained for 30 days only<br>asse contact us at telepho | conic format documents,<br>rms-e-Document.aspx.<br>ler of this document is<br>and within the limits of<br>exonerate parties to a<br>cannot be reproduced<br>ation of the content or<br>as otherwise stated the<br>A |  |
|---|---|---|--|---|--|
| 1   | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone  | 215000  | t (86-512) 62992980  | www.sgsgroup.com.cn   |  |
|   | 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭塢:   | 215000  | t (86-512) 62992980  | sgs.china@sgs.com   |  |

SGS

| Report No.: | SUCR240800031201 |
|-------------|------------------|
| Rev.:       | 01               |
| Page:       | 21 of 77         |

|                             | 1 age. 21 01 77   |
|-----------------------------|---|
|                             | c. For each suspected emission, the EUT was arranged to its worst case and<br>then the antenna was tuned to the same hight (for the test frequency of below<br>30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was<br>turned from 0 degrees to 360 degrees to find the maximum reading.  |
|                             | d. The test-receiver system was set to Peak Detect Function and Specified<br>Bandwidth with Maximum Hold Mode.  |
|                             | e. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.  |
|                             | f. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.   |
|                             | g. Repeat above procedures until all frequencies measured was complete.   |
|                             | Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor  |
|                             | Remark 2: For frequencies above 1GHz, the field strength limits are based on<br>average limits. However, the peak field strength of any emission shall not<br>exceed the maximum permitted average limits specified above by more than 20<br>dB under any condition of modulation. For the emissions whose peak level is<br>lower than the average limit, only the peak measurement is shown in the report. |
| Final Test Mode:            | TX mode _ Keep the EUT in continuously transmitting mode  |
| Test Results:               | Pass  |
| The detailed test data see: | Appendix  |
|                             |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: to these the authenticity of testing inspection report & certificate, glasse contact us at telenhome. (86-75) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号约6号厂房斋部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 22 of 77

#### 4.7 Frequency Stability

| Test Requirement:         | 47 CFR Part 15C Section   | 47 CFR Part 15C Section 15.255 (f)                           |  |  |  |  |
|---------------------------|---|--|--|--|--|--|
| Test Method:              | ANSI C63.10-2013 Secti  | ANSI C63.10-2013 Section 9.14                                |  |  |  |  |
| Test Setup:               | p:<br>Fundamental or<br>Harmonic Mixer<br>Fidure<br>Local<br>Oscillator<br>Source<br>Data Store   |  |  |  |  |  |
| Instruments Used:         | Refer to section 6 for det  | ails   |  |  |  |  |
| Test Procedure:           | <ol> <li>Temperature conditions:         <ul> <li>The RF output port of the EUT was connected to Frequency Meter;</li> <li>Set the working Frequency in the middle channel;</li> <li>record the 20°C and norminal voltage frequency value as reference point;</li> <li>vary the temperature from -10°C to 50°C with step 10°C</li> <li>when reach a temperature point, keep the temperature banlance at least 4 hour to make the product working in this status;</li> <li>read the frequency at the relative temperature.</li> <li>Voltage conditions:                 <ul> <li>record the 20°C and norminal voltage frequency value as reference point;</li> <li>vary the voltage from -15% norminal voltage to +15% voltage;</li> <li>read the frequency at the relative voltage.</li> <li>Remark: Manufacturer declared that the minimum temperature for normal operation of this product is -10°C.</li> </ul> </li> </ul> </li> </ol> |  |  |  |  |  |
| Test Mode:                | TX mode _ Keep the EU   | T in continuously transmitting mode                          |  |  |  |  |
| Limit:                    | Frequency (GHz)   | Limit  |  |  |  |  |
|                           | 57 - 71   | The signal must be contained within assigned frequency band. |  |  |  |  |
| Test Results:             | Pass  |  |  |  |  |  |
| The detailed test data se | e: Appendix   |  |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, Indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company hay unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C. Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C. Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C. Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C. Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C. Doccheck the authenticity of

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Suchou Area, Chine (Jiangsu) Pilol Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 23 of 77

#### 5 Measurement Uncertainty (95% confidence levels, k=2)

| No. | ltem                | Measurement Uncertainty    |  |
|-----|---------------------|----------------------------|--|
| 1   | Total RF power      | ±0.54dB                    |  |
| 2   | Occupied Bandwidth  | ±1.0 %                     |  |
| 3   | Radio Frequency     | ±1.0 %                     |  |
| 4   | Conduction Emission | ± 2.90dB (150kHz to 30MHz) |  |
|     |                     | ± 3.13dB (9k -30MHz)       |  |
| 5   | Radiated Emission   | ± 4.80dB (30M -1GHz)       |  |
| 5   |                     | ± 4.80dB (1GHz to 18GHz)   |  |
|     |                     | ± 4.80dB (Above 18GHz)     |  |

Remark:

S

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, places contact us at telehomer.(66-755) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 24 of 77

### 6 Equipment List

Antenna1

SG

| 9*6*6 Test Equipment              |                               |                          |                   |            |                 |  |
|-----------------------------------|-------------------------------|--------------------------|-------------------|------------|-----------------|--|
| Equipment                         | Manufacturer                  | Model No.                | Inventory No.     | Cal Date   | Cal Due<br>Date |  |
| Semi-Anechoic<br>Chamber          | Brilliant-emc                 | N/A                      | SUWI-04-02-<br>01 | 2021/05/08 | 2024/05/07      |  |
| Temperature and<br>humidity meter | MingGao                       | TH101B                   | SUWI-01-01-<br>05 | 2023/02/07 | 2024/02/06      |  |
| Signal Analyzer                   | ROHDE&SCHWARZ                 | FSW43                    | SUWI-01-02-<br>04 | 2023/05/11 | 2024/05/10      |  |
| Signal Analyzer                   | KEYSIGHT                      | N9020A                   | SUWI-01-02-<br>05 | 2022/11/23 | 2023/11/22      |  |
| PXA Spectrum<br>Analyzer          | KEYSIGHT                      | N9030B                   | SUWI-01-62-<br>01 | 2023/01/29 | 2024/01/28      |  |
| Test receiver                     | ROHDE&SCHWARZ                 | ESR7                     | SUWI-01-10-<br>01 | 2023/02/08 | 2024/02/07      |  |
| DC Power Supply                   | HYELEC                        | HY3005B                  | SUWI-01-18-<br>01 | 2023/02/06 | 2024/02/05      |  |
| Receiving antenna                 | SCHWRZBECK<br>MESS-ELEKTRONIK | VULB 9163                | SUWI-01-11-<br>01 | 2023/05/13 | 2025/05/12      |  |
| Receiving antenna                 | SCHWRZBECK<br>MESS-ELEKTRONIK | BBHA 9120D               | SUWI-01-11-<br>02 | 2023/05/13 | 2025/05/12      |  |
| Receiving antenna                 | SCHWRZBECK<br>MESS-ELEKTRONIK | BBHA 9170                | SUWI-01-11-<br>03 | 2023/05/12 | 2025/05/11      |  |
| Amplifier                         | Tonscend                      | TAP9K3G40                | SUWI-01-14-<br>01 | 2023/02/06 | 2024/02/05      |  |
| Amplifier                         | Tonscend                      | TAP01018050              | SUWI-01-14-<br>02 | 2023/02/06 | 2024/02/05      |  |
| Amplifier                         | Tonscend                      | TAP18040048              | SUWI-01-14-<br>03 | 2023/02/08 | 2024/02/07      |  |
| Measurement Software              | Tonscend                      | JS32-RE                  | SUWI-02-09-       | NCR        | NCR             |  |
| Horn-antenna(40-                  |                               | V4.0.0.0<br>SAZ-2410-19- | 04<br>SUWI-03-49- |            |                 |  |
| 60GHz)                            | REBES                         | S1                       | 01                | NCR        | NCR             |  |
| Horn-antenna(50-<br>75GHz)        | REBES                         | SAZ-2410-15-<br>S1       | SUWI-03-49-<br>02 | NCR        | NCR             |  |
| Horn-antenna(75-<br>110GHz)       | REBES                         | SAZ-2410-10-<br>S1       | SUWI-03-49-<br>03 | NCR        | NCR             |  |
| Horn-antenna(110-<br>170GHz)      | REBES                         | SAZ-2410-06-<br>S1       | SUWI-03-49-<br>04 | NCR        | NCR             |  |
| Horn-antenna(140-<br>220GHz)      | REBES                         | SAZ-2410-05-<br>S1       | SUWI-03-49-<br>05 | NCR        | NCR             |  |
| Horn-antenna(220-<br>325GHz)      | REBES                         | SAR-2309-03-<br>S2       | SUWI-03-49-<br>06 | NCR        | NCR             |  |
| Extended<br>waveguide(40-60GHz)   | REBES                         | SWG-19025-FB             | SUWI-03-50-<br>01 | NCR        | NCR             |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Studhou Industrial Park, Suchou Area, Chine (Jiangsu) Plot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

|  |            | R                     | eport No.: SUC<br>ev.: 01<br>age: 25 c |     | 1201 |
|--|------------|-----------------------|--|-----|------|
| Extended<br>waveguide(50-75GHz)                  | REBES      | SWG-15025-FB          | SUWI-03-50-<br>02                      | NCR | NCR  |
| Extended<br>waveguide(75-<br>110GHz)             | REBES      | SWG-10025-FB          | SUWI-03-50-<br>03                      | NCR | NCR  |
| Extended<br>waveguide(110-<br>170GHz)            | REBES      | SWG-06025-FB          | SUWI-03-51-<br>01                      | NCR | NCR  |
| Extended<br>waveguide(140-<br>220GHz)            | REBES      | SWG-05025-FB          | SUWI-03-51-<br>02                      | NCR | NCR  |
| Extended<br>waveguide(220-<br>325GHz)            | REBES      | SWG-03025-FB          | SUWI-03-51-<br>03                      | NCR | NCR  |
| Harmonic mixer(110-<br>170GHz)                   | REBES      | STH-06SF-S1           | SUWI-03-52-<br>01                      | NCR | NCR  |
| Harmonic mixer(40-<br>60GHz)                     | REBES      | STH-19SF-S1           | SUWI-03-52-<br>02                      | NCR | NCR  |
| Harmonic mixer(140-<br>220GHz)                   | REBES      | STH-06SF-S1           | SUWI-03-52-<br>03                      | NCR | NCR  |
| Harmonic mixer(220-<br>325GHz)                   | REBES      | STH-19SF-S1           | SUWI-03-52-<br>04                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(50-75GHz)            | KEYSIGHT   | M1970V                | SUWI-03-53-<br>01                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(75-110GHz)           | KEYSIGHT   | M1970W                | SUWI-03-53-<br>02                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(50-75GHz) cable      | Silverline | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>01                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(75-110GHz)<br>cable  | Silverline | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>02                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(40-60GHz) cable      | Silverline | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>03                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(110-170GHz)<br>cable | Silverline | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>04                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(140-220GHz)<br>cable | Silverline | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>05                      | NCR | NCR  |
| Waveguide Harmonic<br>Mixer(220-325GHz)<br>cable | Silverline | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>06                      | NCR | NCR  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and/Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and/Conditions.Terms.en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attentions, To check the autimentity of festing inspection report & certificate, plases contact us at telephones (66-755) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号约6号厂房斋部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 26 of 77

#### Antenna2

SG

| 9*6*6 Test Equipment              |                               |                          |                   |            |                 |  |
|-----------------------------------|-------------------------------|--------------------------|-------------------|------------|-----------------|--|
| Equipment                         | Manufacturer                  | Model No.                | Inventory No.     | Cal Date   | Cal Due<br>Date |  |
| Semi-Anechoic<br>Chamber          | Brilliant-emc                 | N/A                      | SUWI-04-02-<br>01 | 2023/06/03 | 2026/06/02      |  |
| Temperature and<br>humidity meter | MingGao                       | TH101B                   | SUWI-01-01-<br>05 | 2024/02/18 | 2025/02/17      |  |
| Signal Analyzer                   | ROHDE&SCHWARZ                 | FSW43                    | SUWI-01-02-<br>04 | 2024/05/08 | 2025/05/07      |  |
| Signal Analyzer                   | KEYSIGHT                      | N9020A                   | SUWI-01-02-<br>07 | 2023/11/21 | 2024/11/20      |  |
| PXA Spectrum<br>Analyzer          | KEYSIGHT                      | N9030B                   | SUWI-01-62-<br>01 | 2024/01/28 | 2025/01/27      |  |
| Test receiver                     | ROHDE&SCHWARZ                 | ESR7                     | SUWI-01-10-<br>01 | 2024/02/01 | 2025/01/31      |  |
| DC Power Supply                   | HYELEC                        | HY3005B                  | SUWI-01-18-<br>01 | 2024/02/04 | 2025/02/03      |  |
| Receiving antenna                 | SCHWRZBECK<br>MESS-ELEKTRONIK | VULB 9163                | SUWI-01-11-<br>01 | 2023/05/13 | 2025/05/12      |  |
| Receiving antenna                 | SCHWRZBECK<br>MESS-ELEKTRONIK | BBHA 9120D               | SUWI-01-11-<br>02 | 2023/05/13 | 2025/05/12      |  |
| Receiving antenna                 | SCHWRZBECK<br>MESS-ELEKTRONIK | BBHA 9170                | SUWI-01-11-<br>03 | 2023/05/12 | 2025/05/11      |  |
| Amplifier                         | Tonscend                      | TAP9K3G40                | SUWI-01-14-<br>01 | 2024/02/01 | 2025/01/31      |  |
| Amplifier                         | Tonscend                      | TAP01018050              | SUWI-01-14-<br>02 | 2024/02/01 | 2025/01/31      |  |
| Amplifier                         | Tonscend                      | TAP18040048              | SUWI-01-14-<br>03 | 2024/02/01 | 2025/01/31      |  |
| Measurement Software              | Tonscend                      | JS32-RE                  | SUWI-02-09-<br>04 | NCR        | NCR             |  |
| Horn-antenna(40-                  |                               | V4.0.0.0<br>SAZ-2410-19- | SUWI-03-49-       |            |                 |  |
| 60GHz)                            | REBES                         | S1                       | 01                | NCR        | NCR             |  |
| Horn-antenna(50-<br>75GHz)        | REBES                         | SAZ-2410-15-<br>S1       | SUWI-03-49-<br>02 | NCR        | NCR             |  |
| Horn-antenna(75-<br>110GHz)       | REBES                         | SAZ-2410-10-<br>S1       | SUWI-03-49-<br>03 | NCR        | NCR             |  |
| Horn-antenna(110-<br>170GHz)      | REBES                         | SAZ-2410-06-<br>S1       | SUWI-03-49-<br>04 | NCR        | NCR             |  |
| Horn-antenna(140-<br>220GHz)      | REBES                         | SAZ-2410-05-<br>S1       | SUWI-03-49-<br>05 | NCR        | NCR             |  |
| Horn-antenna(220-<br>325GHz)      | REBES                         | SAR-2309-03-<br>S2       | SUWI-03-49-<br>06 | NCR        | NCR             |  |
| Extended<br>waveguide(40-60GHz)   | REBES                         | SWG-19025-FB             | SUWI-03-50-<br>01 | NCR        | NCR             |  |
| Extended<br>waveguide(50-75GHz)   | REBES                         | SWG-15025-FB             | SUWI-03-50-<br>02 | NCR        | NCR             |  |
| Extended                          | REBES                         | SWG-10025-FB             | SUWI-03-50-       | NCR        | NCR             |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号约6号厂房斋部 邮编: 215000

|  | Report No.: SUCR240800031201<br>Rev.: 01<br>Page: 27 of 77 |                       |                   |     |     |  |
|--|--|-----------------------|-------------------|-----|-----|--|
| waveguide(75-<br>110GHz)                         |  |                       | 03                |     |     |  |
| Extended<br>waveguide(110-<br>170GHz)            | REBES  | SWG-06025-FB          | SUWI-03-51-<br>01 | NCR | NCR |  |
| Extended<br>waveguide(140-<br>220GHz)            | REBES  | SWG-05025-FB          | SUWI-03-51-<br>02 | NCR | NCR |  |
| Extended<br>waveguide(220-<br>325GHz)            | REBES  | SWG-03025-FB          | SUWI-03-51-<br>03 | NCR | NCR |  |
| Harmonic mixer(110-<br>170GHz)                   | REBES  | STH-06SF-S1           | SUWI-03-52-<br>01 | NCR | NCR |  |
| Harmonic mixer(40-<br>60GHz)                     | REBES  | STH-19SF-S1           | SUWI-03-52-<br>02 | NCR | NCR |  |
| Harmonic mixer(140-<br>220GHz)                   | REBES  | STH-06SF-S1           | SUWI-03-52-<br>03 | NCR | NCR |  |
| Harmonic mixer(220-<br>325GHz)                   | REBES  | STH-19SF-S1           | SUWI-03-52-<br>04 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(50-75GHz)            | KEYSIGHT   | M1970V                | SUWI-03-53-<br>01 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(75-110GHz)           | KEYSIGHT   | M1970W                | SUWI-03-53-<br>02 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(50-75GHz) cable      | Silverline   | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>01 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(75-110GHz)<br>cable  | Silverline   | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>02 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(40-60GHz) cable      | Silverline   | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>03 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(110-170GHz)<br>cable | Silverline   | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>04 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(140-220GHz)<br>cable | Silverline   | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>05 | NCR | NCR |  |
| Waveguide Harmonic<br>Mixer(220-325GHz)<br>cable | Silverline   | SLU18-SMSM-<br>01.00M | SUWI-03-54-<br>06 | NCR | NCR |  |



SG:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No.6 Plant, No.1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

Report No.: SUCR240800031201 Rev.: 01 Page: 28 of 77

#### 7 **Photographs - Setup Photos**

Refer to Appendix A.1 FCC Radar Setup Photos.





Member of the SGS Group (SGS SA)

t (86-512) 62992980

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

content o

sgs.china@sgs.com

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 29 of 77

# Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions/Terms-and-Conditions/

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 30 of 77

#### Antenna1 Transmitter power and power spectral density Test Result

| Channel<br>(GHz) | Distance<br>(cm) | Polarity   | dBuV/m<br>@ 0.5m | E.I.R.P.<br>Power<br>(dBm) | E.I.R.P<br>Limit<br>(dBm) | Result | Remark  |
|------------------|------------------|------------|------------------|----------------------------|---------------------------|--------|---------|
|                  |                  | Horizontal | 149.6            | 38.84                      | 43                        | Pass   | peak    |
| 50.00            | 50               | Vertical   | 149.3            | 38.54                      | 43                        | Pass   | peak    |
| 58.32            | 50               | Horizontal | 144.6            | 33.84                      | 40                        | Pass   | Average |
|                  |                  | Vertical   | 144.8            | 34.04                      | 40                        | Pass   | Average |
|                  |                  | Horizontal | 149.2            | 38.44                      | 43                        | Pass   | peak    |
| /-               | 50               | Vertical   | 148.5            | 37.74                      | 43                        | Pass   | peak    |
| 60.48            |                  | Horizontal | 142.0            | 31.24                      | 40                        | Pass   | Average |
|                  |                  | Vertical   | 142.1            | 31.34                      | 40                        | Pass   | Average |
|                  |                  | Horizontal | 149.3            | 38.54                      | 43                        | Pass   | peak    |
|                  |                  | Vertical   | 149.3            | 38.54                      | 43                        | Pass   | peak    |
| 62.64            | 50               | Horizontal | 143.5            | 32.74                      | 40                        | Pass   | Average |
|                  |                  | Vertical   | 143.3            | 32.54                      | 40                        | Pass   | Average |
| 64.80            | 50               | Horizontal | 149.4            | 38.64                      | 43                        | Pass   | peak    |
|                  |                  | Vertical   | 148.5            | 37.74                      | 43                        | Pass   | peak    |
|                  |                  | Horizontal | 142.6            | 31.84                      | 40                        | Pass   | Average |
|                  |                  | Vertical   | 142.8            | 32.04                      | 40                        | Pass   | Average |

Remark:


 $E[dB\mu V/m] = EIRP [dBm] - 20 log(d[meters]) + 104.77$ , where E = field strength and d = distance at which field strength limit is specified in the rules

EIRP [dBm] = E[dB $\mu$ V/m] + 20 log(d[meters]) - 104.77



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions/Terms-and-Conditons/T


South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Anea, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/


South of No. 6 Plant, No. 1, Runsheng Road, Stachou Industrial Park, Suchou Anea, Chine (Jiangeu) Plot Pree Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company any prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the samp le(s) tested and such sample(s) are retained for 30 days only. Attention is Company in the report for only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, xtitention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To how the durbantericity of totaling inspection report & certificate, places contact us at telefinder (86-755) \$307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 34 of 77

### Occupied bandwidth


#### **Test Result**

| Channel (GHz) | 99% OCW (MHz) | -20dB OCW (MHz) | -6dB OCW (MHz) |
|---------------|---------------|-----------------|----------------|
| 58.32         | 2164.3        | 2400            | 1765           |
| 60.48         | 2165.8        | 2290            | 1655           |
| 62.64         | 2162.8        | 2240            | 1690           |
| 64.80         | 2162.1        | 2235            | 1610           |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Here the substantian of the sample(s) tested and such sample(s) are retained for 30 days only. Attendent or document and the admension of testing inspection report a certificate, please contact us at telephoner.(86-75) 5307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Stachou Instastrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions,aspx.and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditi</u>

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000






Member of the SGS Group (SGS SA)

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 37 of 77





Member of the SGS Group (SGS SA)


 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 38 of 77

#### Radiated spurious emissions below 40 GHz

#### Test Result Below 1GHz-Horizontal



| Final | Final Data List    |                   |              |                |                      |                      |                      |                |              |            |  |
|-------|--------------------|-------------------|--------------|----------------|----------------------|----------------------|----------------------|----------------|--------------|------------|--|
| NO.   | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | QP Value<br>[dBµV/m] | QP Limit<br>[dBµV/m] | QP<br>Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |
| 1     | 103.4775           | 46.22             | 15.81        | -33.45         | 28.58                | 43.50                | 14.92                | 142            | 123          | Horizontal |  |
| 2     | 109.54             | 45.83             | 16.36        | -33.39         | 28.79                | 43.50                | 14.71                | 159            | 123          | Horizontal |  |
| 3     | 130.6375           | 45.02             | 17.99        | -33.29         | 29.72                | 43.50                | 13.78                | 185            | 267          | Horizontal |  |
| 4     | 213.33             | 46.29             | 15.93        | -32.61         | 29.62                | 43.50                | 13.88                | 172            | 360          | Horizontal |  |
| 5     | 350.8275           | 38.19             | 19.92        | -31.85         | 26.26                | 46.00                | 19.74                | 136            | 228          | Horizontal |  |
| 6     | 848.4375           | 37.33             | 29.18        | -29.61         | 36.90                | 46.00                | 9.10                 | 255            | 22           | Horizontal |  |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Anea, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 39 of 77




| Final | Final Data List        |                       |              |                |                         |                             |                      |                    |              |          |  |
|-------|------------------------|-----------------------|--------------|----------------|-------------------------|-----------------------------|----------------------|--------------------|--------------|----------|--|
| NO.   | Frequen<br>cy<br>[MHz] | Readin<br>g<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | QP<br>Value<br>[dBµV/m] | QP<br>Limit<br>[dBµV/<br>m] | QP<br>Margin<br>[dB] | Heigh<br>t<br>[cm] | Angle<br>[°] | Polarity |  |
| 1     | 55.22                  | 43.02                 | 18.99        | -33.92         | 28.09                   | 40.00                       | 11.91                | 148                | 225          | Vertical |  |
| 2     | 103.72                 | 43.19                 | 15.83        | -33.45         | 25.58                   | 43.50                       | 17.92                | 128                | 32           | Vertical |  |
| 3     | 125.302<br>5           | 41.85                 | 17.64        | -33.31         | 26.18                   | 43.50                       | 17.32                | 177                | 360          | Vertical |  |
| 4     | 136.7                  | 40.22                 | 18.39        | -33.26         | 25.35                   | 43.50                       | 18.15                | 186                | 71           | Vertical |  |
| 5     | 247.28                 | 33.59                 | 17.23        | -32.47         | 18.35                   | 46.00                       | 27.65                | 196                | 359          | Vertical |  |
| 6     | 296.265                | 36.03                 | 18.39        | -32.19         | 22.22                   | 46.00                       | 23.78                | 152                | 225          | Vertical |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/Terms.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

| Report No.: | SUCR240800031201 |
|-------------|------------------|
| Rev.:       | 01               |
| Page:       | 40 of 77         |




| Data | Data List          |                         |              |                |                      |                   |                      |                |              |            |  |
|------|--------------------|-------------------------|--------------|----------------|----------------------|-------------------|----------------------|----------------|--------------|------------|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV]       | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m]    | Limit<br>[dBµV/m] | Margin<br>[dB]       | Height<br>[cm] | Angle<br>[°] | Polarity   |  |
| 1    | 2484.5             | 53.62                   | 27.26        | -47.57         | 33.30                | 74.00             | 40.70                | 142            | 37           | Horizontal |  |
| 2    | 7561               | 63.76                   | 36.62        | -43.48         | 56.90                | 74.00             | 17.10                | 306            | 343          | Horizontal |  |
| 3    | 16426.5            | 49.55                   | 40.52        | -35.26         | 54.82                | 74.00             | 19.18                | 224            | 360          | Horizontal |  |
| NO.  | Frequency<br>[MHz] | AV<br>Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | AV Level<br>[dBµV/m] | Limit<br>[dBµV/m] | AV<br>Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |
| 2    | 7561               | 57.21                   | 36.62        | -43.48         | 50.35                | 54.00             | 3.65                 | 306            | 343          | Horizontal |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indeemification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excere the reprivation from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (66-75) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号约6号厂房南部 邮编: 215000

| Report No.: | SUCR240800031201 |
|-------------|------------------|
| Rev.:       | 01               |
| Page:       | 41 of 77         |




| Data | Data List          |                         |              |                |                      |                   |                      |                |              |          |  |
|------|--------------------|-------------------------|--------------|----------------|----------------------|-------------------|----------------------|----------------|--------------|----------|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV]       | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m]    | Limit<br>[dBµV/m] | Margin<br>[dB]       | Height<br>[cm] | Angle<br>[°] | Polarity |  |
| 1    | 2583.5             | 54.55                   | 27.47        | -47.34         | 34.67                | 74.00             | 39.33                | 152            | 0            | Vertical |  |
| 2    | 7561               | 63.02                   | 36.62        | -43.48         | 56.16                | 74.00             | 17.84                | 142            | 11           | Vertical |  |
| 3    | 16404.5            | 48.70                   | 40.45        | -35.45         | 53.70                | 74.00             | 20.30                | 226            | 356          | Vertical |  |
| NO.  | Frequency<br>[MHz] | AV<br>Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | AV Level<br>[dBµV/m] | Limit<br>[dBµV/m] | AV<br>Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |
| 2    | 7561               | 57.55                   | 36.62        | -43.48         | 50.69                | 54.00             | 3.31                 | 142            | 11           | Vertical |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawifue and offers may be prosecuted to the fullest extend for 30 days only. Attention: to these the authenticity of testing inspection report & certificate, places contact us at tempore: (86-755) 5307 1443, Attention: to these the authenticity of testing inspection report & certificate, places contact us at tempore:

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Anea, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

Report No.: SUCR240800031201 Rev.: 01 Page: 42 of 77



#### 140

18G~40GHz-Horizontal

| Data | Data List          |                   |              |                |                   |                   |                |                |              |            |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |
| 1    | 21245.55           | 54.03             | 37.80        | -35.99         | 55.83             | 74.00             | 18.17          | 109            | 240          | Horizontal |  |
| 2    | 28656.25           | 50.75             | 39.43        | -36.55         | 53.62             | 74.00             | 20.38          | 198            | 50           | Horizontal |  |
| 3    | 38840.6            | 51.12             | 43.14        | -32.48         | 61.78             | 74.00             | 12.22          | 240            | 200          | Horizontal |  |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifu and offenders may be prosecuted to the fullest extend for 80 days only. Attention: To here the authenticity of testing inspection report & certificate, glasse contact us at temporter (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 43 of 77



| Data | Data List          |                   |              |                |                   |                   |                |                |              |          |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |
| 1    | 22126.65           | 52.27             | 37.85        | -36.17         | 53.95             | 74.00             | 20.05          | 109            | 250          | Vertical |  |
| 2    | 27898.9            | 49.69             | 39.00        | -35.48         | 53.21             | 74.00             | 20.79          | 256            | 100          | Vertical |  |
| 3    | 39307.55           | 50.34             | 43.05        | -32.38         | 61.00             | 74.00             | 13.00          | 269            | 70           | Vertical |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms.and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms.and-Conditions/Terms.and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To brack the authenticity of testing Inspection report a certificate, places contact us at lenghome: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号约6号厂房南部 邮编: 215000


 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 44 of 77

### Radiated emissions outside assigned band and above 40 GHz up to 200 GHz

Test Result








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. 田樹 ction & Testing Services South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 t (86-512) 62992980

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com


e: (86-755) 8307 1443,





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Anea, China (Jangsu) Plot Fines Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区消胜数1号的0号厂房南部 崩编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents a, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Document as <u>http://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only. Altention: To thesk the authenticity of testing/inspection report & certificate, glasse contact us at telenhome. (86-75) 8307 1443,

総合物サキ目 ( total Testing Services Literation Services) Literation Context Hore or email: CN, Descharter Control Services Joint K Services Control Services Joint K Services Literation Context Hore or email: CN, Descharter Joint K Services Literation Context Hore Joint K Services Literation Context Hore Joint K Services Joint K Services Literation Context Hore Joint K Services Join


oremant <u>Lett Documentations</u> 2004の他の日本10、Russieng Read (Autom Mastel Park, Subou Mas, Orine (Jangua) PMX Files Task Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由景景道全区苏州上区苏州工业団区発展着1号約号厂房南部 創場: 215000 t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fulliest extent for 30 days only. Attention: One here the authenticity of testing Ampeolon reports & certificate, please contact use Lienhome: (86-755) 8307 1443, Attention: One here the authenticity of testing Ampeolon reports & certificate, please contact use Lienhome: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stachou Industrial Park, Suchou Anea, Chine (Jangsu) Plot Free Trade Zone 21 50 00 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号约6号厂房南部 邮编: 21 50 00





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fulliest extent for 30 days only. Attention: One here the authenticity of testing Ampeolon reports & certificate, please contact use Lienhome: (86-755) 8307 1443, Attention: One here the authenticity of testing Ampeolon reports & certificate, please contact use Lienhome: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 52 of 77

#### Frequency stability Test Result

Frequency Stability vs temperature:

| Frequency<br>(GHz) | Temperature<br>(°C) | Voltage<br>(V ac) | F∟ (GHz) | Limit<br>(GHz) | Fн (GHz) | Limit<br>(GHz) | Result |
|--------------------|---------------------|-------------------|----------|----------------|----------|----------------|--------|
|                    | 50                  | 120               | 57.351   | 57             | 65.911   | 66             | Pass   |
|                    | 40                  | 120               | 57.348   | 57             | 65.909   | 66             | Pass   |
|                    | 30                  | 120               | 57.349   | 57             | 65.913   | 66             | Pass   |
| 57-71              | 20                  | 120               | 57.352   | 57             | 65.907   | 66             | Pass   |
|                    | 10                  | 120               | 57.345   | 57             | 65.915   | 66             | Pass   |
|                    | 0                   | 120               | 57.355   | 57             | 65.908   | 66             | Pass   |
|                    | -10                 | 120               | 57.341   | 57             | 65.905   | 66             | Pass   |

Frequency Stability vs voltage:

| Frequency<br>(GHz) | Voltage<br>(V ac) | Temperature<br>(°C) | F∟ (GHz) | Limit<br>(GHz) | Fн (GHz) | Limit<br>(GHz) | Result |
|--------------------|-------------------|---------------------|----------|----------------|----------|----------------|--------|
|                    | 108               | 20                  | 57.358   | 57             | 65.893   | 66             | Pass   |
| 57-71              | 120               | 20                  | 57.355   | 57             | 65.896   | 66             | Pass   |
|                    | 132               | 20                  | 57.352   | 57             | 65.899   | 66             | Pass   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indexmification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 53 of 77

#### Antenna2 Transmitter power and power spectral density Test Result

| Channel<br>(GHz) | Distance<br>(m) | Polarity   | dBuV/m<br>@ 3m | E.I.R.P.<br>Power<br>(dBm) | E.I.R.P<br>Limit<br>(dBm) | Result | Remark  |
|------------------|-----------------|------------|----------------|----------------------------|---------------------------|--------|---------|
|                  |                 | Horizontal | 133.7          | 38.47                      | 43                        | Pass   | peak    |
|                  |                 | Vertical   | 133.0          | 37.77                      | 43                        | Pass   | peak    |
| 58.32            | 3               | Horizontal | 126.5          | 31.27                      | 40                        | Pass   | Average |
|                  |                 | Vertical   | 127.6          | 32.37                      | 40                        | Pass   | Average |
|                  |                 | Horizontal | 131.1          | 35.87                      | 43                        | Pass   | peak    |
| 00.40            |                 | Vertical   | 133.2          | 37.97                      | 43                        | Pass   | peak    |
| 60.48            | 3               | Horizontal | 124.3          | 29.07                      | 40                        | Pass   | Average |
|                  |                 | Vertical   | 126.9          | 31.67                      | 40                        | Pass   | Average |
|                  |                 | Horizontal | 131.2          | 35.97                      | 43                        | Pass   | peak    |
|                  |                 | Vertical   | 133.2          | 37.97                      | 43                        | Pass   | peak    |
| 62.64            | 3               | Horizontal | 124.6          | 29.37                      | 40                        | Pass   | Average |
|                  |                 | Vertical   | 126.2          | 30.97                      | 40                        | Pass   | Average |
|                  |                 | Horizontal | 132.9          | 37.67                      | 43                        | Pass   | peak    |
|                  |                 | Vertical   | 133.8          | 38.57                      | 43                        | Pass   | peak    |
| 64.80            | 3               | Horizontal | 126.1          | 30.87                      | 40                        | Pass   | Average |
|                  |                 | Vertical   | 127.1          | 31.87                      | 40                        | Pass   | Average |

Remark:

 $E[dB\mu V/m] = EIRP [dBm] - 20 log(d[meters]) + 104.77$ , where E = field strength and d = distance at which field strength limit is specified in the rules

EIRP [dBm] = E[dBµV/m] + 20 log(d[meters]) - 104.77




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gsg.com/en/Terms-and-Conditions.aspz and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gsg.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000


 Report No.:
 SUCR240800031201

 Rev.:
 01


 Page:
 54 of 77


















Member of the SGS Group (SGS SA)

 Report No.:
 SUCR240800031201


 Rev.:
 01

 Page:
 58 of 77

### Occupied bandwidth

#### **Test Result**

| Channel (GHz) | 99% OCW (MHz) | -20dB OCW<br>(MHz) | -6dB OCW (MHz) |
|---------------|---------------|--------------------|----------------|
| 58.32         | 2161.3        | 2236               | 1733           |
| 60.48         | 2176.8        | 2341               | 1743           |
| 62.64         | 2162.7        | 2219               | 1788           |
| 64.80         | 2167.7        | 2225               | 1712           |





X

5 C 1 ? Oct 21, 2024

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document aspx. Attention is drawn to the limitation of liability, indexemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or failSitication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test end and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, plaase contact us at telephone: (86-75) 8307 1443, results.


・ つ に ? Oct 21, 2024 の 12:37:01 AM の

South Wei Flank Mu ft, Runshang Raud, Suzhou Madarál Park, Suzhou Area, China (Jángsu) Flad Flee Taska Zone 215000 t (86–512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由貿易試验区苏州片区苏州工业國区消費者)号約6月「房南部 卸線: 215000 t (86–512) 62992980 sgs.china@sgs.com

X

Channel 3 62.64GHz 99%

| Report No.: | SUCR240800031201 |  |  |  |  |
|-------------|------------------|--|--|--|--|
| Rev.:       | 01               |  |  |  |  |
| Page:       | 59 of 77         |  |  |  |  |
| Channel 4   | 64.80GHz 99%     |  |  |  |  |





 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 60 of 77






 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 61 of 77

#### Radiated spurious emissions below 40 GHz Test Result Below 1GHz-Horizontal






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

| Report No.: | SUCR240800031201 |  |  |  |  |
|-------------|------------------|--|--|--|--|
| Rev.:       | 01               |  |  |  |  |
| Page:       | 62 of 77         |  |  |  |  |






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

| Report No.: | SUCR240800031201 |  |  |  |  |
|-------------|------------------|--|--|--|--|
| Rev.:       | 01               |  |  |  |  |
| Page:       | 63 of 77         |  |  |  |  |






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: O thes the authenticity of testing Inspection report & certificate, places cont us at thehome: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 64 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 65 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: One back the authenticity of testing inspection report & certificate, phase contact us at tempore. (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 66 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: On the chart authenticity of testing inspection report & certificate, places contact us at telenhome: (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201


 Rev.:
 01

 Page:
 67 of 77

















Member of the SGS Group (SGS SA)

|  | Report No.: SUCR240800031201<br>Rev.: 01   |
|--|--|
|  | Page: 71 of 77   |
| Beectrum Analyzes 1<br>Swept SA<br>KEYSIGHT Insd. Ext Maxe<br>→ Signific to:<br>Signific to:<br>NE Asythe:<br>NE | Fréquéncy 🕴 🎇 Bredition Analysis 1 🕴 🕂   |
| 1 Spectrum • Mikr1 187.76 GHz<br>ScaleDiv 10 oB Ref Level 136.39 dByt/ 83.36 dByt/<br>Log  | Span         Span <th< td=""></th<>  |
| 117 Start Re 140.000<br>107  | R 117 Start Freq 140.0000000 Gvz 107 Start Freq 140.0000000 Gvz 107 Start Freq 140.00000000 Gvz 107 Start Freq 220.00000000 Gvz 200 Start 200 Star |
| 170 grill and guilles and the second and the second second of Stee   | 0000 GHz   |
| 170         Start 140.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz           Start 140.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz           Stop 20.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz           Stop 20.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz         Stop 220.00 GHz  | Start 140,00 PHZ FVideo BW 3.0 MHz Stop 220,00 PHZ Log<br>PRes BW 1.0 MHz Sweep 13.1 mm (1001 pts)   |
| Channel 2 140-220GHz-Horizonta   |  |
| Spectrum Arializar 1 +  Swept SA  KEYSIGHT Ingut Ethtware Dati Con INCal PND Fast And Type Log-Power 12 2 4 5 6 Center F  KEYSIGHT Ingut Ethtware Dati Con INCal PND Fast And Type Log-Power 12 2 4 5 6 Center F   | Frequency         Image: Shing and                                 |
| 1 Spectrum + Mikr1 48.31 GHz 500<br>Scale Div 10 aB Ref Level 116.99 aBpt/ 74.02 dBpt/ 500<br>L0g  | Spen         Mkr1 49.75 GHz         Spen         Spen         Mkr1 49.75 GHz         Spen         Spen         Spen         Spen         Pall Spen   |
| 070<br>770<br>1/54/ January Manager Landon Landon Manager Landon Landon Manager Landon Landon Manager Manager Landon Landon Manager Manager Landon Landon Manager Landon Landon Manager Manager Landon Landon Landon Manager Landon Landon Manager Landon Landon Manager Landon Landon Landon Manager Landon L  | 00000 GHz 40.00000000 GHz  |
| 57.0   | 00000 GHz 07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
| 27 C         Start 40.000 GHz         Stop 50.000 GHz  |  |
| Channel 3 40-50GHz-Horizontal  | Channel 3 40-50GHz-Vertical  |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifue and offers may be prosecuted to the fullest extend for 30 days only. Attention: to these the authenticity of testing inspection report a certificate, places contact us at tempore; (66-755) 8307 1443.

South of No.6 Plant, No.1, Runsheng Road, Stathou Industrial Park, Stathou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000





Member of the SGS Group (SGS SA)







 Report No.:
 SUCR240800031201

 Rev.:
 01


 Page:
 74 of 77













Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms.and/

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stachou Ansa, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SUCR240800031201

 Rev.:
 01

 Page:
 77 of 77

#### Frequency stability Test Result

Frequency Stability vs temperature:

| Frequency<br>(GHz) | Temperature<br>(°C) | Voltage<br>(V ac) | FL (GHz) | Limit<br>(GHz) | FH<br>(GHz) | Limit<br>(GHz) | Result |
|--------------------|---------------------|-------------------|----------|----------------|-------------|----------------|--------|
| 57-71              | 50                  | 120               | 57.361   | 57             | 65.892      | 66             | Pass   |
|                    | 40                  | 120               | 57.365   | 57             | 65.901      | 66             | Pass   |
|                    | 30                  | 120               | 57.362   | 57             | 65.893      | 66             | Pass   |
|                    | 20                  | 120               | 57.367   | 57             | 65.897      | 66             | Pass   |
|                    | 10                  | 120               | 57.365   | 57             | 65.895      | 66             | Pass   |
|                    | 0                   | 120               | 57.370   | 57             | 65.894      | 66             | Pass   |
|                    | -10                 | 120               | 57.361   | 57             | 65.895      | 66             | Pass   |
|                    | -20                 | 120               | 57.366   | 57             | 65.891      | 66             | Pass   |

Frequency Stability vs voltage:

| Frequency<br>(GHz) | Voltage<br>(V ac) | Temperature<br>(°C) | FL (GHz) | Limit<br>(GHz) | FH (GHz) | Limit<br>(GHz) | Result |
|--------------------|-------------------|---------------------|----------|----------------|----------|----------------|--------|
|                    | 108               | 20                  | 57.368   | 57             | 65.891   | 66             | Pass   |
| 57-71              | 120               | 20                  | 57.362   | 57             | 65.899   | 66             | Pass   |
|                    | 132               | 20                  | 57.365   | 57             | 65.895   | 66             | Pass   |

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-a-Document.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is followed to the service of the terms and Conditions and the service of the service and the service of the service of the service and the service of the service and the service of the service and the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Ana, China (Jiangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 単編: 215000