

**EXHIBIT 3****EXTERNAL PHOTOGRAPHS**

(Pursuant to FCC Part 2.1033(b)(7) and 2.1033(c)(12) and RSP 100 Annex C)

The following photographs are attached.		<u>Exhibit</u>
1.	Front View with 07 control head	3A
2.	Front View with E5 control head	3B
3.	Front View with 02 control head	3C
4.	Front View with 05 control head	3D
5.	Front View with 03 control head (Hand held)	3E
6.	Back View	3F
7.	View of FCC/IC label location	3G
8.	Side View (Right)	3H
9.	Side View (Left)	3I
10.	Top View	3J
11.	Bottom View	3K
12.	Top view with microphone and rear accessory cable	3L

**Exhibit 3A: Front View with 07 control head**



**Exhibit 3B: Front View with E5 control head**



**Exhibit 3C: Front View with 02 control head**



**Exhibit 3D: Front View with 05 control head**



**Exhibit 3E: Front View with 03 control head (Hand held)**



**Exhibit 3F: Back View**





Exhibit 3G: View of FCC/IC label location



View of FCC/IC Label Location (APX 4500 / APX 6500)



RF Exposure Label (Close View)

**Exhibit 3H: Side view (Right)**



**Exhibit 3I: Side view (Left)**



Exhibit 3J: Top view



Exhibit 3K: Bottom view



**Exhibit 3L: Top view with microphone and rear accessory cable**



**Note:**

1. Cables from the connector are wrapped and placed on the radio.
2. RF exposure label placed at the end of the Microphone cable.

**\*\*\* END \*\*\***