


Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	52.70	4.60	57.30	-	-	Vertical	NA
2	4787.00	39.01	-7.64	31.37	54.00	22.63	Vertical	PASS
3	15071.50	33.92	8.96	42.88	54.00	11.12	Vertical	PASS
4	17361.50	33.17	12.41	45.58	54.00	8.42	Vertical	PASS
5	2429.20	60.14	4.60	64.74	-	-	Vertical	NA
6	4783.50	45.75	-7.68	38.07	74.00	35.93	Vertical	PASS
7	15103.50	40.34	9.01	49.35	74.00	24.65	Vertical	PASS
8	17352.00	39.85	12.78	52.63	74.00	21.37	Vertical	PASS


Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	45.30	4.60	49.90	-	-	Horizontal	NA
2	4800.00	39.27	-7.53	31.74	54.00	22.26	Horizontal	PASS
3	14361.50	33.05	9.11	42.16	54.00	11.84	Horizontal	PASS
4	17348.50	32.26	12.79	45.05	54.00	8.95	Horizontal	PASS
5	2429.40	54.81	4.60	59.41	-	-	Horizontal	NA
6	4800.50	45.96	-7.54	38.42	74.00	35.58	Horizontal	PASS
7	14362.00	40.14	9.10	49.24	74.00	24.76	Horizontal	PASS
8	17348.50	39.59	12.79	52.38	74.00	21.62	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	50.83	4.60	55.43	-	-	Vertical	NA
2	4793.50	39.26	-7.59	31.67	54.00	22.33	Vertical	PASS
3	15113.50	33.83	8.87	42.70	54.00	11.30	Vertical	PASS
4	17362.00	32.93	12.39	45.32	54.00	8.68	Vertical	PASS
5	2429.20	59.97	4.60	64.57	-	-	Vertical	NA
6	4779.50	46.12	-7.71	38.41	74.00	35.59	Vertical	PASS
7	15078.00	40.06	8.99	49.05	74.00	24.95	Vertical	PASS
8	17833.00	38.94	12.56	51.50	74.00	22.50	Vertical	PASS


Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	43.75	4.60	48.35	-	-	Horizontal	NA
2	7402.50	36.84	-1.05	35.79	54.00	18.21	Horizontal	PASS
3	10527.00	35.52	3.84	39.36	54.00	14.64	Horizontal	PASS
4	17360.00	31.44	12.47	43.91	54.00	10.09	Horizontal	PASS
5	2429.00	51.44	4.60	56.04	-	-	Horizontal	NA
6	7397.00	43.58	-1.04	42.54	74.00	31.46	Horizontal	PASS
7	10468.50	42.37	4.15	46.52	74.00	27.48	Horizontal	PASS
8	17351.50	38.02	12.80	50.82	74.00	23.18	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	51.17	4.60	55.77	-	-	Vertical	NA
2	4464.50	40.20	-9.38	30.82	54.00	23.18	Vertical	PASS
3	9144.50	35.38	3.11	38.49	54.00	15.51	Vertical	PASS
4	17349.50	30.90	12.84	43.74	54.00	10.26	Vertical	PASS
5	2429.40	57.48	4.60	62.08	-	-	Vertical	NA
6	4460.50	46.64	-9.38	37.26	74.00	36.74	Vertical	PASS
7	9155.50	42.80	3.21	46.01	74.00	27.99	Vertical	PASS
8	17360.50	37.87	12.45	50.32	74.00	23.68	Vertical	PASS


Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	35.05	4.74	39.79	-	-	Horizontal	NA
2	4795.50	39.89	-7.57	32.32	54.00	21.68	Horizontal	PASS
3	9152.50	35.33	3.24	38.57	54.00	15.43	Horizontal	PASS
4	17348.50	30.95	12.79	43.74	54.00	10.26	Horizontal	PASS
5	2454.80	44.38	4.74	49.12	-	-	Horizontal	NA
6	4795.00	46.20	-7.57	38.63	74.00	35.37	Horizontal	PASS
7	9128.00	42.57	2.64	45.21	74.00	28.79	Horizontal	PASS
8	17882.00	37.94	12.42	50.36	74.00	23.64	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	42.93	4.74	47.67	-	-	Vertical	NA
2	7281.50	36.87	-1.33	35.54	54.00	18.46	Vertical	PASS
3	11486.50	35.04	4.91	39.95	54.00	14.05	Vertical	PASS
4	17358.50	31.34	12.53	43.87	54.00	10.13	Vertical	PASS
5	2454.40	51.28	4.74	56.02	-	-	Vertical	NA
6	7032.00	44.78	-2.01	42.77	74.00	31.23	Vertical	PASS
7	11411.00	41.60	5.26	46.86	74.00	27.14	Vertical	PASS
8	17377.50	39.78	11.78	51.56	74.00	22.44	Vertical	PASS

Project Information

Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2390.00	48.07	2.22	50.29	-	-	Horizontal	NA
2	9504.00	37.14	2.66	39.80	54.00	14.20	Horizontal	PASS
3	11890.50	36.24	5.23	41.47	54.00	12.53	Horizontal	PASS
4	17362.00	33.54	12.39	45.93	54.00	8.07	Horizontal	PASS
5	2389.80	57.73	2.22	59.95	-	-	Horizontal	NA
6	9586.00	44.89	2.75	47.64	74.00	26.36	Horizontal	PASS
7	11890.00	44.64	5.22	49.86	74.00	24.14	Horizontal	PASS
8	17366.00	41.13	12.24	53.37	74.00	20.63	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2391.20	49.56	2.21	51.77	-	-	Vertical	NA
2	8830.00	36.80	2.51	39.31	54.00	14.69	Vertical	PASS
3	14616.00	34.44	9.12	43.56	54.00	10.44	Vertical	PASS
4	17357.50	33.40	12.57	45.97	54.00	8.03	Vertical	PASS
5	2390.60	58.59	2.21	60.80	-	-	Vertical	NA
6	8856.00	43.21	2.59	45.80	74.00	28.20	Vertical	PASS
7	14615.50	41.53	9.11	50.64	74.00	23.36	Vertical	PASS
8	17362.00	40.43	12.39	52.82	74.00	21.18	Vertical	PASS


Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.20	61.62	2.27	63.89	-	-	Horizontal	NA
2	9139.50	37.35	2.97	40.32	54.00	13.68	Horizontal	PASS
3	14615.50	34.58	9.11	43.69	54.00	10.31	Horizontal	PASS
4	17354.50	33.44	12.68	46.12	54.00	7.88	Horizontal	PASS
5	2429.00	71.64	2.27	73.91	-	-	Horizontal	NA
6	9139.00	43.50	2.95	46.45	74.00	27.55	Horizontal	PASS
7	14619.00	40.61	9.19	49.80	74.00	24.20	Horizontal	PASS
8	17335.00	40.11	12.18	52.29	74.00	21.71	Horizontal	PASS


Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.20	64.40	2.27	66.67	-	-	Vertical	NA
2	10448.50	36.09	4.17	40.26	54.00	13.74	Vertical	PASS
3	14369.00	34.11	8.95	43.06	54.00	10.94	Vertical	PASS
4	17347.50	32.66	12.75	45.41	54.00	8.59	Vertical	PASS
5	2429.20	72.68	2.27	74.95	-	-	Vertical	NA
6	10463.00	43.39	4.16	47.55	74.00	26.45	Vertical	PASS
7	14350.00	41.47	9.35	50.82	74.00	23.18	Vertical	PASS
8	17343.00	40.75	12.54	53.29	74.00	20.71	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.20	53.26	2.32	55.58	-	-	Horizontal	NA
2	4983.00	40.36	-7.58	32.78	54.00	21.22	Horizontal	PASS
3	14344.00	34.42	9.21	43.63	54.00	10.37	Horizontal	PASS
4	17346.00	33.22	12.68	45.90	54.00	8.10	Horizontal	PASS
5	2453.20	61.23	2.31	63.54	-	-	Horizontal	NA
6	4982.50	49.08	-7.57	41.51	74.00	32.49	Horizontal	PASS
7	14356.00	41.42	9.22	50.64	74.00	23.36	Horizontal	PASS
8	17346.00	40.06	12.68	52.74	74.00	21.26	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.00	55.77	2.32	58.09	-	-	Vertical	NA
2	4907.50	40.18	-7.90	32.28	54.00	21.72	Vertical	PASS
3	14637.00	33.98	9.61	43.59	54.00	10.41	Vertical	PASS
4	17333.50	34.06	12.10	46.16	54.00	7.84	Vertical	PASS
5	2454.20	63.78	2.32	66.10	-	-	Vertical	NA
6	4908.00	47.77	-7.90	39.87	74.00	34.13	Vertical	PASS
7	15064.00	41.68	8.94	50.62	74.00	23.38	Vertical	PASS
8	17362.50	40.01	12.37	52.38	74.00	21.62	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2390.20	47.45	2.22	49.67	-	-	Horizontal	NA
2	4796.50	39.72	-7.56	32.16	54.00	21.84	Horizontal	PASS
3	14108.00	34.96	8.15	43.11	54.00	10.89	Horizontal	PASS
4	17345.50	34.05	12.66	46.71	54.00	7.29	Horizontal	PASS
5	2390.00	57.60	2.22	59.82	-	-	Horizontal	NA
6	4796.00	47.12	-7.57	39.55	74.00	34.45	Horizontal	PASS
7	14317.00	41.45	8.54	49.99	74.00	24.01	Horizontal	PASS
8	17367.50	40.94	12.18	53.12	74.00	20.88	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2389.80	47.26	2.22	49.48	-	-	Vertical	NA
2	10112.00	36.69	3.20	39.89	54.00	14.11	Vertical	PASS
3	14669.50	33.83	9.38	43.21	54.00	10.79	Vertical	PASS
4	17355.50	32.92	12.65	45.57	54.00	8.43	Vertical	PASS
5	2389.80	57.60	2.22	59.82	-	-	Vertical	NA
6	10062.00	43.42	3.61	47.03	74.00	26.97	Vertical	PASS
7	14663.00	40.93	9.56	50.49	74.00	23.51	Vertical	PASS
8	17357.50	39.85	12.57	52.42	74.00	21.58	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	45.85	2.27	48.12	-	-	Horizontal	NA
2	7226.00	38.22	-1.45	36.77	54.00	17.23	Horizontal	PASS
3	15081.00	34.34	9.00	43.34	54.00	10.66	Horizontal	PASS
4	17352.50	33.35	12.76	46.11	54.00	7.89	Horizontal	PASS
5	2429.40	52.69	2.27	54.96	-	-	Horizontal	NA
6	7225.50	45.81	-1.45	44.36	74.00	29.64	Horizontal	PASS
7	15072.00	41.27	8.96	50.23	74.00	23.77	Horizontal	PASS
8	17349.00	40.18	12.82	53.00	74.00	21.00	Horizontal	PASS

Project Information

Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	49.09	2.27	51.36	-	-	Vertical	NA
2	7019.00	38.08	-1.90	36.18	54.00	17.82	Vertical	PASS
3	13854.00	34.54	8.66	43.20	54.00	10.80	Vertical	PASS
4	17345.00	34.37	12.64	47.01	54.00	6.99	Vertical	PASS
5	2429.00	56.12	2.27	58.39	-	-	Vertical	NA
6	7045.50	45.75	-2.11	43.64	74.00	30.36	Vertical	PASS
7	13822.00	42.28	8.28	50.56	74.00	23.44	Vertical	PASS
8	17364.00	41.10	12.31	53.41	74.00	20.59	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.80	37.30	2.32	39.62	-	-	Horizontal	NA
2	9151.00	36.27	3.25	39.52	54.00	14.48	Horizontal	PASS
3	15231.00	34.52	8.90	43.42	54.00	10.58	Horizontal	PASS
4	17352.50	33.03	12.76	45.79	54.00	8.21	Horizontal	PASS
5	2461.20	45.40	2.33	47.73	-	-	Horizontal	NA
6	9171.50	42.92	3.07	45.99	74.00	28.01	Horizontal	PASS
7	15080.00	41.49	8.99	50.48	74.00	23.52	Horizontal	PASS
8	17363.50	39.87	12.33	52.20	74.00	21.80	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2455.00	40.23	2.32	42.55	-	-	Vertical	NA
2	6695.00	37.86	-3.36	34.50	54.00	19.50	Vertical	PASS
3	10008.00	37.10	3.59	40.69	54.00	13.31	Vertical	PASS
4	17349.00	32.68	12.82	45.50	54.00	8.50	Vertical	PASS
5	2454.00	48.19	2.32	50.51	-	-	Vertical	NA
6	6710.00	45.95	-3.46	42.49	74.00	31.51	Vertical	PASS
7	10021.00	44.46	3.64	48.10	74.00	25.90	Vertical	PASS
8	17875.00	40.27	12.50	52.77	74.00	21.23	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.54	32.91	3.28	36.19	54.00	17.81	Horizontal	PASS
2	2386.30	35.09	3.38	38.47	54.00	15.53	Horizontal	PASS
3	2389.47	34.79	3.40	38.19	54.00	15.81	Horizontal	PASS
4	2335.32	43.84	3.28	47.12	74.00	26.88	Horizontal	PASS
5	2386.67	44.77	3.38	48.15	74.00	25.85	Horizontal	PASS
6	2389.32	45.00	3.40	48.40	74.00	25.60	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2331.51	32.93	3.29	36.22	54.00	17.78	Vertical	PASS
2	2357.69	33.09	3.27	36.36	54.00	17.64	Vertical	PASS
3	2386.78	38.57	3.38	41.95	54.00	12.05	Vertical	PASS
4	2331.85	44.39	3.29	47.68	74.00	26.32	Vertical	PASS
5	2358.29	43.76	3.27	47.03	74.00	26.97	Vertical	PASS
6	2387.34	47.27	3.38	50.65	74.00	23.35	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.20	33.27	4.26	37.53	54.00	16.47	Horizontal	PASS
2	2492.92	33.25	4.29	37.54	54.00	16.46	Horizontal	PASS
3	2498.25	33.18	4.31	37.49	54.00	16.51	Horizontal	PASS
4	2484.51	43.90	4.26	48.16	74.00	25.84	Horizontal	PASS
5	2493.04	44.07	4.29	48.36	74.00	25.64	Horizontal	PASS
6	2497.81	44.04	4.31	48.35	74.00	25.65	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.53	36.14	4.25	40.39	54.00	13.61	Vertical	PASS
2	2494.79	33.81	4.30	38.11	54.00	15.89	Vertical	PASS
3	2497.96	33.79	4.31	38.10	54.00	15.90	Vertical	PASS
4	2483.84	47.41	4.26	51.67	74.00	22.33	Vertical	PASS
5	2494.91	44.83	4.30	49.13	74.00	24.87	Vertical	PASS
6	2497.45	44.76	4.31	49.07	74.00	24.93	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2316.98	32.99	3.34	36.33	54.00	17.67	Horizontal	PASS
2	2348.95	32.93	3.23	36.16	54.00	17.84	Horizontal	PASS
3	2388.24	37.22	3.39	40.61	54.00	13.39	Horizontal	PASS
4	2317.58	44.12	3.33	47.45	74.00	26.55	Horizontal	PASS
5	2348.73	43.84	3.23	47.07	74.00	26.93	Horizontal	PASS
6	2388.43	48.40	3.39	51.79	74.00	22.21	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2333.42	33.11	3.28	36.39	54.00	17.61	Vertical	PASS
2	2362.25	33.00	3.28	36.28	54.00	17.72	Vertical	PASS
3	2389.70	40.50	3.40	43.90	54.00	10.10	Vertical	PASS
4	2332.82	44.25	3.28	47.53	74.00	26.47	Vertical	PASS
5	2362.99	43.78	3.29	47.07	74.00	26.93	Vertical	PASS
6	2389.36	54.69	3.40	58.09	74.00	15.91	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	37.98	4.25	42.23	54.00	11.77	Horizontal	PASS
2	2493.23	32.80	4.29	37.09	54.00	16.91	Horizontal	PASS
3	2497.96	32.93	4.31	37.24	54.00	16.76	Horizontal	PASS
4	2483.98	51.19	4.26	55.45	74.00	18.55	Horizontal	PASS
5	2493.42	43.46	4.29	47.75	74.00	26.25	Horizontal	PASS
6	2498.30	43.62	4.31	47.93	74.00	26.07	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	45.14	4.25	49.39	54.00	4.61	Vertical	PASS
2	2484.80	42.95	4.26	47.21	54.00	6.79	Vertical	PASS
3	2497.19	33.10	4.31	37.41	54.00	16.59	Vertical	PASS
4	2483.53	59.61	4.25	63.86	74.00	10.14	Vertical	PASS
5	2484.68	57.71	4.26	61.97	74.00	12.03	Vertical	PASS
6	2496.90	44.13	4.31	48.44	74.00	25.56	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.40	32.57	3.27	35.84	54.00	18.16	Horizontal	PASS
2	2364.34	32.67	3.29	35.96	54.00	18.04	Horizontal	PASS
3	2389.88	40.88	3.40	44.28	54.00	9.72	Horizontal	PASS
4	2337.11	43.75	3.27	47.02	74.00	26.98	Horizontal	PASS
5	2365.35	43.74	3.29	47.03	74.00	26.97	Horizontal	PASS
6	2389.66	53.57	3.40	56.97	74.00	17.03	Horizontal	PASS


Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2343.95	32.74	3.25	35.99	54.00	18.01	Vertical	PASS
2	2363.29	32.98	3.29	36.27	54.00	17.73	Vertical	PASS
3	2389.88	47.05	3.40	50.45	54.00	3.55	Vertical	PASS
4	2344.02	44.04	3.25	47.29	74.00	26.71	Vertical	PASS
5	2362.77	43.64	3.29	46.93	74.00	27.07	Vertical	PASS
6	2389.55	60.23	3.40	63.63	74.00	10.37	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	37.34	4.25	41.59	54.00	12.41	Horizontal	PASS
2	2492.51	32.72	4.29	37.01	54.00	16.99	Horizontal	PASS
3	2498.08	33.12	4.31	37.43	54.00	16.57	Horizontal	PASS
4	2483.84	48.63	4.26	52.89	74.00	21.11	Horizontal	PASS
5	2492.44	44.00	4.29	48.29	74.00	25.71	Horizontal	PASS
6	2498.15	43.75	4.31	48.06	74.00	25.94	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	43.61	4.25	47.86	54.00	6.14	Vertical	PASS
2	2495.65	33.01	4.30	37.31	54.00	16.69	Vertical	PASS
3	2498.58	33.02	4.31	37.33	54.00	16.67	Vertical	PASS
4	2483.62	56.63	4.25	60.88	74.00	13.12	Vertical	PASS
5	2495.46	43.87	4.30	48.17	74.00	25.83	Vertical	PASS
6	2498.44	43.92	4.31	48.23	74.00	25.77	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.60	42.44	1.43	43.87	54.00	10.13	Horizontal	PASS
2	2387.03	44.68	1.42	46.10	54.00	7.90	Horizontal	PASS
3	2389.31	47.30	1.43	48.73	54.00	5.27	Horizontal	PASS
4	2384.43	51.06	1.43	52.49	74.00	21.51	Horizontal	PASS
5	2386.85	54.53	1.42	55.95	74.00	18.05	Horizontal	PASS
6	2389.62	57.18	1.43	58.61	74.00	15.39	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2382.80	42.91	1.43	44.34	54.00	9.66	Vertical	PASS
2	2385.84	46.46	1.43	47.89	54.00	6.11	Vertical	PASS
3	2389.58	48.78	1.43	50.21	54.00	3.79	Vertical	PASS
4	2381.83	52.47	1.43	53.90	74.00	20.10	Vertical	PASS
5	2384.34	56.53	1.43	57.96	74.00	16.04	Vertical	PASS
6	2387.99	61.10	1.43	62.53	74.00	11.47	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.42	37.35	4.26	41.61	54.00	12.39	Horizontal	PASS
2	2493.30	32.99	4.29	37.28	54.00	16.72	Horizontal	PASS
3	2498.30	32.93	4.31	37.24	54.00	16.76	Horizontal	PASS
4	2484.39	47.05	4.26	51.31	74.00	22.69	Horizontal	PASS
5	2492.92	43.61	4.29	47.90	74.00	26.10	Horizontal	PASS
6	2498.30	43.95	4.31	48.26	74.00	25.74	Horizontal	PASS


Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.81	41.25	4.26	45.51	54.00	8.49	Vertical	PASS
2	2487.72	40.56	4.27	44.83	54.00	9.17	Vertical	PASS
3	2494.73	34.71	4.30	39.01	54.00	14.99	Vertical	PASS
4	2483.71	51.97	4.25	56.22	74.00	17.78	Vertical	PASS
5	2488.16	50.89	4.27	55.16	74.00	18.84	Vertical	PASS
6	2494.83	46.26	4.30	50.56	74.00	23.44	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2363.11	32.91	3.29	36.20	54.00	17.80	Horizontal	PASS
2	2386.33	37.12	3.38	40.50	54.00	13.50	Horizontal	PASS
3	2389.43	38.69	3.40	42.09	54.00	11.91	Horizontal	PASS
4	2362.77	43.89	3.29	47.18	74.00	26.82	Horizontal	PASS
5	2386.04	50.33	3.38	53.71	74.00	20.29	Horizontal	PASS
6	2388.61	49.79	3.39	53.18	74.00	20.82	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2346.67	32.90	3.24	36.14	54.00	17.86	Vertical	PASS
2	2386.78	41.56	3.38	44.94	54.00	9.06	Vertical	PASS
3	2389.77	45.13	3.40	48.53	54.00	5.47	Vertical	PASS
4	2347.05	43.82	3.24	47.06	74.00	26.94	Vertical	PASS
5	2386.04	55.07	3.38	58.45	74.00	15.55	Vertical	PASS
6	2389.55	56.53	3.40	59.93	74.00	14.07	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	35.88	4.25	40.13	54.00	13.87	Horizontal	PASS
2	2489.00	32.68	4.28	36.96	54.00	17.04	Horizontal	PASS
3	2495.03	32.90	4.30	37.20	54.00	16.80	Horizontal	PASS
4	2483.58	47.36	4.25	51.61	74.00	22.39	Horizontal	PASS
5	2488.83	44.74	4.28	49.02	74.00	24.98	Horizontal	PASS
6	2495.27	43.99	4.30	48.29	74.00	25.71	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	42.00	4.25	46.25	54.00	7.75	Vertical	PASS
2	2486.17	39.08	4.26	43.34	54.00	10.66	Vertical	PASS
3	2487.95	37.95	4.27	42.22	54.00	11.78	Vertical	PASS
4	2484.13	53.72	4.26	57.98	74.00	16.02	Vertical	PASS
5	2486.07	53.93	4.26	58.19	74.00	15.81	Vertical	PASS
6	2487.92	53.38	4.27	57.65	74.00	16.35	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.18	32.62	3.29	35.91	54.00	18.09	Horizontal	PASS
2	2384.56	43.45	3.38	46.83	54.00	7.17	Horizontal	PASS
3	2389.75	43.71	3.40	47.11	54.00	6.89	Horizontal	PASS
4	2364.23	44.24	3.29	47.53	74.00	26.47	Horizontal	PASS
5	2384.52	52.67	3.38	56.05	74.00	17.95	Horizontal	PASS
6	2389.27	53.45	3.40	56.85	74.00	17.15	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2370.21	36.03	3.31	39.34	54.00	14.66	Vertical	PASS
2	2384.60	45.94	3.38	49.32	54.00	4.68	Vertical	PASS
3	2389.45	45.60	3.40	49.00	54.00	5.00	Vertical	PASS
4	2369.82	47.13	3.31	50.44	74.00	23.56	Vertical	PASS
5	2384.56	55.09	3.38	58.47	74.00	15.53	Vertical	PASS
6	2389.71	55.89	3.40	59.29	74.00	14.71	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.42	37.63	4.26	41.89	54.00	12.11	Horizontal	PASS
2	2491.97	32.93	4.29	37.22	54.00	16.78	Horizontal	PASS
3	2496.73	33.07	4.31	37.38	54.00	16.62	Horizontal	PASS
4	2484.39	48.50	4.26	52.76	74.00	21.24	Horizontal	PASS
5	2492.55	44.61	4.29	48.90	74.00	25.10	Horizontal	PASS
6	2496.43	43.86	4.31	48.17	74.00	25.83	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.75	44.75	4.26	49.01	54.00	4.99	Vertical	PASS
2	2486.97	42.98	4.27	47.25	54.00	6.75	Vertical	PASS
3	2490.88	39.44	4.28	43.72	54.00	10.28	Vertical	PASS
4	2485.92	55.64	4.26	59.90	74.00	14.10	Vertical	PASS
5	2487.75	56.49	4.27	60.76	74.00	13.24	Vertical	PASS
6	2491.80	51.96	4.29	56.25	74.00	17.75	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.38	32.90	3.37	36.27	54.00	17.73	Horizontal	PASS
2	2386.45	33.90	3.38	37.28	54.00	16.72	Horizontal	PASS
3	2389.58	35.39	3.40	38.79	54.00	15.21	Horizontal	PASS
4	2382.79	43.17	3.37	46.54	74.00	27.46	Horizontal	PASS
5	2386.82	44.59	3.38	47.97	74.00	26.03	Horizontal	PASS
6	2389.55	44.78	3.40	48.18	74.00	25.82	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.44	35.93	3.38	39.31	54.00	14.69	Vertical	PASS
2	2387.38	38.50	3.38	41.88	54.00	12.12	Vertical	PASS
3	2389.32	40.34	3.40	43.74	54.00	10.26	Vertical	PASS
4	2384.92	46.97	3.38	50.35	74.00	23.65	Vertical	PASS
5	2386.97	51.78	3.38	55.16	74.00	18.84	Vertical	PASS
6	2389.06	51.30	3.40	54.70	74.00	19.30	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.82	36.20	4.26	40.46	54.00	13.54	Horizontal	PASS
2	2484.85	35.39	4.26	39.65	54.00	14.35	Horizontal	PASS
3	2487.59	32.86	4.27	37.13	54.00	16.87	Horizontal	PASS
4	2483.74	46.51	4.25	50.76	74.00	23.24	Horizontal	PASS
5	2485.11	47.68	4.26	51.94	74.00	22.06	Horizontal	PASS
6	2487.83	43.38	4.27	47.65	74.00	26.35	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	40.71	4.26	44.97	54.00	9.03	Vertical	PASS
2	2486.79	39.65	4.27	43.92	54.00	10.08	Vertical	PASS
3	2488.64	36.96	4.27	41.23	54.00	12.77	Vertical	PASS
4	2484.42	56.15	4.26	60.41	74.00	13.59	Vertical	PASS
5	2487.11	56.09	4.27	60.36	74.00	13.64	Vertical	PASS
6	2488.76	49.80	4.28	54.08	74.00	19.92	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.64	34.64	3.36	38.00	54.00	16.00	Horizontal	PASS
2	2384.52	38.15	3.38	41.53	54.00	12.47	Horizontal	PASS
3	2389.49	40.93	3.40	44.33	54.00	9.67	Horizontal	PASS
4	2380.07	43.63	3.36	46.99	74.00	27.01	Horizontal	PASS
5	2384.47	49.50	3.38	52.88	74.00	21.12	Horizontal	PASS
6	2389.53	50.68	3.40	54.08	74.00	19.92	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2370.56	35.47	3.32	38.79	54.00	15.21	Vertical	PASS
2	2380.16	39.73	3.36	43.09	54.00	10.91	Vertical	PASS
3	2386.37	45.58	3.38	48.96	54.00	5.04	Vertical	PASS
4	2369.86	48.31	3.31	51.62	74.00	22.38	Vertical	PASS
5	2379.06	49.59	3.35	52.94	74.00	21.06	Vertical	PASS
6	2385.66	56.82	3.38	60.20	74.00	13.80	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.98	35.98	4.26	40.24	54.00	13.76	Horizontal	PASS
2	2487.82	33.62	4.27	37.89	54.00	16.11	Horizontal	PASS
3	2491.70	32.84	4.29	37.13	54.00	16.87	Horizontal	PASS
4	2483.67	46.45	4.25	50.70	74.00	23.30	Horizontal	PASS
5	2487.48	43.72	4.27	47.99	74.00	26.01	Horizontal	PASS
6	2491.63	42.91	4.29	47.20	74.00	26.80	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.08	44.02	4.26	48.28	54.00	5.72	Vertical	PASS
2	2485.85	44.26	4.26	48.52	54.00	5.48	Vertical	PASS
3	2489.59	42.09	4.28	46.37	54.00	7.63	Vertical	PASS
4	2483.91	56.34	4.26	60.60	74.00	13.40	Vertical	PASS
5	2486.12	54.46	4.26	58.72	74.00	15.28	Vertical	PASS
6	2489.25	53.16	4.28	57.44	74.00	16.56	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.90	42.66	1.43	44.09	54.00	9.91	Horizontal	PASS
2	2389.55	46.04	1.43	47.47	54.00	6.53	Horizontal	PASS
3	2389.88	46.09	1.43	47.52	54.00	6.48	Horizontal	PASS
4	2387.64	56.22	1.43	57.65	74.00	16.35	Horizontal	PASS
5	2389.29	58.42	1.43	59.85	74.00	14.15	Horizontal	PASS
6	2389.85	60.88	1.43	62.31	74.00	11.69	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.90	44.03	1.43	45.46	54.00	8.54	Vertical	PASS
2	2389.36	44.56	1.43	45.99	54.00	8.01	Vertical	PASS
3	2389.92	48.24	1.43	49.67	54.00	4.33	Vertical	PASS
4	2387.60	58.20	1.43	59.63	74.00	14.37	Vertical	PASS
5	2389.58	59.22	1.43	60.65	74.00	13.35	Vertical	PASS
6	2389.96	63.41	1.43	64.84	74.00	9.16	Vertical	PASS


Project Information			
Mode:	802.11be20 52t-37	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:14.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.31	43.51	1.42	44.93	54.00	9.07	Horizontal	PASS
2	2388.09	46.88	1.43	48.31	54.00	5.69	Horizontal	PASS
3	2389.29	47.75	1.43	49.18	54.00	4.82	Horizontal	PASS
4	2386.93	56.27	1.42	57.69	74.00	16.31	Horizontal	PASS
5	2388.76	60.39	1.43	61.82	74.00	12.18	Horizontal	PASS
6	2389.85	62.89	1.43	64.32	74.00	9.68	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:14.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.01	47.95	1.42	49.37	54.00	4.63	Vertical	PASS
2	2388.09	48.73	1.43	50.16	54.00	3.84	Vertical	PASS
3	2389.92	49.24	1.43	50.67	54.00	3.33	Vertical	PASS
4	2386.97	61.84	1.42	63.26	74.00	10.74	Vertical	PASS
5	2388.05	62.17	1.43	63.60	74.00	10.40	Vertical	PASS
6	2389.88	64.33	1.43	65.76	74.00	8.24	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.59	40.30	1.43	41.73	54.00	12.27	Horizontal	PASS
2	2388.39	41.84	1.43	43.27	54.00	10.73	Horizontal	PASS
3	2389.36	47.37	1.43	48.80	54.00	5.20	Horizontal	PASS
4	2386.63	53.86	1.42	55.28	74.00	18.72	Horizontal	PASS
5	2388.61	59.74	1.43	61.17	74.00	12.83	Horizontal	PASS
6	2389.92	61.54	1.43	62.97	74.00	11.03	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.77	42.56	1.43	43.99	54.00	10.01	Vertical	PASS
2	2388.43	45.12	1.43	46.55	54.00	7.45	Vertical	PASS
3	2389.88	49.12	1.43	50.55	54.00	3.45	Vertical	PASS
4	2384.80	54.46	1.43	55.89	74.00	18.11	Vertical	PASS
5	2386.67	57.60	1.42	59.02	74.00	14.98	Vertical	PASS
6	2388.39	64.21	1.43	65.64	74.00	8.36	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:12.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.06	45.92	1.87	47.79	54.00	6.21	Horizontal	PASS
2	2484.94	40.57	1.87	42.44	54.00	11.56	Horizontal	PASS
3	2486.87	38.56	1.90	40.46	54.00	13.54	Horizontal	PASS
4	2484.03	63.83	1.87	65.70	74.00	8.30	Horizontal	PASS
5	2485.35	54.77	1.88	56.65	74.00	17.35	Horizontal	PASS
6	2486.36	54.71	1.89	56.60	74.00	17.40	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	48.75	1.87	50.62	54.00	3.38	Vertical	PASS
2	2484.66	45.78	1.87	47.65	54.00	6.35	Vertical	PASS
3	2486.67	43.39	1.89	45.28	54.00	8.72	Vertical	PASS
4	2483.96	66.85	1.87	68.72	74.00	5.28	Vertical	PASS
5	2484.44	64.18	1.87	66.05	74.00	7.95	Vertical	PASS
6	2486.43	61.00	1.89	62.89	74.00	11.11	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:12.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	43.55	1.86	45.41	54.00	8.59	Horizontal	PASS
2	2484.46	41.46	1.87	43.33	54.00	10.67	Horizontal	PASS
3	2485.35	40.07	1.88	41.95	54.00	12.05	Horizontal	PASS
4	2483.98	58.00	1.87	59.87	74.00	14.13	Horizontal	PASS
5	2484.80	54.22	1.87	56.09	74.00	17.91	Horizontal	PASS
6	2486.00	51.54	1.88	53.42	74.00	20.58	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:12		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	47.41	1.86	49.27	54.00	4.73	Vertical	PASS
2	2485.66	43.55	1.88	45.43	54.00	8.57	Vertical	PASS
3	2486.87	39.82	1.90	41.72	54.00	12.28	Vertical	PASS
4	2484.01	61.27	1.87	63.14	74.00	10.86	Vertical	PASS
5	2485.64	58.87	1.88	60.75	74.00	13.25	Vertical	PASS
6	2486.77	52.13	1.90	54.03	74.00	19.97	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	44.82	1.86	46.68	54.00	7.32	Horizontal	PASS
2	2484.66	41.90	1.87	43.77	54.00	10.23	Horizontal	PASS
3	2485.42	40.97	1.88	42.85	54.00	11.15	Horizontal	PASS
4	2484.10	59.05	1.87	60.92	74.00	13.08	Horizontal	PASS
5	2485.06	58.88	1.87	60.75	74.00	13.25	Horizontal	PASS
6	2485.69	56.68	1.88	58.56	74.00	15.44	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.84	48.94	1.87	50.81	54.00	3.19	Vertical	PASS
2	2484.66	45.42	1.87	47.29	54.00	6.71	Vertical	PASS
3	2485.59	44.51	1.88	46.39	54.00	7.61	Vertical	PASS
4	2484.03	65.11	1.87	66.98	74.00	7.02	Vertical	PASS
5	2485.06	63.46	1.87	65.33	74.00	8.67	Vertical	PASS
6	2486.05	59.52	1.88	61.40	74.00	12.60	Vertical	PASS


Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:6.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.20	44.01	1.42	45.43	54.00	8.57	Horizontal	PASS
2	2388.04	46.19	1.43	47.62	54.00	6.38	Horizontal	PASS
3	2389.58	47.88	1.43	49.31	54.00	4.69	Horizontal	PASS
4	2386.81	53.68	1.42	55.10	74.00	18.90	Horizontal	PASS
5	2387.99	56.71	1.43	58.14	74.00	15.86	Horizontal	PASS
6	2389.45	60.07	1.43	61.50	74.00	12.50	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:6.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.66	41.01	1.43	42.44	54.00	11.56	Vertical	PASS
2	2388.35	48.02	1.43	49.45	54.00	4.55	Vertical	PASS
3	2389.89	48.99	1.43	50.42	54.00	3.58	Vertical	PASS
4	2385.22	53.45	1.43	54.88	74.00	19.12	Vertical	PASS
5	2387.47	57.81	1.42	59.23	74.00	14.77	Vertical	PASS
6	2389.97	62.57	1.43	64.00	74.00	10.00	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	44.46	1.86	46.32	54.00	7.68	Horizontal	PASS
2	2484.83	41.75	1.87	43.62	54.00	10.38	Horizontal	PASS
3	2486.26	39.31	1.89	41.20	54.00	12.80	Horizontal	PASS
4	2483.84	56.03	1.87	57.90	74.00	16.10	Horizontal	PASS
5	2484.73	53.75	1.87	55.62	74.00	18.38	Horizontal	PASS
6	2486.77	51.28	1.90	53.18	74.00	20.82	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	48.30	1.86	50.16	54.00	3.84	Vertical	PASS
2	2485.58	44.89	1.88	46.77	54.00	7.23	Vertical	PASS
3	2487.14	40.88	1.90	42.78	54.00	11.22	Vertical	PASS
4	2483.77	59.28	1.87	61.15	74.00	12.85	Vertical	PASS
5	2485.54	58.34	1.88	60.22	74.00	13.78	Vertical	PASS
6	2486.63	56.86	1.89	58.75	74.00	15.25	Vertical	PASS

~The End~