

FCC RF EXPOSURE REPORT

FCC ID: KA2AP3711A1

Project No. : 2004H005

Equipment: 5km Long Range 802.11ac Wireless Bridge

Brand Name : D-Link Corporation

Test Model : DAP-3711 Series Model : N/A

Applicant : D-Link Corporation

Address : 17595 Mt. Herrmann, Fountain Valley, California United State 92708

Manufacturer : D-Link Corporation

Address : No.289, SinHu 3rd Rd., Neihi District Taiper City 114, Taiwan, R.O.C

Date of Receipt : Apr. 17, 2020

Date of Test : May 04, 2020 ~ May 14, 2020

Issued Date : Jul. 21, 2020

Report Version : R01

Test Sample: Engineering Sample No.:

SH202004176/SH202004177/SH2020041715

Standard(s): FCC Guidelines for Human Exposure IEEE C95.1 & FCC Part 2.1091

FCC Title 47 Part 2.1091, OET Bulletin 65 Supplement C

The above equipment has been tested and found compliance with the requirement of the relative standards by BTL Inc.

Prepared by: Krain Wu

Approved by: Ryan Wang

IAC MRA ACCREDITED

Certificate # 5123.03

Add: No. 29, Jintang Road, Tangzhen Industry Park, Pudong New Area, Shanghai 201210, China

TEL: +86-021-61765666 Web: www.newbtl.com



REPORT ISSUED HISTORY

Report Version	Description	
R00	R00 Original Issue	
RUI	Update the power of Band 1 and information description of antenna.	Jul. 21, 2020





1. MPE CALCULATION METHOD

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)
1	N/A	N/A	PCB	N/A	15
2	N/A	N/A	PCB	N/A	15

Note:

(1) Antenna Gain=15 dBi. Transmit signals of this EUT are uncorrelated with each other, so Directional gain = G_{Ant.}, that is Directional gain=15; So, the UNII-1,UNII-3 output power limit is 30-15+6=21. The UNII-1 power spectral density limit is 17-15+6=8, the UNII-3 power spectral density limit is 30-15+6=21.





2. TEST RESULTS

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. Output Power (dBm)	Max. Output Power (mW)	Power Density (S) (mW/cm²)	Limit of Power Density (S) (mW/cm²)	Test Result
15	31.62280	18	63.0957	0.39690	1	Complies

Note: The calculated distance is 20 cm.

Output power including tune up tolerance.

End of Test Report