

Page: 1 of 41

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Acer Incorporated

8F., No. 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City

22181, Taiwan (R.O.C)

Manufacturer: Quanta Computer Inc.

211 Wen Hwa 2nd Rd., Kueishan, Taoyuan 33377, Taiwan

Product Name: LTE Module

Brand Name: Rolling Wireless

Model No.: RW101R-GL

FCC Host Model: N25Q8

Report Number: TERF2502000592ER

FCC ID HLZRW101RGL

Date of EUT Received: February 5, 2025

Date of Test: February 6, 2025~March 17, 2025

Issue Date: April 22, 2025

> Jazz Huana Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 22H & 24E & 27C.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 41

Revision History							
Report Number	Revision	Description	Issue Date	Revised By	Remark		
TERF2502000592ER	00	Original	April 1, 2025	Susan Lin			
TERF2502000592ER	01	Update section 1.1	April 22, 2025	Susan Lin	*		

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 41

Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	Test Configuration	9
4	SUMMARY OF TEST RESULTS	10
5	DESCRIPTION OF TEST MODES	11
6	MEASUREMENT UNCERTAINTY	12
7	MEASUREMENT EQUIPMENT USED	13
8	MAXIMUM OUTPUT POWER	14
a	FIELD STRENGTH OF SPLIRIOUS RADIATION MEASUREMENT	22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 41

GENERAL PRODUCT INFORMATION

1.1 **Product Description**

EUT Description:	Wireless module installed in Notebook Computer
Brand Name:	Rolling Wireless
Model No.:	RW101R-GL
FCC Host Model:	N25Q8
Integrated WWAN Module:	Brand Name: Rolling Wireless Model Name: RW101R-GL
Integrated WLAN Module:	Brand Name: Intel® BE200D2W Model Name: BE200D2W
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	N8JGPWW001502074797600A (Conducted & Radiated)
Power Supply:	11.28Vdc from Rechargeable Lithium Ion Battery Pack 5 / 9 / 12 / 15 / 20Vdc from AC/DC Adapter
Test Software (Name/Version):	Connect with call box

1.2 **Operation Frequency Range**

Operating Frequency (MHz)				
WCDMA / HSPA+ Band II 1852.4 - 1907.6				
WCDMA / HSPA+ Band IV	1712.4	-	1752.6	
WCDMA / HSPA+ Band V	826.4	-	846.6	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 5 of 41

1.3 Antenna Designation

Antenna Type	Type Main/Aux Antenna Model No.	
PIFA	Main	02036698-08188
	Aux	02036698-08189

Note: Transmission frequencies in this test report are only available by the above antenna(s).

Modulation	Frequency (MHz)		Peak Antenna Gain (dBi)		
			Main	Aux	
WCDMA / HSPA+ Band II	1852.4 -	1907.6	1.87	1.63	
WCDMA / HSPA+ Band IV	1712.4 -	1752.6	1.87	1.28	
WCDMA / HSPA+ Band V	826.4 -	846.6	-0.9	-0.79	

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺胺别对对格里名含,同时世缘里属是例如于。大数型土壤大公司电面连可,不可如必遏制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 6 of 41

1.4 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22H, 24E, 27C ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

KDB412172 D01 Determining ERP and EIRP v01r01

TS 151 010-1 is used to set, and measure the output power.

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2		
		SAC 3		
	No 124 Wu Kung Dood New Toingi	Conduction 1		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New	Conducted 1	TW0027	TW3702
	Taipei City, Taiwan.	Conducted 2	1 440027	
	raipei City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C	TW0028	
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
	No 2 Koji 1et Pd. Cujeban Dietriet	Conducted A		
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conducted B		
	laoyuan Oity, Taiwan 555	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		l

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 Special Accessories

No special accessories were used during testing.

1.7 Equipment Modifications

There was no modifications incorporated into the EUT.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 7 of 41

1.8 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 8 of 41

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝展例の主。大報生主概太公司書面對可,不可可以複劃。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 9 of 41

TEST CONFIGURATION





Note: Radio Communication Analyzer is placed in remote side for radiated test.

3.1 Control Unit(s)

Radiated Emission Test Site: SAC 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
AC Adatper	chicony	A20-065N3A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 10 of 41

SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§22.913(a)(5) §24.232(c) §27.50(d)(4)	ERP/ EIRP measurement	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(h)	Field Strength of Spurious Radiation	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 11 of 41

5 DESCRIPTION OF TEST MODES

5.1 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

5.2 Measurement Configuration

Toot Itomo	WCDMA / HSPA	Test Channel		
Test Items	Bands	L	М	Н
ERP	Band V	٧	٧	٧
EIRP	Bnad II	٧	٧	٧
LIKP	Band IV	٧	V	٧

E-UTRA Band	Test Channel	Modulation
2	9262	WCDMA
2	9400	WCDMA
2	9538	WCDMA
4	1312	WCDMA
4	1413	WCDMA
4	1513	WCDMA
5	4132	WCDMA
5	4183	WCDMA
5	4233	WCDMA

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 12 of 41

MEASUREMENT UNCERTAINTY

Test Items	Und	certair	nty
Power Density	+/-	0.61	dB
RF Power Output	+/-	0.97	dB
ERP/ EIRP measurement	+/-	2.15	dB
ENF/ EINF IIIeasurement	+/-	2.15	dB
Emission Bandwidth	+/-	1.38	Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/-	0.77	dB
Peak to Average Ratio	+/-	0.97	dB
Frequency Stability vs. Temperature	+/-	1.48	Hz
Frequency Stability vs. Voltage	+/-	1.48	Hz
Temperature	+/-	0.6	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious E	Emissi	ion Meas	uremer	nt Uncertainty
	+/-	1.89	dB	9kHz~30MHz
Polarization: Vertical	+/-	4.15	dB	30MHz - 1000MHz
Polarization. Vertical	+/-	3.43	dB	1GHz - 18GHz
	+/-	3.86	dB	18GHz - 40GHz
	+/-	1.89	dB	9kHz~30MHz
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz
Polarization. Horizontal	+/-	3.43	dB	1GHz - 18GHz
	+/-	3.86	dB	18GHz - 40GHz
	+/-	2	dB	33GHz-50GHz
	+/-	1.59	dB	50GHz-60GHz
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz
	+/-	1.64	dB	90GHz-140GHz
	+/-	3.83	dB	140GHz-220GHz

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 41

7 MEASUREMENT EQUIPMENT USED

7.1 Conducted Measurement

Conducted Emission Test Site: Conducted 6								
EQUIPMENT TYPE	MFR	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)					
Radio Communication Test	Anritsu	MT8820C	6201061014	08/29/2024	08/28/2025			

7.2 Radiated Measurement

		Radiated Emissio	n Test Site: SAC 1		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
1.3G High Pass Filter	Woken	WHKX10-1066	20	12/11/2024	12/10/2025
3.2G High Pass Filter	Woken	WHKX10-2624	4	12/11/2024	12/10/2025
Band Reject Filter 635-920	Titan	T04N63592050S01	23040703-4	12/11/2024	12/10/2025
Band Reject Filter 1700-2000	Titan	T04N800100050S0 1	23040703-7	12/11/2024	12/10/2025
Bi-log Antenna	SCHWARZBECK	VULB9168	1208	07/17/2024	07/16/2025
Bi-log Antenna	SCHWARZBECK	VULB9168	443	01/23/2025	01/22/2026
Coaxial Cable	EMCI	EMC104-SM-SM- 8000+EMC106-SM- SM-7600	RX Cable 9K- 18G(160125+15081 7)	08/30/2024	08/29/2025
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062 /2	08/30/2024	08/29/2025
Coaxial Cables	Huber Suhner	SUCOFLEX 102+SUCOFLEX 106	TX Cable 30M-40G 23051/2+76096/6+ 22962/2	08/30/2024	08/29/2025
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242081	10/23/2024	10/22/2025
Horn Antenna	ETS.LINDGREN	3117	143271	01/09/2025	01/08/2026
Horn Antenna	RF SPIN	DRH0844	LE2D05A0844	07/10/2024	07/09/2025
Horn Antenna	SCHWARZBECK	BBHA9120D	D803	01/09/2025	01/08/2026
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/20/2024	12/19/2025
Network Analyzer	Anritsu	MS4644A	1216312	12/25/2024	12/24/2025
Pre-Amplifier	EMCI	EMC118A45SEE	980933	08/30/2024	08/29/2025
Pre-Amplifier	EMCI	EMC184045SEE	9080939	08/30/2024	08/29/2025
Pre-Amplifier	HP	8447D	2944A09469	08/30/2024	08/29/2025
Radio Communication Analyzer	Anritsu	MT8815A	6200429620	02/05/2025	02/04/2026
Site Cal	SGS	SAC 1	N/A	08/30/2024	08/29/2025
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 41

MAXIMUM OUTPUT POWER

8.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(d)

(4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 41



EUT Communication Tester

Note: Measurement setup for testing on Antenna connector

8.3 Output Power Measurement Applicable Guideance

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a communication tester.

Transmitter output was read off the communication tester in dBm.

The power output at the transmitter antenna port was determined by adding the value of the attenuator to the communication tester reading.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and RMC 12.2kps is used for Base station setting.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.

Conducted average power is obtained from the simulator telecommunication test set.

8.4 Determining ERP and/or EIRP from conducted RF output power measurements

According to KDB 412172 D01 Power Approach,

 $EIRP = P_T + G_T - L_C$

ERP= EIRP-2.15.

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power

(expressed in the same units as PT, typically dBW, dBm, or power spectral density (PSD)2), relative to either a dipole antenna (ERP) or

an isotropic antenna (EIRP);

 P_T = transmitter output power, expressed in dBW, dBm, or PSD;

 G_{τ} = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

Lc = signal attenuation in the connecting cable between the transmitter

and antenna, in dB.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 41

Measurement Results

8.5.1 WCDMA & HSPA Measurement Results:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm. RMC 12.2kps is used for this testing.

WCDMA/HSUPA/HSDPA Band II Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	1852.4	9262	23.82	1.87	23.54	25.69	33.00	-7.31
WCDMA	1880.0	9400	23.75	1.87	23.47	25.62	33.00	-7.38
	1907.6	9538	23.54	1.87	23.26	25.41	33.00	-7.59
	1852.4	9262	23.71	1.87	23.43	25.58	33.00	-7.42
HSDPA	1880.0	9400	23.53	1.87	23.25	25.40	33.00	-7.60
	1907.6	9538	23.36	1.87	23.08	25.23	33.00	-7.77
	1852.4	9262	23.62	1.87	23.34	25.49	33.00	-7.51
HSUPA	1880.0	9400	23.63	1.87	23.35	25.50	33.00	-7.50
	1907.6	9538	23.31	1.87	23.03	25.18	33.00	-7.82

WCDMA/HSUPA/HSDPA Band IV Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	1712.4	1312	23.75	1.87	23.47	25.62	30.00	-4.38
WCDMA	1732.6	1413	23.85	1.87	23.57	25.72	30.00	-4.28
	1752.6	1513	23.70	1.87	23.42	25.57	30.00	-4.43
	1712.4	1312	23.53	1.87	23.25	25.40	30.00	-4.60
HSDPA	1732.6	1413	23.66	1.87	23.38	25.53	30.00	-4.47
	1752.6	1513	23.53	1.87	23.25	25.40	30.00	-4.60
	1712.4	1312	23.65	1.87	23.37	25.52	30.00	-4.48
HSUPA	1732.6	1413	23.60	1.87	23.32	25.47	30.00	-4.53
	1752.6	1513	23.56	1.87	23.28	25.43	30.00	-4.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 17 of 41

WCDMA/HSUPA/HSDPA Band V Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)			
	826.4	4132	23.58	-0.90	20.53	22.68	38.50	-15.82			
WCDMA	836.6	4183	23.68	-0.90	20.63	22.78	38.50	-15.72			
	846.6	4233	23.72	-0.90	20.67	22.82	38.50	-15.68			
	826.4	4132	23.43	-0.90	20.38	22.53	38.50	-15.97			
HSDPA	836.6	4183	23.55	-0.90	20.50	22.65	38.50	-15.85			
	846.6	4233	23.57	-0.90	20.52	22.67	38.50	-15.83			
	826.4	4132	23.39	-0.90	20.34	22.49	38.50	-16.01			
HSUPA	836.6	4183	23.51	-0.90	20.46	22.61	38.50	-15.89			
	846.6	4233	23.65	-0.90	20.60	22.75	38.50	-15.75			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 18 of 41

8.5.2 HSPA (HSDPA & HSUPA) Release 6:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1. RMC 12.2kps is used for this testing.

8.5.3 HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	βa	β _d (SF)	βc/βd	β _{HS} (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

	Sub	Av	Avg. Power (dBm)				
Mode	test		Channel				
	ισοι	9262	9400	9538			
HSDPA II	1	23.71	23.53	23.36			
	2	23.60	23.52	23.40			
	3	23.14	23.07	22.78			
	4	23.17	23.06	22.97			
		Av	g. Power (dE	Bm)			
Mode	Sub	Av	g. Power (dE Channel	Sm)			
Mode	Sub test	1312	•	3m) 1513			
Mode			Channel	,			
	test	1312	Channel 1413	1513			
Mode HSDPA IV	test 1	1312 23.53	Channel 1413 23.66	1513 23.53			

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 19 of 41

Mode	Sub test	Avg. Power (dBm) Channel				
	เธอเ	4132	4183	4233		
	1	23.43	23.55	23.57		
HCDD4 V	2	23.40	23.61	23.57		
HSDPA V	3	22.83	23.08	23.12		
	4	22.95	22.91	23.07		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 41

8.5.4 HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

DCH(FOR HSUPA)														
Sub- test	βς	βa	β _d (SF)	βc/βd	βнs	βес	βed	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Mode	Sub test	Avg. Power (dBm) Channel					
	1031	9262	9400	9538			
	1	23.62	23.63	23.31			
HSUPA II	2	21.62	21.65	21.32			
	3	22.59	22.68	22.43			
	4	21.52	21.60	21.33			
	5	23.72	23.54	23.33			
	01.	Avg. Power (dBm)					
Mode	Sub test	Channel					
	1031	4040					
		1312	1413	1513			
	1	23.65	1413 23.60	1513 23.56			
	1 2		 				
HSUPA IV	-	23.65	23.60	23.56			
HSUPA IV	2	23.65 21.67	23.60 21.61	23.56 21.45			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 21 of 41

Mode	Sub test	Avg. Power (dBm) Channel				
	เธอเ	4132	4183	4233		
	1	23.39	23.51	23.65		
	2	21.41	21.51	21.56		
HSUPA V	3	22.43	22.46	22.57		
	4	21.37	21.62	21.62		
	5	23.51	23.49	23.50		

8.5.5 WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm then record the read. The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 22 of 41

9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable


According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)


Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

9.2 EUT Setup

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 41

Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 24 of 41




Measurement Result:

Report Number :TERF2502000592ER Test Site :SAC 1

Test Date Operation Mode :WCDMA B2 :2025-03-14

Temp./Humi. :21.1°C/62% Test Mode :Tx

EUT Pol :NB Mode Antenna Pol. :Vertical **Test Frequency** :1852.4 MHz Engineer :WJ Lin



Fre	eg. EIRP/ERI	P SG	Antenna	Cable	Limit	Margin
110	,q	Output Leve		Loss	Liiiit	Margin
MH	Hz dBm	•	dBi/dBd	dB	dBm	dB
30.	97 -60.8	0 -44.90	-14.89	-1.02	-13.00	-47.80
40.	67 -66.2	1 -52.01	-13.03	-1.17	-13.00	-53.21
97.	90 -66.1	8 -63.45	-0.92	-1.81	-13.00	-53.18
192	.96 -72.2	9 -72.83	3.08	-2.54	-13.00	-59.29
287	.05 -70.0	6 -70.66	3.70	-3.10	-13.00	-57.06
328	.76 -69.9	3 -70.48	3.87	-3.31	-13.00	-56.93
3704	4.80 - 52.6	9 -53.83	12.50	-11.36	-13.00	-39.69
5557	7.20 -50.2	5 -49.41	13.23	-14.07	-13.00	-37.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B2 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :1852.4 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.97	-42.80	-26.90	-14.89	-1.02	-13.00	-29.80
100.81	-66.28	-63.26	-1.19	-1.84	-13.00	-53.28
283.17	-68.75	-69.37	3.69	-3.08	-13.00	-55.75
353.98	-75.58	-76.40	4.26	-3.43	-13.00	-62.58
418.97	-74.84	-75.24	4.14	-3.73	-13.00	-61.84
484.93	-77.12	-77.19	4.09	-4.02	-13.00	-64.12
3704.80	-52.70	-53.84	12.50	-11.36	-13.00	-39.70
5557.20	-50.87	-50.03	13.23	-14.07	-13.00	-37.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 26 of 41

Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B2 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Vertical **Test Frequency** :1880 MHz Engineer :WJ Lin



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
_							
	30.00	-63.14	-47.26	-14.88	-1.00	-13.00	-50.14
	39.70	-66.27	-51.87	-13.25	-1.16	-13.00	-53.27
	99.84	-65.16	-62.32	-1.02	-1.83	-13.00	-52.16
	194.90	-71.67	-72.39	3.28	-2.55	-13.00	-58.67
	284.14	-69.69	-70.29	3.69	-3.08	-13.00	-56.69
	318.09	-69.88	-70.45	3.83	-3.26	-13.00	-56.88
	3760.00	-53.25	-54.31	12.50	-11.44	-13.00	-40.25
	5640.00	-48.92	-48.23	13.48	-14.17	-13.00	-35.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 27 of 41


Report Number :TERF2502000592ER Test Site :SAC 1

Operation Mode :WCDMA B2 Test Date :2025-03-14

Test Mode :Tx Temp./Humi. :21.1°C/62%

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.97	-43.95	-28.05	-14.89	-1.02	-13.00	-30.95
95.96	-67.84	-65.18	-0.87	-1.79	-13.00	-54.84
190.05	-74.73	-74.97	2.77	-2.52	-13.00	-61.73
279.29	-68.54	-69.19	3.71	-3.06	-13.00	-55.54
419.94	-74.13	-74.53	4.14	-3.74	-13.00	-61.13
590.66	-75.01	-74.36	3.78	-4.43	-13.00	-62.01
3760.00	-52.27	-53.33	12.50	-11.44	-13.00	-39.27
5640.00	-49.51	-48.82	13.48	-14.17	-13.00	-36.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 28 of 41

Report Number :TERF2502000592ER Test Site :SAC 1

Operation Mode :WCDMA B2 Test Date :2025-03-14

Test Mode :Tx Temp./Humi. :21.1°C/62%

EUT Pol :NB Mode Antenna Pol. :Vertical
Test Frequency :1907.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
30.97	-61.20	-45.30	-14.89	-1.02	-13.00	-48.20	
40.67	-66.05	-51.85	-13.03	-1.17	-13.00	-53.05	
97.90	-66.50	-63.77	-0.92	-1.81	-13.00	-53.50	
193.93	-72.75	-73.43	3.23	-2.55	-13.00	-59.75	
291.90	-70.51	-71.14	3.75	-3.12	-13.00	-57.51	
329.73	-69.26	-69.80	3.85	-3.32	-13.00	-56.26	
3815.20	-52.11	-53.02	12.44	-11.52	-13.00	-39.11	
5722.80	-50.13	-49.15	13.30	-14.28	-13.00	-37.13	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 29 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B2 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :1907.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.04	-28.16	-14.88	-1.00	-13.00	-31.04
97.90	-68.01	-65.28	-0.92	-1.81	-13.00	-55.01
281.23	-68.35	-69.00	3.71	-3.07	-13.00	-55.35
417.03	-74.89	-75.31	4.14	-3.73	-13.00	-61.89
445.16	-77.00	-76.71	3.56	-3.85	-13.00	-64.00
534.40	-77.03	-76.94	4.13	-4.22	-13.00	-64.03
3815.20	-52.08	-52.99	12.44	-11.52	-13.00	-39.08
5722.80	-50.27	-49.29	13.30	-14.28	-13.00	-37.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 30 of 41

Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B4 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Vertical **Test Frequency** :1712.4 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-62.06	-46.18	-14.88	-1.00	-13.00	-49.06
39.70	-66.45	-52.05	-13.25	-1.16	-13.00	-53.45
99.84	-65.07	-62.23	-1.02	-1.83	-13.00	-52.07
191.99	-72.56	-72.98	2.95	-2.53	-13.00	-59.56
286.08	-70.97	-71.57	3.69	-3.09	-13.00	-57.97
319.06	-70.03	-70.62	3.86	-3.26	-13.00	-57.03
3424.80	-53.88	-55.52	12.55	-10.91	-13.00	-40.88
5137.20	-49.57	-48.48	12.40	-13.49	-13.00	-36.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 31 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B4 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :1712.4 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.97	-44.80	-28.89	-14.89	-1.02	-13.00	-31.80
96.93	-68.59	-65.73	-1.07	-1.80	-13.00	-55.59
127.97	-70.97	-67.21	-1.68	-2.07	-13.00	-57.97
189.08	-75.63	-75.74	2.62	-2.51	-13.00	-62.63
280.26	-68.91	-69.57	3.72	-3.06	-13.00	-55.91
423.82	-74.57	-74.88	4.07	-3.76	-13.00	-61.57
3424.80	-53.46	-55.10	12.55	-10.91	-13.00	-40.46
5137.20	-48.90	-47.81	12.40	-13.49	-13.00	-35.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 41


Report Number :TERF2502000592ER Test Site :SAC 1

Operation Mode :WCDMA B4 Test Date :2025-03-14

Test Mode :Tx Temp./Humi. :21.1°C/62%

EUT Pol :NB Mode Antenna Pol. :Vertical

Test Frequency :1732.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-62.37	-46.49	-14.88	-1.00	-13.00	-49.37
39.70	-65.72	-51.32	-13.25	-1.16	-13.00	-52.72
110.51	-66.25	-62.78	-1.55	-1.92	-13.00	-53.25
194.90	-72.00	-72.72	3.28	-2.55	-13.00	-59.00
249.22	-71.04	-71.80	3.64	-2.89	-13.00	-58.04
286.08	-69.97	-70.57	3.69	-3.09	-13.00	-56.97
3465.20	-52.69	-54.28	12.57	-10.97	-13.00	-39.69
5197.80	-49.15	-48.26	12.69	-13.58	-13.00	-36.15

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 33 of 41


Report Number :TERF2502000592ER Test Site :SAC 1

Operation Mode :WCDMA B4 Test Date :2025-03-14

Test Mode :Tx Temp./Humi. :21.1°C/62%

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :1732.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-45.24	-29.36	-14.88	-1.00	-13.00	-32.24
97.90	-67.09	-64.36	-0.92	-1.81	-13.00	-54.09
277.35	-69.03	-69.67	3.69	-3.05	-13.00	-56.03
318.09	-74.81	-75.38	3.83	-3.26	-13.00	-61.81
384.05	-75.67	-76.00	3.91	-3.58	-13.00	-62.67
418.00	-74.73	-75.14	4.14	-3.73	-13.00	-61.73
3465.20	-54.21	-55.81	12.57	-10.97	-13.00	-41.21
5197.80	-49.33	-48.44	12.69	-13.58	-13.00	-36.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 34 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B4 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Vertical

Test Frequency :1752.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-61.93	-46.05	-14.88	-1.00	-13.00	-48.93
40.67	-65.26	-51.06	-13.03	-1.17	-13.00	-52.26
98.87	-65.24	-62.43	-1.00	-1.82	-13.00	-52.24
192.96	-71.72	-72.26	3.08	-2.54	-13.00	-58.72
240.49	-71.15	-71.99	3.68	-2.83	-13.00	-58.15
322.94	-69.46	-70.08	3.90	-3.28	-13.00	-56.46
3505.20	-54.28	-55.71	12.47	-11.04	-13.00	-41.28
5257.80	-49.70	-49.08	13.05	-13.66	-13.00	-36.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 35 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B4 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :1752.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.97	-44.50	-28.59	-14.89	-1.02	-13.00	-31.50
95.96	-68.43	-65.77	-0.87	-1.79	-13.00	-55.43
159.98	-74.25	-70.90	-1.04	-2.31	-13.00	-61.25
280.26	-68.65	-69.31	3.72	-3.06	-13.00	-55.65
353.98	-74.49	-75.32	4.26	-3.43	-13.00	-61.49
418.00	-75.16	-75.57	4.14	-3.73	-13.00	-62.16
3505.20	-54.33	-55.76	12.47	-11.04	-13.00	-41.33
5257.80	-50.51	-49.89	13.05	-13.66	-13.00	-37.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 36 of 41

Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B5 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Vertical **Test Frequency** :826.4 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-62.15	-46.27	-14.88	-1.00	-13.00	-49.15
39.70	-67.39	-52.99	-13.25	-1.16	-13.00	-54.39
98.87	-65.86	-63.04	-1.00	-1.82	-13.00	-52.86
194.90	-71.79	-72.51	3.28	-2.55	-13.00	-58.79
288.02	-69.36	-69.97	3.71	-3.10	-13.00	-56.36
321.97	-69.96	-70.57	3.90	-3.28	-13.00	-56.96
1652.80	-57.22	-59.35	9.60	-7.47	-13.00	-44.22
2479.20	-55.24	-56.61	10.60	-9.23	-13.00	-42.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 37 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B5 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :826.4 MHz Engineer :WJ Lin



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		· ·
dBm	dBm	dBi/dBd	dB	dBm	dB
-42.20	-26.30	-14.89	-1.02	-13.00	-29.20
-68.35	-65.79	-0.77	-1.78	-13.00	-55.35
-68.98	-69.61	3.70	-3.07	-13.00	-55.98
-74.83	-75.19	4.04	-3.69	-13.00	-61.83
-76.49	-76.46	4.05	-4.08	-13.00	-63.49
-75.48	-75.44	4.30	-4.34	-13.00	-62.48
-60.66	-62.79	9.60	-7.47	-13.00	-47.66
-56.60	-57.97	10.60	-9.23	-13.00	-43.60
	-42.20 -68.35 -68.98 -74.83 -76.49 -75.48 -60.66	Output Level dBm -42.20	dBm Output Level dBm Gain dBi/dBd -42.20 -26.30 -14.89 -68.35 -65.79 -0.77 -68.98 -69.61 3.70 -74.83 -75.19 4.04 -76.49 -76.46 4.05 -75.48 -75.44 4.30 -60.66 -62.79 9.60	dBm Output Level dBm Gain dBi/dBd Loss dB -42.20 -26.30 -14.89 -1.02 -68.35 -65.79 -0.77 -1.78 -68.98 -69.61 3.70 -3.07 -74.83 -75.19 4.04 -3.69 -76.49 -76.46 4.05 -4.08 -75.48 -75.44 4.30 -4.34 -60.66 -62.79 9.60 -7.47	dBm Output Level dBm Gain dBi/dBd Loss dBm -42.20 -26.30 -14.89 -1.02 -13.00 -68.35 -65.79 -0.77 -1.78 -13.00 -68.98 -69.61 3.70 -3.07 -13.00 -74.83 -75.19 4.04 -3.69 -13.00 -76.49 -76.46 4.05 -4.08 -13.00 -75.48 -75.44 4.30 -4.34 -13.00 -60.66 -62.79 9.60 -7.47 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 38 of 41

Report Number :TERF2502000592ER Test Site :SAC 1

Operation Mode :WCDMA B5 Test Date :2025-03-14

Test Mode :Tx Temp./Humi. :21.1°C/62%

EUT Pol :NB Mode Antenna Pol. :Vertical
Test Frequency :836.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-62.22	-46.34	-14.88	-1.00	-13.00	-49.22
40.67	-66.75	-52.55	-13.03	-1.17	-13.00	-53.75
107.60	-66.56	-63.14	-1.52	-1.90	-13.00	-53.56
194.90	-71.51	-72.23	3.28	-2.55	-13.00	-58.51
240.49	-71.64	-72.48	3.68	-2.83	-13.00	-58.64
324.88	-69.96	-70.58	3.92	-3.29	-13.00	-56.96
1673.20	-59.28	-61.47	9.70	-7.52	-13.00	-46.28
2509.80	-55.91	-57.32	10.70	-9.29	-13.00	-42.91

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 39 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B5 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :836.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-42.95	-27.07	-14.88	-1.00	-13.00	-29.95
95.96	-68.39	-65.73	-0.87	-1.79	-13.00	-55.39
126.03	-70.51	-66.75	-1.71	-2.06	-13.00	-57.51
282.20	-68.11	-68.74	3.70	-3.07	-13.00	-55.11
378.23	-76.05	-76.50	4.01	-3.55	-13.00	-63.05
419.94	-74.80	-75.20	4.14	-3.74	-13.00	-61.80
1673.20	-60.37	-62.56	9.70	-7.52	-13.00	-47.37
2509.80	-56.55	-57.96	10.70	-9.29	-13.00	-43.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 40 of 41

Report Number :TERF2502000592ER Test Site :SAC 1

Operation Mode :WCDMA B5 Test Date :2025-03-14

Test Mode :Tx Temp./Humi. :21.1°C/62%

EUT Pol :NB Mode Antenna Pol. :Vertical
Test Frequency :846.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.97	-61.86	-45.95	-14.89	-1.02	-13.00	-48.86
40.67	-66.68	-52.48	-13.03	-1.17	-13.00	-53.68
107.60	-66.75	-63.33	-1.52	-1.90	-13.00	-53.75
193.93	-72.22	-72.90	3.23	-2.55	-13.00	-59.22
325.85	-69.43	-70.04	3.91	-3.30	-13.00	-56.43
368.53	-73.46	-74.12	4.17	-3.50	-13.00	-60.46
1693.20	-58.49	-60.69	9.76	-7.56	-13.00	-45.49
2539.80	-55.46	-56.61	10.50	-9.35	-13.00	-42.46

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 41 of 41


Report Number :TERF2502000592ER **Test Site** :SAC 1

Operation Mode :WCDMA B5 **Test Date** :2025-03-14

:21.1°C/62% Test Mode :Tx Temp./Humi.

EUT Pol :NB Mode Antenna Pol. :Horizontal

Test Frequency :846.6 MHz Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-43.34	-27.46	-14.88	-1.00	-13.00	-30.34
96.93	-67.44	-64.57	-1.07	-1.80	-13.00	-54.44
161.92	-73.42	-70.25	-0.84	-2.33	-13.00	-60.42
191.02	-75.34	-75.71	2.90	-2.53	-13.00	-62.34
280.26	-68.31	-68.97	3.72	-3.06	-13.00	-55.31
422.85	-75.24	-75.58	4.09	-3.75	-13.00	-62.24
1693.20	-60.20	-62.40	9.76	-7.56	-13.00	-47.20
2539.80	-55.53	-56.68	10.50	-9.35	-13.00	-42.53

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.