


ATTACHMENT O – SAR TEST PLOTS (3 of 4)


TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 1.20 mW/g, SAR (10g): 0.676 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.19 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 ρ_{ho}/m $e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.514 mW/g, SAR (10g): 0.275 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.19 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 ρ_{ho}/m $e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 1.31 mW/g, SAR (10g): 0.735 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.20 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.451 mW/g, SAR (10g): 0.228 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.954 mW/g, SAR (10g): 0.533 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.28 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.568 mW/g, SAR (10g): 0.295 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.00 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004



TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.000 mW/g, SAR (10g): 0.541 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004



TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$

$\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.634 mW/g, SAR (10g): 0.326 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.21 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.7°C

Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 1.36 mW/g, SAR (10g): 0.722 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.07 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\text{mho/m } e_r = 40.4$ $r = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.35 mW/g, SAR (10g): 0.717 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C (E-battery)
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.543 mW/g, SAR (10g): 0.280 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.14 mW/g, SAR (10g): 0.603 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: 0.16 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.706 mW/g, SAR (10g): 0.360 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.12 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.737 mW/g, SAR (10g): 0.420 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.23 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.184 mW/g, SAR (10g): 0.113 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.07 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.679 mW/g, SAR (10g): 0.380 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.17 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004



TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.180 mW/g, SAR (10g): 0.108 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.02 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : November 19, 2004

