


FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925

The label(s) shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR
FCC Part 15(B) DoC LABEL**

**SEE NEXT PAGE(S)
FOR FCC ID LABEL**

2. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

Diagram of the back of the Itronix IX260+ showing the Radio ID label and dimensions. The label is a white rectangle with rounded corners, measuring 2.75 REF in width and 1.75 REF in height. It contains the following information:

S/N: [Barcode]

P/N: [Barcode] CFG: [Barcode]

[Barcode]

FCC ID: KBCIX260PNL3AC580
IC: 1943A-IX260Pf
Complies with Part 68 rules.
FCC Reg. 6QXTA1-36152-M5-E
Modem IC: 4023 11777
Ren 0.4B
This product contains Itronix
Model IX260+ FCC and Industry
Canada accepted transmitter

RADIO ID


C O N F I G U R A T I O N	
R A D I O	M O D E M
AC580	STANDARD
SENAO	

-	I	MH	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J. DERTING		DATE 3-15-05		DESCRIPTION LBL,GB3,AC580,SENAO			
CHECKER		DATE					
ELEC. ENG		DATE					
MECH. ENG		DATE					
MFG. ENG		DATE		SIZE B	DWG. NO 26-0710-001		
				SCALE 2.000	SHEET 1 OF 1		REV 1

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN INCHES
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL. WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED .XX ± 0.01 INCH .XXX ± 0.005 INCH ANG. = 1.0°	
THIRD ANGLE PROJECTION	
ITRONIX S.801 STEVENS, P.O. BOX 179 SPOKANE, WA 99210	



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: LEXAN 8A35, TOTAL THICKNESS WITH 3M 467MP PSA TO BE .8MM, MAY LAMINATE TO ACHIEVE FINAL THICKNESS.
2. TEXT COLOR: WHITE.
3. BACKGROUND TO MATCH PANTONE 432U (DARK GRAY).
4. ALL MATERIAL MUST BE UL AND CSA APPROVED AND VENDOR MUST BE UL AND CSA RECOGNIZED.
5. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC.QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE
PROJECTION

ITRONIX
S.801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

-	I	MH	JMD	PROTOTYPE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J. DERTING	DATE 6-30-04			DESCRIPTION LABEL, IX260+, FCC PART 15			
CHECKER	DATE						
ELEC. ENG	DATE			SIZE B	DWG. NO 26-0622-001		
MECH. ENG	DATE			SCALE 2.000		SHEET 1 OF 1	
MFG. ENG	DATE					REV 1	