

Test Mode	Channel	Polarization	Verdict
11a	5180	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.86	-1.16	45.70	74.00	-28.30	Vertical
2	1394.8216	40.96	-0.98	39.98	74.00	-34.02	Vertical
3	1535.3928	48.91	-0.58	48.33	74.00	-25.67	Vertical
4	3345.0939	36.87	10.46	47.33	74.00	-26.67	Vertical
5	4282.0313	36.68	13.57	50.25	74.00	-23.75	Vertical
6	6145.5162	34.55	18.30	52.85	74.00	-21.15	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11a	5200	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.27	-1.16	43.11	74.00	-30.89	Horizontal
2	1535.3928	54.59	-0.58	54.01	74.00	-19.99	Horizontal
3	3116.5129	37.07	10.01	47.08	74.00	-26.92	Horizontal
4	3931.8258	36.26	12.35	48.61	74.00	-25.39	Horizontal
5	4428.1031	36.91	14.18	51.09	74.00	-22.91	Horizontal
6	6268.9743	34.03	18.66	52.69	74.00	-21.31	Horizontal

# AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1535.3928	33.28	-0.58	32.70	54.00	-21.30	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5200	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.95	-1.16	45.79	74.00	-28.21	Vertical
2	1535.3928	48.83	-0.58	48.25	74.00	-25.75	Vertical
3	1931.4368	40.87	2.43	43.30	74.00	-30.70	Vertical
4	4733.6926	37.67	14.62	52.29	74.00	-21.71	Vertical
5	5824.0360	35.48	16.73	52.21	74.00	-21.79	Vertical
6	6160.7956	34.42	18.17	52.59	74.00	-21.41	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11a	5240	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	43.82	-1.16	42.66	74.00	-31.34	Horizontal
2	1535.3928	54.57	-0.58	53.99	74.00	-20.01	Horizontal
3	3496.6663	37.79	10.52	48.31	74.00	-25.69	Horizontal
4	4463.5515	36.68	14.34	51.02	74.00	-22.98	Horizontal
5	5855.8173	35.57	17.03	52.60	74.00	-21.40	Horizontal
6	6125.3473	34.13	18.42	52.55	74.00	-21.45	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Test Mode Channel		Verdict
11a	5240	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.29	-1.16	46.13	74.00	-27.87	Vertical
2	1535.3928	48.99	-0.58	48.41	74.00	-25.59	Vertical
3	1932.6592	40.44	2.47	42.91	74.00	-31.09	Vertical
4	4438.4932	36.28	14.23	50.51	74.00	-23.49	Vertical
5	5816.7019	35.83	16.69	52.52	74.00	-21.48	Vertical
6	6123.5137	34.58	18.39	52.97	74.00	-21.03	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11a	5260	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.99	-1.16	43.83	74.00	-30.17	Horizontal
2	1535.3928	54.30	-0.58	53.72	74.00	-20.28	Horizontal
3	3110.4012	36.46	10.73	47.19	74.00	-26.81	Horizontal
4	3626.2362	37.04	11.14	48.18	74.00	-25.82	Horizontal
5	6012.2791	35.30	17.65	52.95	74.00	-21.05	Horizontal
6	6440.1045	34.73	19.27	54.00	74.00	-20.00	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5260	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.32	-1.16	46.16	74.00	-27.84	Vertical
2	1535.3928	49.28	-0.58	48.70	74.00	-25.30	Vertical
3	1921.6580	40.13	2.51	42.64	74.00	-31.36	Vertical
4	3071.2857	37.49	9.13	46.62	74.00	-27.38	Vertical
5	4437.2708	36.27	14.22	50.49	74.00	-23.51	Vertical
6	6143.6826	34.90	18.31	53.21	74.00	-20.79	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5280	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.39	-1.16	45.23	74.00	-28.77	Horizontal
2	1535.3928	54.53	-0.58	53.95	74.00	-20.05	Horizontal
3	3649.4611	36.96	11.60	48.56	74.00	-25.44	Horizontal
4	4465.9962	36.21	14.44	50.65	74.00	-23.35	Horizontal
5	5052.1169	35.13	16.14	51.27	74.00	-22.73	Horizontal
6	6132.6814	35.25	18.46	53.71	74.00	-20.29	Horizontal
7	6009.8344	35.03	17.69	52.72	74.00	-21.28	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5280	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.77	-1.16	45.61	74.00	-28.39	Vertical
2	1535.3928	49.46	-0.58	48.88	74.00	-25.12	Vertical
3	3456.9397	36.30	10.72	47.02	74.00	-26.98	Vertical
4	4256.3618	36.47	13.74	50.21	74.00	-23.79	Vertical
5	5094.8994	35.92	16.65	52.57	74.00	-21.43	Vertical
6	6186.4652	34.07	18.27	52.34	74.00	-21.66	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5320	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.70	-1.16	44.54	74.00	-29.46	Horizontal
2	1535.3928	54.02	-0.58	53.44	74.00	-20.56	Horizontal
3	3936.1040	36.59	12.51	49.10	74.00	-24.90	Horizontal
4	4555.2284	36.79	14.16	50.95	74.00	-23.05	Horizontal
5	5905.3228	34.97	17.59	52.56	74.00	-21.44	Horizontal
6	6302.5892	35.14	18.70	53.84	74.00	-20.16	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5320	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.11	-1.16	45.95	74.00	-28.05	Vertical
2	1535.3928	49.05	-0.58	48.47	74.00	-25.53	Vertical
3	3956.2729	36.24	12.86	49.10	74.00	-24.90	Vertical
4	4533.2259	36.67	14.09	50.76	74.00	-23.24	Vertical
5	5866.2074	35.59	17.32	52.91	74.00	-21.09	Vertical
6	6159.5733	35.25	18.17	53.42	74.00	-20.58	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5500	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.43	-1.48	42.95	74.00	-31.05	Horizontal
2	1535.3928	54.31	-0.72	53.59	74.00	-20.41	Horizontal
3	3856.0396	36.77	12.59	49.36	74.00	-24.64	Horizontal
4	4329.7033	37.43	13.64	51.07	74.00	-22.93	Horizontal
5	5890.0433	35.51	17.76	53.27	74.00	-20.73	Horizontal
6	6135.7373	35.26	18.20	53.46	74.00	-20.54	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5500	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	48.01	-1.48	46.53	74.00	-27.47	Vertical
2	1394.8216	41.93	-1.14	40.79	74.00	-33.21	Vertical
3	1535.3928	49.49	-0.72	48.77	74.00	-25.23	Vertical
4	4423.8249	36.86	14.32	51.18	74.00	-22.82	Vertical
5	5019.7244	35.92	15.70	51.62	74.00	-22.38	Vertical
6	6144.2938	35.46	18.20	53.66	74.00	-20.34	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5580	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.69	-1.48	44.21	74.00	-29.79	Horizontal
2	1535.3928	54.37	-0.72	53.65	74.00	-20.35	Horizontal
3	3818.1465	36.79	12.92	49.71	74.00	-24.29	Horizontal
4	5149.2944	36.88	15.16	52.04	74.00	-21.96	Horizontal
5	6036.7263	36.03	17.69	53.72	74.00	-20.28	Horizontal
6	6217.6353	35.07	18.57	53.64	74.00	-20.36	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5580	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	41.12	-1.91	39.21	74.00	-34.79	Vertical
2	1255.4728	47.44	-1.48	45.96	74.00	-28.04	Vertical
3	1394.8216	41.29	-1.14	40.15	74.00	-33.85	Vertical
4	1535.3928	49.34	-0.72	48.62	74.00	-25.38	Vertical
5	4738.5821	37.04	14.39	51.43	74.00	-22.57	Vertical
6	6138.1820	35.41	18.20	53.61	74.00	-20.39	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5700	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.54	-1.48	45.06	74.00	-28.94	Horizontal
2	1535.3928	54.46	-0.72	53.74	74.00	-20.26	Horizontal
3	3463.0514	38.10	10.43	48.53	74.00	-25.47	Horizontal
4	4473.3304	35.67	14.99	50.66	74.00	-23.34	Horizontal
5	5031.3368	37.53	15.95	53.48	74.00	-20.52	Horizontal
6	6232.9148	34.91	18.44	53.35	74.00	-20.65	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5700	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.50	-1.48	45.02	74.00	-28.98	Vertical
2	1535.3928	49.62	-0.72	48.90	74.00	-25.10	Vertical
3	3071.2857	38.15	9.36	47.51	74.00	-26.49	Vertical
4	4311.3679	37.98	13.44	51.42	74.00	-22.58	Vertical
5	4832.7036	36.64	15.45	52.09	74.00	-21.91	Vertical
6	6112.5125	35.30	18.19	53.49	74.00	-20.51	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5720	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.01	-1.48	43.53	74.00	-30.47	Horizontal
2	1535.3928	54.10	-0.72	53.38	74.00	-20.62	Horizontal
3	3910.4345	37.43	12.43	49.86	74.00	-24.14	Horizontal
4	4468.4409	36.11	15.12	51.23	74.00	-22.77	Horizontal
5	5034.3927	35.36	16.03	51.39	74.00	-22.61	Horizontal
6	6126.5696	35.08	18.22	53.30	74.00	-20.70	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5720	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	49.16	-1.48	47.68	74.00	-26.32	Vertical
2	1394.8216	42.06	-1.14	40.92	74.00	-33.08	Vertical
3	1535.3928	49.33	-0.72	48.61	74.00	-25.39	Vertical
4	4237.4153	36.79	14.03	50.82	74.00	-23.18	Vertical
5	4482.4981	36.36	14.49	50.85	74.00	-23.15	Vertical
6	6006.7785	35.43	17.77	53.20	74.00	-20.80	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5745	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.99	-1.59	43.40	74.00	-30.60	Horizontal
2	1535.3928	54.25	-0.38	53.87	74.00	-20.13	Horizontal
3	3529.0588	37.95	10.45	48.40	74.00	-25.60	Horizontal
4	4168.3520	35.98	13.10	49.08	74.00	-24.92	Horizontal
5	5482.9981	36.38	16.08	52.46	74.00	-21.54	Horizontal
6	6433.9927	33.91	19.01	52.92	74.00	-21.08	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5745	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	48.22	-1.59	46.63	74.00	-27.37	Vertical
2	1535.3928	49.10	-0.38	48.72	74.00	-25.28	Vertical
3	1932.6592	45.84	2.55	48.39	74.00	-25.61	Vertical
4	4582.1202	36.80	13.55	50.35	74.00	-23.65	Vertical
5	5293.5326	36.75	15.16	51.91	74.00	-22.09	Vertical
6	6177.2975	34.72	18.02	52.74	74.00	-21.26	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5785	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.56	-1.59	42.97	74.00	-31.03	Horizontal
2	1535.3928	54.30	-0.38	53.92	74.00	-20.08	Horizontal
3	3108.5676	37.04	9.77	46.81	74.00	-27.19	Horizontal
4	4206.8563	36.91	13.20	50.11	74.00	-23.89	Horizontal
5	6014.1127	35.90	17.31	53.21	74.00	-20.79	Horizontal
6	6204.1894	34.13	18.24	52.37	74.00	-21.63	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5785	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	41.14	-1.89	39.25	74.00	-34.75	Vertical
2	1255.4728	46.03	-1.59	44.44	74.00	-29.56	Vertical
3	1535.3928	49.41	-0.38	49.03	74.00	-24.97	Vertical
4	3601.1779	36.30	11.84	48.14	74.00	-25.86	Vertical
5	4447.0497	36.34	14.23	50.57	74.00	-23.43	Vertical
6	6038.5598	34.99	17.59	52.58	74.00	-21.42	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5825	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.84	-1.59	44.25	74.00	-29.75	Horizontal
2	1535.3928	54.25	-0.38	53.87	74.00	-20.13	Horizontal
3	4161.6291	36.41	13.41	49.82	74.00	-24.18	Horizontal
4	4450.7167	36.27	14.30	50.57	74.00	-23.43	Horizontal
5	4780.1422	36.05	14.98	51.03	74.00	-22.97	Horizontal
6	6162.6292	34.71	17.87	52.58	74.00	-21.42	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5825	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	40.91	-1.89	39.02	74.00	-34.98	Vertical
2	1255.4728	48.45	-1.59	46.86	74.00	-27.14	Vertical
3	1535.3928	49.08	-0.38	48.70	74.00	-25.30	Vertical
4	3816.3129	36.80	12.13	48.93	74.00	-25.07	Vertical
5	5003.8338	36.15	15.01	51.16	74.00	-22.84	Vertical
6	6176.0751	35.05	18.03	53.08	74.00	-20.92	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	43.87	-1.15	42.72	74.00	-31.28	Horizontal
2	1535.3928	54.12	-0.58	53.54	74.00	-20.46	Horizontal
3	4477.6086	36.55	14.23	50.78	74.00	-23.22	Horizontal
4	5054.5616	35.91	16.17	52.08	74.00	-21.92	Horizontal
5	5870.4856	35.19	17.40	52.59	74.00	-21.41	Horizontal
6	6136.9597	34.50	18.39	52.89	74.00	-21.11	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.37	-1.16	46.21	74.00	-27.79	Vertical
2	1394.8216	41.35	-0.98	40.37	74.00	-33.63	Vertical
3	1535.3928	49.14	-0.58	48.56	74.00	-25.44	Vertical
4	3880.4867	36.78	12.76	49.54	74.00	-24.46	Vertical
5	4236.1929	36.12	13.78	49.90	74.00	-24.10	Vertical
6	6143.6826	34.81	18.31	53.12	74.00	-20.88	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	45.19	-1.15	44.04	74.00	-29.96	Horizontal
2	1535.3928	54.20	-0.58	53.62	74.00	-20.38	Horizontal
3	4289.9767	36.59	13.59	50.18	74.00	-23.82	Horizontal
4	4810.7012	35.66	15.31	50.97	74.00	-23.03	Horizontal
5	5971.9413	35.38	17.87	53.25	74.00	-20.75	Horizontal
6	6124.7361	34.75	18.41	53.16	74.00	-20.84	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.88	-1.16	46.72	74.00	-27.28	Vertical
2	1394.8216	41.47	-0.98	40.49	74.00	-33.51	Vertical
3	1535.3928	49.48	-0.58	48.90	74.00	-25.10	Vertical
4	4033.8927	36.95	12.55	49.50	74.00	-24.50	Vertical
5	4473.3304	36.03	14.42	50.45	74.00	-23.55	Vertical
6	6162.0180	34.74	18.16	52.90	74.00	-21.10	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.19	-1.16	44.03	74.00	-29.97	Horizontal
2	1535.3928	54.51	-0.58	53.93	74.00	-20.07	Horizontal
3	3388.4876	37.03	10.71	47.74	74.00	-26.26	Horizontal
4	4240.4712	36.31	13.98	50.29	74.00	-23.71	Horizontal
5	5095.5106	35.78	16.65	52.43	74.00	-21.57	Horizontal
6	6130.8479	34.53	18.49	53.02	74.00	-20.98	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	42.70	-2.08	40.62	74.00	-33.38	Vertical
2	1255.4728	47.53	-1.16	46.37	74.00	-27.63	Vertical
3	1394.8216	41.28	-0.98	40.30	74.00	-33.70	Vertical
4	1535.3928	49.25	-0.58	48.67	74.00	-25.33	Vertical
5	4265.5295	36.37	13.96	50.33	74.00	-23.67	Vertical
6	6086.2318	34.31	18.15	52.46	74.00	-21.54	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	43.97	-1.16	42.81	74.00	-31.19	Horizontal
2	1535.3928	54.57	-0.58	53.99	74.00	-20.01	Horizontal
3	4789.3099	36.62	15.02	51.64	74.00	-22.36	Horizontal
4	5078.3976	36.00	16.33	52.33	74.00	-21.67	Horizontal
5	6001.8891	35.39	17.71	53.10	74.00	-20.90	Horizontal
6	6128.4032	35.02	18.47	53.49	74.00	-20.51	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	47.20	-1.15	46.05	74.00	-27.95	Vertical
2	1535.3928	49.67	-0.58	49.09	74.00	-24.91	Vertical
3	3071.2857	37.78	9.13	46.91	74.00	-27.09	Vertical
4	4482.4981	36.81	14.13	50.94	74.00	-23.06	Vertical
5	5732.3592	36.21	16.78	52.99	74.00	-21.01	Vertical
6	6130.2367	34.26	18.50	52.76	74.00	-21.24	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.72	-1.16	44.56	74.00	-29.44	Horizontal
2	1535.3928	54.39	-0.58	53.81	74.00	-20.19	Horizontal
3	4460.4956	36.37	14.24	50.61	74.00	-23.39	Horizontal
4	4937.2152	36.27	15.61	51.88	74.00	-22.12	Horizontal
5	5433.4926	35.94	16.62	52.56	74.00	-21.44	Horizontal
6	6009.8344	34.99	17.69	52.68	74.00	-21.32	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.67	-1.16	46.51	74.00	-27.49	Vertical
2	1395.4328	42.23	-0.99	41.24	74.00	-32.76	Vertical
3	1535.3928	49.57	-0.58	48.99	74.00	-25.01	Vertical
4	4532.6147	36.89	14.11	51.00	74.00	-23.00	Vertical
5	5885.7651	35.23	17.74	52.97	74.00	-21.03	Vertical
6	6205.4117	34.27	18.50	52.77	74.00	-21.23	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1002.4447	37.13	-1.35	35.78	74.00	-38.22	Horizontal
2	1255.4728	44.67	-1.16	43.51	74.00	-30.49	Horizontal
3	1535.3928	54.60	-0.58	54.02	74.00	-19.98	Horizontal
4	3560.8401	36.78	11.14	47.92	74.00	-26.08	Horizontal
5	3901.8780	36.68	12.47	49.15	74.00	-24.85	Horizontal
6	6147.3497	35.39	18.28	53.67	74.00	-20.33	Horizontal

# AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1535.3928	33.10	-0.58	32.52	54.00	-21.48	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Test Mode Channel		Verdict
11ac VHT20	5320	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	41.82	-2.08	39.74	74.00	-34.26	Vertical
2	1254.8617	49.58	-1.15	48.43	74.00	-25.57	Vertical
3	1394.8216	40.39	-0.98	39.41	74.00	-34.59	Vertical
4	1535.3928	49.38	-0.58	48.80	74.00	-25.20	Vertical
5	6177.2975	34.78	18.25	53.03	74.00	-20.97	Vertical
6	6440.7156	34.57	19.28	53.85	74.00	-20.15	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11ac VHT20	5500	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.86	-1.48	44.38	74.00	-29.62	Horizontal
2	1535.3928	54.53	-0.72	53.81	74.00	-20.19	Horizontal
3	4448.2720	35.76	14.95	50.71	74.00	-23.29	Horizontal
4	5024.0027	36.08	15.78	51.86	74.00	-22.14	Horizontal
5	6078.8977	35.54	18.05	53.59	74.00	-20.41	Horizontal
6	6340.4823	35.00	18.64	53.64	74.00	-20.36	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11ac VHT20	5500	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.65	-1.48	46.17	74.00	-27.83	Vertical
2	1535.3928	49.26	-0.72	48.54	74.00	-25.46	Vertical
3	2584.1760	38.31	5.73	44.04	74.00	-29.96	Vertical
4	3398.2665	37.34	10.37	47.71	74.00	-26.29	Vertical
5	4445.2161	36.20	14.79	50.99	74.00	-23.01	Vertical
6	4843.7049	36.22	15.46	51.68	74.00	-22.32	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Test Mode Channel		Verdict
11ac VHT20	5580	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.72	-1.48	44.24	74.00	-29.76	Horizontal
2	1535.3928	54.48	-0.72	53.76	74.00	-20.24	Horizontal
3	3700.1889	36.88	12.32	49.20	74.00	-24.80	Horizontal
4	3885.3762	37.38	12.55	49.93	74.00	-24.07	Horizontal
5	4403.6560	36.47	14.09	50.56	74.00	-23.44	Horizontal
6	5994.5550	35.91	17.76	53.67	74.00	-20.33	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11ac VHT20	5580	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	48.20	-1.48	46.72	74.00	-27.28	Vertical
2	1394.8216	41.45	-1.14	40.31	74.00	-33.69	Vertical
3	1535.3928	49.30	-0.72	48.58	74.00	-25.42	Vertical
4	1927.7698	39.36	2.78	42.14	74.00	-31.86	Vertical
5	4237.4153	36.43	14.03	50.46	74.00	-23.54	Vertical
6	6220.0800	34.68	18.59	53.27	74.00	-20.73	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode Channel		Polarization	Verdict
11ac VHT20	5700	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.37	-1.48	42.89	74.00	-31.11	Horizontal
2	1535.3928	54.32	-0.72	53.60	74.00	-20.40	Horizontal
3	3791.2546	36.78	12.11	48.89	74.00	-25.11	Horizontal
4	4250.2500	37.21	13.97	51.18	74.00	-22.82	Horizontal
5	4913.9904	36.54	15.25	51.79	74.00	-22.21	Horizontal
6	6229.8589	35.41	18.43	53.84	74.00	-20.16	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	41.66	-1.91	39.75	74.00	-34.25	Vertical
2	1255.4728	47.76	-1.48	46.28	74.00	-27.72	Vertical
3	1535.3928	48.92	-0.72	48.20	74.00	-25.80	Vertical
4	3818.1465	36.39	12.92	49.31	74.00	-24.69	Vertical
5	4269.8078	36.28	14.50	50.78	74.00	-23.22	Vertical
6	6190.1322	35.35	18.45	53.80	74.00	-20.20	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.96	-1.48	44.48	74.00	-29.52	Horizontal
2	1535.3928	54.11	-0.72	53.39	74.00	-20.61	Horizontal
3	3161.7402	37.61	9.73	47.34	74.00	-26.66	Horizontal
4	3809.5900	36.95	12.20	49.15	74.00	-24.85	Horizontal
5	4470.8857	36.25	15.17	51.42	74.00	-22.58	Horizontal
6	6133.2926	35.52	18.19	53.71	74.00	-20.29	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	41.07	-1.93	39.14	74.00	-34.86	Vertical
2	1255.4728	48.51	-1.48	47.03	74.00	-26.97	Vertical
3	1394.8216	41.53	-1.14	40.39	74.00	-33.61	Vertical
4	1535.3928	49.25	-0.72	48.53	74.00	-25.47	Vertical
5	6018.3909	36.17	17.71	53.88	74.00	-20.12	Vertical
6	6174.8528	35.26	18.42	53.68	74.00	-20.32	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	43.82	-1.59	42.23	74.00	-31.77	Horizontal
2	1535.3928	54.22	-0.38	53.84	74.00	-20.16	Horizontal
3	3454.4949	37.21	11.00	48.21	74.00	-25.79	Horizontal
4	4476.3863	36.20	14.32	50.52	74.00	-23.48	Horizontal
5	5028.2809	36.11	15.21	51.32	74.00	-22.68	Horizontal
6	6151.6280	34.82	17.86	52.68	74.00	-21.32	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	46.25	-1.60	44.65	74.00	-29.35	Vertical
2	1535.3928	48.95	-0.38	48.57	74.00	-25.43	Vertical
3	1932.0480	44.65	2.52	47.17	74.00	-26.83	Vertical
4	2582.3425	39.17	5.59	44.76	74.00	-29.24	Vertical
5	3414.7683	38.69	10.04	48.73	74.00	-25.27	Vertical
6	4442.7714	36.27	14.11	50.38	74.00	-23.62	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.39	-1.59	42.80	74.00	-31.20	Horizontal
2	1535.3928	54.22	-0.38	53.84	74.00	-20.16	Horizontal
3	3851.7613	37.03	12.54	49.57	74.00	-24.43	Horizontal
4	4327.8698	36.97	13.45	50.42	74.00	-23.58	Horizontal
5	5372.9859	35.58	15.83	51.41	74.00	-22.59	Horizontal
6	6168.1298	34.73	18.00	52.73	74.00	-21.27	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	41.23	-1.91	39.32	74.00	-34.68	Vertical
2	1254.8617	46.15	-1.60	44.55	74.00	-29.45	Vertical
3	1394.8216	41.09	-1.15	39.94	74.00	-34.06	Vertical
4	1535.3928	49.18	-0.38	48.80	74.00	-25.20	Vertical
5	5040.5045	36.15	15.13	51.28	74.00	-22.72	Vertical
6	6141.8491	34.85	17.68	52.53	74.00	-21.47	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	43.81	-1.59	42.22	74.00	-31.78	Horizontal
2	1535.3928	54.22	-0.38	53.84	74.00	-20.16	Horizontal
3	3806.5341	35.61	12.11	47.72	74.00	-26.28	Horizontal
4	4352.3169	37.05	13.49	50.54	74.00	-23.46	Horizontal
5	5005.0561	35.97	15.04	51.01	74.00	-22.99	Horizontal
6	6429.7144	34.25	18.84	53.09	74.00	-20.91	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	49.27	-1.59	47.68	74.00	-26.32	Vertical
2	1395.4328	41.55	-1.14	40.41	74.00	-33.59	Vertical
3	1535.3928	49.17	-0.38	48.79	74.00	-25.21	Vertical
4	4144.5161	36.83	12.94	49.77	74.00	-24.23	Vertical
5	5455.4951	35.67	16.38	52.05	74.00	-21.95	Vertical
6	6240.8601	35.69	18.12	53.81	74.00	-20.19	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.36	-1.16	43.20	74.00	-30.80	Horizontal
2	1535.3928	54.13	-0.58	53.55	74.00	-20.45	Horizontal
3	4183.0203	36.69	13.38	50.07	74.00	-23.93	Horizontal
4	5082.0647	36.11	16.38	52.49	74.00	-21.51	Horizontal
5	6031.2257	35.20	17.72	52.92	74.00	-21.08	Horizontal
6	6241.4713	34.40	18.69	53.09	74.00	-20.91	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	41.62	-2.08	39.54	74.00	-34.46	Vertical
2	1255.4728	47.13	-1.16	45.97	74.00	-28.03	Vertical
3	1394.8216	40.73	-0.98	39.75	74.00	-34.25	Vertical
4	1535.3928	48.99	-0.58	48.41	74.00	-25.59	Vertical
5	4214.8016	36.32	13.59	49.91	74.00	-24.09	Vertical
6	6122.9025	34.74	18.38	53.12	74.00	-20.88	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.29	-1.16	43.13	74.00	-30.87	Horizontal
2	1535.3928	54.74	-0.58	54.16	74.00	-19.84	Horizontal
3	3153.7949	37.19	9.69	46.88	74.00	-27.12	Horizontal
4	3774.7528	36.67	11.98	48.65	74.00	-25.35	Horizontal
5	4453.7726	36.06	14.37	50.43	74.00	-23.57	Horizontal
6	6130.2367	34.76	18.50	53.26	74.00	-20.74	Horizontal

# AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1535.3928	33.98	-0.58	33.40	54.00	-20.60	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	48.58	-1.15	47.43	74.00	-26.57	Vertical
2	1394.8216	43.11	-0.98	42.13	74.00	-31.87	Vertical
3	1535.3928	49.12	-0.58	48.54	74.00	-25.46	Vertical
4	3299.2555	37.49	9.81	47.30	74.00	-26.70	Vertical
5	4432.3814	37.01	14.20	51.21	74.00	-22.79	Vertical
6	6027.5586	35.60	17.69	53.29	74.00	-20.71	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.50	-1.16	43.34	74.00	-30.66	Horizontal
2	1535.3928	54.27	-0.58	53.69	74.00	-20.31	Horizontal
3	3219.1910	38.07	9.52	47.59	74.00	-26.41	Horizontal
4	3826.0918	36.68	12.53	49.21	74.00	-24.79	Horizontal
5	5083.8982	36.11	16.44	52.55	74.00	-21.45	Horizontal
6	6128.4032	35.38	18.47	53.85	74.00	-20.15	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.09	-1.16	45.93	74.00	-28.07	Vertical
2	1394.8216	42.01	-0.98	41.03	74.00	-32.97	Vertical
3	1535.3928	49.17	-0.58	48.59	74.00	-25.41	Vertical
4	3207.5786	39.32	9.14	48.46	74.00	-25.54	Vertical
5	4931.7146	36.14	15.81	51.95	74.00	-22.05	Vertical
6	6171.1857	35.57	18.16	53.73	74.00	-20.27	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5310	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.42	-1.16	43.26	74.00	-30.74	Horizontal
2	1535.3928	54.00	-0.58	53.42	74.00	-20.58	Horizontal
3	1933.2704	39.37	2.48	41.85	74.00	-32.15	Horizontal
4	3145.2384	38.05	9.66	47.71	74.00	-26.29	Horizontal
5	4814.3683	35.86	15.25	51.11	74.00	-22.89	Horizontal
6	6130.2367	35.01	18.50	53.51	74.00	-20.49	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5310	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.09	-1.16	45.93	74.00	-28.07	Vertical
2	1394.8216	41.83	-0.98	40.85	74.00	-33.15	Vertical
3	1535.3928	49.48	-0.58	48.90	74.00	-25.10	Vertical
4	1933.2704	42.26	2.48	44.74	74.00	-29.26	Vertical
5	4271.0301	36.28	14.13	50.41	74.00	-23.59	Vertical
6	6018.3909	35.70	17.56	53.26	74.00	-20.74	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5510	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.36	-1.48	42.88	74.00	-31.12	Horizontal
2	1535.3928	54.23	-0.72	53.51	74.00	-20.49	Horizontal
3	3819.9800	36.20	13.09	49.29	74.00	-24.71	Horizontal
4	4423.2137	36.54	14.30	50.84	74.00	-23.16	Horizontal
5	4931.1035	36.74	15.13	51.87	74.00	-22.13	Horizontal
6	6195.0217	34.85	18.54	53.39	74.00	-20.61	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5510	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.48	-1.48	46.00	74.00	-28.00	Vertical
2	1394.8216	42.33	-1.14	41.19	74.00	-32.81	Vertical
3	1535.3928	49.27	-0.72	48.55	74.00	-25.45	Vertical
4	4470.2745	35.35	15.21	50.56	74.00	-23.44	Vertical
5	5998.2220	35.73	17.83	53.56	74.00	-20.44	Vertical
6	6178.5198	35.03	18.49	53.52	74.00	-20.48	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5550	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.29	-1.48	44.81	74.00	-29.19	Horizontal
2	1535.3928	54.39	-0.72	53.67	74.00	-20.33	Horizontal
3	3188.6321	37.29	10.20	47.49	74.00	-26.51	Horizontal
4	4491.0546	36.62	14.39	51.01	74.00	-22.99	Horizontal
5	5931.6035	35.57	17.81	53.38	74.00	-20.62	Horizontal
6	6309.3121	34.80	18.86	53.66	74.00	-20.34	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5550	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.74	-1.48	46.26	74.00	-27.74	Vertical
2	1535.3928	49.13	-0.72	48.41	74.00	-25.59	Vertical
3	3071.2857	37.66	9.36	47.02	74.00	-26.98	Vertical
4	4697.6331	36.78	14.65	51.43	74.00	-22.57	Vertical
5	4832.0925	36.68	15.44	52.12	74.00	-21.88	Vertical
6	5968.8854	36.18	17.66	53.84	74.00	-20.16	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5670	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.32	-1.48	44.84	74.00	-29.16	Horizontal
2	1535.3928	54.51	-0.72	53.79	74.00	-20.21	Horizontal
3	4472.1080	36.19	15.08	51.27	74.00	-22.73	Horizontal
4	4822.3136	36.50	15.34	51.84	74.00	-22.16	Horizontal
5	6112.5125	35.48	18.19	53.67	74.00	-20.33	Horizontal
6	6421.1579	34.78	19.00	53.78	74.00	-20.22	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5670	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	48.73	-1.48	47.25	74.00	-26.75	Vertical
2	1535.3928	49.00	-0.72	48.28	74.00	-25.72	Vertical
3	3071.2857	37.56	9.36	46.92	74.00	-27.08	Vertical
4	4469.6633	36.07	15.21	51.28	74.00	-22.72	Vertical
5	5001.3890	36.46	15.37	51.83	74.00	-22.17	Vertical
6	6173.6304	35.55	18.40	53.95	74.00	-20.05	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5710	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	39.95	-1.93	38.02	74.00	-35.98	Horizontal
2	1255.4728	44.96	-1.48	43.48	74.00	-30.52	Horizontal
3	1535.3928	54.33	-0.72	53.61	74.00	-20.39	Horizontal
4	4191.5768	35.95	13.57	49.52	74.00	-24.48	Horizontal
5	4916.4352	36.38	15.27	51.65	74.00	-22.35	Horizontal
6	6204.8005	35.09	18.56	53.65	74.00	-20.35	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5710	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	41.94	-1.93	40.01	74.00	-33.99	Vertical
2	1255.4728	46.99	-1.48	45.51	74.00	-28.49	Vertical
3	1394.8216	40.93	-1.14	39.79	74.00	-34.21	Vertical
4	1535.3928	49.35	-0.72	48.63	74.00	-25.37	Vertical
5	4877.3197	37.46	15.31	52.77	74.00	-21.23	Vertical
6	6207.2452	35.08	18.53	53.61	74.00	-20.39	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5755	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	43.93	-1.59	42.34	74.00	-31.66	Horizontal
2	1535.3928	54.67	-0.38	54.29	74.00	-19.71	Horizontal
3	3349.3722	36.55	10.58	47.13	74.00	-26.87	Horizontal
4	3848.0942	36.24	12.58	48.82	74.00	-25.18	Horizontal
5	4688.4654	36.87	13.90	50.77	74.00	-23.23	Horizontal
6	6233.5259	35.03	18.09	53.12	74.00	-20.88	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5755	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.23	-1.59	44.64	74.00	-29.36	Vertical
2	1535.3928	48.97	-0.38	48.59	74.00	-25.41	Vertical
3	3453.2726	36.93	11.13	48.06	74.00	-25.94	Vertical
4	4343.7604	36.45	13.41	49.86	74.00	-24.14	Vertical
5	5448.7721	36.51	16.49	53.00	74.00	-21.00	Vertical
6	6332.5369	34.76	18.45	53.21	74.00	-20.79	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5795	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.15	-1.59	43.56	74.00	-30.44	Horizontal
2	1535.3928	54.18	-0.38	53.80	74.00	-20.20	Horizontal
3	3867.6520	36.91	12.28	49.19	74.00	-24.81	Horizontal
4	4458.6621	36.65	14.07	50.72	74.00	-23.28	Horizontal
5	5428.6032	35.26	16.36	51.62	74.00	-22.38	Horizontal
6	6149.1832	35.49	17.86	53.35	74.00	-20.65	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT40	5795	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	41.21	-1.91	39.30	74.00	-34.70	Vertical
2	1255.4728	46.50	-1.59	44.91	74.00	-29.09	Vertical
3	1394.8216	41.47	-1.15	40.32	74.00	-33.68	Vertical
4	1535.3928	48.88	-0.38	48.50	74.00	-25.50	Vertical
5	4480.6645	36.38	14.07	50.45	74.00	-23.55	Vertical
6	6167.5186	34.59	17.99	52.58	74.00	-21.42	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ax HE20	5180	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.58	-1.16	43.42	74.00	-30.58	Horizontal
2	1535.3928	54.30	-0.58	53.72	74.00	-20.28	Horizontal
3	3824.2583	36.08	12.63	48.71	74.00	-25.29	Horizontal
4	4270.4189	36.20	14.17	50.37	74.00	-23.63	Horizontal
5	4530.7812	37.01	14.14	51.15	74.00	-22.85	Horizontal
6	6177.2975	34.82	18.25	53.07	74.00	-20.93	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.


Test Mode	Channel	Polarization	Verdict
11ax HE20	5180	Vertical	PASS



## PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.74	-1.16	45.58	74.00	-28.42	Vertical
2	1394.2105	41.02	-0.96	40.06	74.00	-33.94	Vertical
3	1535.3928	49.01	-0.58	48.43	74.00	-25.57	Vertical
4	4234.9706	36.57	13.72	50.29	74.00	-23.71	Vertical
5	5890.0433	34.63	18.07	52.70	74.00	-21.30	Vertical
6	6224.3583	34.02	18.58	52.60	74.00	-21.40	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.