

Report No.: TW2405014-03E

Applicant: GLORY STAR TECHNICS (SHENZHEN) CO., LTD.

Product: Commercial Kiosk Tablet

Model No.: INF321

Trademark: Glory Star

Test Standards: FCC Part 15.247

Test Result: It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10, FCC Part 15.247 for the evaluation of electromagnetic compatibility

Approved By

ierry lone

Terry Tang

Manager

Dated:

June 03, 2024

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

# SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com





# **Special Statement:**

## FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

# Industry Canada (IC) — Registration No.: 5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

# A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

# CAB identifier: CN0033

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

| 1.0  | General Details                    | 4  |
|------|------------------------------------|----|
| 1.1  | Test Lab Details                   | 4  |
| 1.2  | Applicant Details                  | 4  |
| 1.3  | Description of EUT                 | 4  |
| 1.4  | Submitted Sample                   | 5  |
| 1.5  | Test Duration                      | 5  |
| 1.6  | Test Uncertainty                   | 5  |
| 1.7  | Test By                            | 5  |
| 2.0  | List of Measurement Equipment      | 6  |
| 3.0  | Technical Details                  | 8  |
| 3.1  | Summary of Test Results            | 8  |
| 3.2  | Test Standards                     | 8  |
| 4.0  | EUT Modification                   | 8  |
| 5.0  | Power Line Conducted Emission Test | 9  |
| 5.1  | Schematics of the Test             | 9  |
| 5.2  | Test Method and Test Procedure     | 9  |
| 5.3  | Configuration of the EUT           | 9  |
| 5.4  | EUT Operating Condition            | 10 |
| 5.5  | Conducted Emission Limit           | 10 |
| 5.6  | Test Result                        | 10 |
| 6.0  | Radiated Emission test             | 13 |
| 6.1  | Test Method and Test Procedure     | 13 |
| 6.2  | Configuration of the EUT           | 14 |
| 6.3  | EUT Operation Condition            | 14 |
| 6.4  | Radiated Emission Limit            | 14 |
| 7.0  | 6dB Bandwidth Measurement          | 24 |
| 8.0  | Maximum Output Power               | 44 |
| 9.0  | Power Spectral Density Measurement | 47 |
| 10.0 | Out of Band Measurement            | 66 |
| 11.0 | Antenna Requirement                | 84 |
| 12.0 | FCC ID Label                       | 85 |
| 13.0 | Photo of Test Setup and EUT View   | 86 |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



#### **General Details** 1.0

#### Test Lab Details 1.1

SHENZHEN TIMEWAY TESTING LABORATORIES. Name: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Address: Village, Nanshan District, Shenzhen, China Telephone: (755) 83448688 Fax: (755) 83442996 Site Listed with Federal Communications commission (FCC) Registration Number:744189 For 3m Anechoic Chamber Site Listed with Industry Canada of Ottawa, Canada Registration Number: IC: 5205A For 3m Anechoic Chamber

### 1.2 Applicant Details

| Applicant: | GLORY STAR TECHNICS (SHENZHEN) CO., LTD.  |
|------------|---|
| Address:   | Bldg., 9, 4/F., ZongYuntai Technology Industrial Park, Songbai Road, Shiyan Street, Boan, |
|            | Shenzhen, China   |
| Telephone: | (0755)-26001808-305   |
| Fax:       | (0755)-26002933   |

### 1.3 Description of EUT

| Product:              | Commercial Kiosk Tablet   |
|-----------------------|---|
| Manufacturer:         | GLORY STAR TECHNICS (SHENZHEN) CO., LTD.                                    |
| Address:              | Bldg., 9, 4/F., ZongYuntai Technology Industrial Park, Songbai Road, Shiyan |
|                       | Street, Boan, Shenzhen, China   |
| Trademark:            | Glory Star  |
| Model Number:         | INF321  |
| Additional Model Nur  | nber: N/A   |
| Hardware Version: V1  | .3  |
| Software Version: And | droid 12  |
| Serial No.: GS321240  | 200002  |
| Type of Modulation    | IEEE 802.11b: DSSS (CCK, QPSK, DBPSK)                                       |
|                       | IEEE 802.11g/n (HT20, HT40): OFDM (64QAM, 16QAM, QPSK, BPSK)                |
| Frequency range       | IEEE 802.11b/g/n (HT20): 2412-2462MHz; 802.11n HT40: 2422-2452MHz           |
| Channel Spacing       | 5MHz for IEEE 802.11b/g/n HT20, HT40  |
| Air Data Rate         | IEEE 802.11b: 11, 5.5, 2, 1 Mbps  |
|                       | IEEE 802.11g: 54, 48,36, 24, 18, 12, 9, 6 Mbps                              |
|                       | IEEE 802.11n HT20/HT40: mcs0-mcs9   |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| Frequency Selection | By software   |
|---------------------|---|
| Channel Number      | IEEE 802.11b/g/n (HT20): 11 Channels; EEE 802.11n (HT40): 7 Channels;           |
| Antenna:            | Two dipole Antennas used. The gain of the antennas is 1.39dBi Max for each (Get |
|                     | from the antenna specification)   |
| Rating:             | Input: 100-240V~, 50/60Hz, 50W(MAX)   |

- 1.4 Submitted Sample: 2 Samples
- 1.5 Test Duration: 2024-05-06 to 2024-05-30
- 1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions below 1GHz Uncertainty =4.7dB Radiated Emissions above 1GHz Uncertainty =6.0dB Conducted Power Uncertainty =6.0dB Occupied Channel Bandwidth Uncertainty =5% Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

Andy - Xing

The sample tested by

Print Name: Andy Xing

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| 2.0 Test Equipment |              |                  |              |              |            |
|--------------------|--------------|------------------|--------------|--------------|------------|
| Instrument Type    | Manufacturer | Model            | Serial No.   | Date of Cal. | Due Date   |
| ESPI Test Receiver | R&S          | ESPI 3           | 100379       | 2023-07-14   | 2024-07-13 |
| LISN               | R&S          | EZH3-Z5          | 100294       | 2023-07-14   | 2024-07-13 |
| LISN               | R&S          | EZH3-Z5          | 100253       | 2023-07-14   | 2024-07-13 |
| Impuls-Begrenzer   | R&S          | ESH3-Z2          | 100281       | 2023-07-14   | 2024-07-13 |
| Loop Antenna       | EMCO         | 6507             | 00078608     | 2022-07-18   | 2025-07-17 |
| Spectrum           | R&S          | FSIQ26           | 100292       | 2023-07-14   | 2024-07-13 |
| Horn Antenna       | A-INFO       | LB-180400-KF     | J211060660   | 2022-07-18   | 2025-07-17 |
| Horn Antenna       | R&S          | BBHA 9120D       | 9120D-631    | 2022-07-18   | 2024-07-17 |
| Power meter        | Anritsu      | ML2487A          | 6K00003613   | 2023-07-14   | 2024-07-13 |
| Power sensor       | Anritsu      | MA2491A          | 32263        | 2023-07-14   | 2024-07-13 |
| Bilog Antenna      | Schwarebeck  | VULB9163         | 9163/340     | 2022-07-18   | 2025-07-17 |
| 9*6*6 Anechoic     |              |                  | N/A          | 2022-07-26   | 2025-07-25 |
| EMI Test Receiver  | RS           | ESVB             | 826156/011   | 2023-07-14   | 2024-07-13 |
| EMI Test Receiver  | RS           | ESCS 30          | 834115/006   | 2023-07-14   | 2024-07-13 |
| Spectrum           | HP/Agilent   | E4407B           | MY50441392   | 2023-07-14   | 2024-07-13 |
| Spectrum           | RS           | FSP              | 1164.4391.38 | 2023-07-14   | 2024-07-13 |
| RF Cable           | Zhengdi      | ZT26-NJ-NJ-8M/FA |              | 2023-07-14   | 2024-07-13 |
| RF Cable           | Zhengdi      | 7m               |              | 2023-07-14   | 2024-07-13 |
| Pre-Amplifier      | Schwarebeck  | BBV9743          | #218         | 2023-07-14   | 2024-07-13 |
| Pre-Amplifier      | HP/Agilent   | 8449B            | 3008A00160   | 2023-07-14   | 2024-07-13 |
| LISN               | SCHAFFNER    | NNB42            | 00012        | 2023-07-14   | 2024-07-13 |
| ESPI Test Receiver | R&S          | ESPI 3           | 100379       | 2023-07-14   | 2024-07-13 |
| LISN               | R&S          | EZH3-Z5          | 100294       | 2023-07-14   | 2024-07-13 |

### 2.2 Automation Test Software

For Conducted Emission Test

| Name   | Version           |
|--------|-------------------|
| EZ-EMC | Ver.EMC-CON 3A1.1 |

For Radiated Emissions

| Name  | Version |
|---|---------|
| EMI Test Software BL410-EV18.91                 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### 3. Description of Test Modes

### IEEE 802.11b, 802.11g, 802.11n (HT20) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel Frequency (MHz) |      |
|-------------------------|------|
| Low                     | 2412 |
| Middle                  | 2437 |
| High                    | 2462 |

IEEE 802.11b mode: 1Mbps data rate (worst case) was chosen for full testing. IEEE 802.11g mode: 6Mbps data rate (worst case) was chosen for full testing. IEEE 802.11n (HT20) mode: mcs0 (worst case) were chosen for full testing

### IEEE 802.11n (HT40) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel | Frequency (MHz) |
|---------|-----------------|
| Low     | 2422            |
| Middle  | 2437            |
| High    | 2452            |

IEEE 802.11n (HT40) mode: mcs0 data rate (worst case) were chosen for full testing

Note: during the test, the duty cycle was set up to 100%.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

The report refers only to the sample tested and does not apply to the bulk.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



#### 3.0 **Technical Details**

#### 3.1 Summary of test results

| The EUT has been tested according to the following specifications: |  |        |          |  |
|--|--|--------|----------|--|
| Standard   | Test Type  | Result | Notes    |  |
| FCC Part 15, Paragraph 15.107 & 15.207                             | Conducted Emission Test  | Pass   | Complies |  |
| FCC Part 15 Subpart C Paragraph<br>15.247(a)(2) Limit              | Spectrum bandwidth of a<br>Orthogonal Frequency<br>Division Multiplex System<br>Limit: 6dB<br>bandwidth>500kHz   | Pass   | Complies |  |
| FCC Part 15, Paragraph 15.247(b)                                   | Maximum peak output<br>power<br>Limit: max. 30dBm  | Pass   | Complies |  |
| FCC Part 15, Paragraph 15.109,15.205 & 15.209                      | Transmitter Radiated<br>Emission<br>Limit: Table 15.209  | Pass   | Complies |  |
| FCC Part 15, Paragraph 15.247(e)                                   | Power Spectral Density<br>Limit: max. 8dBm   | Pass   | Complies |  |
| FCC Part 15, Paragraph 15.247(d)                                   | Out of Band Emission and<br>Restricted Band Radiation<br>Limit: 20dB less than peak<br>value of fundamental<br>frequency<br>Restricted band limit: Table<br>15.209 | Pass   | Complies |  |

#### 3.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

#### 4.0 **EUT Modification**


No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.


The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### 5.0 Power Line Conducted Emission Test






### 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 500hm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup



### 5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

A. EUT

| Device           | Manufacturer         | Model  | FCC ID         |  |
|------------------|----------------------|--------|----------------|--|
| Commercial Kiosk | GLORY STAR TECHNICS  | INF321 | 24 ACS INTE221 |  |
| Tablet           | (SHENZHEN) CO., LTD. | 111521 | 2AACS-INF321   |  |

### B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A    |              |       |            |

#### C. Peripherals

| Device | Manufacturer | Model | Rating |
|--------|--------------|-------|--------|
| N/A    |              |       |        |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013.

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

### 5.5 Power line conducted Emission Limit according to Paragraph 15.207

|                   | <u> </u>         |               |  |  |  |  |
|-------------------|------------------|---------------|--|--|--|--|
| Frequency         | Limits (dB µ V)  |               |  |  |  |  |
| (MHz)             | Quasi-peak Level | Average Level |  |  |  |  |
| $0.15~\sim~0.50$  | 66.0~56.0*       | 56.0~46.0*    |  |  |  |  |
| $0.50~\sim~5.00$  | 56.0             | 46.0          |  |  |  |  |
| $5.00~\sim~30.00$ | 60.0             | 50.0          |  |  |  |  |

Notes: 1. \*Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

### 5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| A |     | Conducted Emissi<br>EUT Operating Er |              | rminal (150kl  | Hz to 30MHz) | )                   |                |          |       |
|---|-----|--------------------------------------|--------------|----------------|--------------|---------------------|----------------|----------|-------|
|   |     | Femperature: 26°C                    |              | y: 65%RH       | Atmospheric  | Pressure: 101       | kPa            |          |       |
|   |     | EUT set Condition                    | •            |                | -            |                     |                |          |       |
|   | I   | Results: Pass                        |              |                |              |                     |                |          |       |
|   | F   | Please refer to follo                | wing diagram | for individual |              |                     |                |          |       |
|   | 80. | 0 dBuV                               |              |                |              |                     |                |          |       |
|   | 70  |                                      |              |                |              |                     |                |          |       |
|   | 60  |                                      |              |                |              | FCC Part1           | 5 CE-Class B_G | P        |       |
|   | 50  |                                      |              |                |              | FCC Part15          | CE-Class B_AV  | e        |       |
|   |     | At A MALL                            | - B          | 1              | <u></u>      | mm                  | The sea        | peak     |       |
|   | 40  | ALLA WINDA                           |              | Johnson        | m Cin        |                     |                | AVG      |       |
|   | 30  | <b>*</b> M. M. /w                    | MM / W/      | www.           | m //         | Y I VIII            | har w          |          |       |
|   | 20  |                                      | rat r        |                |              |                     |                |          |       |
|   | 10  |                                      |              |                |              |                     |                |          |       |
|   | 0   |                                      |              |                |              |                     |                |          |       |
|   | -10 |                                      |              |                |              |                     |                |          |       |
|   | -20 |                                      |              |                |              |                     |                |          |       |
| _ |     | 0.150                                |              | (MI            | 12)          |                     |                | 30.000   |       |
|   | No. | Frequency                            | Reading      | Factor         | Level        | Limit               | Margin         | Detector | P/F   |
|   |     | (MHz)                                | (dBuV)       | (dB)           | (dBuV)       | (dBuV)              | (dB)           |          | • • • |
|   | 1   | 0.1773                               | 36.13        | 9.77           | 45.90        | <mark>6</mark> 4.61 | -18.71         | QP       | Ρ     |
|   | 2   | 0.1773                               | 15.84        | 9.77           | 25.61        | 54.61               | -29.00         | AVG      | Ρ     |
|   | 3   | 0.6375                               | 31.74        | 9.78           | 41.52        | 56.00               | -14.48         | QP       | Ρ     |
|   | 4   | 0.6375                               | 22.84        | 9.78           | 32.62        | 46.00               | -13.38         | AVG      | Ρ     |
| Γ | 5   | 4.1115                               | 29.10        | 9.89           | 38.99        | 56.00               | -17.01         | QP       | Ρ     |
|   | 6   | 4.1115                               | 23.07        | 9.89           | 32.96        | 46.00               | -13.04         | AVG      | Ρ     |
|   | 7   | 10.9521                              | 32.52        | 10.20          | 42.72        | 60.00               | -17.28         | QP       | Ρ     |
|   | 8   | 10.9521                              | 27.27        | 10.20          | 37.47        | 50.00               | -12.53         | AVG      | Ρ     |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate





The report refers only to the sample tested and does not apply to the bulk.

31.83

26.47

10.20

10.20

42.03

36.67

60.00

50.00

-17.97

-13.33

QP

AVG

Ρ

Ρ

7

8

11.0106

11.0106

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




### 6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. F For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "**QP**" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

### **Block diagram of Test setup**

For radiated emissions from 9kHz to 30MHz




The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT Same as section 5.3 of this report
- 6.3 EUT Operating Condition Same as section 5.4 of this report.
- 6.4 Radiated Emission LimitAll emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



### Frequencies in restricted band are complied to limit on Paragraph 15.209

| Frequency Range (MHz) | Distance (m) | Field strength (dB $\mu$ V/m) |
|-----------------------|--------------|-------------------------------|
| 30-88                 | 3            | 40.0                          |
| 88-216                | 3            | 43.5                          |
| 216-960               | 3            | 46.0                          |
| Above 960             | 3            | 54.0                          |

#### Note:

# 1. RF Voltage (dBuV) = $20 \log RF$ Voltage (uV)

2. In the Above Table, the higher limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

4. Worse case were recorded in the test report. 802.11b was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




## **Test result** General Radiated Emission Data and Harmonics Radiated Emission Data

### Radiated Emission In Horizontal (30MHz----1000MHz)

| EUT set Condition: | Keep Transmitting |
|--------------------|-------------------|
| <b>Results:</b>    | Pass              |

FCC\_FCC Part 15B Class B 30MHz-1GHz



| No. | Frequency | Results  | Factor | Limit    | Margin | Detector | Table    | Height | Antenna    | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|------------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)   |          | (Degree) | (cm)   |            |         |
| 1   | 116.066   | 33.78    | -14.63 | 43.5     | 9.72   | Peak     | 1.00     | 100    | Horizontal | Pass    |
| 2   | 222.739   | 35.72    | -13.19 | 46.0     | 10.28  | Peak     | 151.00   | 100    | Horizontal | Pass    |
| 3   | 288.683   | 36.99    | -11.25 | 46.0     | 9.01   | Peak     | 280.00   | 100    | Horizontal | Pass    |
| 4   | 500.090   | 34.40    | -6.91  | 46.0     | 11.60  | Peak     | 261.00   | 100    | Horizontal | Pass    |
| 5   | 624.946   | 40.69    | -4.85  | 46.0     | 5.31   | Peak     | 280.00   | 100    | Horizontal | Pass    |
| 6   | 742.529   | 40.10    | -3.47  | 46.0     | 5.90   | Peak     | 261.00   | 100    | Horizontal | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




## **Test result** General Radiated Emission Data and Harmonics Radiated Emission Data

### Radiated Emission In Vertical (30MHz----1000MHz)

| EUT set Condition: | Keep Transmitting |
|--------------------|-------------------|
| <b>Results:</b>    | Pass              |

FCC\_FCC Part 15B Class B 30MHz-1GHz



| No. | Frequency | Results  | Factor | Limit    | Margin | Detector | Table    | Height | Antenna  | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|----------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)   |          | (Degree) | (cm)   |          |         |
| 1   | 54.486    | 37.45    | -11.66 | 40.0     | 2.55   | Peak     | 270.00   | 100    | Vertical | Pass    |
| 1*  | 54.486    | 35.40    | -11.66 | 40.0     | 4.60   | QP       | 270.00   | 100    | Vertical | Pass    |
| 2   | 115.824   | 34.22    | -14.57 | 43.5     | 9.28   | Peak     | 79.00    | 100    | Vertical | Pass    |
| 3   | 152.432   | 33.09    | -16.90 | 43.5     | 10.41  | Peak     | 188.00   | 100    | Vertical | Pass    |
| 4   | 374.991   | 40.25    | -9.44  | 46.0     | 5.75   | Peak     | 7.00     | 100    | Vertical | Pass    |
| 5   | 500.090   | 41.99    | -6.91  | 46.0     | 4.01   | Peak     | 1.00     | 100    | Vertical | Pass    |
| 6*  | 624.946   | 44.44    | -4.85  | 46.0     | 1.56   | QP       | 14.00    | 100    | Vertical | Pass    |


The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



# Please refer to the following test plots for details:

# CH01 for 11b at 1Mbps: Horizontal



| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table | Height | ANT        | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-------|--------|------------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)   | (cm)   |            |         |
| 1   | 2410.647  | 91.93    | -3.57  | 74.0     | 17.93      | Peak     | 62.00 | 100    | Horizontal | N/A     |
| 2   | 4824.044  | 51.70    | 3.14   | 74.0     | -22.30     | Peak     | 62.00 | 100    | Horizontal | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### CH01 for 11b at 1Mbps: Vertical


2

4824.044

51.14

3.14

74.0



Peak

154.00

100

Vertical

Pass


-22.86

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



# CH06 for 11b at 1Mbps: Horizontal




| No. | Frequency | Results  | Factor | Limit    | Over       | Detector | Table  | Height | ANT        | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | Limit (dB) |          | (o)    | (cm)   |            |         |
| 1   | 2440.390  | 90.36    | -3.57  | 74.0     | 16.36      | Peak     | 199.00 | 100    | Horizontal | N/A     |
| 2   | 4875.031  | 51.28    | 3.19   | 74.0     | -22.72     | Peak     | 265.00 | 100    | Horizontal | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### CH06 for 11b at 1Mbps: Vertical




| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table  | Height | ANT      | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)    | (cm)   |          |         |
| 1   | 2436.141  | 91.19    | -3.57  | 74.0     | 17.19      | Peak     | 151.00 | 100    | Vertical | N/A     |
| 2   | 4875.031  | 50.62    | 3.19   | 74.0     | -23.38     | Peak     | 151.00 | 100    | Vertical | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





| No. | Frequency | Results  | Factor | Limit    | Over       | Detector | Table  | Height | ANT        | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | Limit (dB) |          | (o)    | (cm)   |            |         |
| 1   | 2461.635  | 92.07    | -3.57  | 74.0     | 18.07      | Peak     | 220.00 | 100    | Horizontal | N/A     |
| 2   | 4921.770  | 51.26    | 3.27   | 74.0     | -22.74     | Peak     | 37.00  | 100    | Horizontal | Pass    |


### CH11 for 11b at 1Mbps: Horizontal

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

CH11 for 11g at 6Mbps: Vertical





| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table  | Height | ANT      | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)    | (cm)   |          |         |
| 1   | 2461.635  | 91.63    | -3.57  | 74.0     | 17.63      | Peak     | 153.00 | 100    | Vertical | N/A     |
| 2   | 4921.770  | 50.83    | 3.27   | 74.0     | -23.17     | Peak     | 149.00 | 100    | Vertical | Pass    |

Note: 1. Result Level = Reading + Factor

2. Factor= AF + Cable Loss- Preamp

3. Margin = Result– Limit

4. For radiated Emissions from 18-25GHz and below 30MHz, it is only the floor noise.


5. The peak value less than the AV limit, no necessary to take down the AV measurement result.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



# 7.0 6dB Bandwidth Measurement 7.1 Test Setup



# 7.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

## 7.3 Test Procedure

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth (VBW)  $\ge$  3 x RBW.
- 3. Detector = Peak.
- 4. Trace mode = max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.

7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

# 7.4 Test Result

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 6dB Occupied Bandwidth

| EUT         |                            | Commerc | Model                              |                         | INF321 |                        |     |            |
|-------------|----------------------------|---------|------------------------------------|-------------------------|--------|------------------------|-----|------------|
| Mode        |                            | 8       | Input Voltage                      |                         | 120V~  |                        |     |            |
| Temperature |                            | 24      |                                    | Humidity                |        | 56% RH                 |     |            |
| Channel     | Channel Frequency<br>(MHz) |         | Data<br>Transfer<br>Rate<br>(Mbps) | 6 dB Bandwidth<br>(MHz) |        | Minimum Limit<br>(MHz) |     | Pass/ Fail |
| 1           |                            | 2412    | 1                                  | 10.07                   |        | 0.5                    |     | Pass       |
| 6           |                            | 2437    | 1                                  | 10                      | .07    | 0.5                    |     | Pass       |
| 11          |                            | 2462    | 1                                  | 10.07                   |        | 07 0.5                 |     | Pass       |
| 1           |                            | 2412    | 11                                 | 11.34                   |        | 34                     |     | Pass       |
| 6           |                            | 2437    | 11                                 | 11                      | 34     |                        | 0.5 | Pass       |
| 11          |                            | 2462    | 11                                 | 11                      | .34    | 0.5                    |     | Pass       |

Note: Two antennas (Ant 0 and Ant 1) were tested and only the worst cased was recorded in the test report. Ant 0 was the worst case.


The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



Page 26 of 87

### 1. 802.11b at 1Mbps of CH01



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 27 of 87

### 2. 802.11b at 1Mbps of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 28 of 87

### 3. 802.11b at 1Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 29 of 87

### 4. 802.11b at 11Mbps of CH01



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 30 of 87

### 5. 802.11b at 11Mbps of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 31 of 87

### 6. 802.11b at 11Mbps of CH11



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### 6dB Occupied Bandwidth

| EUT         |                            | Commercial Kiosk Tablet |                                    |                        | Model         |                        | INF321 |            |  |
|-------------|----------------------------|-------------------------|------------------------------------|------------------------|---------------|------------------------|--------|------------|--|
| Mode        |                            | 802.11g                 |                                    |                        | Input Voltage |                        | 120V~  |            |  |
| Temperature |                            | 24 deg. C,              |                                    |                        | Humidity      |                        | 56% RH |            |  |
| Channel     | Channel Frequency<br>(MHz) |                         | Data<br>Transfer<br>Rate<br>(Mbps) | 6dB Bandwidth<br>(MHz) |               | Minimum Limit<br>(MHz) |        | Pass/ Fail |  |
| 1           | 2412                       |                         | 6                                  | 16.33                  |               | 0.5                    |        | Pass       |  |
| 6           | 2437 6                     |                         | 16.33                              |                        | 0.5           |                        | Pass   |            |  |
| 11          |                            | 2462                    | 6                                  | 16                     | .33           | 0.5                    |        | Pass       |  |

Note: Two antennas (Ant 0 and Ant 1) were tested and only the worst cased was recorded in the test report. Ant 0 was the worst case.


The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



# Test Plots: 1. 802.11g at 6Mbps of CH01



Date: 22.MAY.2024 15:01:11

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 34 of 87

### 2. 802.11g at 6Mbps of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 35 of 87

### 3. 802.11g at 6Mbps of CH11



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### 6dB Occupied Bandwidth

| EUT         |                            | Commerc      | Model                              |                         | INF321        |                        |        |            |
|-------------|----------------------------|--------------|------------------------------------|-------------------------|---------------|------------------------|--------|------------|
| Mode        |                            | 802.11n HT20 |                                    |                         | Input Voltage |                        | 120V~  |            |
| Temperature |                            | 24 deg. C,   |                                    |                         | Humidity      |                        | 56% RH |            |
| Channel     | Channel Frequency<br>(MHz) |              | Data<br>Transfer<br>Rate<br>(Mbps) | 6 dB Bandwidth<br>(MHz) |               | Minimum Limit<br>(MHz) |        | Pass/ Fail |
| 1           | 2412                       |              | mcs0                               | 17.53                   |               | 0.5                    |        | Pass       |
| 6           | 2437                       |              | mcs0                               | 17.53                   |               | 0.5                    |        | Pass       |
| 11          | 2462                       |              | mcs0                               | 17.53                   |               | 0.5                    |        | Pass       |

Note: Two antennas (Ant 0 and Ant 1) were tested and only the worst cased was recorded in the test report. Ant 0 was the worst case.

The report refers only to the sample tested and does not apply to the bulk.


The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 37 of 87

# Test Plots: 1. 802.11n at HT20 of CH01



Date: 22.MAY.2024 15:11:10

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 38 of 87

## 2. 802.11n at HT20 of CH06



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 39 of 87

## 3. 802.11n at HT20 of CH11



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



# 6dB Occupied Bandwidth

| EUT      |                   | Commerc   | ial Kiosk T                        | ablet    | Mod            | lel    | INI               | F321       |
|----------|-------------------|-----------|------------------------------------|----------|----------------|--------|-------------------|------------|
| Mode     |                   | 802       | .11n HT40                          |          | Input Vol      | tage   | 12                | 0V~        |
| Temperat | Channel Frequency | 4 deg. C, |                                    | Humidity |                | 56% RH |                   |            |
| Channel  |                   |           | Data<br>Transfer<br>Rate<br>(Mbps) |          | ndwidth<br>Hz) |        | num Limit<br>MHz) | Pass/ Fail |
| 3        | (MHz)             |           | mcs0                               | 36       | .23            |        | 0.5               | Pass       |
| 6        |                   | 2437      | mcs0                               | 36       | .23            |        | 0.5               | Pass       |
| 9        |                   | 2452      | mcs0                               | 36       | .23            |        | 0.5               | Pass       |

Note: Two antennas (Ant 0 and Ant 1) were tested and only the worst cased was recorded in the test report. Ant 0 was the worst case.


The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# **Test Plots:** 1. 802.11n at HT40 of CH03




Date: 22.MAY.2024 15:12:46

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### 2. 802.11n at HT40 of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 43 of 87

## 3. 802.11n at HT40 of CH09




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



8. Maximum Output Power 8.1 Test Setup



# 8.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

#### **8.3 Test Procedure**

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

## Note: The Peak power was measured

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# **8.4Test Results**

| EUT      |                    |    | Commer | cial Kio  | sk Tablet          |      | Model        | I                     | NF321    |     |  |              |            |
|----------|--------------------|----|--------|-----------|--------------------|------|--------------|-----------------------|----------|-----|--|--------------|------------|
| Mode     |                    |    |        | 802.11b   |                    |      | Test Voltage | 1                     | 20V~     |     |  |              |            |
| Temperat | ure                |    | 2      | 24 deg. C | ·,                 |      | Humidity     | 56                    | 5% RH    |     |  |              |            |
| Channel  | Frequency<br>(MHz) |    | 1 2    |           | Frequency<br>(MHz) |      | Ant 0 I      | Power                 | Ant 1 Po | wer |  | Limit<br>Sm) | Pass/ Fail |
|          |                    | L) | dBm    | mW        | dBm                | mW   | 7 (UI        | <b>J</b> 111 <i>)</i> |          |     |  |              |            |
| 1        | 2412               |    | 15.41  | 34.75     | 15.35              | 34.2 | 8 3          | 0                     | Pass     |     |  |              |            |
| 6        | 2437               |    | 15.39  | 34.59     | 15.28              | 33.7 | 3 3          | 0                     | Pass     |     |  |              |            |
| 11       | 2462               |    | 15.40  | 34.67     | 15.32              | 34.0 | 4 3          | 0                     | Pass     |     |  |              |            |

Note: 1. At finial test to get the worst-case emission at 11Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT      |           | Co | ommercia | al Kiosk 🛛 | Fablet             | N.    | Iodel   | INF321 |          |     |     |           |            |
|----------|-----------|----|----------|------------|--------------------|-------|---------|--------|----------|-----|-----|-----------|------------|
| Mode     |           |    | 80       | )2.11g     |                    | Test  | Voltage | 120    | V~       |     |     |           |            |
| Temperat | ure       |    | 24       | deg. C,    |                    | Hu    | midity  | 56% RH |          |     |     |           |            |
| Channel  | Frequency |    |          |            | Frequency<br>(MHz) |       | Ant 0 F | Power  | Ant 1 Po | wer | 100 | ver Limit | Pass/ Fail |
|          |           | Z) | dBm      | mW         | dBm                | mW    | (       | dBm)   |          |     |     |           |            |
| 1        | 2412      |    | 15.89    | 38.82      | 15.76              | 37.67 |         | 30     | Pass     |     |     |           |            |
| 6        | 2437      |    | 15.94    | 39.26      | 15.82              | 38.19 |         | 30     | Pass     |     |     |           |            |
| 11       | 2462      |    | 16.33    | 42.95      | 16.24              | 42.07 |         | 30     | Pass     |     |     |           |            |

Note: 1. At finial test to get the worst-case emission at 6Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| EUT      |              | Co    | ommerci                                  | al Kiosk 🤇  | Fablet   | N     | Iodel                 |     | INF321         |            |       |  |       |  |       |  |    |      |
|----------|--------------|-------|--|-------------|----------|-------|-----------------------|-----|----------------|------------|-------|--|-------|--|-------|--|----|------|
| Mode     |              |       | 802.1                                    | 1n (HT20    | )        | Test  | Voltage               |     | 120V~          |            |       |  |       |  |       |  |    |      |
| Temperat | ure          |       | 24                                       | deg. C,     |          | Hu    | midity                |     | H              |            |       |  |       |  |       |  |    |      |
| Channel  | Frequ<br>(MH | uency | Ant 0 I                                  | Power       | Ant 1 Po | wer   | Total Ma<br>Power Out |     | Power<br>Limit | Pass/ Fail |       |  |       |  |       |  |    |      |
|          |              | L)    | dBm                                      | mW          | dBm      | mW    | -MIMO (dl             | Bm) | (dBm)          |            |       |  |       |  |       |  |    |      |
| 1        | 2412         |       | 16.11                                    | 40.83       | 16.02    | 39.99 | 19.08                 |     | 30             | Pass       |       |  |       |  |       |  |    |      |
| 6        | 2437         |       | 16.13                                    | 41.02       | 16.05    | 40.27 | 19.10                 |     | 19.10          |            | 19.10 |  | 19.10 |  | 19.10 |  | 30 | Pass |
| 11       | 2462         |       | Ant 0 Pow<br>dBm r<br>16.11 4<br>16.13 4 | 37.84 15.63 |          | 36.56 | 18.72                 |     | 30             | Pass       |       |  |       |  |       |  |    |      |

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT20 for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT      |                          | C                | Commerc | ial Kiosk | Tablet   |       | Model             | INF                | 321        |              |
|----------|--------------------------|------------------|---------|-----------|----------|-------|-------------------|--------------------|------------|--------------|
| Mode     |                          |                  | 802.1   | l1n (HT4  | 0)       | Tes   | st Voltage        | 120                | V~         |              |
| Temperat | ure                      |                  | 24      | l deg. C, |          | Н     | umidity           | 56%                | RH         |              |
| Channel  | Frequency                |                  | Ant 0 I | Power     | Ant 1 Po | wer   | Total Ma<br>Power | <br>Power<br>Limit | Pass/ Fail |              |
| Channer  | annel Frequency<br>(MHz) | (MHz)            |         | dBm       | mW       | dBm   | mW                | Output-MI<br>(dBm) | (dBm)      | 1 455/ 1 411 |
| 3        | 2422                     |                  | 16.44   | 44.06     | 16.36    | 43.25 | 19.41             | 30                 | Pass       |              |
| 6        | 2437                     |                  | 16.46   | 44.26     | 16.39    | 43.55 | 19.44             | 30                 | Pass       |              |
| 9        | 2452                     | 1Hz)<br>22<br>37 | 16.13   | 41.02     | 16.04    | 40.18 | 19.10             | 30                 | Pass       |              |

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT40 for CH03, CH06 and CH09

2. The result basic equation calculation as follow:

Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



# 9. Power Spectral Density Measurement

9.1 Test Setup



# 9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm/3kHz.

# 9.3 Test Procedure

1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.

- 2. Set the RBW = 10 kHz.
- 3. Set the VBW  $\geq$  30 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be  $\leq 8 \text{ dBm/3kHz}$ .

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# 9.4Test Result

| EUT      |      | Cor   | nmercial Kiosk Tablet | Model                   | INF321     |            |  |
|----------|------|-------|-----------------------|-------------------------|------------|------------|--|
| Mode     |      |       | 802.11b 11Mbps        | Test Voltage            | 120V~      |            |  |
| Temperat | ure  |       | 24 deg. C,            | Humidity                | 56% RH     | I          |  |
| Channel  | Freq | uency | Ant 0 Power Spect     | ral Density (dBm/10kHz) | Limit      | Pass/ Fail |  |
|          | (M   | (Hz)  |                       |                         | (dBm/3kHz) |            |  |
| 1        | 24   | 412   |                       | -11.01                  | 8          | Pass       |  |
| 6        | 24   | 437   |                       | -11.01                  | 8          | Pass       |  |
| 11       | 24   | 462   |                       | -11.16                  | 8          | Pass       |  |

Note: Ant 0 and Ant 1 were tested and Ant 0 was the worst case

| EUT      |      | C                    | ommercial Kiosk Tablet | Model               | INF321     |            |  |  |
|----------|------|----------------------|------------------------|---------------------|------------|------------|--|--|
| Mode     |      |                      | 802.11b 1Mbps          | Test Voltage        | 120V~      |            |  |  |
| Temperat | ure  |                      | 24 deg. C,             | Humidity            | 56% RH     | I          |  |  |
| Channel  | Freq | uency                | Ant 0 Power Spectral   | Density (dBm/10kHz) | Limit      | Pass/ Fail |  |  |
|          | (M   | (IHz) And Power Spec |                        |                     | (dBm/3kHz) |            |  |  |
| 1        | 24   | 412                  | -12                    | .14                 | 8          | Pass       |  |  |
| 6        | 24   | 137                  | -12                    | .18                 | 8          | Pass       |  |  |
| 11       | 24   | 162                  | -12                    | .05                 | 8          | Pass       |  |  |

Note: Ant 0 and Ant 1 were tested and Ant 0 was the worst case

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



| EUT      |      | Co    | mmercial Kiosk Tablet | Model                 |       | INF321     |      |
|----------|------|-------|-----------------------|-----------------------|-------|------------|------|
| Mode     |      |       | 802.11g 6Mbps         | Test Voltage          |       | 120V~      |      |
| Temperat | ure  |       | 24 deg. C,            | Humidity              |       | 56% RH     |      |
| Channel  | Freq | uency | Ant 0 Power Spectra   | l Density (dBm/10kHz) | Limit | Pass/ Fail |      |
|          | (M   | (Hz)  |                       |                       |       | (dBm/3kHz) |      |
| 1        | 24   | 412   | -1                    | 2.52                  |       | 8          | Pass |
| 6        | 24   | 437   |                       | 2.50                  |       | 8          | Pass |
| 11       | 24   | 462   | -1                    | 2.78                  | 8     | Pass       |      |

Note: Ant 0 and Ant 1 were tested and Ant 0 was the worst case

| EUT      |     | Commercial Kiosk Table802.11n HT20 mcs024 deg. C,equencyAnt 0 PowerMHz)Spectral Density2412-12.97 |                  | ablet  |  | Model  |      | INF32               | l          |  |   |
|----------|-----|---|------------------|--------|--|--|------|---------------------|------------|--|---|
| Mode     |     |   | 802.11n HT20 mcs | s0     |  | Test Voltage                                       |      | 120V~               |            |  |   |
| Temperat | ure |   | 24 deg. C,       |        |  | Humidity   |      | Humidity 56% RH     |            |  | H |
| Channel  | -   | -   |                  | Factor |  | Total Power Spectra<br>Density-MIMO<br>(dBm/10kHz) | al   | Limit<br>(dBm/3kHz) | Pass/ Fail |  |   |
| 1        | 24  | 412   | -12.97           | 3.01   |  | -9.96  |      | 8                   | Pass       |  |   |
| 6        | 24  | 437   | -12.94           | 3.01   |  | -9.93  |      | 8                   | Pass       |  |   |
| 11       | 24  | 2462 -13.18 3.01  |                  | -10.17 |  | 8  | Pass |                     |            |  |   |

Note: 1. Total Power Spectral Density = Ant1 Power Spectral Density + Factor

2. Factor=10log2=3.01

3. Ant 0 and Ant 1 were tested and Ant 0 was the worst case

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| EUT      |             | C  | ommercial Kiosk Ta | ablet  | Model  |  | INF321              |            |
|----------|-------------|--|--------------------|--------|--|--|---------------------|------------|
| Mode     | •           |  | 802.11n HT40 mcs   | s0     | Test Voltage                                 |  | 120V~               |            |
| Temperat | ture        |  | 24 deg. C,         |        | Humidity                                     |  | 56% RH              |            |
| Channel  | -           | equency Ant 0 Power<br>MHz) Spectral Density |                    | Factor | Total Power Spe<br>Density-MIM<br>(dBm/10kHz | 0  | Limit<br>(dBm/3kHz) | Pass/ Fail |
| 3        | 24          | 422  | -16.61             | 3.01   | -13.60                                       |  | 8                   | Pass       |
| 6        | 2437 -16.49 |  | -16.49             | 3.01   | -13.48                                       |  | 8                   | Pass       |
| 9        | 24          | 452  | -16.62             | 3.01   | -13.61                                       | 120V~   120V~   56% RH   ectral Limit (dBm/3kHz)   z) 8   8 Pass | Pass                |            |

Note: 1. Total Power Spectral Density = Ant1 Power Spectral Density + Factor

2. Factor=10log2=3.01


3. Ant 0 and Ant 1 were tested and Ant 0 was the worst case

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



# 9.5 Photo of Power Spectral Density Measurement

1.802.11b at 11Mbps of CH01




#### Date: 22.MAY.2024 16:59:29

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



2. 802.11b at 11Mbps at CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 53 of 87

3. 802.11b at 11Mbps of CH11



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Page 54 of 87

4. 802.11b at 1Mbps of CH1




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 55 of 87

5. 802.11b at 1Mbps of CH6




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 56 of 87

6. 802.11b at 1Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



7. 802.11g at 6Mbps of CH1




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 58 of 87

8. 802.11g at 6Mbps of CH6




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



9. 802.11g at 6Mbps of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 60 of 87

10. 802.11n at HT20 of CH01




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 61 of 87

#### 11. 802.11n at HT20 of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 62 of 87

12. 802.11n at HT20 of CH11




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 63 of 87

#### 13. 802.11n at HT40 of CH03




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 64 of 87

#### 14. 802.11n at HT40 of CH06




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Page 65 of 87

#### 15. 802.11n at HT40 of CH09




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**10 Out of Band Measurement 10.1 Test Setup for band edge** 



## The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

# 10.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

# **10.3 Test Procedure**

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test. (Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

## **10.4 Test Result**

Please see next pages

Note: 1. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule. 2. Two antennas were tested and only the worst cased was recorded in the test report. Ant 0 was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### For 802.11b mode

CH01 at 1Mbps

#### 10.4 Band-edge Measurement

| EUT          | Commercia  | al Kiosk Tablet | M     | odel          |                  | INF3          | 21                 |    |
|--------------|--|-----------------|-------|---------------|------------------|---------------|--------------------|----|
| Mode         | Keeping  | Transmitting    | Input | Voltage       |                  | 120           | V~                 |    |
| Temperature  | 24   | deg. C,         | Hur   | nidity        |                  | 56%           | RH                 |    |
| Test Result: | ]  | Pass            | Det   | ector         |                  | PK            |                    |    |
| est Figure:  |  |                 |       |               |                  |               |                    | _  |
|              | Marker   | 1 [T1]          | RBW   | 100 }         | KHZ RI           | F Att         | 20 dB              |    |
| Ref Lvl      |  | -2.88 dBm       | VBW   | 300 }         | cHz              |               |                    |    |
| 10 dBm       | 2  | 2.41156313 GHz  | SWT   | 20 n          | ns Ui            | nit           | dBm                |    |
| 10           |  |                 |       | ▼1            | [T1]             | -2            | .88 dBm            |    |
|              |  |                 |       |               |                  | 2.41156       | 313 GHz            | A  |
| 0            |  |                 |       | ₹2            | (T1)             | -51           | .97 dBm            |    |
|              |  |                 |       |               | W HIMLE          | <b>4</b> 0000 | 000 GHz            |    |
| -10          |  |                 |       | <b>∇</b> 3    | [T1]             | -59           | .20 dBm            |    |
|              |  |                 |       |               |                  | 2.3000        | 000 GHz<br>.87 dBm |    |
| -20          |  |                 |       |               | <b>₩</b> L ± ± ] | 2.39905       | 812 GHZ            |    |
| 1MAX         |  |                 |       | l I           |                  |               |                    | 1M |
| -30          |  |                 |       |               |                  |               |                    |    |
|              |  |                 |       |               |                  |               |                    |    |
| 10           |  |                 |       | l f           |                  |               |                    |    |
| -40          |  |                 |       |               |                  |               |                    |    |
|              |  |                 |       | 4<br><b>又</b> |                  |               |                    |    |
| -50          |  |                 |       | A.            |                  |               | Å                  |    |
|              |  |                 | - ha  | U W           |                  |               | A LANA             |    |
| -60          | in the basic on the ford of the  | un markende     |       | _             |                  |               | V-V                |    |
| man and the  | and the second s |                 |       |               |                  |               |                    |    |
| -70          |  |                 |       |               |                  |               |                    |    |
|              |  |                 |       |               |                  |               |                    |    |
| -80          |  |                 |       |               |                  |               |                    |    |
|              |  |                 |       |               |                  |               |                    |    |
| -90          |  |                 |       |               |                  |               |                    |    |
| Start 2.3    | 5 GHz  | <br>8 M         | 1Hz/  | •             |                  | Stop 2        | .43 GHz            | ŀ  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### CH11 at 1Mbps

#### 10.4 Band-edge Measurement

| EUT          | Commercial Kiosk Tablet |           |            |         | Mo          | del             | INF321 |        |            |     |         |      |  |
|--------------|-------------------------|-----------|------------|---------|-------------|-----------------|--------|--------|------------|-----|---------|------|--|
| Mode         | ]                       | Keeping 7 | Fransmitti | ng      | Input V     | Voltage         |        |        | 120        | V~  |         |      |  |
| Temperature  |                         | 24 d      | leg. C,    |         | Hum         | idity           | 56% RH |        |            |     |         |      |  |
| Test Result: |                         | F         | Pass       |         | Detector PK |                 |        |        |            |     |         |      |  |
| st Figure:   |                         |           |            |         |             |                 | •      |        |            |     |         |      |  |
|              |                         | Marker    | 1 [T1]     |         | RBW         | 100             | kHz    | RF A   | tt         | 20  | dB      |      |  |
| Ref Lvl      |                         |           | -2.        | 72 dBm  | VBW         | 300             | kHz    |        |            |     |         |      |  |
| 10 dBm       |                         | 2         | 2.463026   | 605 GHz | SWT         | 12.5            | ms     | Unit   |            |     | dBm     |      |  |
| 10           |                         |           |            |         |             | •               | 1 [T1] |        | -2         | 72  | dBm     |      |  |
|              |                         |           |            |         |             |                 | + (++) | 2.4    | -<br>16302 | 605 | GHz     | A    |  |
| 0            |                         | 1         |            |         |             |                 | 2 [71] |        | - 57       | .91 | dBm     |      |  |
|              | UNAM.                   | uy phun   | hun -      |         |             |                 |        | 2.4    | 18350      | 000 | GHz     |      |  |
| -10          |                         | _\{       | - Kr       |         |             |                 |        |        |            |     |         |      |  |
| -20          | V                       | ų         | Vy         |         |             |                 |        |        |            |     |         |      |  |
| 1MAX         |                         |           |            | k<br>K  |             |                 |        |        |            |     |         | 1112 |  |
| -30          |                         |           |            | 4       |             |                 |        |        |            |     |         |      |  |
| -40          |                         |           |            | k l     |             |                 |        |        |            |     |         |      |  |
| E E          |                         |           |            | Ì       |             |                 |        |        |            |     |         |      |  |
| -50          |                         |           |            |         | Y WHAY      | 2               |        |        |            |     |         |      |  |
| -60          |                         |           |            | - U     | VWV         | <u>haven fo</u> | hund   | have a | Maria      | And | whe     |      |  |
| -70          |                         |           |            |         |             |                 |        |        |            |     |         |      |  |
| -80          |                         |           |            |         |             |                 |        |        |            |     |         |      |  |
|              |                         |           |            |         |             |                 |        |        |            |     |         |      |  |
| -90          | 45 011                  |           |            |         | Hz/         |                 |        |        | Stop       |     | <i></i> | L    |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### For 802.11b mode

CH01 at 11Mbps

#### Rand-edge Measurement 10 4

| EUT          | Commercial Kiosk Tablet   | Model             | INF321             |  |  |  |  |
|--------------|---------------------------|-------------------|--------------------|--|--|--|--|
| Mode         | Keeping Transmitting      | Input Voltage     | 120V~              |  |  |  |  |
| Temperature  | 24 deg. C,                | Humidity          | 56% RH             |  |  |  |  |
| Test Result: | Pass                      | Detector          | РК                 |  |  |  |  |
| st Figure:   |                           |                   |                    |  |  |  |  |
|              | Marker 1 [T1]             | RBW 100           | 0 kHz RF Att 20 dB |  |  |  |  |
| Ref Lvl      | -1.97                     | dBm VBW 300       | ) kHz              |  |  |  |  |
| 10 dBm       | 2.41460922                | GHZ SWT 20        | Oms Unit dBm       |  |  |  |  |
| 10           |                           |                   | ▼1 [T1] -1.97 dBm  |  |  |  |  |
|              |                           |                   | 2.41460922 GHz     |  |  |  |  |
| 0            |                           |                   | ▼2 [T1] -54.73 dBm |  |  |  |  |
|              |                           |                   | 40000000 GHz       |  |  |  |  |
| -10          |                           |                   | ▼3 [[T1]           |  |  |  |  |
|              |                           |                   | 2.39000000 GHz     |  |  |  |  |
| -20          |                           |                   | ∇4 [T1] -50.48 dBm |  |  |  |  |
| 1MAX         |                           |                   | 2.39905812 GHZ     |  |  |  |  |
|              |                           |                   |                    |  |  |  |  |
| -30          |                           |                   |                    |  |  |  |  |
|              |                           |                   |                    |  |  |  |  |
| -40          |                           |                   |                    |  |  |  |  |
|              |                           |                   |                    |  |  |  |  |
| -50          |                           | 4<br><del>7</del> |                    |  |  |  |  |
|              |                           |                   | In Maria           |  |  |  |  |
|              |                           | the second second | The second         |  |  |  |  |
| -60          | destination to maring the | they all the      |                    |  |  |  |  |
|              |                           |                   |                    |  |  |  |  |
| -70          |                           |                   |                    |  |  |  |  |
|              |                           |                   |                    |  |  |  |  |
| -80          |                           |                   |                    |  |  |  |  |
|              |                           |                   |                    |  |  |  |  |
| -90          |                           |                   |                    |  |  |  |  |
| -90          | GHz                       | 8 MHz/            | Stop 2.43 GHz      |  |  |  |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



## CH11 at 11Mbps

#### 10.4 Band-edge Measurement

| EUT                  | Commercial Kiosk Tablet<br>Keeping Transmitting |          |        | Mo      | odel     | INF321<br>120V~ |                   |            |     |  |  |
|----------------------|---|----------|--------|---------|----------|-----------------|-------------------|------------|-----|--|--|
| Mode                 |   |          |        | Input V | Voltage  |                 |                   |            |     |  |  |
| Temperature24 deg. C |   |          | . C,   |         | nidity   |                 | 56% RH            |            |     |  |  |
| Test Result: Pass    |   | Detector |        |         |          | РК              |                   |            |     |  |  |
| est Figure:          |   |          |        |         |          |                 |                   |            |     |  |  |
| (F)                  | Marker  | 1 [T1]   |        | RBW     | 100      | kHz             | RF Att            | 20 dB      |     |  |  |
| Ref Lvl              |   | -2.      | 53 dBm | VBW     | 300      | kHz             |                   |            |     |  |  |
| 10 dBm               | 2   | 2.464829 | 66 GHz | SWT     | 12.5     | ms              | Unit              | dB         | m   |  |  |
| 10                   |   |          |        |         | •        | 1 [T1]          |                   | -2.53 dB   | m   |  |  |
|                      |   |          |        |         |          |                 | 2.464             | 82966 GH   | Z   |  |  |
| 0                    |   |          |        |         | .∆.      | 2 [T1]          |                   | 60.20 aB   | m   |  |  |
|                      | - approximation                                 | whether  |        |         |          |                 | 2.483             | 50000 GH   | z   |  |  |
| -10                  | /   | - V      |        |         |          |                 |                   |            |     |  |  |
|                      |   | ٣        |        |         |          |                 |                   |            |     |  |  |
| -20                  |   |          | ۲.     |         |          | _               |                   |            | -   |  |  |
| 1MAX                 |   |          | /      |         |          |                 |                   |            | 1M2 |  |  |
| -30                  |   |          |        |         |          |                 |                   |            | -   |  |  |
| -40                  |   |          | ł      |         |          |                 |                   |            |     |  |  |
| ļ.                   |   |          | ŀ      |         |          |                 |                   |            |     |  |  |
| -50                  |   |          | lun    | When    | 2        |                 |                   |            |     |  |  |
| -60                  |   |          |        |         | Mindally | Millerete.      | Alexander and the | warmich he |     |  |  |
|                      |   |          |        |         |          |                 |                   |            | •   |  |  |
| -70                  |   |          |        |         |          |                 |                   |            | -   |  |  |
|                      |   |          |        |         |          |                 |                   |            |     |  |  |
| -80                  |   |          |        |         |          |                 |                   |            | -   |  |  |
|                      |   |          |        |         |          |                 |                   |            |     |  |  |
| -90                  |   |          |        |         |          |                 |                   |            |     |  |  |
| Start 2.4            | 5 GHz   |          | 5 M    | Hz/     |          |                 | Sto               | р 2.5 GH   | z   |  |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### For 802.11g mode

CH01 at 6Mbps

#### 10.4 Band-edge Measurement

| EUT                                   | Commercial Kiosk Tablet |                 |                       | odel             |             | INF321  |          |     |
|---------------------------------------|-------------------------|-----------------|-----------------------|------------------|-------------|---------|----------|-----|
| Mode Keeping Transmitting             |                         |                 | Input                 | Voltage          | 120V~       |         |          |     |
| Temperature24 deg. C,Test Result:Pass |                         | leg. C,         | Hur                   | nidity           |             | 56%     | RH       |     |
|                                       |                         |                 | Detector              |                  | Pl          | K       |          |     |
| st Figure:                            |                         |                 | •                     |                  |             |         |          |     |
| $\wedge$                              | Marker                  | 1 [T1]          | RBW                   | 100 k            | HZ R        | F Att   | 20 dB    |     |
| Ref Lvl                               |                         | -3.21 dBm       | VBW                   | 300 k            | Hz          |         |          |     |
| ↓<br>10 dBm                           | 2                       | 2.41332665 GHz  | SWT                   | 20 m             | ns U        | nit     | dBr      | ı   |
| 10                                    |                         |                 | <b></b>               | _                | 1           |         |          |     |
|                                       |                         |                 |                       | ▼1               | [T1]        | -3      | 3.21 dBm | A   |
| 0                                     |                         |                 |                       |                  | 1 1 1 1 1 1 | 2.41332 | 665 GHz  |     |
|                                       |                         |                 |                       |                  |             | 214000  | 000 GHz  |     |
| -10                                   |                         |                 |                       | 3                | [T]]        | MA      | 3.37 dBm |     |
| -10                                   |                         |                 |                       |                  | l l         | 2.39000 | 000 GHz  |     |
|                                       |                         |                 |                       |                  |             |         |          |     |
| -20                                   |                         |                 |                       |                  |             |         |          |     |
| 1MAX                                  |                         |                 |                       |                  |             |         |          | 1M2 |
| -30                                   |                         |                 |                       |                  |             |         |          |     |
|                                       |                         |                 |                       | ļ                |             | l l     |          |     |
| - 4 0                                 |                         |                 |                       |                  |             |         |          |     |
| -                                     |                         |                 |                       | l t              |             |         |          |     |
|                                       |                         |                 |                       |                  |             |         | L        |     |
| -50                                   |                         |                 |                       | 2                |             |         | MAL.     |     |
|                                       |                         |                 |                       | 1°0 <sup>4</sup> |             |         |          |     |
| -60                                   | A at the balling of     | and the the the | A state of the second |                  |             |         |          |     |
| manufacture                           | man we we               | wale mili wat   |                       |                  |             |         |          |     |
| -70                                   |                         |                 |                       |                  |             |         |          |     |
|                                       |                         |                 |                       |                  |             |         |          |     |
| - 80                                  |                         |                 |                       |                  |             |         |          |     |
| 30                                    |                         |                 | 1                     |                  |             |         |          |     |
|                                       |                         |                 |                       |                  |             |         |          |     |
| -90                                   |                         |                 | MHz/                  | l                |             |         | 2.43 GHz | l.  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



## CH11 at 6Mbps

#### 10.4 Band-edge Measurement

| EUT                 | Commercial Kiosk Tablet   |            |          | Mo      | del   | INF321<br>120V~ |         |          |     |  |
|---------------------|---------------------------|------------|----------|---------|-------|-----------------|---------|----------|-----|--|
| Mode                | Mode Keeping Transmitting |            | Input V  | /oltage |       |                 |         |          |     |  |
| Temperature 24 de   |                           | eg. C,     | eg. C,   |         | idity |                 | 56%     | RH       |     |  |
| Test Result:        | st Result: Pass           |            | Detector |         |       | РК              |         |          |     |  |
| <b>Fest Figure:</b> |                           |            |          |         |       |                 |         |          |     |  |
|                     | Marker                    | 1 [T1]     |          | RBW     | 100   | kHz             | RF Att  | 20 dB    |     |  |
| Ref Lvl             |                           | -3.        | 52 dBm   | VBW     | 300   | kHz             |         |          |     |  |
| 10 dBm              | 2                         | 2.464529   | 06 GHz   | SWT     | 12.5  | ms              | Unit    | dBm      |     |  |
| 10                  |                           |            |          |         | ▼:    | L [T1]          | _       | 3.52 dBm |     |  |
|                     |                           |            |          |         |       |                 | 2.46452 | 2906 GHz | A   |  |
| 0                   |                           |            |          |         | 2     | 2 [T1]          | -5      | 9.28 abm |     |  |
| EL.                 | stehting what             | hand       |          |         |       |                 | 2.48350 | 000 GHz  |     |  |
| -10                 |                           | 4-4+1 - Va |          |         |       |                 |         |          |     |  |
|                     | ¥                         |            |          |         |       |                 |         |          |     |  |
| -20                 |                           |            |          |         |       |                 |         |          |     |  |
| 1MAX                |                           |            | ţ        |         |       |                 |         |          | 1M7 |  |
| -30                 |                           |            |          |         |       |                 |         |          |     |  |
|                     |                           |            | 1        |         |       |                 |         |          |     |  |
| -40                 |                           |            | ł        |         |       |                 |         |          |     |  |
| - E                 |                           |            | - E      |         |       |                 |         |          |     |  |
| -50                 |                           |            |          | _       |       |                 |         |          |     |  |
|                     |                           |            | 4,4      | in when | 1     |                 |         |          |     |  |
| <b>₩</b> £          |                           |            |          | ** *~   |       |                 |         |          |     |  |
| - 60                |                           |            |          |         |       | "Tallored       | ample   | awything |     |  |
|                     |                           |            |          |         |       |                 |         |          |     |  |
| -70                 |                           |            |          |         |       |                 |         |          |     |  |
|                     |                           |            |          |         |       |                 |         |          |     |  |
| -80                 |                           |            |          |         |       | +               |         |          |     |  |
|                     |                           |            |          |         |       |                 |         |          |     |  |
| -90                 |                           |            |          |         |       |                 |         |          | ļ   |  |
| Start 2.4           | 5 GHz                     |            | 5 M      | Hz/     |       |                 | Stop    | 2.5 GHz  |     |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



### For 802.11n (HT20) mode

CH01 at mcs0

### 10.4 Band-edge Measurement

| EUT             | Commercial Kiosk Tablet      | Model         | INF32                  | l                |  |
|-----------------|------------------------------|---------------|------------------------|------------------|--|
| Mode            | Keeping Transmitting         | Input Voltage | 120V~                  |                  |  |
| Temperature     | 24 deg. C,                   | Humidity      | 56% RH                 |                  |  |
| Test Result:    | Pass                         | Detector      | PK                     |                  |  |
| est Figure:     |                              |               |                        |                  |  |
|                 | Marker 1 [T1]                | RBW 100 k     | Hz RF Att              | 20 dB            |  |
| Ref Lvl         | -3.16 dBm                    | VBW 300 k     | cHz                    |                  |  |
| 10 dBm          | 2.41460922 GHz               | SWT 20 m      | ns Unit                | dBm              |  |
| 10              |                              | ▼1            | [T1] -3.               | 1.6 15           |  |
|                 |                              | ▼ 1           |                        | 16 dBm<br>22 GHz |  |
| 0               |                              | ₹2            | $\frac{2.414000}{-50}$ | 24 dBm           |  |
|                 |                              | 1             |                        | 00 GHz           |  |
| -10             |                              | <b>v</b> A3   | [T1]                   | 05 dBm           |  |
|                 |                              |               | <b>4</b> 2.390000      | 00 GHz           |  |
| -20             |                              |               |                        |                  |  |
| -20             |                              |               |                        | 1.1              |  |
|                 |                              |               |                        |                  |  |
| -30             |                              |               |                        |                  |  |
|                 |                              |               |                        |                  |  |
| - 4 0           |                              |               |                        |                  |  |
|                 |                              |               |                        |                  |  |
| -50             |                              |               |                        | Lega -           |  |
|                 |                              | M             |                        | "Ved ger         |  |
| - 60            |                              | a Vielliel    |                        |                  |  |
| the manufacture | and present with a diversity |               |                        |                  |  |
| 7.0             |                              |               |                        |                  |  |
| -70             |                              |               |                        |                  |  |
|                 |                              |               |                        |                  |  |
| - 80            |                              |               |                        |                  |  |
|                 |                              |               |                        |                  |  |
| -90             |                              |               |                        |                  |  |
| Start 2.35 (    | GHz 8 M                      | Hz/           | Stop 2.                | 43 GHz           |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### CH11 at mcs0

### 10.4 Band-edge Measurement

| EUT          | Commercial Kiosk Tablet |             |  | Mo         | odel    | INF321  |         |          |      |  |
|--------------|-------------------------|-------------|--|------------|---------|---------|---------|----------|------|--|
| Mode         | Keeping                 | Fransmittir | ıg   | Input V    | Voltage |         | 120     | V~       |      |  |
| Temperature  | 24 c                    | leg. C,     |  | Hum        | nidity  |         | 56%     | RH       |      |  |
| Test Result: | F                       | Pass        |  | Dete       | ector   |         | PI      | K        |      |  |
| Cest Figure: |                         |             |  | •          |         |         |         |          |      |  |
| $\wedge$     | Marker                  | 1 [T1]      |  | RBW        | 100     | kHz     | RF Att  | 20 dB    |      |  |
| Ref Lvl      |                         | -3.         | 45 dBm                                       | VBW        | 300     | kHz     |         |          |      |  |
| 10 dBm       | 2                       | .464529     | 06 GHz                                       | SWT        | 12.5    | ms      | Unit    | dBm      | L    |  |
| 10           |                         |             |  |            | ▼:      | L [T1]  |         | 3.45 dBm |      |  |
|              |                         |             |  |            | •       |         | 2.4645  | 2906 GHz | A    |  |
| 0            |                         |             |  |            |         | 2 [T1]  | -5      | 7.59 dBm |      |  |
| . (          | takely ala              | holded      |  |            |         |         | 2.4835  | 0000 GHz |      |  |
| -10          | were terry which        | - Mulle     | <u>(                                    </u> |            |         |         |         |          |      |  |
|              | V                       |             |  |            |         |         |         |          |      |  |
| -20          |                         |             |  |            |         |         |         |          |      |  |
| IMAX         |                         |             |  |            |         |         |         |          | 1117 |  |
|              |                         |             | 4  |            |         |         |         |          |      |  |
| -30          |                         |             | t  |            |         |         |         |          |      |  |
|              |                         |             | 4  |            |         |         |         |          |      |  |
| -40          |                         |             |  |            |         |         |         |          |      |  |
| <i>t</i>     |                         |             | 1  |            |         |         |         |          |      |  |
| -50          |                         |             | \  | <b>x</b> , |         |         |         |          |      |  |
| N I          |                         |             |  | www        |         |         |         |          |      |  |
| - 60         |                         |             |  |            |         | Shere . |         |          |      |  |
|              |                         |             |  |            |         | and the | Kinghan | Mandela  |      |  |
|              |                         |             |  |            |         |         |         |          |      |  |
| -70          |                         |             |  |            |         |         |         |          |      |  |
|              |                         |             |  |            |         |         |         |          |      |  |
| - 80         |                         |             |  |            |         |         |         |          |      |  |
|              |                         |             |  |            |         |         |         |          |      |  |
| -90          |                         |             |  |            |         |         |         |          | L    |  |
| Start 2.45   | GHz                     |             | 5 M  | Hz/        |         |         | Stop    | 2.5 GHz  |      |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



### For 802.11n (HT40) mode

### CH03 at mcs0

### 10.4 Band-edge and Restricted band Measurement


| EUT                  | Commercial Kiosk   | Tablet     | N    | Iodel                        | INF321          |             |          |          |
|----------------------|--------------------|------------|------|------------------------------|-----------------|-------------|----------|----------|
| Mode                 | Keeping Transmi    | tting      | Inpu | t Voltage                    |                 | 120         | V~       |          |
| Temperature          | 24 deg. C,         |            | Hu   | midity                       |                 | 56%         | RH       |          |
| Test Result:         | Pass               |            | De   | Detector PK                  |                 |             | Σ.       |          |
| Test Figure:         |                    |            |      |                              |                 |             |          |          |
| (c)                  | Marker 4 [T1]      |            | RBW  | 100 k                        | Hz RI           | F Att       | 20 dB    |          |
| Ref Lvl              | - 6                | .23 dBm    | VBW  | 300 k                        | Hz              |             |          |          |
| 10 dBm               | 2.42715            | 431 GHz    | SWT  | 25 m                         | .s Uı           | nit         | dBr      | n        |
| 10                   |                    |            |      | ▼4                           | [T1]            | - 6         | .23 dBm  | 1        |
|                      |                    |            |      |                              |                 | 2.42715     | 431 GHz  | A        |
| 0                    |                    | ┼──╂       |      |                              | [T1]            |             | .08 dBn  |          |
|                      |                    |            |      | 1<br>• • • • • • • • • • • • | 4               | 2.41460     | 922 GHz  |          |
| -10                  |                    |            | jd_d | L. L. M. K.                  | 4 <u>5</u> 1111 | Indited and | .24 dBm  |          |
|                      |                    |            |      | _                            |                 | 2.40000     | 000 GHz  |          |
| -20                  |                    |            |      | <b>⊽</b> 3                   | [1]1]           | -59         | 1.02 dBm |          |
| 1MAX                 |                    |            |      |                              | •               | 2.39000     |          | 11       |
| -30                  |                    |            |      |                              |                 |             | -        |          |
| -30                  |                    |            |      |                              |                 |             |          | 1        |
|                      |                    |            | -    |                              |                 |             | ŧ        |          |
| - 4 0                |                    |            | 1    |                              |                 |             |          | 1        |
|                      |                    |            |      |                              |                 |             | ţ        |          |
| -50                  |                    |            |      |                              |                 |             | - Ward   |          |
|                      |                    |            |      |                              |                 |             |          |          |
| -60 tentel Manfrede  | the way the second | al alachan |      |                              |                 |             |          |          |
| where we we have the |                    |            |      |                              |                 |             |          |          |
| -70                  |                    |            |      |                              |                 |             |          |          |
|                      |                    |            |      |                              |                 |             |          |          |
| -80                  |                    |            |      |                              |                 |             |          |          |
|                      |                    |            |      |                              |                 |             |          |          |
| -90                  |                    |            |      |                              |                 |             |          |          |
| -90<br>Start 2.35 G  | Hz                 | 10 MI      | Hz/  |                              |                 | Stop 2      | 2.45 GHz | <b>.</b> |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



CH09 at mcs0

#### 10.4 Band-edge and Restricted band Measurement



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced ratified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



#### 10.5 Restricted band Measurement

| EUT          | Com                | mercial Kiosk Tablet |           | Mo             | odel  | INF321     |  |  |
|--------------|--------------------|----------------------|-----------|----------------|-------|------------|--|--|
| Mode         | Kee                | Keeping Transmitting |           |                |       | 120V~      |  |  |
| Temperature  |                    | 24 deg. C,           |           |                |       | 56% RH     |  |  |
| Test Result: | Pass               |                      |           | Dete           | ector | РК         |  |  |
|              |                    | 802.11b mode, Low C  | hannel, H | el, Horizontal |       |            |  |  |
| 2390         | PK (dBµV/m)        | 40.63                | T :       |                |       | 74(dBµV/m) |  |  |
|              | AV ( $dB\mu V/m$ ) |                      |           | mit            |       | 54(dBµV/m) |  |  |
|              |                    | 802.11b mode, Low    | Channel,  | Vertical       |       |            |  |  |
| 2390         | PK (dBµV/m)        | 42.09                | T :       | it             |       | 74(dBµV/m) |  |  |
|              | AV (dBµV/m)        |                      |           | mit            |       | 54(dBµV/m) |  |  |

### 10.5 **Restricted band Measurement**

| EUT          | Com                  | mercial Kiosk Tablet                   |            | М        | odel       | INF321     |  |  |
|--------------|----------------------|--|------------|----------|------------|------------|--|--|
| Mode         | Keeping Transmitting |  |            |          | Voltage    | 120V~      |  |  |
| Temperature  | 24 deg. C,           |  |            |          | nidity     | 56% RH     |  |  |
| Test Result: | Pass                 |  |            |          | tector     | РК         |  |  |
|              |                      | 802.11b mode, High Channel, Horizontal |            |          |            |            |  |  |
| 2483.5       | PK (dBµV/m)          | 39.12                                  |            |          |            | 74(dBµV/m) |  |  |
|              | AV ( $dB\mu V/m$ )   |  | Limi       | lt       |            | 54(dBµV/m) |  |  |
|              |                      | 802.11b mode, High                     | Channel, V | Vertical |            |            |  |  |
| 2483.5       | PK (dBµV/m)          | 41.25                                  | Limi       | 4        | 74(dBµV/m) |            |  |  |
|              | AV ( $dB\mu V/m$ )   |  | LIIII      | ll       |            | 54(dBµV/m) |  |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



#### 10.5 Restricted band Measurement

| EUT          | Com                | mercial Kiosk Tablet |           | Mo              | odel    | INF321     |  |
|--------------|--------------------|----------------------|-----------|-----------------|---------|------------|--|
| Mode         | Kee                | Keeping Transmitting |           |                 | /oltage | 120V~      |  |
| Temperature  | 24 deg. C,         |                      |           | Humidity        |         | 56% RH     |  |
| Test Result: | Pass               |                      |           | Dete            | ector   | РК         |  |
|              |                    | 802.11g mode, Low C  | hannel, H | nel, Horizontal |         |            |  |
| 2390         | PK (dBµV/m)        | 40.97                | I :       |                 |         | 74(dBµV/m) |  |
|              | AV ( $dB\mu V/m$ ) |                      |           | mit             |         | 54(dBµV/m) |  |
|              |                    | 802.11g mode, Low    | Channel,  | Vertical        |         |            |  |
| 2390         | PK (dBµV/m)        | 43.11                | т:        |                 |         | 74(dBµV/m) |  |
|              | AV (dBµV/m)        |                      | L11       | mit             |         | 54(dBµV/m) |  |

### 10.5 Restricted band Measurement

| EUT          | Com                  | mercial Kiosk Tablet                   |            | М        | odel       | INF321     |  |
|--------------|----------------------|--|------------|----------|------------|------------|--|
| Mode         | Keeping Transmitting |  |            |          | Voltage    | 120V~      |  |
| Temperature  | 24 deg. C,           |  |            |          | nidity     | 56% RH     |  |
| Test Result: | Pass                 |  |            |          | tector     | РК         |  |
|              |                      | 802.11g mode, High Channel, Horizontal |            |          |            |            |  |
| 2483.5       | PK (dBµV/m)          | 38.12                                  | 38.12      |          |            | 74(dBµV/m) |  |
|              | AV ( $dB\mu V/m$ )   |  | Limi       | lt       |            | 54(dBµV/m) |  |
|              |                      | 802.11g mode, High                     | Channel, V | Vertical |            |            |  |
| 2483.5       | PK (dBµV/m)          | 42.28                                  | Limi       | 4        | 74(dBµV/m) |            |  |
|              | AV ( $dB\mu V/m$ )   |  | LIIII      | ll       |            | 54(dBµV/m) |  |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



#### 10.5 Restricted band Measurement

| EUT          | Com                | mercial Kiosk Tablet  |            | Mo          | odel  | INF321     |  |  |
|--------------|--------------------|-----------------------|------------|-------------|-------|------------|--|--|
| Mode         | Ke                 | Keeping Transmitting  |            |             |       | 120V~      |  |  |
| Temperature  |                    | 24 deg. C,            |            |             |       | 56% RH     |  |  |
| Test Result: | Pass               |                       |            | Det         | ector | РК         |  |  |
|              | 80                 | 2.11n HT20 mode, Lov  | el, Horizo | ntal        |       |            |  |  |
| 2390         | PK (dBµV/m)        | 41.05                 | T :        | mit         |       | 74(dBµV/m) |  |  |
|              | AV ( $dB\mu V/m$ ) |                       |            | mit         |       | 54(dBµV/m) |  |  |
|              | 5                  | 802.11n HT20 mode, Lo | ow Chani   | nel, Vertio | cal   |            |  |  |
| 2390         | PK (dBµV/m)        | 43.87                 | L          | mit         |       | 74(dBµV/m) |  |  |
|              | AV ( $dB\mu V/m$ ) |                       |            | iiiit       |       | 54(dBµV/m) |  |  |

### Restricted band Measurement 10.5

| EUT          | Com                | mercial Kiosk Tablet |            | М        | odel       | INF321     |  |
|--------------|--------------------|----------------------|------------|----------|------------|------------|--|
| Mode         | Ke                 | Keeping Transmitting |            |          |            | 120V~      |  |
| Temperature  |                    | 24 deg. C,           |            |          |            | 56% RH     |  |
| Test Result: | Pass               |                      |            |          | tector     | РК         |  |
|              | 8                  | 02.11n HT20 mode, Hi | l, Horiz   | ontal    |            |            |  |
| 2483.5       | PK (dBµV/m)        | 39.26                | <b>.</b>   | • ,      |            | 74(dBµV/m) |  |
|              | AV ( $dB\mu V/m$ ) |                      | Limi       | It       |            | 54(dBµV/m) |  |
|              | 8                  | 02.11n HT20 mode, Hi | igh Channe | l, Verti | cal        |            |  |
| 2483.5       | PK (dBµV/m)        | 42.33                | Limi       |          | 74(dBµV/m) |            |  |
|              | AV ( $dB\mu V/m$ ) |                      | LIIII      | IL       |            | 54(dBµV/m) |  |

The report refers only to the sample tested and does not apply to the bulk.


The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



#### 10.5 Restricted band Measurement

|  | ~           |                      |         |            |        |            |  |
|--|-------------|----------------------|---------|------------|--------|------------|--|
| EUT  | Comr        | nercial Kiosk Tablet |         | Model      |        | INF321     |  |
| Mode                                       | Kee         | Keeping Transmitting |         |            |        | 120V~      |  |
| Temperature                                |             | Humidity             |         | 56% RH     |        |            |  |
| Test Result:                               |             | Pass                 |         |            | tector | РК         |  |
| 802.11n HT40 mode, Low Channel, Horizontal |             |                      |         |            |        |            |  |
| 2390                                       | PK (dBµV/m) | 41.85                | T :     |            |        | 74(dBµV/m) |  |
|  | AV (dBµV/m) |                      | Lli     | mit        |        | 54(dBµV/m) |  |
|  | 5           | 802.11n HT40 mode, L | ow Chan | nel Vertic | al     |            |  |
| 2390                                       | PK (dBµV/m) | 44.26                | т:      |            |        | 74(dBµV/m) |  |
|  | AV (dBµV/m) |                      | Lli     | mit        |        | 54(dBµV/m) |  |

### **Test Plots**




| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table  | Height | ANT        | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)    | (cm)   |            |         |
| 1   | 2418.783  | 90.84    | -3.57  | 74.0     | 16.84      | Peak     | 270.00 | 100    | Horizontal | N/A     |
| 2   | 2400.000  | 41.15    | -3.57  | 74.0     | -32.85     | Peak     | 276.00 | 100    | Horizontal | Pass    |
| 3   | 2390.000  | 41.85    | -3.53  | 74.0     | -32.15     | Peak     | 104.00 | 100    | Horizontal | Pass    |
| 4   | 2391.190  | 45.76    | -3.53  | 74.0     | -28.24     | Peak     | 165.00 | 100    | Horizontal | Pass    |
| 5   | 2393.439  | 45.08    | -3.54  | 74.0     | -28.92     | Peak     | 165.00 | 100    | Horizontal | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table  | Height | ANT      | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)    | (cm)   |          |         |
| 1   | 2428.330  | 90.17    | -3.57  | 74.0     | 16.17      | Peak     | 155.00 | 100    | Vertical | N/A     |
| 2   | 2400.000  | 43.32    | -3.57  | 74.0     | -30.68     | Peak     | 33.00  | 100    | Vertical | Pass    |
| 3   | 2390.000  | 44.26    | -3.53  | 74.0     | -29.74     | Peak     | 74.40  | 100    | Vertical | Pass    |
| 4   | 2389.765  | 50.08    | -3.53  | 74.0     | -23.92     | Peak     | 110.00 | 100    | Vertical | Pass    |
| 5   | 2396.688  | 50.18    | -3.56  | 74.0     | -23.82     | Peak     | 110.00 | 100    | Vertical | Pass    |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



#### 10.5 Restricted band Measurement

| EUT   | Commercial Kiosk Tablet |       |                |       | Iodel      | INF321          |  |  |  |
|---|-------------------------|-------|----------------|-------|------------|-----------------|--|--|--|
| Mode  | Keeping Transmitting    |       |                |       | Voltage    | 120V~           |  |  |  |
| Temperature                                 | 24 deg. C,              |       |                |       | midity     | 56% RH          |  |  |  |
| Test Result:                                |                         | Pass  |                | De    | tector     | РК              |  |  |  |
| 802.11n HT40 mode, High Channel, Horizontal |                         |       |                |       |            |                 |  |  |  |
| 2483.5                                      | PK (dBµV/m)             | 38.41 | 38.41 Limit    |       |            | $74(dB\mu V/m)$ |  |  |  |
|   | AV ( $dB\mu V/m$ )      |       |                |       | 54(dBµV/m) |                 |  |  |  |
| 802.11n HT40 mode, High Channel, Vertical   |                         |       |                |       |            |                 |  |  |  |
| 2483.5                                      | PK (dBµV/m)             | 42.61 | <b>T</b> • • • |       | 74(dBµV/m) |                 |  |  |  |
|   | AV ( $dB\mu V/m$ )      |       | Lim            | Limit |            | $54(dB\mu V/m)$ |  |  |  |




| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table  | Height | ANT        | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)    | (cm)   |            |         |
| 1   | 2449.158  | 90.67    | -3.57  | 74.0     | 16.67      | Peak     | 212.00 | 100    | Horizontal | N/A     |
| 2   | 2483.500  | 38.41    | -3.57  | 74.0     | -35.59     | Peak     | 39.56  | 100    | Horizontal | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

The report refers only to the sample tested and does not apply to the blik. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of accented and one with parts and the sentence of the sentence. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





| No. | Frequency | Results  | Factor | Limit    | Over Limit | Detector | Table  | Height | ANT      | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
|     | (MHz)     | (dBuV/m) | (dB)   | (dBuV/m) | (dB)       |          | (o)    | (cm)   |          |         |
| 1   | 2438.625  | 91.12    | -3.57  | 74.0     | 17.12      | Peak     | 155.00 | 100    | Vertical | N/A     |
| 2   | 2483.500  | 42.61    | -3.57  | 74.0     | -31.39     | Peak     | 131.67 | 100    | Vertical | Pass    |

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



# 11.0 Antenna Requirement

### 11.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

### 11.2 Antenna Connected construction

Two Dipole antennas used. The gain of the antenna is 1.39dBi for each one.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 12.0 FCC ID Label

### FCC ID: 2AACS-INF321

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

### Mark Location:



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 13.0 Photo of testing


Conducted Emission Test Setup:



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate



Radiated Emission Test Setup:



# **Photographs – EUT**

Please refer test report TW2405014-01

### End of the report

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to