



Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: 2EDR Low Channel 2402MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	4804.000	40.84	8.50	49.34	74.00	24.66	Peak
2	4804.000	25.76	8.50	34.26	54.00	19.74	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: 2EDR Low Channel 2402MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	4804.000	39.63	8.50	48.13	74.00	25.87	Peak
2	4804.000	24.28	8.50	32.78	54.00	21.22	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: 2EDR Low Channel 2402MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	7206.000	35.32	11.39	46.71	74.00	27.29	Peak
2	7206.000	23.32	11.39	34.71	54.00	19.29	Average
3	17702.400	33.70	25.91	59.61	74.00	14.39	Peak
4	17702.400	21.74	25.91	47.65	54.00	6.35	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: 2EDR Low Channel 2402MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	7206.000	34.53	11.39	45.92	74.00	28.08	Peak
2	7206.000	22.21	11.39	33.60	54.00	20.40	Average
3	17724.000	33.98	25.87	59.85	74.00	14.15	Peak
4	17724.000	21.27	25.87	47.14	54.00	6.86	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: 3EDR High Channel 2480MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	4960.000	40.12	8.80	48.92	74.00	25.08	Peak
2	4960.000	25.29	8.80	34.09	54.00	19.91	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: 3EDR High Channel 2480MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	4960.000	39.15	8.80	47.95	74.00	26.05	Peak
2	4960.000	24.58	8.80	33.38	54.00	20.62	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: 3EDR High Channel 2480MHz



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	7440.000	35.36	11.47	46.83	74.00	27.17	Peak
2	7440.000	23.59	11.47	35.06	54.00	18.94	Average
3	17721.600	33.71	25.87	59.58	74.00	14.42	Peak
4	17721.600	21.41	25.87	47.28	54.00	6.72	Average

Project No.: 2403Z107562E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: 3EDR High Channel 2480MHz



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	7440.000	35.41	11.47	46.88	74.00	27.12	Peak
2	7440.000	23.46	11.47	34.93	54.00	19.07	Average
3	17642.400	34.86	25.07	59.93	74.00	14.07	Peak
4	17642.400	22.52	25.07	47.59	54.00	6.41	Average

4.3 RF Conducted Data

Please refer to Annex "2403Z107562E-RF-00B Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2403Z107562E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2403Z107562E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2403Z107562E-RF-00B-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====