





Test Mode	Test Channel	Verdict
11ac VHT20	5180	PASS






Test Mode	Test Channel	Verdict
11ac VHT20	5200	PASS





Test Mode	Test Channel	Verdict
11ac VHT20	5240	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT20	5260	PASS
		





Test Mode	Test Channel	Verdict
11ac VHT20	5500	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT20	5580	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5700	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT20	5720_UNII-2C	PASS
		




Test Mode	Test Channel	Verdict
11ac VHT20	5785	PASS




Test Mode	Test Channel	Verdict
11ac VHT20	5825	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5190	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5230	PASS





Test Mode	Test Channel	Verdict
11ac VHT40	5270	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5310	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5510	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT40	5550	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT40	5670	PASS




Test Mode	Test Channel	Verdict
11ac VHT40	5710_UNII-2C	PASS



Test Mode	Test Channel	Verdict
11ac VHT40	5710_UNII-3	PASS
		


Test Mode	Test Channel	Verdict
11ac VHT40	5755	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT40	5795	PASS





The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal trace with a peak at 5.803712 GHz, labeled 'Mkr1', with a power level of -6.129 dBm. The reference level is 20.00 dBm. The span is 80.00 MHz, and the center frequency is 5.795000 GHz. The interface includes various control panels for input, settings, and measurement.


Test Mode	Test Channel	Verdict
11ax HE20	5180	PASS




The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal trace with a peak at 5.172392 GHz, labeled 'Mkr1', with a power level of 1.709 dBm. The reference level is 20.00 dBm. The span is 40.00 MHz, and the center frequency is 5.180000 GHz. The interface includes various control panels for input, settings, and measurement.




Test Mode	Test Channel	Verdict
11ax HE20	5260	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5280	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5320	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5500	PASS





Test Mode	Test Channel	Verdict
11ax HE20	5580	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5700	PASS







Test Mode	Test Channel	Verdict
11ax HE20	5745	PASS



Test Mode	Test Channel	Verdict
11ax HE20	5785	PASS




Test Mode	Test Channel	Verdict
11ax HE20	5825	PASS



The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal trace with a peak at 5.820948 GHz, labeled 'Mkr1', with a power level of -3.182 dBm. The reference level is set to 20.00 dBm. The span is 40.00 MHz, and the center frequency is 5.825000 GHz. The interface includes various control panels for input, settings, and measurement.

Test Mode	Test Channel	Verdict
11ax HE40	5190	PASS



The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a signal trace with a peak at 5.181936 GHz, labeled 'Mkr1', with a power level of -1.656 dBm. The reference level is set to 20.00 dBm. The span is 80.00 MHz, and the center frequency is 5.190000 GHz. The interface includes various control panels for input, settings, and measurement.