

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 338 of 353

				4.4	5319.920	5250 to 5350	Pass
			-30	3.85	5319.980	5250 to 5350	Pass
			-20	3.85	5319.960	5250 to 5350	Pass
			-10	3.85	5320.020	5250 to 5350	Pass
			0	3.85	5320.000	5250 to 5350	Pass
			10	3.85	5320.000	5250 to 5350	Pass
			30	3.85	5320.020	5250 to 5350	Pass
			40	3.85	5319.980	5250 to 5350	Pass
			50	3.85	5320.040	5250 to 5350	Pass
		5500	20	3.6	5500.020	5470 to 5725	Pass
				3.85	5500.060	5470 to 5725	Pass
				4.4	5500.040	5470 to 5725	Pass
			-30	3.85	5500.080	5470 to 5725	Pass
			-20	3.85	5500.020	5470 to 5725	Pass
			-10	3.85	5500.060	5470 to 5725	Pass
			0	3.85	5500.000	5470 to 5725	Pass
			10	3.85	5500.020	5470 to 5725	Pass
			30	3.85	5500.040	5470 to 5725	Pass
			40	3.85	5500.020	5470 to 5725	Pass
			50	3.85	5499.980	5470 to 5725	Pass
		5580	20	3.6	5579.940	5470 to 5725	Pass
				3.85	5579.980	5470 to 5725	Pass
				4.4	5579.980	5470 to 5725	Pass
			-30	3.85	5579.940	5470 to 5725	Pass
			-20	3.85	5579.960	5470 to 5725	Pass
			-10	3.85	5580.000	5470 to 5725	Pass
			0	3.85	5580.060	5470 to 5725	Pass
			10	3.85	5580.080	5470 to 5725	Pass
			30	3.85	5580.000	5470 to 5725	Pass
			40	3.85	5580.040	5470 to 5725	Pass
		5700	20	3.6	5699.980	5470 to 5725	Pass
				3.85	5699.940	5470 to 5725	Pass
				4.4	5700.000	5470 to 5725	Pass
			-30	3.85	5699.960	5470 to 5725	Pass
			-20	3.85	5700.020	5470 to 5725	Pass
			-10	3.85	5699.960	5470 to 5725	Pass
			0	3.85	5700.000	5470 to 5725	Pass
			10	3.85	5699.980	5470 to 5725	Pass
			30	3.85	5700.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 339 of 353

			40	3.85	5700.060	5470 to 5725	Pass
			50	3.85	5699.900	5470 to 5725	Pass
		5745	20	3.6	5744.980	5725 to 5850	Pass
				3.85	5744.940	5725 to 5850	Pass
				4.4	5745.060	5725 to 5850	Pass
			-30	3.85	5745.040	5725 to 5850	Pass
			-20	3.85	5745.000	5725 to 5850	Pass
			-10	3.85	5745.080	5725 to 5850	Pass
			0	3.85	5745.020	5725 to 5850	Pass
			10	3.85	5745.020	5725 to 5850	Pass
			30	3.85	5745.060	5725 to 5850	Pass
			40	3.85	5745.060	5725 to 5850	Pass
			50	3.85	5745.040	5725 to 5850	Pass
		5785	20	3.6	5784.960	5725 to 5850	Pass
				3.85	5785.020	5725 to 5850	Pass
				4.4	5785.040	5725 to 5850	Pass
			-30	3.85	5784.960	5725 to 5850	Pass
			-20	3.85	5784.980	5725 to 5850	Pass
			-10	3.85	5785.020	5725 to 5850	Pass
			0	3.85	5785.000	5725 to 5850	Pass
			10	3.85	5784.980	5725 to 5850	Pass
			30	3.85	5785.040	5725 to 5850	Pass
			40	3.85	5784.940	5725 to 5850	Pass
			50	3.85	5785.020	5725 to 5850	Pass
		5825	20	3.6	5825.060	5725 to 5850	Pass
				3.85	5825.040	5725 to 5850	Pass
				4.4	5824.960	5725 to 5850	Pass
			-30	3.85	5825.020	5725 to 5850	Pass
			-20	3.85	5824.980	5725 to 5850	Pass
			-10	3.85	5825.060	5725 to 5850	Pass
			0	3.85	5825.060	5725 to 5850	Pass
			10	3.85	5824.980	5725 to 5850	Pass
			30	3.85	5825.040	5725 to 5850	Pass
			40	3.85	5825.060	5725 to 5850	Pass
			50	3.85	5825.060	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 340 of 353

802.11n (HT40)	SISO	5190	20	3.6	5190.040	5150 to 5250	Pass
				3.85	5190.080	5150 to 5250	Pass
				4.4	5190.040	5150 to 5250	Pass
			-30	3.85	5190.080	5150 to 5250	Pass
			-20	3.85	5190.120	5150 to 5250	Pass
			-10	3.85	5190.080	5150 to 5250	Pass
			0	3.85	5190.040	5150 to 5250	Pass
			10	3.85	5190.080	5150 to 5250	Pass
			30	3.85	5190.040	5150 to 5250	Pass
			40	3.85	5190.080	5150 to 5250	Pass
			50	3.85	5190.040	5150 to 5250	Pass
		5230	20	3.6	5230.040	5150 to 5250	Pass
				3.85	5230.040	5150 to 5250	Pass
				4.4	5230.080	5150 to 5250	Pass
			-30	3.85	5230.080	5150 to 5250	Pass
			-20	3.85	5230.040	5150 to 5250	Pass
			-10	3.85	5230.080	5150 to 5250	Pass
			0	3.85	5230.080	5150 to 5250	Pass
			10	3.85	5230.080	5150 to 5250	Pass
			30	3.85	5230.040	5150 to 5250	Pass
			40	3.85	5230.040	5150 to 5250	Pass
			50	3.85	5230.040	5150 to 5250	Pass
		5270	20	3.6	5270.080	5250 to 5350	Pass
				3.85	5270.040	5250 to 5350	Pass
				4.4	5270.120	5250 to 5350	Pass
			-30	3.85	5270.080	5250 to 5350	Pass
			-20	3.85	5270.080	5250 to 5350	Pass
			-10	3.85	5270.080	5250 to 5350	Pass
			0	3.85	5270.040	5250 to 5350	Pass
			10	3.85	5270.040	5250 to 5350	Pass
			30	3.85	5270.080	5250 to 5350	Pass
			40	3.85	5270.080	5250 to 5350	Pass
			50	3.85	5270.080	5250 to 5350	Pass
		5310	20	3.6	5309.960	5250 to 5350	Pass
				3.85	5310.040	5250 to 5350	Pass
				4.4	5310.040	5250 to 5350	Pass
			-30	3.85	5310.080	5250 to 5350	Pass
			-20	3.85	5310.040	5250 to 5350	Pass
			-10	3.85	5310.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 341 of 353

			0	3.85	5310.040	5250 to 5350	Pass
			10	3.85	5310.080	5250 to 5350	Pass
			30	3.85	5310.080	5250 to 5350	Pass
			40	3.85	5310.040	5250 to 5350	Pass
			50	3.85	5310.040	5250 to 5350	Pass
		5510	20	3.6	5510.080	5470 to 5725	Pass
				3.85	5510.040	5470 to 5725	Pass
				4.4	5510.080	5470 to 5725	Pass
			-30	3.85	5510.080	5470 to 5725	Pass
			-20	3.85	5510.040	5470 to 5725	Pass
			-10	3.85	5510.120	5470 to 5725	Pass
			0	3.85	5510.080	5470 to 5725	Pass
			10	3.85	5510.080	5470 to 5725	Pass
			30	3.85	5510.040	5470 to 5725	Pass
			40	3.85	5510.040	5470 to 5725	Pass
			50	3.85	5510.080	5470 to 5725	Pass
		5550	20	3.6	5550.040	5470 to 5725	Pass
				3.85	5550.040	5470 to 5725	Pass
				4.4	5550.040	5470 to 5725	Pass
			-30	3.85	5550.080	5470 to 5725	Pass
			-20	3.85	5550.080	5470 to 5725	Pass
			-10	3.85	5550.000	5470 to 5725	Pass
			0	3.85	5550.000	5470 to 5725	Pass
			10	3.85	5550.040	5470 to 5725	Pass
			30	3.85	5550.080	5470 to 5725	Pass
			40	3.85	5550.080	5470 to 5725	Pass
			50	3.85	5550.000	5470 to 5725	Pass
		5670	20	3.6	5670.040	5470 to 5725	Pass
				3.85	5670.080	5470 to 5725	Pass
				4.4	5670.040	5470 to 5725	Pass
			-30	3.85	5670.000	5470 to 5725	Pass
			-20	3.85	5670.040	5470 to 5725	Pass
			-10	3.85	5670.120	5470 to 5725	Pass
			0	3.85	5670.080	5470 to 5725	Pass
			10	3.85	5670.040	5470 to 5725	Pass
			30	3.85	5670.040	5470 to 5725	Pass
			40	3.85	5670.080	5470 to 5725	Pass
			50	3.85	5670.080	5470 to 5725	Pass
		5755	20	3.6	5755.080	5725 to 5850	Pass
				3.85	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 342 of 353

				4.4	5755.080	5725 to 5850	Pass
			-30	3.85	5755.080	5725 to 5850	Pass
			-20	3.85	5755.000	5725 to 5850	Pass
			-10	3.85	5755.040	5725 to 5850	Pass
			0	3.85	5755.040	5725 to 5850	Pass
			10	3.85	5755.080	5725 to 5850	Pass
			30	3.85	5755.080	5725 to 5850	Pass
			40	3.85	5755.040	5725 to 5850	Pass
			50	3.85	5755.040	5725 to 5850	Pass
		5795	20	3.6	5795.080	5725 to 5850	Pass
				3.85	5795.080	5725 to 5850	Pass
				4.4	5795.040	5725 to 5850	Pass
			-30	3.85	5795.080	5725 to 5850	Pass
			-20	3.85	5795.040	5725 to 5850	Pass
			-10	3.85	5795.040	5725 to 5850	Pass
			0	3.85	5795.040	5725 to 5850	Pass
			10	3.85	5795.080	5725 to 5850	Pass
			30	3.85	5795.040	5725 to 5850	Pass
			40	3.85	5795.000	5725 to 5850	Pass
			50	3.85	5795.120	5725 to 5850	Pass

802.11ac (VHT20)	SISO	5180	20	3.6	5180.060	5150 to 5250	Pass
				3.85	5180.040	5150 to 5250	Pass
				4.4	5180.020	5150 to 5250	Pass
			-30	3.85	5180.080	5150 to 5250	Pass
			-20	3.85	5180.000	5150 to 5250	Pass
			-10	3.85	5179.920	5150 to 5250	Pass
			0	3.85	5180.040	5150 to 5250	Pass
			10	3.85	5179.940	5150 to 5250	Pass
			30	3.85	5179.980	5150 to 5250	Pass
			40	3.85	5180.040	5150 to 5250	Pass
			50	3.85	5179.980	5150 to 5250	Pass
		5200	20	3.6	5199.940	5150 to 5250	Pass
				3.85	5200.060	5150 to 5250	Pass
				4.4	5200.020	5150 to 5250	Pass
			-30	3.85	5199.980	5150 to 5250	Pass
			-20	3.85	5200.000	5150 to 5250	Pass
			-10	3.85	5200.040	5150 to 5250	Pass
			0	3.85	5199.980	5150 to 5250	Pass
			10	3.85	5200.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 343 of 353

			30	3.85	5199.940	5150 to 5250	Pass
			40	3.85	5200.000	5150 to 5250	Pass
			50	3.85	5199.960	5150 to 5250	Pass
		5240	20	3.6	5240.000	5150 to 5250	Pass
				3.85	5240.060	5150 to 5250	Pass
				4.4	5240.040	5150 to 5250	Pass
			-30	3.85	5239.980	5150 to 5250	Pass
			-20	3.85	5240.000	5150 to 5250	Pass
			-10	3.85	5240.020	5150 to 5250	Pass
			0	3.85	5240.000	5150 to 5250	Pass
			10	3.85	5240.040	5150 to 5250	Pass
			30	3.85	5239.940	5150 to 5250	Pass
			40	3.85	5239.940	5150 to 5250	Pass
			50	3.85	5239.980	5150 to 5250	Pass
		5260	20	3.6	5259.980	5250 to 5350	Pass
				3.85	5260.040	5250 to 5350	Pass
				4.4	5260.080	5250 to 5350	Pass
			-30	3.85	5260.020	5250 to 5350	Pass
			-20	3.85	5259.960	5250 to 5350	Pass
			-10	3.85	5260.060	5250 to 5350	Pass
			0	3.85	5259.980	5250 to 5350	Pass
			10	3.85	5260.000	5250 to 5350	Pass
			30	3.85	5259.980	5250 to 5350	Pass
			40	3.85	5260.000	5250 to 5350	Pass
			50	3.85	5259.960	5250 to 5350	Pass
		5300	20	3.6	5300.100	5250 to 5350	Pass
				3.85	5299.980	5250 to 5350	Pass
				4.4	5300.080	5250 to 5350	Pass
			-30	3.85	5299.980	5250 to 5350	Pass
			-20	3.85	5299.940	5250 to 5350	Pass
			-10	3.85	5300.020	5250 to 5350	Pass
			0	3.85	5300.020	5250 to 5350	Pass
			10	3.85	5299.940	5250 to 5350	Pass
			30	3.85	5300.020	5250 to 5350	Pass
			40	3.85	5300.040	5250 to 5350	Pass
			50	3.85	5300.020	5250 to 5350	Pass
		5320	20	3.6	5319.980	5250 to 5350	Pass
				3.85	5320.040	5250 to 5350	Pass
				4.4	5320.000	5250 to 5350	Pass
			-30	3.85	5319.980	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 344 of 353

			-20	3.85	5320.060	5250 to 5350	Pass
			-10	3.85	5320.040	5250 to 5350	Pass
			0	3.85	5320.020	5250 to 5350	Pass
			10	3.85	5319.980	5250 to 5350	Pass
			30	3.85	5320.020	5250 to 5350	Pass
			40	3.85	5319.980	5250 to 5350	Pass
			50	3.85	5320.000	5250 to 5350	Pass
		5500	20	3.6	5500.000	5470 to 5725	Pass
				3.85	5500.080	5470 to 5725	Pass
				4.4	5500.020	5470 to 5725	Pass
			-30	3.85	5500.000	5470 to 5725	Pass
			-20	3.85	5500.000	5470 to 5725	Pass
			-10	3.85	5500.060	5470 to 5725	Pass
			0	3.85	5499.980	5470 to 5725	Pass
			10	3.85	5500.020	5470 to 5725	Pass
			30	3.85	5500.040	5470 to 5725	Pass
			40	3.85	5500.020	5470 to 5725	Pass
			50	3.85	5499.980	5470 to 5725	Pass
		5580	20	3.6	5579.940	5470 to 5725	Pass
				3.85	5580.000	5470 to 5725	Pass
				4.4	5580.040	5470 to 5725	Pass
			-30	3.85	5579.980	5470 to 5725	Pass
			-20	3.85	5579.960	5470 to 5725	Pass
			-10	3.85	5580.020	5470 to 5725	Pass
			0	3.85	5579.960	5470 to 5725	Pass
			10	3.85	5580.020	5470 to 5725	Pass
			30	3.85	5579.960	5470 to 5725	Pass
			40	3.85	5580.040	5470 to 5725	Pass
			50	3.85	5580.000	5470 to 5725	Pass
		5700	20	3.6	5700.040	5470 to 5725	Pass
				3.85	5700.100	5470 to 5725	Pass
				4.4	5700.000	5470 to 5725	Pass
			-30	3.85	5700.020	5470 to 5725	Pass
			-20	3.85	5700.000	5470 to 5725	Pass
			-10	3.85	5700.020	5470 to 5725	Pass
			0	3.85	5700.020	5470 to 5725	Pass
			10	3.85	5700.040	5470 to 5725	Pass
			30	3.85	5699.960	5470 to 5725	Pass
			40	3.85	5700.040	5470 to 5725	Pass
			50	3.85	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 345 of 353

		5745	20	3.6	5745.080	5725 to 5850	Pass
				3.85	5745.080	5725 to 5850	Pass
				4.4	5745.040	5725 to 5850	Pass
			-30	3.85	5745.020	5725 to 5850	Pass
			-20	3.85	5745.020	5725 to 5850	Pass
			-10	3.85	5744.980	5725 to 5850	Pass
			0	3.85	5745.020	5725 to 5850	Pass
			10	3.85	5745.000	5725 to 5850	Pass
			30	3.85	5745.080	5725 to 5850	Pass
			40	3.85	5744.980	5725 to 5850	Pass
			50	3.85	5744.960	5725 to 5850	Pass
		5785	20	3.6	5785.020	5725 to 5850	Pass
				3.85	5785.000	5725 to 5850	Pass
				4.4	5785.000	5725 to 5850	Pass
			-30	3.85	5785.040	5725 to 5850	Pass
			-20	3.85	5785.040	5725 to 5850	Pass
			-10	3.85	5784.980	5725 to 5850	Pass
			0	3.85	5785.000	5725 to 5850	Pass
			10	3.85	5784.980	5725 to 5850	Pass
			30	3.85	5784.980	5725 to 5850	Pass
			40	3.85	5784.940	5725 to 5850	Pass
			50	3.85	5785.040	5725 to 5850	Pass
		5825	20	3.6	5825.040	5725 to 5850	Pass
				3.85	5825.020	5725 to 5850	Pass
				4.4	5825.040	5725 to 5850	Pass
			-30	3.85	5825.000	5725 to 5850	Pass
			-20	3.85	5825.040	5725 to 5850	Pass
			-10	3.85	5824.980	5725 to 5850	Pass
			0	3.85	5825.000	5725 to 5850	Pass
			10	3.85	5825.000	5725 to 5850	Pass
			30	3.85	5825.000	5725 to 5850	Pass
			40	3.85	5825.000	5725 to 5850	Pass
			50	3.85	5825.040	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 346 of 353

802.11ac (VHT40)	SISO	5190	20	3.6	5190.080	5150 to 5250	Pass
				3.85	5190.040	5150 to 5250	Pass
				4.4	5190.080	5150 to 5250	Pass
			-30	3.85	5190.120	5150 to 5250	Pass
			-20	3.85	5190.040	5150 to 5250	Pass
			-10	3.85	5190.040	5150 to 5250	Pass
			0	3.85	5190.040	5150 to 5250	Pass
			10	3.85	5190.040	5150 to 5250	Pass
			30	3.85	5190.040	5150 to 5250	Pass
			40	3.85	5190.040	5150 to 5250	Pass
			50	3.85	5190.080	5150 to 5250	Pass
		5230	20	3.6	5230.080	5150 to 5250	Pass
				3.85	5230.040	5150 to 5250	Pass
				4.4	5230.040	5150 to 5250	Pass
			-30	3.85	5230.040	5150 to 5250	Pass
			-20	3.85	5230.080	5150 to 5250	Pass
			-10	3.85	5230.080	5150 to 5250	Pass
			0	3.85	5230.080	5150 to 5250	Pass
			10	3.85	5230.040	5150 to 5250	Pass
			30	3.85	5230.040	5150 to 5250	Pass
			40	3.85	5230.040	5150 to 5250	Pass
			50	3.85	5230.040	5150 to 5250	Pass
		5270	20	3.6	5270.040	5250 to 5350	Pass
				3.85	5270.040	5250 to 5350	Pass
				4.4	5270.040	5250 to 5350	Pass
			-30	3.85	5270.040	5250 to 5350	Pass
			-20	3.85	5270.040	5250 to 5350	Pass
			-10	3.85	5270.040	5250 to 5350	Pass
			0	3.85	5270.040	5250 to 5350	Pass
			10	3.85	5270.040	5250 to 5350	Pass
			30	3.85	5269.960	5250 to 5350	Pass
			40	3.85	5270.080	5250 to 5350	Pass
			50	3.85	5270.040	5250 to 5350	Pass
		5310	20	3.6	5310.040	5250 to 5350	Pass
				3.85	5310.040	5250 to 5350	Pass
				4.4	5310.040	5250 to 5350	Pass
			-30	3.85	5310.040	5250 to 5350	Pass
			-20	3.85	5310.000	5250 to 5350	Pass
			-10	3.85	5310.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 347 of 353

			0	3.85	5310.000	5250 to 5350	Pass
			10	3.85	5310.040	5250 to 5350	Pass
			30	3.85	5310.080	5250 to 5350	Pass
			40	3.85	5310.040	5250 to 5350	Pass
			50	3.85	5310.080	5250 to 5350	Pass
		5510	20	3.6	5510.080	5470 to 5725	Pass
				3.85	5510.040	5470 to 5725	Pass
				4.4	5510.040	5470 to 5725	Pass
			-30	3.85	5510.040	5470 to 5725	Pass
			-20	3.85	5510.080	5470 to 5725	Pass
			-10	3.85	5510.000	5470 to 5725	Pass
			0	3.85	5510.080	5470 to 5725	Pass
			10	3.85	5510.040	5470 to 5725	Pass
			30	3.85	5510.040	5470 to 5725	Pass
			40	3.85	5510.040	5470 to 5725	Pass
			50	3.85	5510.040	5470 to 5725	Pass
		5550	20	3.6	5550.040	5470 to 5725	Pass
				3.85	5550.040	5470 to 5725	Pass
				4.4	5550.040	5470 to 5725	Pass
			-30	3.85	5550.000	5470 to 5725	Pass
			-20	3.85	5550.040	5470 to 5725	Pass
			-10	3.85	5550.040	5470 to 5725	Pass
			0	3.85	5550.000	5470 to 5725	Pass
			10	3.85	5550.040	5470 to 5725	Pass
			30	3.85	5550.040	5470 to 5725	Pass
			40	3.85	5550.000	5470 to 5725	Pass
			50	3.85	5550.040	5470 to 5725	Pass
		5670	20	3.6	5670.080	5470 to 5725	Pass
				3.85	5670.040	5470 to 5725	Pass
				4.4	5670.080	5470 to 5725	Pass
			-30	3.85	5670.040	5470 to 5725	Pass
			-20	3.85	5670.000	5470 to 5725	Pass
			-10	3.85	5670.040	5470 to 5725	Pass
			0	3.85	5670.040	5470 to 5725	Pass
			10	3.85	5670.040	5470 to 5725	Pass
			30	3.85	5670.000	5470 to 5725	Pass
			40	3.85	5670.000	5470 to 5725	Pass
			50	3.85	5670.080	5470 to 5725	Pass
		5755	20	3.6	5755.040	5725 to 5850	Pass
				3.85	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 348 of 353

				4.4	5755.080	5725 to 5850	Pass
			-30	3.85	5755.040	5725 to 5850	Pass
			-20	3.85	5755.080	5725 to 5850	Pass
			-10	3.85	5755.040	5725 to 5850	Pass
			0	3.85	5755.080	5725 to 5850	Pass
			10	3.85	5755.040	5725 to 5850	Pass
			30	3.85	5755.080	5725 to 5850	Pass
			40	3.85	5755.080	5725 to 5850	Pass
			50	3.85	5755.040	5725 to 5850	Pass
		5795	20	3.6	5795.040	5725 to 5850	Pass
				3.85	5795.040	5725 to 5850	Pass
				4.4	5795.040	5725 to 5850	Pass
			-30	3.85	5795.040	5725 to 5850	Pass
			-20	3.85	5794.960	5725 to 5850	Pass
			-10	3.85	5795.080	5725 to 5850	Pass
			0	3.85	5795.000	5725 to 5850	Pass
			10	3.85	5795.040	5725 to 5850	Pass
			30	3.85	5795.040	5725 to 5850	Pass
			40	3.85	5795.000	5725 to 5850	Pass
			50	3.85	5795.040	5725 to 5850	Pass

802.11ac (VHT80)	SISO	5210	20	3.6	5210.075	5150 to 5250	Pass
				3.85	5210.075	5150 to 5250	Pass
				4.4	5210.075	5150 to 5250	Pass
			-30	3.85	5210.075	5150 to 5250	Pass
			-20	3.85	5210.075	5150 to 5250	Pass
			-10	3.85	5210.075	5150 to 5250	Pass
			0	3.85	5210.075	5150 to 5250	Pass
			10	3.85	5210.075	5150 to 5250	Pass
			30	3.85	5210.075	5150 to 5250	Pass
			40	3.85	5210.075	5150 to 5250	Pass
			50	3.85	5210.075	5150 to 5250	Pass
		5290	20	3.6	5290.075	5250 to 5350	Pass
				3.85	5290.075	5250 to 5350	Pass
				4.4	5290.075	5250 to 5350	Pass
			-30	3.85	5290.075	5250 to 5350	Pass
			-20	3.85	5290.075	5250 to 5350	Pass
			-10	3.85	5290.075	5250 to 5350	Pass
			0	3.85	5290.075	5250 to 5350	Pass
			10	3.85	5290.075	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) (CMAA) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400138105

Page: 349 of 353

			30	3.85	5290.075	5250 to 5350	Pass
			40	3.85	5290.075	5250 to 5350	Pass
			50	3.85	5290.075	5250 to 5350	Pass
		5530	20	3.6	5530.075	5470 to 5725	Pass
				3.85	5530.075	5470 to 5725	Pass
				4.4	5530.075	5470 to 5725	Pass
			-30	3.85	5530.075	5470 to 5725	Pass
			-20	3.85	5530.075	5470 to 5725	Pass
			-10	3.85	5530.075	5470 to 5725	Pass
			0	3.85	5530.075	5470 to 5725	Pass
			10	3.85	5530.075	5470 to 5725	Pass
			30	3.85	5530.075	5470 to 5725	Pass
			40	3.85	5530.075	5470 to 5725	Pass
			50	3.85	5530.075	5470 to 5725	Pass
		5610	20	3.6	5610.075	5470 to 5725	Pass
				3.85	5610.075	5470 to 5725	Pass
				4.4	5610.075	5470 to 5725	Pass
			-30	3.85	5610.075	5470 to 5725	Pass
			-20	3.85	5610.075	5470 to 5725	Pass
			-10	3.85	5610.075	5470 to 5725	Pass
			0	3.85	5610.075	5470 to 5725	Pass
			10	3.85	5610.075	5470 to 5725	Pass
			30	3.85	5610.075	5470 to 5725	Pass
			40	3.85	5610.075	5470 to 5725	Pass
			50	3.85	5610.075	5470 to 5725	Pass
		5775	20	3.6	5775.075	5725 to 5850	Pass
				3.85	5775.075	5725 to 5850	Pass
				4.4	5775.075	5725 to 5850	Pass
			-30	3.85	5775.075	5725 to 5850	Pass
			-20	3.85	5775.075	5725 to 5850	Pass
			-10	3.85	5775.075	5725 to 5850	Pass
			0	3.85	5775.075	5725 to 5850	Pass
			10	3.85	5775.075	5725 to 5850	Pass
			30	3.85	5775.075	5725 to 5850	Pass
			40	3.85	5775.075	5725 to 5850	Pass
			50	3.85	5775.075	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6. DFS



6.1 Radar




6.2 Payload(40.3%)






5290MHz:





5530MHz:





- End of the Report -