



Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2

Tel: 905-760-3000
Fax: 905-760-3030
Toll Free: 888-888-7838
www.dsc.com

July 18, 2018

To Whom It May Concern:

The Model LE4020 is an Alarm Communicator that is capable to communicate alarm events to a central monitoring station using an LTE cellular connection. The product is housed in its own metal enclosure and it communicates with compatible alarm panels via a serial input. The product is powered by a separately listed power supply and a back-up battery, sealed gel cell type, rated 12V/1.2Ah.

The Model LE4020CF is identical in construction with model LE4020. Both models are constructed using the same board assembly based on UA725 Rev. 02 and for LTE communication are using the same radio module, model Telit LE910B1-NA. The different marketing names have been assigned to identify different types of installations in which these products can be used. The model LE4020CF is intended for Commercial Fire and Burglary monitoring installations (the enclosure dimensions are 11-1/2" x 10" x 3" and it is painted red) while the model LE4020 is intended only for Residential Fire and Burglary applications (the enclosure dimensions are 5-1/4" x 8-3/4" x 2" and it is painted beige).

Despite the slight system configuration differences there are no differences in RF performance and functionality of the LE4020 and LE4020CF communicator modules.

Respectfully yours,

A handwritten signature in black ink, appearing to read "Dan Nita", is written over a horizontal line.

Dan Nita
Approvals Manager