





Plot 7-409. SP Power Spectral Density Plot Antenna 5T (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)



Plot 7-410. SP Power Spectral Density Plot Antenna 5T (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 178 of 693

7.4.2 Antenna 3b SP Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.39	0.60	6.99	17	-10.02
	5955	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.24	0.60	5.84	17	-11.16
	5955	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.48	0.60	7.08	17	-9.92
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.96	0.60	7.56	17	-9.45
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.82	0.60	6.42	17	-10.58
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.74	0.60	7.34	17	-9.66
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.53	0.60	7.13	17	-9.87
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.54	0.60	6.14	17	-10.86
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.64	0.60	7.24	17	-9.76
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.31	0.60	6.91	17	-10.09
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.17	0.60	6.77	17	-10.23
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.05	0.60	6.65	17	-10.36
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.55	0.60	7.15	17	-9.85
	6165	43	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.39	0.60	6.99	17	-10.01
	6165	43	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.98	0.60	7.58	17	-9.42
	6405	91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.86	0.60	7.46	17	-9.54
	6405	91	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.26	0.60	6.86	17	-10.14
	6405	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.11	0.60	6.71	17	-10.29
	5985	7	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.36	0.60	6.96	17	-10.04
	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	4.59	0.60	5.19	17	-11.81
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.07	0.60	6.67	17	-10.33
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.64	0.60	7.24	17	-9.77
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.40	0.60	6.00	17	-11.00
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.31	0.60	6.91	17	-10.09
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.51	0.60	7.11	17	-9.89
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.18	0.60	5.78	17	-11.22
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.81	0.60	7.41	17	-9.59
	6025	15 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	5.84	0.60	6.44	17	-10.56
	6025		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.67	0.60	7.27	17	-9.73
	6025	15 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.51	0.60	7.11	17	-9.89
	6185		ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.90	0.60	7.50	17	-9.50
	6185	47 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.53	0.60	7.13	17	-9.87
	6185		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.53	0.60	7.13	17	-9.87
	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.24	0.60	6.84	17	-10.16
	6345		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.23	0.60	6.83	17	-10.17
	6345	79 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.96	0.60	7.56	17	-9.44
Band 7	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.73	0.60	7.33	17	-9.68
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.78	0.60	6.38	17	-10.62
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.30	0.60	6.90	17	-10.10
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.79	0.60	7.39	17	-9.62
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.95	0.60	6.55	17	-10.45
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.76	0.60	7.36	17	-9.64
	6855	181	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.56	0.60	7.16	17	-9.84
	6855	181	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.74	0.60	6.34	17	-10.66
	6855	181	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.89	0.60	7.49	17	-9.51
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.91	0.60	7.51	17	-9.49
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.08	0.60	6.68	17	-10.32
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.35	0.60	6.95	17	-10.05
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.33	0.60	6.93	17	-10.08
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.99	0.60	7.59	17	-9.41
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.74	0.60	7.34	17	-9.66
	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.07	0.60	7.67	17	-9.33
	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.24	0.60	7.84	17	-9.16
	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.75	0.60	7.35	17	-9.66
	6625	135	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.64	0.60	7.24	17	-9.77
	6625	135	ax (80MHz)	26	18	12.5/14.7 (MCS11)	6.10	0.60	6.70	17	-10.30
	6625	135	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.03	0.60	7.63	17	-9.38
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.55	0.60	8.15	17	-8.85
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.90	0.60	6.50	17	-10.50
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.17	0.60	7.77	17	-9.23
	6785	167	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.12	0.60	7.72	17	-9.28
	6785	167	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.87	0.60	6.47	17	-10.53
	6785	167	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.14	0.60	7.74	17	-9.26
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	7.16	0.60	7.76	17	-9.24
	6665		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.66	0.60	7.26	17	-9.74
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.83	0.60	7.43	17	-9.57

Table 7-196. SP Power Spectral Density Measurements Antenna 3b (RU26)

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 179 of 693

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.80	0.60	7.40	17	-9.60
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.08	0.60	7.68	17	-9.32
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.03	0.60	7.63	17	-9.37
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.69	0.60	4.29	17	-12.71
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.20	0.60	4.80	17	-12.20
	6405	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.51	0.60	5.11	17	-11.89
	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.00	0.60	1.60	17	-15.40
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.57	0.60	2.17	17	-14.83
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.47	0.60	2.07	17	-14.93
	6025	15	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.85	0.60	-0.25	17	-17.25
Band 7	6185	47	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.93	0.60	-0.33	17	-17.33
	6345	79	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-1.17	0.60	-0.57	17	-17.57
	6535	117	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.25	0.60	7.85	17	-9.15
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.18	0.60	7.78	17	-9.22
	6855	181	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.20	0.60	7.80	17	-9.20
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.11	0.60	4.71	17	-12.29
	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.61	0.60	5.21	17	-11.79
	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.73	0.60	5.33	17	-11.68
	6625	135	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.50	0.60	2.10	17	-14.90
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.58	0.60	2.18	17	-14.82
	6785	167	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.93	0.60	2.53	17	-14.47
	6665	143	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.89	0.60	-0.29	17	-17.29


Table 7-197. SP Power Spectral Density Measurements Antenna 3b (Fully loaded RU)

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 180 of 693


V 10.6 10/27/2023




Plot 7-411. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-414. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)




Plot 7-412. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-415. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-413. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-416. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)


FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 181 of 693




Plot 7-417. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-420. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-418. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)



Plot 7-421. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-419. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-422. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 182 of 693




Plot 7-423. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-426. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU996x2 (UNII Band 5) – Ch. 47)



Plot 7-424. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)



Plot 7-427. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-425. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-428. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)


FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 183 of 693




Plot 7-429. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU26 (UNII Band 7) - Ch. 149)




Plot 7-432. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 155)




Plot 7-430. SP Power Spectral Density Plot Antenna 3b (20MHz 802.11ax RU242 (UNII Band 7) - Ch. 149)



Plot 7-433. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 155)




Plot 7-431. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 155)




Plot 7-434. SP Power Spectral Density Plot Antenna 3b (40MHz 802.11ax RU484 (UNII Band 7) - Ch. 155)

FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 184 of 693




Plot 7-435. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-438. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-436. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)



Plot 7-439. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-437. SP Power Spectral Density Plot Antenna 3b (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-440. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)

FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 185 of 693



Plot 7-441. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)



Plot 7-442. SP Power Spectral Density Plot Antenna 3b (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 186 of 693

7.4.3 Antenna 1b SP Power Spectral Density Measurements SP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.53	0.80	7.33	17	-9.67
	5955	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.16	0.80	5.96	17	-11.04
	5955	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.40	0.80	7.20	17	-9.80
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.77	0.80	7.57	17	-9.43
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.63	0.80	6.43	17	-10.57
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.47	0.80	7.27	17	-9.73
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.49	0.80	7.29	17	-9.71
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.29	0.80	6.09	17	-10.91
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.74	0.80	7.54	17	-9.47
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.91	0.80	6.71	17	-10.29
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	5.87	0.80	6.67	17	-10.33
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.17	0.80	6.97	17	-10.03
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	5.96	0.80	6.76	17	-10.24
	6165	43	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.42	0.80	7.22	17	-9.78
	6165	43	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.22	0.80	7.02	17	-9.98
	6405	91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.31	0.80	7.11	17	-9.89
	6405	91	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.45	0.80	7.25	17	-9.75
	6405	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.42	0.80	7.22	17	-9.78
	5985	7	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.48	0.80	7.28	17	-9.72
	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	4.57	0.80	5.37	17	-11.63
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.26	0.80	7.06	17	-9.94
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.43	0.80	7.23	17	-9.77
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	4.97	0.80	5.77	17	-11.23
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.47	0.80	7.27	17	-9.73
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.08	0.80	6.88	17	-10.12
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.60	0.80	6.40	17	-10.61
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.71	0.80	7.51	17	-9.49
	6025	15 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	5.79	0.80	6.59	17	-10.41
	6025		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.17	0.80	6.97	17	-10.03
	6025	15 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.51	0.80	7.31	17	-9.69
	6185	47 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.59	0.80	7.39	17	-9.61
	6185		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.19	0.80	6.99	17	-10.01
	6185	47 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.15	0.80	6.95	17	-10.05
	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.51	0.80	7.31	17	-9.69
	6345		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.11	0.80	6.91	17	-10.09
	6345	79 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.66	0.80	7.46	17	-9.54
Band 7	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.07	0.50	7.57	17	-9.43
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.48	0.50	5.98	17	-11.02
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.70	0.50	7.20	17	-9.80
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.85	0.50	7.35	17	-9.65
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.79	0.50	6.29	17	-10.71
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.76	0.50	7.26	17	-9.75
	6855	181	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.45	0.50	6.95	17	-10.05
	6855	181	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.88	0.50	6.38	17	-10.62
	6855	181	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.88	0.50	7.38	17	-9.62
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.10	0.50	6.60	17	-10.40
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.34	0.50	6.84	17	-10.16
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.36	0.50	6.86	17	-10.14
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.81	0.50	7.31	17	-9.69
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.81	0.50	7.31	17	-9.69
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.75	0.50	7.25	17	-9.75
	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.89	0.50	7.39	17	-9.61
	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.45	0.50	6.95	17	-10.05
	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.79	0.50	7.29	17	-9.71
	6625	135	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.96	0.50	7.46	17	-9.54
	6625	135	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.53	0.50	6.03	17	-10.98
	6625	135	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.76	0.50	7.26	17	-9.74
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.78	0.50	7.28	17	-9.72
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	4.97	0.50	5.47	17	-11.53
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.73	0.50	7.23	17	-9.77
	6785	167	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.75	0.50	7.25	17	-9.75
	6785	167	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.74	0.50	6.24	17	-10.76
	6785	167	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.84	0.50	7.34	17	-9.66
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.51	0.50	7.01	17	-9.99
	6665		ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.42	0.50	6.92	17	-10.08
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.59	0.50	7.09	17	-9.91

Table 7-198. SP Power Spectral Density Measurements Antenna 1b (RU26)

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 187 of 693

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.70	0.80	7.50	17	-9.51
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.72	0.80	7.52	17	-9.48
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.67	0.80	7.47	17	-9.54
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.76	0.80	4.56	17	-12.44
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.00	0.80	4.80	17	-12.20
	6405	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	3.95	0.80	4.75	17	-12.26
	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.20	0.80	2.00	17	-15.00
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.43	0.80	2.23	17	-14.77
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.44	0.80	2.24	17	-14.76
	6025	15	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.64	0.80	0.16	17	-16.84
Band 7	6185	47	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-1.09	0.80	-0.29	17	-17.29
	6345	79	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-0.72	0.80	0.08	17	-16.92
	6535	117	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.96	0.50	7.46	17	-9.54
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.17	0.50	7.67	17	-9.33
	6855	181	ax (20MHz)	242	61	121.9/143.4 (MCS11)	7.28	0.50	7.78	17	-9.22
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.12	0.50	4.62	17	-12.38
	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.05	0.50	4.55	17	-12.45
	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	4.64	0.50	5.14	17	-11.86
	6625	135	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.51	0.50	2.01	17	-14.99
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.65	0.50	2.15	17	-14.85
	6785	167	ax (80MHz)	996	67	510.4/600.5 (MCS11)	1.52	0.50	2.02	17	-14.98
	6665	143	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-1.14	0.50	-0.64	17	-17.64

Table 7-199. SP Power Spectral Density Measurements SP Antenna 1b (Fully loaded RU)


FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 188 of 693

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-443. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-446. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)




Plot 7-444. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-447. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-445. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-448. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)


FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 189 of 693




Plot 7-449. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-452. SP Power Spectral Density Plot Antenna 1b (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-450. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)



Plot 7-453. SP Power Spectral Density Plot Antenna 1b (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-451. SP Power Spectral Density Plot Antenna 1b (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)



Plot 7-454. SP Power Spectral Density Plot Antenna 1b (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 190 of 693




Plot 7-455. SP Power Spectral Density Plot Antenna 1b (160MHz 802.11ax RU26 (UNII Band 5) - Ch. 47)




Plot 7-458. SP Power Spectral Density Plot Antenna 1b (160MHz 802.11ax RU996x2 (UNII Band 5) - Ch. 47)




Plot 7-456. SP Power Spectral Density Plot Antenna 1b (160MHz 802.11ax RU26 (UNII Band 5) - Ch. 47)



Plot 7-459. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU26 (UNII Band 7) - Ch. 149)




Plot 7-457. SP Power Spectral Density Plot Antenna 1b (160MHz 802.11ax RU26 (UNII Band 5) - Ch. 47)




Plot 7-460. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU26 (UNII Band 7) - Ch. 149)


FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 191 of 693




Plot 7-461. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU26 (UNII Band 7) - Ch. 149)




Plot 7-464. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 155)




Plot 7-462. SP Power Spectral Density Plot Antenna 1b (20MHz 802.11ax RU242 (UNII Band 7) - Ch. 149)



Plot 7-465. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 155)



Plot 7-463. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 155)



Plot 7-466. SP Power Spectral Density Plot Antenna 1b (40MHz 802.11ax RU484 (UNII Band 7) - Ch. 155)

FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-25-R1.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 192 of 693