


802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5786.14	51.82	60.20	-8.38	68.20	-16.38		100	342	RMS	Horizontal	
2 *	7115.00	79.10	86.37	-7.27	68.20	18.00		100	342	RMS	Horizontal	
3	7125.42	59.16	66.44	-7.28	68.20	-9.04		100	342	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5913.59	51.94	60.02	-8.08	68.20	-16.26		100	123	RMS	Vertical	
2 *	7115.00	89.19	96.45	-7.26	68.20	28.09		100	123	RMS	Vertical	
3 !	7125.42	66.63	73.91	-7.28	68.20	-1.57		100	123	RMS	Vertical	


802.11ax HE40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5672.29	64.16	72.76	-8.60	88.20	-24.04		310	188 Peak	Horizontal		
2 *	6925.00	106.73	114.11	-7.38	88.20	18.53		310	198 Peak	Horizontal		
3	7215.27	64.73	72.86	-7.33	88.20	-23.47		310	188 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5522.29	64.37	73.07	-8.70	88.20	-23.83		100	304 Peak	Vertical		
2 *	6925.00	109.02	116.40	-7.38	88.20	28.22		100	304 Peak	Vertical		
3	7173.39	64.11	71.44	-7.33	88.20	-24.09		100	304 Peak	Vertical		


802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5915.73	51.98	60.06	-8.08	68.20	-16.22		310	188 RMS	Horizontal		
2 *	6925.00	95.04	102.42	-7.38	68.20	26.04		310	188 RMS	Horizontal		
3	7149.04	52.34	59.67	-7.33	68.20	-15.86		310	188 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5838.05	52.04	60.29	-8.25	68.20	-16.16		100	304 RMS	Vertical		
2 *	6925.00	97.92	105.30	-7.38	68.20	29.72		100	304 RMS	Vertical		
3	7227.45	52.41	59.74	-7.33	68.20	-15.79		100	304 RMS	Vertical		


802.11ax HE40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5858.10	63.91	72.11	-8.20	88.20	-24.29	100	205	Peak	Horizontal	
2	7005.00	103.01	110.34	-7.33	88.20	14.61	100	205	Peak	Horizontal	
3	7133.65	64.45	71.75	-7.30	88.20	-23.75	100	205	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5857.02	64.21	72.43	-8.22	88.20	-23.99	120	175	Peak	Vertical	
2	7005.00	115.71	122.94	-7.23	88.20	27.51	120	175	Peak	Vertical	
3	7136.16	64.94	72.24	-7.30	88.20	-23.26	120	175	Peak	Vertical	


802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5818.04	52.05	60.38	-8.33	68.20	-16.15	100	205	RMS	Horizontal		
2 *	7095.00	92.73	99.96	-7.23	68.20	24.53	100	205	RMS	Horizontal		
3	7228.88	52.19	59.52	-7.33	68.20	-16.01	100	205	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5891.39	52.01	60.14	-8.13	68.20	-16.19	120	175	RMS	Vertical		
2 *	7095.00	103.89	110.32	-7.23	68.20	34.89	120	175	RMS	Vertical		
3	7163.72	52.42	59.75	-7.33	68.20	-15.78	120	175	RMS	Vertical		


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5916.09	63.92	72.00	-8.08	88.20	-24.28	100	74	Peak	Horizontal		
2 *	7085.00	106.10	113.42	-7.23	88.20	17.09	100	74	Peak	Horizontal		
3	7151.55	64.08	71.41	-7.33	88.20	-24.12	100	74	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5794.73	64.64	73.01	-8.37	88.20	-23.56	100	124	Peak	Vertical		
2 *	7085.00	113.16	120.39	-7.23	88.20	34.96	100	124	Peak	Vertical		
3	7125.42	72.95	80.23	-7.28	88.20	-15.25	100	124	Peak	Vertical		


802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5848.07	51.97	60.20	-8.23	68.20	-16.23	100	74	RMS	Horizontal		
2	7085.00	94.02	101.25	-7.23	68.20	25.02	100	74	RMS	Horizontal		
3	7177.33	52.35	59.68	-7.33	68.20	-15.85	100	74	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.82	52.00	60.06	-8.06	68.20	-16.20	100	124	RMS	Vertical		
2	7085.00	102.25	109.51	-7.23	68.20	34.00	100	124	RMS	Vertical		
3	7125.77	58.71	65.99	-7.28	68.20	-9.49	100	124	RMS	Vertical		


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5900.34	64.37	72.48	-8.11	88.20	-23.83	321	88 Peak	Horizontal	
2 *	6945.00	103.66	111.02	-7.36	88.20	15.46	321	88 Peak	Horizontal	
3	7207.76	64.68	72.61	-7.33	88.20	-23.52	321	88 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5679.93	65.51	73.67	-8.16	88.20	-22.69	100	62 Peak	Vertical	
2 *	6945.00	107.35	114.74	-7.36	88.20	19.18	100	62 Peak	Vertical	
3	7242.12	64.83	72.16	-7.33	88.20	-23.37	100	62 Peak	Vertical	


802.11ax HE80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5789.00	52.69	61.06	-8.37	68.20	-15.51		321	88	RMS	Horizontal	
2	6945.00	94.57	101.93	-7.36	68.20	26.37		321	88	RMS	Horizontal	
3	7183.05	53.32	60.65	-7.33	68.20	-14.88		321	88	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5790.43	52.76	61.13	-8.37	68.20	-15.44		100	62	RMS	Vertical	
2	6945.00	97.25	104.61	-7.36	68.20	29.95		100	62	RMS	Vertical	
3	7152.98	53.01	60.34	-7.33	68.20	-15.19		100	62	RMS	Vertical	


802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5895.69	64.02	72.15	-8.13	88.20	-24.18	237	348	Peak	Horizontal	
2	7025.00	103.47	110.70	-7.23	88.20	15.27	237	348	Peak	Horizontal	
3	7163.72	65.00	72.33	-7.33	88.20	-23.20	237	348	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5811.20	63.91	72.24	-8.33	88.20	-24.29	100	137	Peak	Vertical	
2	7025.00	100.74	116.97	-7.23	88.20	21.54	100	137	Peak	Vertical	
3	7249.28	64.66	71.99	-7.33	88.20	-23.54	100	137	Peak	Vertical	


802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5867.76	52.82	61.01	-8.19	68.20	-15.38	237	348	RMS	Horizontal		
2 *	7025.00	91.91	99.14	-7.23	68.20	23.71	237	348	RMS	Horizontal		
3	7245.70	53.03	60.36	-7.33	68.20	-15.17	237	348	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5909.29	52.79	60.89	-8.10	68.20	-15.41	100	137	RMS	Vertical		
2 *	7025.00	96.43	105.66	-7.23	68.20	30.23	100	137	RMS	Vertical		
3	7127.56	53.44	60.73	-7.29	68.20	-14.76	100	137	RMS	Vertical		


802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5789.36	64.91	73.28	-8.37	88.20	-23.29	296	105	Peak	Horizontal		
2 *	6985.00	102.02	110.09	-7.27	88.20	14.62	296	105	Peak	Horizontal		
3	7153.34	64.71	72.64	-7.33	88.20	-23.49	296	105	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5848.43	64.72	72.95	-8.23	88.20	-23.48	100	188	Peak	Vertical		
2 *	6985.00	107.17	114.44	-7.27	88.20	18.97	100	188	Peak	Vertical		
3	7137.23	73.48	80.70	-7.30	88.20	-14.80	100	188	Peak	Vertical		


802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5855.59	52.77	60.99	-8.22	68.20	-15.43		296	105 RMS	Horizontal		
2 *	6985.00	91.28	98.55	-7.27	68.20	23.08		296	105 RMS	Horizontal		
3	7147.97	53.16	60.49	-7.33	68.20	-15.04		296	105 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5864.54	52.71	60.91	-8.20	68.20	-15.49		100	188 RMS	Vertical		
2 *	6985.00	95.38	102.65	-7.27	68.20	27.18		100	188 RMS	Vertical		
3	7124.70	56.94	64.22	-7.28	68.20	-11.26		100	188 RMS	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11ax HE160

CH15 9kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	57.04	30.65	19.19	119.13	-61.29	100	284 QP	Open	
2	0.04	54.04	34.64	19.40	115.31	-61.27	100	152 QP	Open	
3	0.06	50.93	31.80	19.13	112.29	-61.36	100	154 QP	Open	
4	0.08	43.03	24.44	18.59	109.26	-66.23	100	152 QP	Open	
5	0.09	36.69	18.33	18.36	108.21	-71.52	100	30 QP	Open	
6	0.11	36.32	18.05	18.27	106.39	-70.07	100	154 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.18	48.07	29.57	18.50	102.50	-54.43	100	347 QP	Open	
2	12.75	39.00	17.31	21.69	69.50	-30.50	100	62 QP	Open	
3	14.54	38.99	17.17	21.82	69.50	-30.51	100	59 QP	Open	
4	19.64	39.61	17.43	22.18	69.50	-29.89	100	67 QP	Open	
5	23.19	42.23	19.88	22.35	69.50	-27.27	100	42 QP	Open	
6	26.48	45.02	22.53	22.49	69.50	-24.48	100	86 QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	61.04	26.51	33.68	-7.17	40.00	-13.49	100	154	QP	Horizontal	
2	112.45	25.80	35.06	-9.26	43.50	-17.70	100	32	QP	Horizontal	
3	212.36	29.72	37.88	-8.16	43.50	-13.78	100	277	QP	Horizontal	
4	416.06	32.37	35.17	-2.80	46.00	-13.63	100	108	QP	Horizontal	
5	634.31	30.17	29.58	0.59	46.00	-15.83	200	125	QP	Horizontal	
6	781.75	36.45	35.48	2.97	46.00	-9.55	100	119	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	59.10	36.92	43.91	-6.99	40.00	-3.08	100	358	QP	Vertical	
2	110.51	27.05	36.52	-9.47	43.50	-16.45	100	275	QP	Vertical	
3	357.86	25.29	29.06	-3.77	46.00	-20.71	100	300	QP	Vertical	
4	572.23	29.00	30.15	-0.35	46.00	-16.20	300	247	QP	Vertical	
5	743.92	33.21	30.70	2.51	46.00	-12.79	200	165	QP	Vertical	
6	844.80	34.93	31.20	3.73	46.00	-11.07	300	44	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII 5


802.11ax HE20

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	46.78	66.21	-19.51	74.00	-27.30	100	146 Peak	Horizontal	
2	1714.00	44.73	62.29	-17.56	88.20	-43.47	375	360 Peak	Horizontal	
3	2732.00	48.13	61.76	-13.63	74.00	-25.87	100	291 Peak	Horizontal	
4	4529.00	38.06	48.28	-10.22	54.00	-15.94	400	301 Average	Horizontal	
5	4529.00	51.71	61.93	-10.22	74.00	-22.29	400	301 Peak	Horizontal	
6	4839.00	42.13	51.98	-9.77	54.00	-11.87	274	187 Average	Horizontal	
7	4839.00	52.63	62.40	-9.77	74.00	-21.37	274	187 Peak	Horizontal	
8	11910.00	59.72	60.23	-0.51	74.00	-14.28	400	248 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	48.95	68.42	-19.47	74.00	-25.05	300	20 Peak	Vertical	
2	1714.00	47.75	65.31	-17.56	88.20	-40.45	200	203 Peak	Vertical	
3	2727.00	49.06	62.72	-13.66	74.00	-24.94	400	141 Peak	Vertical	
4	4529.00	44.70	54.92	-10.22	54.00	-9.30	354	43 Average	Vertical	
5	4529.00	58.99	69.21	-10.22	74.00	-15.01	354	43 Peak	Vertical	
6	4824.00	45.24	55.05	-9.81	54.00	-8.76	100	240 Average	Vertical	
7	4824.00	56.27	66.08	-9.81	74.00	-17.73	100	240 Peak	Vertical	
8	11910.00	50.53	51.04	-0.51	54.00	-3.47	100	227 Average	Vertical	
9	11910.00	65.89	66.40	-0.51	74.00	-8.11	100	227 Peak	Vertical	


802.11ax HE20

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8
Freq	Level	Read	Limit	Over	APos	TPos	Remark
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1486.00	47.19	66.70	-19.51	74.00	-26.81	100	200 Peak Horizontal
1714.00	41.73	59.29	-17.56	88.20	-46.47	200	35 Peak Horizontal
4519.00	37.83	48.11	-10.28	54.00	-16.17	200	171 Average Horizontal
4519.00	51.56	61.84	-10.28	74.00	-22.44	200	171 Peak Horizontal
4835.00	41.81	51.60	-9.79	54.00	-12.19	200	343 Average Horizontal
4835.00	52.31	62.10	-9.79	74.00	-21.69	200	343 Peak Horizontal
12350.00	45.78	45.55	0.23	54.00	-8.22	100	233 Average Horizontal
12350.00	58.05	57.82	0.23	74.00	-15.95	100	233 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1483.00	48.23	67.72	-19.49	74.00	-25.77	200	238 Peak	Vertical
1717.00	47.59	65.14	-17.55	88.20	-40.61	200	206 Peak	Vertical
2733.00	54.56	68.19	-13.63	74.00	-19.44	200	56 Peak	Vertical
4531.00	44.79	54.99	-10.20	54.00	-9.21	100	232 Average	Vertical
4531.00	59.08	69.28	-10.20	74.00	-14.92	100	232 Peak	Vertical
4833.00	45.04	54.83	-9.79	54.00	-8.96	100	243 Average	Vertical
4833.00	56.05	65.84	-9.79	74.00	-17.95	100	243 Peak	Vertical
12350.00	50.52	50.29	0.23	54.00	-3.48	100	158 Average	Vertical
12350.00	65.17	64.94	0.23	74.00	-8.83	100	158 Peak	Vertical


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1400.00	47.61	67.07	-19.46	74.00	-26.39	199 Peak	Horizontal	
2	4531.00	38.13	48.33	-10.20	54.00	-15.87	200 170 Average	Horizontal	
3	4531.00	51.62	61.82	-10.20	74.00	-22.38	200 170 Peak	Horizontal	
4	4842.00	42.02	51.79	-9.77	54.00	-11.98	200 186 Average	Horizontal	
5	4842.00	52.48	62.25	-9.77	74.00	-21.52	200 186 Peak	Horizontal	
6	12819.00	64.40	63.79	0.69	88.20	-23.72	100 239 Peak	Horizontal	
7	12830.00	54.51	53.79	0.72	68.20	-13.69	100 239 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1401.00	48.45	67.92	-19.47	74.00	-25.55	200 233 Peak	Vertical	
2	1713.00	46.38	63.94	-17.56	88.20	-41.82	200 198 Peak	Vertical	
3	2729.00	48.56	62.21	-13.65	74.00	-25.44	100 358 Peak	Vertical	
4	4520.00	44.84	55.11	-10.27	54.00	-9.16	100 226 Average	Vertical	
5	4520.00	59.06	69.33	-10.27	74.00	-14.94	100 226 Peak	Vertical	
6	4834.00	44.93	54.72	-9.79	54.00	-9.07	100 241 Average	Vertical	
7	4834.00	56.83	66.62	-9.79	74.00	-17.97	100 241 Peak	Vertical	
8	12830.00	63.90	63.18	0.72	88.20	-24.30	100 212 Peak	Vertical	
9	12830.00	54.19	53.47	0.72	68.20	-14.01	100 212 RMS	Vertical	


802.11ax HE40

CH03 (Horizontal)

CH03 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1404.00	46.90	66.40	-19.50	74.00	-27.10	200	199 Peak	Horizontal	
2	4517.00	37.86	48.15	-10.29	54.00	-16.14	200	173 Average	Horizontal	
3	4517.00	51.47	61.76	-10.29	74.00	-22.53	200	173 Peak	Horizontal	
4	4843.00	41.67	51.43	-9.76	54.00	-12.33	200	186 Average	Horizontal	
5	4843.00	52.47	62.23	-9.76	74.00	-21.53	200	186 Peak	Horizontal	
6	11930.00	53.39	53.84	-0.45	74.00	-20.61	100	296 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	48.34	67.85	-19.51	74.00	-25.66	100	233 Peak	Vertical	
2	1717.00	46.68	64.23	-17.55	88.20	-41.52	100	202 Peak	Vertical	
3	2731.00	53.14	66.79	-13.65	74.00	-20.86	200	266 Peak	Vertical	
4	4526.00	44.41	54.65	-10.24	54.00	-9.59	100	226 Average	Vertical	
5	4526.00	58.53	68.77	-10.24	74.00	-15.47	100	226 Peak	Vertical	
6	4839.00	45.05	54.82	-9.77	54.00	-8.95	100	242 Average	Vertical	
7	4839.00	55.65	65.42	-9.77	74.00	-18.35	100	242 Peak	Vertical	
8	11930.00	50.74	51.19	-0.45	54.00	-3.26	100	54 Average	Vertical	
9	11930.00	64.60	65.05	-0.45	74.00	-9.40	100	54 Peak	Vertical	


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1492.00	48.91	67.40	-19.48	74.00	-25.99	100	200 Peak	Horizontal	
2	4527.00	37.66	47.89	-10.23	54.00	-16.34	200	101 Average	Horizontal	
3	4527.00	51.42	61.65	-10.23	74.00	-22.58	200	101 Peak	Horizontal	
4	4839.00	41.99	51.76	-9.77	54.00	-12.01	200	185 Average	Horizontal	
5	4839.00	52.38	62.15	-9.77	74.00	-21.62	200	185 Peak	Horizontal	
6	12336.00	45.40	45.20	0.20	54.00	-8.60	100	233 Average	Horizontal	
7	12336.00	55.25	55.05	0.20	74.00	-18.75	100	233 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1492.00	47.92	67.40	-19.48	74.00	-26.08	100	235 Peak	Vertical	
2	1713.00	46.13	63.69	-17.56	88.20	-42.07	200	203 Peak	Vertical	
3	2732.00	48.85	62.48	-13.63	74.00	-25.15	100	203 Peak	Vertical	
4	4527.00	44.59	54.82	-10.23	54.00	-9.41	100	231 Average	Vertical	
5	4527.00	58.09	69.12	-10.23	74.00	-15.11	100	231 Peak	Vertical	
6	4843.00	45.27	55.03	-9.76	54.00	-8.73	200	207 Average	Vertical	
7	4843.00	56.28	66.04	-9.76	74.00	-17.72	200	207 Peak	Vertical	
8	12336.00	49.98	49.78	0.20	54.00	-4.02	101	150 Average	Vertical	
9	12336.00	61.89	61.69	0.20	74.00	-12.11	101	150 Peak	Vertical	


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1492.00	46.32	66.30	-19.48	74.00	-27.13	100	199 Peak	Horizontal	
2	4529.00	37.92	48.14	-10.22	54.00	-16.08	200	171 Average	Horizontal	
3	4529.00	51.61	61.83	-10.22	74.00	-22.39	200	171 Peak	Horizontal	
4	4843.00	41.87	51.63	-9.76	54.00	-12.13	200	343 Average	Horizontal	
5	4843.00	52.42	62.18	-9.76	74.00	-21.58	200	343 Peak	Horizontal	
6	12810.00	59.81	59.13	0.68	88.20	-28.39	100	241 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1495.00	48.73	68.24	-19.51	74.00	-25.27	200	213 Peak	Vertical	
2	1717.00	46.59	64.14	-17.55	88.20	-41.61	200	202 Peak	Vertical	
3	4522.00	44.86	55.12	-10.26	54.00	-9.14	100	225 Average	Vertical	
4	4522.00	58.97	69.23	-10.26	74.00	-15.03	100	225 Peak	Vertical	
5	4824.00	45.30	55.11	-9.81	54.00	-8.70	100	242 Average	Vertical	
6	4824.00	56.30	66.11	-9.81	74.00	-17.70	100	242 Peak	Vertical	
7	12810.00	51.26	60.58	0.68	88.20	-26.94	100	44 Peak	Vertical	


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8
Freq	Level	Read	Limit	Over	APos	TPos	Remark
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1401.00	48.55	68.02	-19.47	74.00	-25.45	100	197 Peak Horizontal
1718.00	45.55	63.09	-17.54	88.20	-42.65	400	28 Peak Horizontal
2729.00	45.38	59.03	-13.65	74.00	-28.62	400	90 Peak Horizontal
4529.00	38.12	48.34	-10.22	54.00	-15.88	400	105 Average Horizontal
4529.00	52.13	62.35	-10.22	74.00	-21.87	400	105 Peak Horizontal
4843.00	42.56	52.32	-9.76	54.00	-11.44	300	344 Average Horizontal
4843.00	52.77	62.53	-9.76	74.00	-21.23	300	344 Peak Horizontal
11970.00	56.21	56.56	-0.35	74.00	-17.79	100	144 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1401.00	49.48	68.95	-19.47	74.00	-24.52	300	360 Peak	Vertical
1714.00	46.65	64.21	-17.56	88.20	-41.55	200	212 Peak	Vertical
2733.00	48.07	61.70	-13.63	74.00	-25.93	200	274 Peak	Vertical
4525.00	44.58	54.83	-10.25	54.00	-9.42	400	49 Average	Vertical
4525.00	58.07	69.12	-10.25	74.00	-15.13	400	49 Peak	Vertical
4820.00	45.52	55.33	-9.81	54.00	-8.48	100	242 Average	Vertical
4828.00	56.45	66.26	-9.81	74.00	-17.55	100	242 Peak	Vertical
11970.00	49.87	50.22	-0.35	54.00	-4.13	100	360 Average	Vertical
11970.00	63.15	63.50	-0.35	74.00	-10.85	100	360 Peak	Vertical


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1401.00	47.36	66.83	-19.47	74.00	-26.64	100	203 Peak	Horizontal
2	1711.00	43.96	61.53	-17.57	88.20	-44.24	400	360 Peak	Horizontal
3	2736.00	46.63	60.28	-13.65	74.00	-27.37	300	136 Peak	Horizontal
4	4521.00	37.86	48.12	-10.26	54.00	-16.14	400	294 Average	Horizontal
5	4521.00	51.18	61.44	-10.26	74.00	-22.82	400	294 Peak	Horizontal
6	4844.00	41.94	51.70	-9.76	54.00	-12.06	300	344 Average	Horizontal
7	4844.00	52.39	62.15	-9.76	74.00	-21.61	300	344 Peak	Horizontal
8	12290.00	54.76	54.63	0.13	74.00	-19.24	100	243 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	49.17	68.68	-19.51	74.00	-24.83	301	360 Peak	Vertical
2	1713.00	46.36	63.92	-17.56	88.20	-41.84	200	221 Peak	Vertical
3	2729.00	54.68	68.33	-13.65	74.00	-19.32	300	49 Peak	Vertical
4	4529.00	44.97	55.19	-10.22	54.00	-9.03	400	44 Average	Vertical
5	4529.00	59.12	69.34	-10.22	74.00	-14.88	400	44 Peak	Vertical
6	4843.00	45.50	55.26	-9.76	54.00	-8.50	200	292 Average	Vertical
7	4843.00	56.48	66.16	-9.76	74.00	-17.60	200	292 Peak	Vertical
8	12290.00	50.87	50.74	0.13	54.00	-3.13	116	50 Average	Vertical
9	12290.00	64.23	64.10	0.13	74.00	-9.77	116	50 Peak	Vertical


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	48.90	67.40	-19.49	74.00	-26.00	190	195 Peak	Horizontal	
2	1715.00	44.74	62.30	-17.56	88.20	-43.46	376	359 Peak	Horizontal	
3	2736.00	46.53	60.18	-13.65	74.00	-27.47	252	1 Peak	Horizontal	
4	4528.00	38.24	48.46	-10.22	54.00	-15.76	400	297 Average	Horizontal	
5	4528.00	51.77	61.99	-10.22	74.00	-22.23	400	297 Peak	Horizontal	
6	4844.00	41.94	51.70	-9.76	54.00	-12.06	400	190 Average	Horizontal	
7	4844.00	52.54	62.30	-9.76	74.00	-21.46	400	190 Peak	Horizontal	
8	12770.00	57.94	57.31	0.63	88.20	-30.26	180	234 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	49.78	69.21	-19.51	74.00	-24.30	374	360 Peak	Vertical	
2	1713.00	47.43	64.99	-17.56	88.20	-40.77	100	200 Peak	Vertical	
3	2736.00	52.55	66.20	-13.65	74.00	-21.45	400	139 Peak	Vertical	
4	4519.00	44.68	54.96	-10.28	54.00	-9.32	100	227 Average	Vertical	
5	4519.00	59.10	69.38	-10.28	74.00	-14.90	100	227 Peak	Vertical	
6	4843.00	45.56	55.32	-9.76	54.00	-8.44	300	290 Average	Vertical	
7	4843.00	56.43	66.19	-9.76	74.00	-17.57	300	290 Peak	Vertical	
8	12770.00	61.21	60.58	0.63	88.20	-26.99	180	132 Peak	Vertical	


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1482.00	48.90	67.48	-19.48	74.00	-26.00	100	202 Peak	Horizontal
1716.00	46.14	63.70	-17.56	88.20	-42.06	400	23 Peak	Horizontal
2729.00	52.67	66.32	-13.65	74.00	-21.33	300	186 Peak	Horizontal
4531.00	38.91	49.11	-10.20	54.00	-15.09	400	110 Average	Horizontal
4531.00	51.39	61.59	-10.20	74.00	-22.61	400	110 Peak	Horizontal
4841.00	42.17	51.94	-9.77	54.00	-11.83	400	179 Average	Horizontal
4841.00	52.42	62.19	-9.77	74.00	-21.58	400	179 Peak	Horizontal
12050.00	44.21	44.39	-0.18	54.00	-9.79	100	149 Average	Horizontal
12050.00	58.81	58.99	-0.18	74.00	-15.19	100	149 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1482.00	49.50	68.98	-19.48	74.00	-24.50	300	72 Peak	Vertical
1716.00	47.72	65.28	-17.56	88.20	-40.48	100	206 Peak	Vertical
2730.00	52.11	65.76	-13.65	74.00	-21.89	300	140 Peak	Vertical
4526.00	44.75	54.99	-10.24	54.00	-9.25	400	48 Average	Vertical
4526.00	59.10	69.34	-10.24	74.00	-14.90	400	48 Peak	Vertical
4829.00	44.91	54.71	-9.80	54.00	-9.09	100	241 Average	Vertical
4829.00	55.94	65.74	-9.80	74.00	-18.06	100	241 Peak	Vertical
12050.00	50.26	50.44	-0.18	54.00	-3.74	100	153 Average	Vertical
12050.00	65.97	66.15	-0.18	74.00	-8.03	100	153 Peak	Vertical


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1400.00	49.31	68.77	-19.46	74.00	-24.69	100	201 Peak	Horizontal	
2	1718.00	45.77	63.31	-17.54	88.20	-42.43	400	19 Peak	Horizontal	
3	2736.00	45.43	59.08	-13.65	74.00	-28.57	203	3 Peak	Horizontal	
4	4531.00	39.13	49.33	-10.20	54.00	-14.87	400	107 Average	Horizontal	
5	4531.00	52.29	62.49	-10.20	74.00	-21.71	400	107 Peak	Horizontal	
6	4824.00	42.56	52.33	-9.77	54.00	-11.44	400	192 Average	Horizontal	
7	4824.00	53.21	62.98	-9.77	74.00	-20.79	400	192 Peak	Horizontal	
8	12370.00	44.48	44.21	0.27	54.00	-9.52	100	232 Average	Horizontal	
9	12370.00	58.09	58.62	0.27	74.00	-15.11	100	232 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1406.00	49.29	68.80	-19.51	74.00	-24.71	306	360 Peak	Vertical	
2	1712.00	47.06	64.63	-17.57	88.20	-41.14	100	200 Peak	Vertical	
3	2728.00	55.34	69.00	-13.66	74.00	-18.66	300	151 Peak	Vertical	
4	4531.00	45.42	55.62	-10.20	54.00	-8.58	100	232 Average	Vertical	
5	4531.00	59.68	69.88	-10.20	74.00	-14.32	100	232 Peak	Vertical	
6	4824.00	45.60	55.41	-9.81	54.00	-8.40	100	239 Average	Vertical	
7	4824.00	57.00	66.81	-9.81	74.00	-17.00	100	239 Peak	Vertical	
8	12370.00	48.64	48.37	0.27	54.00	-5.36	100	149 Average	Vertical	
9	12370.00	63.07	62.80	0.27	74.00	-10.93	100	149 Peak	Vertical	


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg	Note
1482.00	47.48	66.97	-19.49	74.00	-26.52	100	202 Peak	Horizontal
1712.00	43.87	61.44	-17.57	88.20	-44.33	354	360 Peak	Horizontal
2732.00	49.56	63.19	-13.63	74.00	-24.44	400	85 Peak	Horizontal
4530.00	38.01	48.22	-10.21	54.00	-15.99	300	97 Average	Horizontal
4530.00	51.76	61.97	-10.21	74.00	-22.24	300	97 Peak	Horizontal
4841.00	42.00	51.77	-9.77	54.00	-12.00	400	192 Average	Horizontal
4841.00	52.59	62.36	-9.77	74.00	-21.41	400	192 Peak	Horizontal
12690.00	46.41	45.86	0.55	54.00	-7.59	100	245 Average	Horizontal
12690.00	59.78	59.23	0.55	74.00	-14.22	100	245 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg	Note
1486.00	49.89	69.40	-19.51	74.00	-24.11	387	360 Peak	Vertical
1716.00	46.34	63.90	-17.56	88.20	-41.86	100	221 Peak	Vertical
2731.00	48.17	61.82	-13.65	74.00	-25.83	200	72 Peak	Vertical
4530.00	45.17	55.38	-10.21	54.00	-8.83	400	48 Average	Vertical
4530.00	60.01	70.22	-10.21	74.00	-13.99	400	48 Peak	Vertical
4834.00	45.70	55.49	-9.79	54.00	-8.30	300	260 Average	Vertical
4834.00	56.66	66.45	-9.79	74.00	-17.34	300	260 Peak	Vertical
12690.00	50.46	49.91	0.55	54.00	-3.54	100	30 Average	Vertical
12690.00	66.64	66.09	0.55	74.00	-7.36	100	30 Peak	Vertical

U-NII 6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1483.00	47.30	66.69	-19.49	74.00	-26.00	100	147 Peak	Horizontal
1713.00	44.36	61.92	-17.56	88.20	-43.84	400	360 Peak	Horizontal
2736.00	46.66	60.31	-13.65	74.00	-27.34	200	8 Peak	Horizontal
4516.00	37.72	48.01	-10.29	54.00	-16.28	300	97 Average	Horizontal
4516.00	51.54	61.83	-10.29	74.00	-22.46	300	97 Peak	Horizontal
4835.00	42.23	52.02	-9.79	54.00	-11.77	300	342 Average	Horizontal
4835.00	52.76	62.55	-9.79	74.00	-21.24	300	342 Peak	Horizontal
12870.00	66.51	65.72	0.79	88.20	-21.69	100	239 Peak	Horizontal
12870.00	57.30	56.51	0.79	68.20	-10.90	100	239 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1481.00	49.44	68.91	-19.47	74.00	-24.56	300	74 Peak	Vertical
1711.00	46.53	64.10	-17.57	88.20	-41.67	200	204 Peak	Vertical
2728.00	45.47	59.13	-13.66	74.00	-28.53	220	32 Peak	Vertical
4531.00	45.02	55.22	-10.20	54.00	-8.98	400	49 Average	Vertical
4531.00	59.24	69.44	-10.20	74.00	-14.76	400	49 Peak	Vertical
4824.00	46.00	55.81	-9.81	54.00	-8.00	100	242 Average	Vertical
4824.00	56.90	66.71	-9.81	74.00	-17.10	100	242 Peak	Vertical
12870.00	66.85	66.06	0.79	88.20	-21.35	300	32 Peak	Vertical
12870.00	56.93	56.14	0.79	68.20	-11.27	300	32 RMS	Vertical


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1484.00	47.50	67.00	-19.50	74.00	-26.50	100	202 Peak	Horizontal
1714.00	45.69	63.25	-17.56	88.20	-42.51	400	352 Peak	Horizontal
2731.00	47.33	60.98	-13.65	74.00	-26.67	200	0 Peak	Horizontal
4531.00	39.72	49.92	-10.20	54.00	-14.28	400	107 Average	Horizontal
4531.00	52.79	62.99	-10.20	74.00	-21.21	400	107 Peak	Horizontal
4842.00	42.86	52.63	-9.77	54.00	-11.14	300	343 Average	Horizontal
4842.00	53.16	62.93	-9.77	74.00	-20.84	300	343 Peak	Horizontal
12950.00	63.42	62.58	0.84	88.20	-24.78	100	236 Peak	Horizontal
12950.00	53.47	52.63	0.84	68.20	-14.73	100	236 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
1485.00	49.23	68.74	-19.51	74.00	-24.77	400	7 Peak	Vertical
1717.00	47.69	65.24	-17.55	88.20	-40.51	100	208 Peak	Vertical
2731.00	51.17	64.82	-13.65	74.00	-22.83	100	78 Peak	Vertical
4531.00	45.42	55.62	-10.20	54.00	-8.58	400	44 Average	Vertical
4531.00	59.67	69.87	-10.20	74.00	-14.33	400	44 Peak	Vertical
4844.00	45.86	55.62	-9.76	54.00	-8.14	300	290 Average	Vertical
4844.00	57.86	66.82	-9.76	74.00	-16.94	300	290 Peak	Vertical
12950.00	66.25	65.41	0.84	88.20	-21.95	100	29 Peak	Vertical
12950.00	57.10	56.26	0.84	68.20	-11.10	100	29 RMS	Vertical


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	49.16	67.67	-19.51	74.00	-25.84	100	148 Peak	Horizontal
2	1713.00	44.78	62.34	-17.56	88.20	-43.42	400	28 Peak	Horizontal
3	2731.00	45.82	59.47	-13.65	74.00	-28.18	400	186 Peak	Horizontal
4	4531.00	39.51	49.71	-10.20	54.00	-14.49	300	100 Average	Horizontal
5	4531.00	52.04	62.24	-10.20	74.00	-21.96	300	100 Peak	Horizontal
6	4844.00	42.57	52.33	-9.76	54.00	-11.43	400	186 Average	Horizontal
7	4844.00	53.88	62.84	-9.76	74.00	-20.92	400	186 Peak	Horizontal
8	13010.00	66.12	65.28	0.84	88.20	-22.08	100	227 Peak	Horizontal
9	13010.00	56.20	55.36	0.84	68.20	-12.00	100	227 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1404.00	50.24	69.74	-19.50	74.00	-23.76	300	360 Peak	Vertical
2	1716.00	46.70	64.26	-17.56	88.20	-41.50	100	197 Peak	Vertical
3	2731.00	48.28	61.93	-13.65	74.00	-25.72	400	235 Peak	Vertical
4	4517.00	44.08	55.09	-10.29	54.00	-9.20	400	48 Average	Vertical
5	4517.00	59.02	69.31	-10.29	74.00	-14.98	400	48 Peak	Vertical
6	4837.00	45.90	55.69	-9.79	54.00	-8.10	100	242 Average	Vertical
7	4837.00	56.84	66.63	-9.79	74.00	-17.16	100	242 Peak	Vertical
8	13010.00	67.93	67.10	0.83	88.20	-20.27	100	115 Peak	Vertical
9	13010.00	57.94	57.11	0.83	68.20	-30.26	100	115 RMS	Vertical


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1490.00	44.71	64.17	-19.46	74.00	-29.29	100	200 Peak	Horizontal
2	4527.00	52.33	62.56	-10.23	74.00	-21.67	400	104 Peak	Horizontal
3	4843.00	48.73	58.49	-9.76	74.00	-25.27	300	348 Peak	Horizontal
4	12890.00	63.06	62.23	0.83	88.20	-25.14	100	242 Peak	Horizontal
5	12890.00	53.64	52.81	0.83	68.20	-14.56	100	242 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1490.00	46.22	65.72	-19.50	74.00	-27.78	300	330 Peak	Vertical
2	2729.00	52.29	65.94	-13.65	74.00	-21.71	300	35 Peak	Vertical
3	4517.00	42.36	52.85	-10.29	54.00	-11.64	400	46 Average	Vertical
4	4517.00	57.09	67.38	-10.29	74.00	-16.91	400	46 Peak	Vertical
5	4827.00	52.07	62.69	-9.82	74.00	-21.13	100	242 Peak	Vertical
6	12890.00	63.86	63.03	0.83	88.20	-24.34	100	73 Peak	Vertical
7	12890.00	53.85	53.02	0.83	68.20	-14.35	100	73 RMS	Vertical


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1401.00	44.63	64.10	-19.47	74.00	-29.37	100	149 Peak	Horizontal	
2	4531.00	40.20	50.40	-10.20	54.00	-13.80	400	108 Average	Horizontal	
3	4531.00	54.24	64.44	-10.20	74.00	-19.76	400	108 Peak	Horizontal	
4	4840.00	49.67	59.44	-9.77	74.00	-24.33	300	343 Peak	Horizontal	
5	12970.00	62.85	62.01	0.84	88.20	-25.35	100	246 Peak	Horizontal	
6	12970.00	53.58	52.74	0.84	68.20	-14.62	100	246 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1400.00	46.90	66.36	-19.46	74.00	-27.10	370	360 Peak	Vertical	
2	2733.00	50.30	63.93	-13.63	74.00	-23.70	100	54 Peak	Vertical	
3	4530.00	42.92	53.13	-10.21	54.00	-11.08	400	47 Average	Vertical	
4	4530.00	57.65	67.86	-10.21	74.00	-16.35	400	47 Peak	Vertical	
5	4839.00	52.24	62.01	-9.77	74.00	-21.76	200	293 Peak	Vertical	
6	12970.00	65.11	64.27	0.84	88.20	-23.09	100	54 Peak	Vertical	
7	12970.00	55.53	54.69	0.84	68.20	-12.67	100	54 RMS	Vertical	


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1404.00	44.38	63.88	-19.50	74.00	-29.62	100	202	Peak	Horizontal		
2	4521.00	52.48	62.74	-10.26	74.00	-21.52	300	100	Peak	Horizontal		
3	4839.00	49.45	59.22	-9.77	74.00	-24.55	300	345	Peak	Horizontal		
4	13050.00	70.43	69.61	0.82	88.20	-17.77	100	226	Peak	Horizontal		
5	13050.00	54.63	53.81	0.82	68.20	-13.57	100	226	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1403.00	46.17	65.66	-19.49	74.00	-27.83	300	74	Peak	Vertical		
2	2731.00	49.98	63.63	-13.65	74.00	-24.92	200	44	Peak	Vertical		
3	4515.00	43.46	53.77	-10.31	54.00	-10.54	100	233	Average	Vertical		
4	4515.00	57.02	67.33	-10.31	74.00	-16.98	100	233	Peak	Vertical		
5	4839.00	52.81	62.58	-9.77	74.00	-21.19	200	301	Peak	Vertical		
6	13050.00	70.63	69.81	0.82	88.20	-17.57	100	355	Peak	Vertical		
7	13050.00	57.06	56.24	0.82	68.20	-11.14	100	355	RMS	Vertical		


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	45.94	65.45	-19.51	74.00	-28.06	100	202 Peak	Horizontal
2	4524.00	52.75	63.00	-10.25	74.00	-21.25	300	106 Peak	Horizontal
3	4838.00	50.39	60.17	-9.78	74.00	-23.61	300	345 Peak	Horizontal
4	12930.00	59.06	59.01	0.05	88.20	-28.34	100	227 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1403.00	46.88	66.37	-19.49	74.00	-27.12	300	78 Peak	Vertical
2	4527.00	43.83	54.06	-10.23	64.00	-19.17	400	48 Average	Vertical
3	4527.00	57.95	68.18	-10.23	74.00	-16.05	400	48 Peak	Vertical
4	4844.00	52.11	61.87	-9.76	74.00	-21.89	100	301 Peak	Vertical
5	12930.00	61.76	60.91	0.85	88.20	-26.44	100	33 Peak	Vertical


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	1482.00	44.37	63.86	-19.49	74.00	-29.63	100	92 Peak	Horizontal	
2	4517.00	49.27	59.56	-10.29	74.00	-24.73	100	99 Peak	Horizontal	
3	4844.00	48.17	57.93	-9.76	74.00	-25.83	100	184 Peak	Horizontal	
4	13090.00	61.04	60.24	0.80	88.20	-27.16	100	136 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	47.49	67.00	-19.51	74.00	-26.51	300	76 Peak	Vertical	
2	4517.00	43.03	53.32	-10.29	64.00	-10.97	400	46 Average	Vertical	
3	4517.00	57.67	67.96	-10.29	74.00	-16.33	400	46 Peak	Vertical	
4	4832.00	51.83	61.63	-9.80	74.00	-22.17	100	243 Peak	Vertical	
5	13090.00	67.73	66.93	0.80	88.20	-20.47	100	25 Peak	Vertical	
6	13090.00	55.85	55.05	0.80	68.20	-12.35	100	25 RMS	Vertical	


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	1404.00	45.71	65.21	-19.50	74.00	-20.29	100	203 Peak	Horizontal	
2	4531.00	53.69	63.89	-10.20	74.00	-20.31	400	195 Peak	Horizontal	
3	4843.00	48.63	58.39	-9.76	74.00	-25.37	400	184 Peak	Horizontal	
4	13010.00	57.74	56.90	0.84	88.20	-30.46	200	77 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	1403.00	47.48	66.97	-19.49	74.00	-26.52	300	77 Peak	Vertical	
2	4527.00	42.45	52.68	-10.23	64.00	-11.55	400	44 Average	Vertical	
3	4527.00	57.70	67.93	-10.23	74.00	-16.30	400	44 Peak	Vertical	
4	4843.00	51.75	61.51	-9.76	74.00	-22.25	200	302 Peak	Vertical	
5	13010.00	62.11	61.27	0.84	88.20	-26.09	100	1 Peak	Vertical	

U-NII 7


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1490.00	50.91	70.37	-19.46	74.00	-23.09	100	203 Peak	Horizontal
2	4519.00	52.04	62.32	-10.28	74.00	-21.96	400	299 Peak	Horizontal
3	4839.00	52.73	62.50	-9.77	74.00	-21.27	400	190 Peak	Horizontal
4	13070.00	66.70	65.89	0.81	88.20	-21.50	100	81 Peak	Horizontal
5	13070.00	56.75	55.94	0.81	68.20	-11.45	100	81 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1495.00	51.34	70.85	-19.51	74.00	-22.66	303	360 Peak	Vertical
2	2730.00	49.04	62.69	-13.65	74.00	-24.96	100	53 Peak	Vertical
3	4526.00	41.69	51.93	-10.24	54.00	-12.31	400	44 Average	Vertical
4	4526.00	55.54	65.78	-10.24	74.00	-18.46	400	44 Peak	Vertical
5	4841.00	45.01	54.78	-9.77	54.00	-8.99	400	33 Average	Vertical
6	4841.00	55.37	65.14	-9.77	74.00	-18.63	400	33 Peak	Vertical
7	13070.00	68.31	67.50	0.81	88.20	-19.69	100	28 Peak	Vertical
8	13070.00	58.43	57.62	0.81	68.20	-9.77	100	28 RMS	Vertical


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dB/m	dB/m	cm	deg			
1	1401.00	48.64	68.11	-19.47	74.00	-25.36	100	204 Peak	Horizontal	
2	4514.00	51.10	61.42	-10.32	74.00	-22.90	400	300 Peak	Horizontal	
3	4840.00	51.72	61.49	-9.77	74.00	-22.28	400	182 Peak	Horizontal	
4	13390.00	52.71	51.81	0.90	74.00	-21.29	100	72 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penitao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dB/m	dB/m	cm	deg			
1	1405.00	50.04	69.55	-19.51	74.00	-23.96	200	234 Peak	Vertical	
2	1715.00	47.55	65.11	-17.56	88.20	-40.65	371	360 Peak	Vertical	
3	4524.00	41.56	51.81	-10.25	54.00	-12.44	100	229 Average	Vertical	
4	4524.00	55.83	66.08	-10.25	74.00	-18.17	100	229 Peak	Vertical	
5	4844.00	53.01	62.77	-9.76	74.00	-20.99	100	239 Peak	Vertical	
6	13390.00	50.72	49.82	0.90	54.00	-3.28	100	322 Average	Vertical	
7	13390.00	48.75	47.85	0.90	54.00	-5.25	100	322 Average	Vertical	
8	13390.00	59.88	58.98	0.90	74.00	-14.12	100	322 Peak	Vertical	


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1496.00	46.06	65.57	-19.51	74.00	-27.94	100	152	Peak	Horizontal		
2	2730.00	47.27	60.92	-13.65	74.00	-26.73	300	329	Peak	Horizontal		
3	4528.00	51.53	61.75	-10.22	74.00	-22.47	400	296	Peak	Horizontal		
4	4843.00	51.32	61.08	-9.76	74.00	-22.68	300	345	Peak	Horizontal		
5	13710.00	53.22	52.29	0.93	88.20	-34.98	100	229	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1493.00	49.50	68.99	-19.49	74.00	-24.50	300	360	Peak	Vertical		
2	4213.00	46.98	57.83	-10.85	74.00	-27.10	300	39	Peak	Vertical		
3	4523.00	41.19	51.44	-10.25	54.00	-12.81	200	231	Average	Vertical		
4	4523.00	56.03	66.28	-10.25	74.00	-17.97	200	231	Peak	Vertical		
5	4844.00	52.43	62.19	-9.76	74.00	-21.57	200	295	Peak	Vertical		
6	13710.00	58.95	58.02	0.93	88.20	-29.25	100	50	Peak	Vertical		


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1485.00	47.65	67.16	-19.51	74.00	-26.35	100	197 Peak	Horizontal
2	4523.00	52.47	62.72	-10.25	74.00	-21.53	400	299 Peak	Horizontal
3	4843.00	50.07	59.83	-9.76	74.00	-23.93	300	339 Peak	Horizontal
4	13750.00	52.05	51.10	0.95	88.20	-36.15	100	173 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	48.48	67.97	-19.49	74.00	-25.52	388	360 Peak	Vertical
2	1757.00	49.48	66.75	-17.35	88.20	-38.80	166	360 Peak	Vertical
3	4520.00	41.06	51.33	-10.27	54.00	-12.94	100	232 Average	Vertical
4	4520.00	56.10	66.37	-10.27	74.00	-17.90	100	232 Peak	Vertical
5	4829.00	53.36	63.16	-9.80	74.00	-20.64	100	241 Peak	Vertical
6	13750.00	56.75	55.80	0.95	88.20	-31.45	222	33 Peak	Vertical


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1400.00	45.94	65.40	-19.46	74.00	-28.06	100	149 Peak	Horizontal	
2	2732.00	47.12	60.75	-13.63	74.00	-26.88	339	360 Peak	Horizontal	
3	4527.00	53.00	63.23	-10.23	74.00	-21.00	400	188 Peak	Horizontal	
4	4840.00	50.17	59.94	-9.77	74.00	-23.83	300	343 Peak	Horizontal	
5	13130.00	63.35	62.56	0.79	88.20	-24.85	100	243 Peak	Horizontal	
6	13130.00	49.94	49.15	0.79	68.20	-18.26	100	243 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1400.00	47.24	66.70	-19.46	74.00	-26.76	376	360 Peak	Vertical	
2	4218.00	48.11	59.03	-10.92	74.00	-25.89	400	55 Peak	Vertical	
3	4516.00	43.72	54.01	-10.29	54.00	-10.28	100	227 Average	Vertical	
4	4516.00	57.91	68.20	-10.29	74.00	-16.09	100	227 Peak	Vertical	
5	4831.00	51.79	61.59	-9.80	74.00	-22.21	100	242 Peak	Vertical	
6	13130.00	69.21	68.42	0.79	88.20	-18.99	100	25 Peak	Vertical	
7	13130.00	55.01	54.22	0.79	68.20	-13.19	100	25 RMS	Vertical	


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1492.00	46.26	65.74	-19.48	74.00	-27.74	100	202	Peak	Horizontal	
2	4518.00	52.58	62.86	-10.28	74.00	-21.42	300	96	Peak	Horizontal	
3	4843.00	52.07	61.83	-9.76	74.00	-21.93	300	343	Peak	Horizontal	
4	13450.00	53.50	52.59	0.91	88.20	-34.70	100	38	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1495.00	47.76	67.27	-19.51	74.00	-26.24	300	76	Peak	Vertical	
2	4517.00	42.51	52.80	-10.29	64.00	-11.49	100	226	Average	Vertical	
3	4517.00	57.32	67.61	-10.29	74.00	-16.68	100	226	Peak	Vertical	
4	4824.00	51.30	61.11	-9.81	74.00	-22.70	100	240	Peak	Vertical	
5	13450.00	60.34	59.43	0.91	88.20	-27.86	100	342	Peak	Vertical	


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1404.00	46.18	65.68	-19.50	74.00	-27.82	100	199	Peak	Horizontal		
2	4526.00	52.73	62.97	-10.24	74.00	-21.27	400	299	Peak	Horizontal		
3	4842.00	50.49	60.26	-9.77	74.00	-23.51	300	346	Peak	Horizontal		
4	13690.00	53.62	52.72	0.90	88.20	-34.58	100	74	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1403.00	46.88	66.37	-19.49	74.00	-27.12	309	360	Peak	Vertical		
2	4528.00	43.86	54.06	-10.22	64.00	-10.14	400	45	Average	Vertical		
3	4528.00	58.18	68.40	-10.22	74.00	-15.82	400	45	Peak	Vertical		
4	4839.00	52.15	61.92	-9.77	74.00	-21.85	200	304	Peak	Vertical		
5	13690.00	57.16	56.26	0.90	88.20	-31.04	100	139	Peak	Vertical		


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1401.00	45.41	64.88	-19.47	74.00	-28.59	100	197 Peak	Horizontal	
2	4531.00	53.27	63.47	-10.20	74.00	-20.73	400	104 Peak	Horizontal	
3	4844.00	50.30	60.06	-9.76	74.00	-23.70	300	350 Peak	Horizontal	
4	13770.00	49.24	40.28	0.96	88.20	-38.96	100	30 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1403.00	47.70	67.19	-19.49	74.00	-26.30	300	74 Peak	Vertical	
2	2730.00	49.00	62.65	-13.65	74.00	-25.00	200	35 Peak	Vertical	
3	4527.00	41.92	52.15	-10.23	54.00	-12.08	100	234 Average	Vertical	
4	4527.00	57.52	67.75	-10.23	74.00	-16.48	100	234 Peak	Vertical	
5	4844.00	52.31	62.07	-9.76	74.00	-21.69	300	298 Peak	Vertical	
6	13770.00	55.10	54.14	0.96	88.20	-33.10	100	339 Peak	Vertical	


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1403.00	44.15	63.64	-19.49	74.00	-29.85	200	200 Peak	Horizontal	
2	4520.00	52.86	63.13	-10.27	74.00	-21.14	300	99 Peak	Horizontal	
3	4843.00	51.54	61.30	-9.76	74.00	-22.46	300	344 Peak	Horizontal	
4	13250.00	42.31	41.42	0.89	54.00	-11.69	100	42 Average	Horizontal	
5	13250.00	54.16	53.27	0.89	74.00	-19.84	100	42 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1403.00	47.08	66.55	-19.47	74.00	-26.92	300	72 Peak	Vertical	
2	4525.00	42.45	52.74	-10.25	64.00	-11.51	400	50 Average	Vertical	
3	4525.00	57.28	67.45	-10.25	74.00	-16.80	400	50 Peak	Vertical	
4	4840.00	52.10	61.87	-9.77	74.00	-21.90	100	296 Peak	Vertical	
5	13250.00	49.11	48.22	0.89	54.00	-4.89	100	356 Average	Vertical	
6	13250.00	60.43	59.54	0.89	74.00	-13.57	100	356 Peak	Vertical	


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	45.12	64.63	-19.51	74.00	-20.88	100	205 Peak	Horizontal
2	4529.00	53.12	63.34	-10.22	74.00	-20.88	400	105 Peak	Horizontal
3	4842.00	49.89	59.66	-9.77	74.00	-24.11	300	345 Peak	Horizontal
4	13410.00	51.55	50.66	0.89	88.20	-36.65	100	34 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1406.00	47.30	66.81	-19.51	74.00	-26.70	300	48 Peak	Vertical
2	2730.00	53.32	66.97	-13.65	74.00	-20.68	200	49 Peak	Vertical
3	4519.00	42.71	52.99	-10.28	54.00	-11.29	400	47 Average	Vertical
4	4519.00	56.99	67.27	-10.28	74.00	-17.01	400	47 Peak	Vertical
5	4842.00	51.87	61.64	-9.77	74.00	-22.13	200	201 Peak	Vertical
6	13410.00	57.00	56.11	0.89	88.20	-31.20	100	56 Peak	Vertical


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1492.00	45.89	65.37	-19.48	74.00	-26.11	100	148 Peak	Horizontal
2	4531.00	53.26	63.46	-10.20	74.00	-20.74	400	104 Peak	Horizontal
3	4838.00	49.16	58.94	-9.78	74.00	-24.84	400	185 Peak	Horizontal
4	13570.00	50.13	49.36	0.77	88.20	-38.07	100	166 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1404.00	47.39	66.89	-19.50	74.00	-26.61	300	48 Peak	Vertical
2	2729.00	51.37	65.02	-13.65	74.00	-22.63	100	62 Peak	Vertical
3	4519.00	42.85	53.13	-10.28	54.00	-11.15	400	45 Average	Vertical
4	4519.00	57.69	67.97	-10.28	74.00	-16.31	400	45 Peak	Vertical
5	4844.00	52.54	62.30	-9.76	74.00	-21.46	200	294 Peak	Vertical
6	13570.00	57.10	56.33	0.77	88.20	-31.10	100	321 Peak	Vertical


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1406.00	45.96	65.47	-19.51	74.00	-28.04	100	199 Peak	Horizontal	
2	4528.00	51.95	62.17	-10.22	74.00	-22.05	400	104 Peak	Horizontal	
3	4838.00	49.72	59.50	-9.78	74.00	-24.28	300	341 Peak	Horizontal	
4	13730.00	48.71	47.77	0.94	88.20	-39.49	100	50 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1404.00	47.05	66.55	-19.50	74.00	-26.95	300	73 Peak	Vertical	
2	2732.00	46.60	60.23	-13.63	74.00	-27.40	100	57 Peak	Vertical	
3	4527.00	44.05	54.28	-10.23	54.00	-9.95	400	50 Average	Vertical	
4	4527.00	58.35	68.58	-10.23	74.00	-15.65	400	50 Peak	Vertical	
5	4828.00	51.85	61.66	-9.81	74.00	-22.15	100	299 Peak	Vertical	
6	13730.00	52.93	51.99	0.94	88.20	-35.27	100	51 Peak	Vertical	


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1401.00	47.13	66.60	-19.47	74.00	-26.87	100	200 Peak	Horizontal	
2	4520.00	52.00	63.02	-10.22	74.00	-21.20	400	105 Peak	Horizontal	
3	4842.00	50.45	60.22	-9.77	74.00	-23.55	300	344 Peak	Horizontal	
4	13330.00	48.48	47.50	0.98	74.00	-25.52	100	312 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1402.00	47.42	66.90	-19.48	74.00	-26.58	377	360 Peak	Vertical	
2	4526.00	43.55	53.79	-10.24	74.00	-10.45	400	45 Average	Vertical	
3	4526.00	57.82	68.06	-10.24	74.00	-16.18	400	45 Peak	Vertical	
4	4844.00	52.39	62.15	-9.76	74.00	-21.61	200	236 Peak	Vertical	
5	13330.00	43.01	42.03	0.98	74.00	-10.19	100	340 Average	Vertical	
6	13330.00	57.69	56.71	0.98	74.00	-16.31	100	340 Peak	Vertical	


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1404.00	46.49	65.99	-19.50	74.00	-27.51	100	200	Peak	Horizontal		
2	4517.00	53.38	63.67	-10.29	74.00	-20.62	300	107	Peak	Horizontal		
3	4844.00	49.63	59.39	-9.76	74.00	-24.37	400	190	Peak	Horizontal		
4	13650.00	47.12	46.31	0.81	88.20	-41.08	200	222	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1406.00	47.35	66.86	-19.51	74.00	-26.65	300	53	Peak	Vertical		
2	2731.00	49.39	63.04	-13.65	74.00	-24.61	100	58	Peak	Vertical		
3	4531.00	43.92	54.12	-10.20	54.00	-10.08	400	49	Average	Vertical		
4	4531.00	58.19	68.39	-10.20	74.00	-15.81	400	49	Peak	Vertical		
5	4844.00	52.96	62.72	-9.76	74.00	-21.04	200	294	Peak	Vertical		
6	13650.00	53.88	53.07	0.81	88.20	-34.32	100	52	Peak	Vertical		

U-NII 8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1482.00	48.46	67.95	-19.49	74.00	-25.54	100	203	Peak	Horizontal		
2	2731.00	48.40	62.05	-13.65	74.00	-25.90	300	80	Peak	Horizontal		
3	4519.00	51.81	62.09	-10.28	74.00	-22.19	300	180	Peak	Horizontal		
4	4843.00	49.94	59.70	-9.76	74.00	-24.06	400	180	Peak	Horizontal		
5	13790.00	50.40	49.44	0.96	88.20	-37.80	100	45	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1482.00	47.90	67.40	-19.50	74.00	-26.10	370	360	Peak	Vertical		
2	4219.00	49.42	60.34	-10.92	74.00	-24.58	300	36	Peak	Vertical		
3	4516.00	41.70	51.99	-10.29	54.00	-12.30	400	48	Average	Vertical		
4	4516.00	56.70	66.99	-10.29	74.00	-17.30	400	48	Peak	Vertical		
5	4828.00	52.99	62.00	-9.01	74.00	-21.01	100	241	Peak	Vertical		
6	13790.00	55.00	54.84	0.96	88.20	-32.40	100	36	Peak	Vertical		


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1404.00	44.37	63.87	-19.50	74.00	-29.63	100	199 Peak	Horizontal	
2	4521.00	51.79	62.95	-10.26	74.00	-22.21	400	300 Peak	Horizontal	
3	4836.00	49.86	59.66	-9.80	74.00	-24.14	300	344 Peak	Horizontal	
4	13990.00	53.29	51.77	1.52	88.20	-34.91	100	163 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1402.00	46.59	66.07	-19.48	74.00	-27.41	370	359 Peak	Vertical	
2	4529.00	42.02	52.24	-10.22	74.00	-11.98	400	48 Average	Vertical	
3	4529.00	57.56	67.78	-10.22	74.00	-16.44	400	48 Peak	Vertical	
4	4835.00	51.84	61.63	-9.79	74.00	-22.16	100	301 Peak	Vertical	
5	13990.00	57.59	56.07	1.52	88.20	-30.61	100	241 Peak	Vertical	


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1405.00	44.96	64.47	-19.51	74.00	-29.04	100	200 Peak	Horizontal	
2	2727.00	43.12	56.78	-13.66	74.00	-30.88	400	1 Peak	Horizontal	
3	4527.00	52.50	62.73	-10.23	74.00	-21.50	400	297 Peak	Horizontal	
4	4844.00	49.52	59.28	-9.76	74.00	-24.48	100	190 Peak	Horizontal	
5	14230.00	51.88	49.95	1.93	88.20	-36.32	100	161 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1402.00	47.00	66.57	-19.48	74.00	-26.91	300	360 Peak	Vertical	
2	1712.00	47.91	65.48	-17.57	88.20	-40.29	360	360 Peak	Vertical	
3	4525.00	42.78	53.03	-10.25	54.00	-11.22	400	46 Average	Vertical	
4	4525.00	57.64	67.89	-10.25	74.00	-16.36	400	46 Peak	Vertical	
5	4837.00	52.77	62.56	-9.79	74.00	-21.23	200	302 Peak	Vertical	
6	14230.00	59.74	57.81	1.93	88.20	-28.46	100	33 Peak	Vertical	


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1482.00	44.32	64.31	-19.49	74.00	-29.13	100	150 Peak	Horizontal
2	4531.00	41.05	51.25	-10.20	54.00	-12.95	400	110 Average	Horizontal
3	4531.00	54.12	64.32	-10.20	74.00	-19.88	400	110 Peak	Horizontal
4	4844.00	50.17	59.93	-9.76	74.00	-23.83	300	154 Peak	Horizontal
5	13850.00	48.62	47.48	1.14	88.20	-39.58	100	349 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	46.85	66.32	-19.47	74.00	-27.15	305	360 Peak	Vertical
2	2729.00	49.70	63.35	-13.65	74.00	-24.30	300	53 Peak	Vertical
3	4516.00	43.39	53.68	-10.29	54.00	-10.61	100	226 Average	Vertical
4	4516.00	57.64	67.93	-10.29	74.00	-16.36	100	226 Peak	Vertical
5	4844.00	52.12	61.88	-9.76	74.00	-21.88	200	302 Peak	Vertical
6	13850.00	55.61	54.47	1.14	88.20	-32.59	100	40 Peak	Vertical


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1406.00	45.20	64.71	-19.51	74.00	-28.80	100	205 Peak	Horizontal	
2	4530.00	53.19	63.40	-10.21	74.00	-20.81	400	109 Peak	Horizontal	
3	4842.00	50.58	60.35	-9.77	74.00	-23.42	400	183 Peak	Horizontal	
4	14010.00	51.73	50.17	1.56	88.20	-36.47	100	243 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1406.00	46.52	66.03	-19.51	74.00	-27.48	300	75 Peak	Vertical	
2	2732.00	51.81	65.44	-13.63	74.00	-22.19	200	225 Peak	Vertical	
3	4525.00	43.84	54.09	-10.25	54.00	-10.16	400	45 Average	Vertical	
4	4525.00	58.00	68.25	-10.25	74.00	-16.00	400	45 Peak	Vertical	
5	4843.00	52.35	62.11	-9.76	74.00	-21.65	300	293 Peak	Vertical	
6	14010.00	55.78	54.22	1.56	88.20	-32.42	100	95 Peak	Vertical	


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1401.00	45.03	64.50	-19.47	74.00	-28.97	100	146 Peak	Horizontal	
2	2729.00	49.09	62.74	-13.65	74.00	-24.91	400	13 Peak	Horizontal	
3	4518.00	52.61	62.89	-10.28	74.00	-21.39	300	97 Peak	Horizontal	
4	4842.00	50.22	59.99	-9.77	74.00	-23.78	400	189 Peak	Horizontal	
5	14170.00	49.56	47.77	1.79	88.20	-38.64	100	165 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1402.00	47.03	66.51	-19.48	74.00	-26.97	300	76 Peak	Vertical	
2	4531.00	43.66	53.86	-10.20	64.00	-19.34	400	42 Average	Vertical	
3	4531.00	57.88	68.00	-10.20	74.00	-16.20	400	42 Peak	Vertical	
4	4820.00	52.92	62.73	-9.81	74.00	-21.08	100	241 Peak	Vertical	
5	14170.00	54.24	52.45	1.79	88.20	-33.96	100	222 Peak	Vertical	


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1404.00	45.91	65.41	-19.50	74.00	-28.09	100	153	Peak	Horizontal		
2	4523.00	52.64	62.89	-10.25	74.00	-21.36	300	102	Peak	Horizontal		
3	4843.00	49.50	59.26	-9.76	74.00	-24.50	200	339	Peak	Horizontal		
4	13890.00	47.42	46.15	1.27	88.20	-40.78	100	165	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1404.00	47.14	66.64	-19.50	74.00	-26.86	300	73	Peak	Vertical		
2	4520.00	42.57	52.84	-10.27	64.00	-11.43	100	230	Average	Vertical		
3	4520.00	57.15	67.42	-10.27	74.00	-16.85	100	230	Peak	Vertical		
4	4840.00	51.86	61.63	-9.77	74.00	-22.14	200	295	Peak	Vertical		
5	13890.00	52.11	50.84	1.27	88.20	-36.09	100	243	Peak	Vertical		


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1405.00	45.14	64.65	-19.51	74.00	-28.86	100	212	Peak	Horizontal	
2	4531.00	41.02	51.22	-10.20	54.00	-12.98	400	108	Average	Horizontal	
3	4531.00	55.01	65.21	-10.20	74.00	-18.99	400	108	Peak	Horizontal	
4	4844.00	50.28	60.04	-9.76	74.00	-23.72	400	180	Peak	Horizontal	
5	14050.00	50.74	49.14	1.60	88.20	-37.46	100	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1999 Fax: +886-2172-1922



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	1405.00	47.87	67.34	-19.47	74.00	-26.13	300	50	Peak	Vertical	
2	4522.00	43.73	53.99	-10.26	54.00	-10.27	400	48	Average	Vertical	
3	4522.00	58.06	68.32	-10.26	74.00	-15.94	400	48	Peak	Vertical	
4	4843.00	52.45	62.21	-9.76	74.00	-21.55	200	301	Peak	Vertical	
5	14050.00	51.46	49.86	1.60	88.20	-36.74	100	33	Peak	Vertical	


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1404.00	46.49	65.99	-19.50	74.00	-27.51	100	198 Peak	Horizontal	
2	4522.00	52.82	63.08	-10.26	74.00	-21.18	300	100 Peak	Horizontal	
3	4844.00	50.17	59.93	-9.76	74.00	-23.83	400	180 Peak	Horizontal	
4	13970.00	48.02	46.54	1.48	88.20	-40.18	100	262 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1403.00	48.27	67.76	-19.49	74.00	-25.73	300	74 Peak	Vertical	
2	2730.00	48.29	61.94	-13.65	74.00	-25.71	200	140 Peak	Vertical	
3	4526.00	42.21	52.45	-10.24	54.00	-11.79	400	52 Average	Vertical	
4	4526.00	57.53	67.77	-10.24	74.00	-16.47	400	52 Peak	Vertical	
5	4837.00	51.50	61.29	-9.79	74.00	-22.50	200	201 Peak	Vertical	
6	13970.00	51.65	50.17	1.48	88.20	-36.55	200	34 Peak	Vertical	