


## EXHIBIT C - EUT INTERNAL PHOTOGRAPHS

**EUT – Cover off View 1**



**EUT – Cover off View 2**




**EUT – Cover off View 3**




**EUT – Cover off View 4**




**EUT – Main Board 1 Top View**



**EUT – Main Board 1 Top Shielding off View**




**EUT – Main Board 1 Bottom View**




**EUT – Main Board 1 Bottom Shielding off View**



**EUT – Main Board 2 Top View**




**EUT – Main Board 2 Bottom View**




EUT – Main Chip 1 View



EUT – Main Chip 2 View




**EUT – Main Chip 3 View**



**EUT – Battery Top View**



## EUT – Battery Bottom View



## EUT – Battery Label View

**SENNWA**

Batería Recargable Ion-Litio  
Para Teléfono LS5718  
Capacidad: 3,8V/3300mAh (12,54Wh)

**FC**

**PRECAUCIONES DE USO:**  
-No abrir ni destruir  
-No Corto-circuitar  
-Desechese apropiadamente  
-No exponer a temperaturas elevadas(60°C/140°F )  
-Solo use cargadores propios de la marca

**CAUTION:**  
-DO NOT DISASSEMBLE  
-DO NOT SHORT-CIRCUIT  
-DISPOSE OF PROPERLY  
-DO NOT EXPOSE TO ELEVATED TEMPERATURES 140°F/60°C

**MODELO: LS5718**

  
S/N:LS5718201801000001

Hecho en China