


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3881G	57.32	74.00	-16.68	38.65	3	Vertical	171	1.86	-	40.18	9.62	31.13	
AV	13.3884G	44.25	54.00	-9.75	25.58	3	Vertical	171	1.86	-	40.18	9.62	31.13	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3888G	57.25	74.00	-16.75	38.58	3	Horizontal	206	2.46	-	40.18	9.62	31.13
AV	13.38872G	44.20	54.00	-9.80	25.53	3	Horizontal	206	2.46	-	40.18	9.62	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08238G	52.19	83.54	-31.35	48.91	1	Vertical	6	1.57	-	37.47	15.54	49.73
AV	20.08982G	38.94	63.54	-24.60	35.67	1	Vertical	6	1.57	-	37.47	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.08994G	51.92	83.54	-31.62	48.65	1	Horizontal	174	1.54	-	37.47	15.54	49.74	
AV	20.0851G	38.78	63.54	-24.76	35.50	1	Horizontal	174	1.54	-	37.47	15.54	49.73	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8536G	110.44	Inf	-Inf	99.91	3	Vertical	311	2.03	-	36.57	7.08	33.12
RMS	6.8536G	101.39	Inf	-Inf	90.86	3	Vertical	311	2.03	-	36.57	7.08	33.12
PK	7.1798G	62.73	88.20	-25.47	51.63	3	Vertical	311	2.03	-	37.02	7.21	33.13
RMS	7.2008G	51.95	68.20	-16.25	40.77	3	Vertical	311	2.03	-	37.10	7.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8536G	109.66	Inf	-Inf	99.13	3	Horizontal	310	2.03	-	36.57	7.08	33.12
RMS	6.8536G	101.30	Inf	-Inf	90.77	3	Horizontal	310	2.03	-	36.57	7.08	33.12
PK	7.1504G	62.47	88.20	-25.73	51.49	3	Horizontal	310	2.03	-	36.90	7.22	33.14
RMS	7.2036G	51.93	68.20	-16.27	40.75	3	Horizontal	310	2.03	-	37.10	7.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71222G	60.12	88.20	-28.08	40.94	3	Vertical	138	2.42	-	40.54	9.77	31.13
RMS	13.71486G	47.01	68.20	-21.19	27.84	3	Vertical	138	2.42	-	40.54	9.77	31.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70898G	59.71	88.20	-28.49	40.54	3	Horizontal	166	2.28	-	40.53	9.77	31.13	
RMS	13.70682G	46.99	68.20	-21.21	27.83	3	Horizontal	166	2.28	-	40.52	9.77	31.13	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56796G	53.10	83.54	-30.44	49.43	1	Vertical	246	1.51	-	37.78	15.76	49.87
AV	20.56028G	39.66	63.54	-23.88	36.02	1	Vertical	246	1.51	-	37.77	15.75	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56096G	52.52	83.54	-31.02	48.88	1	Horizontal	313	1.51	-	37.77	15.75	49.88
AV	20.56498G	39.62	63.54	-23.92	35.96	1	Horizontal	313	1.51	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8738G	101.09	Inf	-Inf	90.70	3	Vertical	86	2.03	-	36.41	7.11	33.13	
RMS	6.8738G	91.83	Inf	-Inf	81.44	3	Vertical	86	2.03	-	36.41	7.11	33.13	
PK	7.1462G	62.22	88.20	-25.98	51.26	3	Vertical	86	2.03	-	36.87	7.23	33.14	
RMS	7.163G	51.74	68.20	-16.46	40.70	3	Vertical	86	2.03	-	36.95	7.22	33.13	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	111.57	Inf	-Inf	101.18	3	Horizontal	311	2.92	-	36.41	7.11	33.13
RMS	6.8738G	102.48	Inf	-Inf	92.09	3	Horizontal	311	2.92	-	36.41	7.11	33.13
PK	7.1318G	62.42	88.20	-25.78	51.58	3	Horizontal	311	2.92	-	36.75	7.23	33.14
RMS	7.1738G	51.71	68.20	-16.49	40.63	3	Horizontal	311	2.92	-	37.00	7.21	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74894G	60.61	88.20	-27.59	41.33	3	Vertical	26	2.62	-	40.65	9.79	31.16
RMS	13.7536G	47.51	68.20	-20.69	28.22	3	Vertical	26	2.62	-	40.66	9.79	31.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75282G	60.52	88.20	-27.68	41.23	3	Horizontal	318	2.53	-	40.66	9.79	31.16
RMS	13.74748G	47.32	68.20	-20.88	28.05	3	Horizontal	318	2.53	-	40.64	9.79	31.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6245G	52.92	83.54	-30.62	49.14	1	Vertical	197	1.58	-	37.85	15.78	49.85
AV	20.6201G	39.79	63.54	-23.75	36.02	1	Vertical	197	1.58	-	37.84	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62394G	52.92	83.54	-30.62	49.14	1	Horizontal	309	1.55	-	37.85	15.78	49.85
AV	20.62772G	39.80	63.54	-23.74	36.02	1	Horizontal	309	1.55	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8986G	94.86	Inf	-Inf	84.64	3	Vertical	108	1.80	-	36.21	7.15	33.14
RMS	6.8962G	86.42	Inf	-Inf	76.19	3	Vertical	108	1.80	-	36.23	7.14	33.14
PK	7.1818G	62.54	88.20	-25.66	51.42	3	Vertical	108	1.80	-	37.03	7.21	33.12
RMS	7.1878G	51.88	68.20	-16.32	40.74	3	Vertical	108	1.80	-	37.05	7.21	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8938G	109.57	Inf	-Inf	99.32	3	Horizontal	314	1.99	-	36.25	7.14	33.14	
RMS	6.8962G	99.56	Inf	-Inf	89.33	3	Horizontal	314	1.99	-	36.23	7.14	33.14	
PK	7.1554G	62.25	88.20	-25.95	51.24	3	Horizontal	314	1.99	-	36.92	7.22	33.13	
RMS	7.1914G	51.91	68.20	-16.29	40.76	3	Horizontal	314	1.99	-	37.07	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 16
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78964G	60.59	88.20	-27.61	41.20	3	Vertical	43	1.86	-	40.77	9.81	31.19
RMS	13.7927G	47.63	68.20	-20.57	28.23	3	Vertical	43	1.86	-	40.78	9.81	31.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 16
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7932G	61.62	88.20	-26.58	42.22	3	Horizontal	156	1.70	-	40.78	9.81	31.19
RMS	13.78978G	47.91	68.20	-20.29	28.52	3	Horizontal	156	1.70	-	40.77	9.81	31.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 16
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68308G	52.84	83.54	-30.70	48.94	1	Vertical	45	1.50	-	37.92	15.81	49.83
AV	20.6815G	39.77	63.54	-23.77	35.87	1	Vertical	45	1.50	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 16
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6859G	53.33	83.54	-30.21	49.43	1	Horizontal	45	1.57	-	37.92	15.81	49.83
AV	20.68412G	39.90	63.54	-23.64	36.00	1	Horizontal	45	1.57	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9942G	102.15	Inf	-Inf	91.73	3	Vertical	166	2.04	-	36.32	7.29	33.19	
RMS	6.9942G	92.57	Inf	-Inf	82.15	3	Vertical	166	2.04	-	36.32	7.29	33.19	
PK	7.1902G	62.38	88.20	-25.82	51.24	3	Vertical	166	2.04	-	37.06	7.20	33.12	
RMS	7.1862G	51.83	68.20	-16.37	40.70	3	Vertical	166	2.04	-	37.04	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9958G	110.44	Inf	-Inf	100.02	3	Horizontal	323	1.00	-	36.32	7.29	33.19
RMS	6.9942G	101.35	Inf	-Inf	90.93	3	Horizontal	323	1.00	-	36.32	7.29	33.19
PK	7.191G	63.23	88.20	-24.97	52.09	3	Horizontal	323	1.00	-	37.06	7.20	33.12
RMS	7.1862G	51.84	68.20	-16.36	40.71	3	Horizontal	323	1.00	-	37.04	7.21	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9737G	61.68	88.20	-26.52	42.20	3	Vertical	348	2.15	-	40.90	9.89	31.31	
RMS	13.9951G	48.57	68.20	-19.63	29.10	3	Vertical	348	2.15	-	40.90	9.90	31.33	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9698G	61.50	88.20	-26.70	42.02	3	Horizontal	191	1.31	-	40.90	9.89	31.31	
RMS	13.994G	48.55	68.20	-19.65	29.08	3	Horizontal	191	1.31	-	40.90	9.90	31.33	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98504G	51.00	83.54	-32.54	47.15	1	Vertical	261	1.51	-	37.62	15.94	49.71
AV	20.98002G	38.08	63.54	-25.46	34.22	1	Vertical	261	1.51	-	37.63	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9818G	51.25	83.54	-32.29	47.39	1	Horizontal	5	1.51	-	37.63	15.94	49.71
AV	20.9818G	38.10	63.54	-25.44	34.24	1	Horizontal	5	1.51	-	37.62	15.94	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0926G	101.35	Inf	-Inf	90.75	3	Vertical	305	2.01	-	36.51	7.25	33.16	
RMS	7.0942G	91.73	Inf	-Inf	81.13	3	Vertical	305	2.01	-	36.51	7.25	33.16	
PK	7.179G	62.76	88.20	-25.44	51.66	3	Vertical	305	2.01	-	37.02	7.21	33.13	
RMS	7.1942G	51.78	68.20	-16.42	40.62	3	Vertical	305	2.01	-	37.08	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0942G	110.85	Inf	-Inf	100.25	3	Horizontal	320	1.04	-	36.51	7.25	33.16
RMS	7.0958G	101.81	Inf	-Inf	91.21	3	Horizontal	320	1.04	-	36.51	7.25	33.16
PK	7.1938G	62.83	88.20	-25.37	51.67	3	Horizontal	320	1.04	-	37.08	7.20	33.12
RMS	7.1882G	51.83	68.20	-16.37	40.69	3	Horizontal	320	1.04	-	37.05	7.21	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18854G	60.60	88.20	-27.60	41.34	3	Vertical	153	2.08	-	40.81	9.96	31.51
RMS	14.1936G	47.11	68.20	-21.09	27.86	3	Vertical	153	2.08	-	40.81	9.96	31.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18638G	60.80	88.20	-27.40	41.54	3	Horizontal	90	1.11	-	40.81	9.96	31.51	
RMS	14.19112G	47.17	68.20	-21.03	27.92	3	Horizontal	90	1.11	-	40.81	9.96	31.52	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28938G	56.07	83.54	-27.47	51.98	1	Vertical	201	1.54	-	37.65	16.08	49.64
AV	21.28556G	43.39	63.54	-20.15	39.31	1	Vertical	201	1.54	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28852G	50.83	83.54	-32.71	46.74	1	Horizontal	156	1.84	-	37.65	16.08	49.64
AV	21.28788G	37.90	63.54	-25.64	33.81	1	Horizontal	156	1.84	-	37.65	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 11
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11615G	91.17	Inf	-Inf	80.45	3	Vertical	183	2.32	-	36.63	7.24	33.15	
RMS	7.11518G	80.97	Inf	-Inf	70.26	3	Vertical	183	2.32	-	36.62	7.24	33.15	
PK	7.1255G	68.45	88.20	-19.75	57.65	3	Vertical	183	2.32	-	36.70	7.24	33.14	
RMS	7.1255G	59.27	68.20	-8.93	48.47	3	Vertical	183	2.32	-	36.70	7.24	33.14	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 11
01-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11615G	100.28	Inf	-Inf	89.56	3	Horizontal	318	1.07	-	36.63	7.24	33.15	
RMS	7.1146G	90.01	Inf	-Inf	79.30	3	Horizontal	318	1.07	-	36.62	7.24	33.15	
PK	7.1255G	77.32	88.20	-10.88	66.52	3	Horizontal	318	1.07	-	36.70	7.24	33.14	
RMS	7.1255G	67.64	68.20	-0.56	56.84	3	Horizontal	318	1.07	-	36.70	7.24	33.14	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 11
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22974G	60.62	88.20	-27.58	41.47	3	Vertical	93	1.49	-	40.74	9.97	31.56
RMS	14.22832G	46.97	68.20	-21.23	27.81	3	Vertical	93	1.49	-	40.74	9.97	31.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 11
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23056G	60.15	88.20	-28.05	41.00	3	Horizontal	180	2.32	-	40.74	9.97	31.56
RMS	14.23408G	46.92	68.20	-21.28	27.78	3	Horizontal	180	2.32	-	40.73	9.97	31.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 11
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34564G	53.59	83.54	-29.95	49.40	1	Vertical	224	1.56	-	37.71	16.11	49.63
AV	21.34588G	40.43	63.54	-23.11	36.23	1	Vertical	224	1.56	-	37.72	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 11
01-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34242G	53.31	83.54	-30.23	49.13	1	Vertical	218	1.56	-	37.71	16.10	49.63
AV	21.34786G	40.31	63.54	-23.23	36.11	1	Vertical	218	1.56	-	37.72	16.11	49.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6125MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.884G	59.33	88.20	-28.87	50.80	3	Vertical	57	1.77	-	34.87	6.60	32.94	
RMS	5.904G	49.27	68.20	-18.93	40.69	3	Vertical	57	1.77	-	34.92	6.60	32.94	
PK	6.12G	95.03	Inf	-Inf	85.90	3	Vertical	57	1.77	-	35.30	6.78	32.95	
RMS	6.12G	88.70	Inf	-Inf	79.57	3	Vertical	57	1.77	-	35.30	6.78	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6125MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.875G	59.68	88.20	-28.52	51.17	3	Horizontal	301	2.04	-	34.85	6.60	32.94	
RMS	5.916G	49.19	68.20	-19.01	40.57	3	Horizontal	301	2.04	-	34.96	6.60	32.94	
PK	6.127G	108.33	Inf	-Inf	99.19	3	Horizontal	301	2.04	-	35.30	6.79	32.95	
RMS	6.127G	99.82	Inf	-Inf	90.68	3	Horizontal	301	2.04	-	35.30	6.79	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6125MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.24746G	57.06	74.00	-16.94	42.13	3	Vertical	166	2.55	-	38.39	9.11	32.57	
AV	12.25144G	43.85	54.00	-10.15	28.91	3	Vertical	166	2.55	-	38.40	9.11	32.57	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6125MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2517G	57.23	74.00	-16.77	42.29	3	Horizontal	175	2.82	-	38.40	9.11	32.57
AV	12.24886G	43.95	54.00	-10.05	29.01	3	Horizontal	175	2.82	-	38.40	9.11	32.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6125MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.37024G	50.06	83.54	-33.48	47.72	1	Vertical	142	1.57	-	37.64	14.85	50.15	
AV	18.37468G	36.62	63.54	-26.92	34.27	1	Vertical	142	1.57	-	37.65	14.85	50.15	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6125MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.37794G	49.89	83.54	-33.65	47.54	1	Horizontal	143	1.52	-	37.65	14.85	50.15	
AV	18.3798G	36.66	63.54	-26.88	34.30	1	Horizontal	143	1.52	-	37.66	14.85	50.15	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6285MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.909G	59.80	88.20	-28.40	51.20	3	Vertical	84	2.97	-	34.94	6.60	32.94	
RMS	5.9058G	49.19	68.20	-19.01	40.61	3	Vertical	84	2.97	-	34.92	6.60	32.94	
PK	6.2818G	103.30	Inf	-Inf	94.08	3	Vertical	84	2.97	-	35.23	6.94	32.95	
RMS	6.2882G	94.01	Inf	-Inf	84.77	3	Vertical	84	2.97	-	35.25	6.94	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6285MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9154G	60.55	88.20	-27.65	51.93	3	Horizontal	302	2.04	-	34.96	6.60	32.94	
RMS	5.909G	49.22	68.20	-18.98	40.62	3	Horizontal	302	2.04	-	34.94	6.60	32.94	
PK	6.2866G	106.92	Inf	-Inf	97.68	3	Horizontal	302	2.04	-	35.25	6.94	32.95	
RMS	6.2866G	98.10	Inf	-Inf	88.86	3	Horizontal	302	2.04	-	35.25	6.94	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6285MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.57398G	58.09	74.00	-15.91	42.35	3	Vertical	118	1.38	-	38.65	9.26	32.17
AV	12.56518G	44.47	54.00	-9.53	28.77	3	Vertical	118	1.38	-	38.63	9.25	32.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6285MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.56622G	57.71	74.00	-16.29	42.01	3	Horizontal	201	1.60	-	38.63	9.25	32.18	
AV	12.56558G	44.48	54.00	-9.52	28.78	3	Horizontal	201	1.60	-	38.63	9.25	32.18	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6285MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.85302G	50.81	83.54	-32.73	47.70	1	Vertical	319	1.58	-	37.82	15.04	49.75
AV	18.85354G	37.24	63.54	-26.30	34.13	1	Vertical	319	1.58	-	37.82	15.04	49.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6285MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.85176G	50.41	83.54	-33.13	47.30	1	Horizontal	78	1.57	-	37.82	15.04	49.75
AV	18.85458G	37.08	63.54	-26.46	33.96	1	Horizontal	78	1.57	-	37.83	15.04	49.75

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	58.95	88.20	-29.25	50.29	3	Vertical	82	3.00	-	35.00	6.60	32.94	
RMS	5.9154G	49.19	68.20	-19.01	40.57	3	Vertical	82	3.00	-	34.96	6.60	32.94	
PK	6.4026G	108.21	Inf	-Inf	98.57	3	Vertical	82	3.00	-	35.59	7.00	32.95	
RMS	6.4026G	99.75	Inf	-Inf	90.11	3	Vertical	82	3.00	-	35.59	7.00	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8122G	59.39	88.20	-28.81	51.22	3	Horizontal	303	1.08	-	34.50	6.60	32.93
RMS	5.9034G	49.18	68.20	-19.02	40.61	3	Horizontal	303	1.08	-	34.91	6.60	32.94
PK	6.4074G	111.60	Inf	-Inf	101.98	3	Horizontal	303	1.08	-	35.57	7.00	32.95
RMS	6.4074G	103.57	Inf	-Inf	93.95	3	Horizontal	303	1.08	-	35.57	7.00	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80546G	58.58	88.20	-29.62	41.88	3	Vertical	245	1.07	-	39.21	9.36	31.87	
RMS	12.8092G	44.93	68.20	-23.27	28.22	3	Vertical	245	1.07	-	39.21	9.36	31.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81304G	58.47	88.20	-29.73	41.75	3	Horizontal	214	2.14	-	39.21	9.37	31.86	
RMS	12.81142G	44.96	68.20	-23.24	28.24	3	Horizontal	214	2.14	-	39.21	9.37	31.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2119G	49.94	83.54	-33.60	46.65	1	Vertical	277	1.56	-	37.75	15.18	49.64
AV	19.21626G	37.04	63.54	-26.50	33.75	1	Vertical	277	1.56	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.21326G	50.76	83.54	-32.78	47.47	1	Horizontal	233	1.58	-	37.74	15.19	49.64
AV	19.21106G	37.07	63.54	-26.47	33.78	1	Horizontal	233	1.58	-	37.75	15.18	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8132G	58.84	88.20	-29.36	50.66	3	Vertical	78	3.00	-	34.51	6.60	32.93
RMS	5.9068G	49.17	68.20	-19.03	40.58	3	Vertical	78	3.00	-	34.93	6.60	32.94
PK	6.4424G	105.41	Inf	-Inf	95.93	3	Vertical	78	3.00	-	35.43	7.00	32.95
RMS	6.4476G	97.18	Inf	-Inf	87.72	3	Vertical	78	3.00	-	35.41	7.00	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8808G	60.47	88.20	-27.73	51.95	3	Horizontal	311	2.03	-	34.86	6.60	32.94	
RMS	5.9094G	49.20	68.20	-19.00	40.60	3	Horizontal	311	2.03	-	34.94	6.60	32.94	
PK	6.4476G	110.19	Inf	-Inf	100.73	3	Horizontal	311	2.03	-	35.41	7.00	32.95	
RMS	6.4424G	102.10	Inf	-Inf	92.62	3	Horizontal	311	2.03	-	35.43	7.00	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89464G	59.06	88.20	-29.14	42.12	3	Vertical	288	1.81	-	39.29	9.40	31.75	
RMS	12.88958G	44.77	68.20	-23.43	27.84	3	Vertical	288	1.81	-	39.29	9.40	31.76	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88814G	58.04	88.20	-30.16	41.11	3	Horizontal	120	2.93	-	39.29	9.40	31.76	
RMS	12.88964G	44.87	68.20	-23.33	27.94	3	Horizontal	120	2.93	-	39.29	9.40	31.76	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33452G	50.49	83.54	-33.05	47.16	1	Vertical	105	1.57	-	37.77	15.23	49.67
AV	19.33776G	37.26	63.54	-26.28	33.92	1	Vertical	105	1.57	-	37.77	15.24	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.33354G	50.77	83.54	-32.77	47.44	1	Horizontal	224	1.52	-	37.77	15.23	49.67
AV	19.3374G	37.34	63.54	-26.20	34.01	1	Horizontal	224	1.52	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.88	88.20	-29.32	50.22	3	Vertical	238	2.68	-	35.00	6.60	32.94
RMS	5.9138G	49.11	68.20	-19.09	40.49	3	Vertical	238	2.68	-	34.96	6.60	32.94
PK	6.4794G	95.13	Inf	-Inf	85.56	3	Vertical	238	2.68	-	35.52	7.00	32.95
RMS	6.4794G	87.73	Inf	-Inf	78.16	3	Vertical	238	2.68	-	35.52	7.00	32.95
PK	7.185G	63.40	88.20	-24.80	52.27	3	Vertical	238	2.68	-	37.04	7.21	33.12
RMS	7.185G	52.33	68.20	-15.87	41.20	3	Vertical	238	2.68	-	37.04	7.21	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8186G	59.25	88.20	-28.95	51.03	3	Horizontal	297	1.12	-	34.55	6.60	32.93	
RMS	5.9166G	49.17	68.20	-19.03	40.54	3	Horizontal	297	1.12	-	34.97	6.60	32.94	
PK	6.4878G	105.88	Inf	-Inf	96.28	3	Horizontal	297	1.12	-	35.55	7.00	32.95	
RMS	6.4878G	97.60	Inf	-Inf	88.00	3	Horizontal	297	1.12	-	35.55	7.00	32.95	
PK	7.1682G	62.52	88.20	-25.68	51.46	3	Horizontal	297	1.12	-	36.97	7.22	33.13	
RMS	7.1794G	52.33	68.20	-15.87	41.23	3	Horizontal	297	1.12	-	37.02	7.21	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97454G	59.19	88.20	-29.01	41.88	3	Vertical	74	1.46	-	39.52	9.44	31.65	
RMS	12.9717G	45.70	68.20	-22.50	28.40	3	Vertical	74	1.46	-	39.52	9.44	31.66	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96746G	58.73	88.20	-29.47	41.45	3	Horizontal	219	2.01	-	39.50	9.44	31.66
RMS	12.97306G	45.41	68.20	-22.79	28.10	3	Horizontal	219	2.01	-	39.52	9.44	31.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45694G	51.48	83.54	-32.06	48.02	1	Vertical	18	1.57	-	37.87	15.28	49.69	
AV	19.45904G	38.09	63.54	-25.45	34.63	1	Vertical	18	1.57	-	37.87	15.28	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 15
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45756G	51.05	83.54	-32.49	47.59	1	Horizontal	158	1.54	-	37.87	15.28	49.69	
AV	19.45G	38.03	63.54	-25.51	34.58	1	Horizontal	158	1.54	-	37.86	15.28	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	60.52	88.20	-27.68	51.97	3	Vertical	78	2.66	-	34.89	6.60	32.94
RMS	5.9062G	49.57	68.20	-18.63	40.99	3	Vertical	78	2.66	-	34.92	6.60	32.94
PK	6.525G	103.72	Inf	-Inf	93.98	3	Vertical	78	2.66	-	35.70	7.00	32.96
RMS	6.5278G	95.71	Inf	-Inf	85.96	3	Vertical	78	2.66	-	35.71	7.00	32.96
PK	7.2054G	62.57	88.20	-25.63	51.38	3	Vertical	78	2.66	-	37.10	7.21	33.12
RMS	7.2222G	52.85	68.20	-15.35	41.64	3	Vertical	78	2.66	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	59.44	88.20	-28.76	50.92	3	Horizontal	312	2.06	-	34.86	6.60	32.94
RMS	5.8838G	49.50	68.20	-18.70	40.97	3	Horizontal	312	2.06	-	34.87	6.60	32.94
PK	6.5222G	109.18	Inf	-Inf	99.45	3	Horizontal	312	2.06	-	35.69	7.00	32.96
RMS	6.5222G	100.78	Inf	-Inf	91.05	3	Horizontal	312	2.06	-	35.69	7.00	32.96
PK	7.1802G	62.81	88.20	-25.39	51.71	3	Horizontal	312	2.06	-	37.02	7.21	33.13
RMS	7.211G	52.79	68.20	-15.41	41.59	3	Horizontal	312	2.06	-	37.10	7.21	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.04672G	58.99	88.20	-29.21	41.43	3	Vertical	297	2.99	-	39.65	9.47	31.56	
RMS	13.04744G	45.60	68.20	-22.60	28.04	3	Vertical	297	2.99	-	39.65	9.47	31.56	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05082G	59.60	88.20	-28.60	42.04	3	Horizontal	286	2.01	-	39.65	9.47	31.56
RMS	13.0534G	45.56	68.20	-22.64	27.99	3	Horizontal	286	2.01	-	39.65	9.47	31.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57226G	51.03	83.54	-32.51	47.53	1	Vertical	343	1.53	-	37.87	15.33	49.70
AV	19.57732G	38.27	63.54	-25.27	34.77	1	Vertical	343	1.53	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57582G	51.45	83.54	-32.09	47.95	1	Horizontal	205	1.54	-	37.87	15.33	49.70
AV	19.57268G	38.08	63.54	-25.46	34.58	1	Horizontal	205	1.54	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	104.52	Inf	-Inf	94.66	3	Vertical	80	2.54	-	35.84	7.00	32.98
RMS	6.5674G	95.85	Inf	-Inf	86.00	3	Vertical	80	2.54	-	35.83	7.00	32.98
PK	7.1458G	62.53	88.20	-25.67	51.57	3	Vertical	80	2.54	-	36.87	7.23	33.14
RMS	7.165G	52.40	68.20	-15.80	41.35	3	Vertical	80	2.54	-	36.96	7.22	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5602G	110.24	Inf	-Inf	100.40	3	Horizontal	300	1.00	-	35.82	7.00	32.98	
RMS	6.5674G	101.71	Inf	-Inf	91.86	3	Horizontal	300	1.00	-	35.83	7.00	32.98	
PK	7.1482G	62.21	88.20	-25.99	51.23	3	Horizontal	300	1.00	-	36.89	7.23	33.14	
RMS	7.1554G	52.33	68.20	-15.87	41.32	3	Horizontal	300	1.00	-	36.92	7.22	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.1332G	59.80	88.20	-28.40	41.97	3	Vertical	151	2.76	-	39.77	9.51	31.45	
RMS	13.13274G	45.87	68.20	-22.33	28.04	3	Vertical	151	2.76	-	39.77	9.51	31.45	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13388G	58.91	88.20	-29.29	41.08	3	Horizontal	23	2.19	-	39.77	9.51	31.45	
RMS	13.12596G	45.97	68.20	-22.23	28.17	3	Horizontal	23	2.19	-	39.75	9.51	31.46	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6961G	51.59	83.54	-31.95	48.09	1	Vertical	7	1.50	-	37.82	15.38	49.70
AV	19.69372G	38.22	63.54	-25.32	34.72	1	Vertical	7	1.50	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69192G	51.81	83.54	-31.73	48.31	1	Horizontal	282	1.55	-	37.82	15.38	49.70
AV	19.69572G	38.18	63.54	-25.36	34.68	1	Horizontal	282	1.55	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	104.00	Inf	-Inf	94.11	3	Vertical	73	2.49	-	35.93	7.00	33.04	
RMS	6.687G	95.80	Inf	-Inf	85.91	3	Vertical	73	2.49	-	35.93	7.00	33.04	
PK	7.177G	62.19	88.20	-26.01	51.10	3	Vertical	73	2.49	-	37.01	7.21	33.13	
RMS	7.185G	52.47	68.20	-15.73	41.34	3	Vertical	73	2.49	-	37.04	7.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	108.78	Inf	-Inf	98.89	3	Horizontal	298	1.00	-	35.93	7.00	33.04	
RMS	6.683G	101.01	Inf	-Inf	91.12	3	Horizontal	298	1.00	-	35.93	7.00	33.04	
PK	7.181G	62.29	88.20	-25.91	51.18	3	Horizontal	298	1.00	-	37.02	7.21	33.12	
RMS	7.183G	52.44	68.20	-15.76	41.32	3	Horizontal	298	1.00	-	37.03	7.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37314G	59.79	74.00	-14.21	41.17	3	Vertical	207	2.88	-	40.15	9.62	31.15	
AV	13.36804G	46.66	54.00	-7.34	28.06	3	Vertical	207	2.88	-	40.14	9.62	31.16	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3698G	59.71	74.00	-14.29	41.10	3	Horizontal	195	1.09	-	40.14	9.62	31.15
AV	13.37342G	46.52	54.00	-7.48	27.90	3	Horizontal	195	1.09	-	40.15	9.62	31.15

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.05252G	52.41	83.54	-31.13	49.17	1	Vertical	32	1.55	-	37.44	15.52	49.72
AV	20.05614G	38.85	63.54	-24.69	35.60	1	Vertical	32	1.55	-	37.44	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05902G	52.46	83.54	-31.08	49.20	1	Horizontal	20	1.50	-	37.45	15.53	49.72
AV	20.05778G	38.87	63.54	-24.67	35.61	1	Horizontal	20	1.50	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8418G	100.23	Inf	-Inf	89.75	3	Vertical	86	2.84	-	36.53	7.06	33.11	
RMS	6.8434G	92.79	Inf	-Inf	82.28	3	Vertical	86	2.84	-	36.55	7.07	33.11	
PK	7.1698G	63.21	88.20	-24.99	52.14	3	Vertical	86	2.84	-	36.98	7.22	33.13	
RMS	7.2418G	52.96	68.20	-15.24	41.72	3	Vertical	86	2.84	-	37.10	7.24	33.10	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8498G	109.74	Inf	-Inf	99.19	3	Horizontal	313	2.09	-	36.60	7.07	33.12	
RMS	6.8466G	101.08	Inf	-Inf	90.56	3	Horizontal	313	2.09	-	36.57	7.07	33.12	
PK	7.1778G	63.10	88.20	-25.10	52.01	3	Horizontal	313	2.09	-	37.01	7.21	33.13	
RMS	7.245G	52.89	68.20	-15.31	41.64	3	Horizontal	313	2.09	-	37.10	7.25	33.10	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68958G	63.02	88.20	-25.18	43.90	3	Vertical	103	2.41	-	40.48	9.76	31.12
RMS	13.68612G	49.09	68.20	-19.11	29.98	3	Vertical	103	2.41	-	40.47	9.76	31.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6861G	62.08	88.20	-26.12	42.97	3	Horizontal	143	1.57	-	40.47	9.76	31.12
RMS	13.68636G	48.99	68.20	-19.21	29.88	3	Horizontal	143	1.57	-	40.47	9.76	31.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.53044G	52.00	83.54	-31.54	48.41	1	Vertical	331	1.53	-	37.74	15.74	49.89	
AV	20.53434G	39.01	63.54	-24.53	35.42	1	Vertical	331	1.53	-	37.74	15.74	49.89	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.53924G	52.23	83.54	-31.31	48.62	1	Horizontal	264	1.50	-	37.75	15.74	49.88	
AV	20.53358G	39.15	63.54	-24.39	35.56	1	Horizontal	264	1.50	-	37.74	15.74	49.89	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8822G	102.71	Inf	-Inf	92.38	3	Vertical	73	2.66	-	36.34	7.12	33.13	
RMS	6.8836G	94.04	Inf	-Inf	83.71	3	Vertical	73	2.66	-	36.33	7.13	33.13	
PK	7.1524G	62.87	88.20	-25.33	51.88	3	Vertical	73	2.66	-	36.91	7.22	33.14	
RMS	7.2112G	52.74	68.20	-15.46	41.54	3	Vertical	73	2.66	-	37.10	7.21	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.892G	110.72	Inf	-Inf	100.46	3	Horizontal	312	2.11	-	36.26	7.14	33.14	
RMS	6.8906G	100.75	Inf	-Inf	90.47	3	Horizontal	312	2.11	-	36.28	7.14	33.14	
PK	7.2168G	63.43	88.20	-24.77	52.22	3	Horizontal	312	2.11	-	37.10	7.22	33.11	
RMS	7.235G	52.72	68.20	-15.48	41.50	3	Horizontal	312	2.11	-	37.10	7.23	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.77202G	63.28	88.20	-24.92	43.93	3	Vertical	246	1.25	-	40.72	9.80	31.17	
RMS	13.77348G	50.00	68.20	-18.20	30.66	3	Vertical	246	1.25	-	40.72	9.80	31.18	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77058G	64.06	88.20	-24.14	44.72	3	Horizontal	171	1.37	-	40.71	9.80	31.17
RMS	13.77122G	49.82	68.20	-18.38	30.48	3	Horizontal	171	1.37	-	40.71	9.80	31.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65394G	53.14	83.54	-30.40	49.31	1	Vertical	255	1.53	-	37.88	15.79	49.84
AV	20.6505G	39.81	63.54	-23.73	35.98	1	Vertical	255	1.53	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65842G	53.60	83.54	-29.94	49.75	1	Horizontal	44	1.51	-	37.89	15.80	49.84
AV	20.65942G	39.92	63.54	-23.62	36.07	1	Horizontal	44	1.51	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	100.96	Inf	-Inf	90.53	3	Vertical	151	2.11	-	36.39	7.20	33.16
RMS	6.9334G	91.22	Inf	-Inf	80.78	3	Vertical	151	2.11	-	36.40	7.20	33.16
PK	7.1914G	63.45	88.20	-24.75	52.30	3	Vertical	151	2.11	-	37.07	7.20	33.12
RMS	7.2166G	52.67	68.20	-15.53	41.46	3	Vertical	151	2.11	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	109.21	Inf	-Inf	98.78	3	Horizontal	336	1.00	-	36.39	7.20	33.16
RMS	6.9298G	100.19	Inf	-Inf	89.78	3	Horizontal	336	1.00	-	36.38	7.19	33.16
PK	7.1902G	63.62	88.20	-24.58	52.48	3	Horizontal	336	1.00	-	37.06	7.20	33.12
RMS	7.2166G	52.75	68.20	-15.45	41.54	3	Horizontal	336	1.00	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84788G	63.83	88.20	-24.37	44.38	3	Vertical	42	1.16	-	40.85	9.83	31.23	
RMS	13.84524G	50.76	68.20	-17.44	31.30	3	Vertical	42	1.16	-	40.85	9.83	31.22	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8499G	64.16	88.20	-24.04	44.71	3	Horizontal	212	2.29	-	40.85	9.83	31.23	
RMS	13.84578G	50.57	68.20	-17.63	31.12	3	Horizontal	212	2.29	-	40.85	9.83	31.23	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.7788G	52.68	83.54	-30.86	48.67	1	Vertical	210	1.52	-	37.95	15.85	49.79
AV	20.7748G	39.13	63.54	-24.41	35.11	1	Vertical	210	1.52	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77444G	53.10	83.54	-30.44	49.08	1	Horizontal	73	1.53	-	37.96	15.85	49.79
AV	20.7721G	39.23	63.54	-24.31	35.21	1	Horizontal	73	1.53	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0066G	102.15	Inf	-Inf	91.70	3	Vertical	150	2.04	-	36.34	7.30	33.19	
RMS	7.0066G	92.69	Inf	-Inf	82.24	3	Vertical	150	2.04	-	36.34	7.30	33.19	
PK	7.1418G	62.45	88.20	-25.75	51.53	3	Vertical	150	2.04	-	36.83	7.23	33.14	
RMS	7.1978G	52.50	68.20	-15.70	41.33	3	Vertical	150	2.04	-	37.09	7.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	109.16	Inf	-Inf	98.71	3	Horizontal	333	1.80	-	36.34	7.30	33.19
RMS	7.0074G	100.16	Inf	-Inf	89.71	3	Horizontal	333	1.80	-	36.34	7.30	33.19
PK	7.1794G	62.98	88.20	-25.22	51.88	3	Horizontal	333	1.80	-	37.02	7.21	33.13
RMS	7.1978G	52.48	68.20	-15.72	41.31	3	Horizontal	333	1.80	-	37.09	7.20	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.01104G	63.35	88.20	-24.85	43.89	3	Vertical	213	2.31	-	40.90	9.90	31.34	
RMS	14.00728G	49.97	68.20	-18.23	30.51	3	Vertical	213	2.31	-	40.90	9.90	31.34	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01326G	63.78	88.20	-24.42	44.32	3	Horizontal	6	2.25	-	40.90	9.90	31.34
RMS	14.0111G	49.91	68.20	-18.29	30.45	3	Horizontal	6	2.25	-	40.90	9.90	31.34

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0152G	51.04	83.54	-32.50	47.18	1	Vertical	226	1.52	-	37.60	15.96	49.70
AV	21.01836G	38.33	63.54	-25.21	34.47	1	Vertical	226	1.52	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0183G	51.68	83.54	-31.86	47.82	1	Horizontal	127	1.52	-	37.60	15.96	49.70
AV	21.01682G	38.11	63.54	-25.43	34.25	1	Horizontal	127	1.52	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.083G	99.47	Inf	-Inf	88.84	3	Vertical	251	2.97	-	36.53	7.26	33.16
RMS	7.0818G	90.62	Inf	-Inf	79.98	3	Vertical	251	2.97	-	36.54	7.26	33.16
PK	7.1762G	62.69	88.20	-25.51	51.61	3	Vertical	251	2.97	-	37.00	7.21	33.13
RMS	7.185G	52.27	68.20	-15.93	41.14	3	Vertical	251	2.97	-	37.04	7.21	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	110.16	Inf	-Inf	99.55	3	Horizontal	314	1.00	-	36.52	7.25	33.16
RMS	7.0898G	99.67	Inf	-Inf	89.05	3	Horizontal	314	1.00	-	36.52	7.26	33.16
PK	7.1286G	75.69	88.20	-12.51	64.86	3	Horizontal	314	1.00	-	36.73	7.24	33.14
RMS	7.1282G	52.68	68.20	-15.52	41.85	3	Horizontal	314	1.00	-	36.73	7.24	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16622G	62.86	88.20	-25.34	43.57	3	Vertical	218	2.39	-	40.83	9.95	31.49	
RMS	14.1668G	49.23	68.20	-18.97	29.94	3	Vertical	218	2.39	-	40.83	9.95	31.49	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17142G	63.04	88.20	-25.16	43.76	3	Horizontal	27	2.10	-	40.83	9.95	31.50
RMS	14.16858G	49.26	68.20	-18.94	29.98	3	Horizontal	27	2.10	-	40.83	9.95	31.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25438G	53.22	83.54	-30.32	49.20	1	Vertical	181	1.54	-	37.61	16.06	49.65
AV	21.25208G	40.44	63.54	-23.10	36.43	1	Vertical	181	1.54	-	37.60	16.06	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25634G	54.00	83.54	-29.54	49.97	1	Horizontal	121	1.51	-	37.61	16.07	49.65
AV	21.25118G	40.46	63.54	-23.08	36.45	1	Horizontal	121	1.51	-	37.60	16.06	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8582G	60.35	88.20	-27.85	51.87	3	Vertical	88	2.88	-	34.82	6.60	32.94	
RMS	5.9206G	49.10	68.20	-19.10	40.46	3	Vertical	88	2.88	-	34.98	6.60	32.94	
PK	6.1138G	106.88	Inf	-Inf	97.76	3	Vertical	88	2.88	-	35.30	6.77	32.95	
RMS	6.1474G	91.71	Inf	-Inf	82.54	3	Vertical	88	2.88	-	35.30	6.82	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.899G	59.98	88.20	-28.22	51.42	3	Horizontal	289	1.00	-	34.90	6.60	32.94	
RMS	5.9146G	49.15	68.20	-19.05	40.53	3	Horizontal	289	1.00	-	34.96	6.60	32.94	
PK	6.1498G	107.61	Inf	-Inf	98.44	3	Horizontal	289	1.00	-	35.30	6.82	32.95	
RMS	6.1498G	97.12	Inf	-Inf	87.95	3	Horizontal	289	1.00	-	35.30	6.82	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.28508G	57.38	74.00	-16.62	42.31	3	Vertical	325	1.35	-	38.47	9.13	32.53	
AV	12.28512G	43.72	54.00	-10.28	28.65	3	Vertical	325	1.35	-	38.47	9.13	32.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.29338G	57.45	74.00	-16.55	42.35	3	Horizontal	5	2.31	-	38.49	9.13	32.52	
AV	12.28664G	43.76	54.00	-10.24	28.68	3	Horizontal	5	2.31	-	38.47	9.13	32.52	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.43196G	49.88	83.54	-33.66	47.42	1	Vertical	19	1.54	-	37.72	14.87	50.13	
AV	18.4342G	36.27	63.54	-27.27	33.81	1	Vertical	19	1.54	-	37.72	14.87	50.13	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43692G	50.37	83.54	-33.17	47.91	1	Horizontal	256	1.58	-	37.72	14.87	50.13
AV	18.43868G	36.23	63.54	-27.31	33.74	1	Horizontal	256	1.58	-	37.73	14.88	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6305MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8874G	59.65	88.20	-28.55	51.12	3	Vertical	80	2.79	-	34.87	6.60	32.94	
RMS	5.918G	49.03	68.20	-19.17	40.40	3	Vertical	80	2.79	-	34.97	6.60	32.94	
PK	6.2978G	103.64	Inf	-Inf	94.35	3	Vertical	80	2.79	-	35.29	6.95	32.95	
RMS	6.3014G	92.45	Inf	-Inf	83.15	3	Vertical	80	2.79	-	35.30	6.95	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6305MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9018G	59.98	88.20	-28.22	51.41	3	Horizontal	303	2.02	-	34.91	6.60	32.94	
RMS	5.9054G	49.06	68.20	-19.14	40.48	3	Horizontal	303	2.02	-	34.92	6.60	32.94	
PK	6.3014G	108.14	Inf	-Inf	98.84	3	Horizontal	303	2.02	-	35.30	6.95	32.95	
RMS	6.3032G	96.04	Inf	-Inf	86.74	3	Horizontal	303	2.02	-	35.30	6.95	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6305MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.61396G	57.80	74.00	-16.20	41.89	3	Vertical	71	1.62	-	38.74	9.28	32.11	
AV	12.61402G	44.29	54.00	-9.71	28.38	3	Vertical	71	1.62	-	38.74	9.28	32.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6305MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.60554G	58.11	74.00	-15.89	42.24	3	Horizontal	342	2.91	-	38.72	9.27	32.12
AV	12.61404G	44.35	54.00	-9.65	28.44	3	Horizontal	342	2.91	-	38.74	9.28	32.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6305MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.91206G	50.22	83.54	-33.32	46.96	1	Vertical	221	1.57	-	37.89	15.06	49.69
AV	18.91052G	36.96	63.54	-26.58	33.70	1	Vertical	221	1.57	-	37.89	15.06	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6305MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.91974G	49.75	83.54	-33.79	46.46	1	Horizontal	100	1.51	-	37.90	15.07	49.68	
AV	18.91844G	36.80	63.54	-26.74	33.51	1	Horizontal	100	1.51	-	37.90	15.07	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9026G	60.33	88.20	-27.87	51.76	3	Vertical	84	2.97	-	34.91	6.60	32.94	
RMS	5.9074G	49.05	68.20	-19.15	40.46	3	Vertical	84	2.97	-	34.93	6.60	32.94	
PK	6.3778G	105.20	Inf	-Inf	95.69	3	Vertical	84	2.97	-	35.47	6.99	32.95	
RMS	6.3826G	93.42	Inf	-Inf	83.88	3	Vertical	84	2.97	-	35.50	6.99	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8474G	60.11	88.20	-28.09	51.66	3	Horizontal	307	2.11	-	34.78	6.60	32.93	
RMS	5.881G	49.00	68.20	-19.20	40.48	3	Horizontal	307	2.11	-	34.86	6.60	32.94	
PK	6.3826G	107.92	Inf	-Inf	98.38	3	Horizontal	307	2.11	-	35.50	6.99	32.95	
RMS	6.3826G	98.81	Inf	-Inf	89.27	3	Horizontal	307	2.11	-	35.50	6.99	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77284G	58.75	88.20	-29.45	42.16	3	Vertical	74	1.31	-	39.15	9.35	31.91	
RMS	12.76954G	44.71	68.20	-23.49	28.13	3	Vertical	74	1.31	-	39.14	9.35	31.91	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76724G	58.30	88.20	-29.90	41.74	3	Horizontal	2	1.30	-	39.13	9.35	31.92
RMS	12.77108G	44.70	68.20	-23.50	28.12	3	Horizontal	2	1.30	-	39.14	9.35	31.91

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.15414G	50.30	83.54	-33.24	46.95	1	Vertical	191	1.57	-	37.82	15.16	49.63	
AV	19.15938G	37.09	63.54	-26.45	33.75	1	Vertical	191	1.57	-	37.81	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 17
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15572G	50.33	83.54	-33.21	46.99	1	Horizontal	329	1.50	-	37.81	15.16	49.63
AV	19.1529G	37.05	63.54	-26.49	33.70	1	Horizontal	329	1.50	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9112G	59.76	88.20	-28.44	51.16	3	Vertical	78	2.91	-	34.94	6.60	32.94	
RMS	5.906G	49.09	68.20	-19.11	40.51	3	Vertical	78	2.91	-	34.92	6.60	32.94	
PK	6.4312G	102.95	Inf	-Inf	93.42	3	Vertical	78	2.91	-	35.48	7.00	32.95	
RMS	6.4546G	93.83	Inf	-Inf	84.36	3	Vertical	78	2.91	-	35.42	7.00	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8592G	60.03	88.20	-28.17	51.55	3	Horizontal	308	2.24	-	34.82	6.60	32.94	
RMS	5.906G	49.04	68.20	-19.16	40.46	3	Horizontal	308	2.24	-	34.92	6.60	32.94	
PK	6.465G	109.18	Inf	-Inf	99.67	3	Horizontal	308	2.24	-	35.46	7.00	32.95	
RMS	6.4624G	99.22	Inf	-Inf	89.72	3	Horizontal	308	2.24	-	35.45	7.00	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9286G	58.39	88.20	-29.81	41.29	3	Vertical	80	1.78	-	39.39	9.42	31.71
RMS	12.92614G	44.78	68.20	-23.42	27.69	3	Vertical	80	1.78	-	39.38	9.42	31.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93402G	58.12	88.20	-30.08	41.00	3	Horizontal	238	2.82	-	39.40	9.42	31.70	
RMS	12.92962G	44.97	68.20	-23.23	27.87	3	Horizontal	238	2.82	-	39.39	9.42	31.71	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39596G	50.47	83.54	-33.07	47.07	1	Vertical	168	1.55	-	37.82	15.26	49.68
AV	19.39706G	37.56	63.54	-25.98	34.16	1	Vertical	168	1.55	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3971G	50.54	83.54	-33.00	47.14	1	Horizontal	237	1.58	-	37.82	15.26	49.68
AV	19.39622G	37.53	63.54	-26.01	34.13	1	Horizontal	237	1.58	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	59.48	88.20	-28.72	50.96	3	Vertical	78	2.86	-	34.86	6.60	32.94
RMS	5.9234G	49.01	68.20	-19.19	40.36	3	Vertical	78	2.86	-	34.99	6.60	32.94
PK	6.5478G	101.66	Inf	-Inf	91.84	3	Vertical	78	2.86	-	35.79	7.00	32.97
RMS	6.5422G	91.75	Inf	-Inf	81.95	3	Vertical	78	2.86	-	35.77	7.00	32.97
PK	7.2394G	62.79	88.20	-25.41	51.55	3	Vertical	78	2.86	-	37.10	7.24	33.10
RMS	7.245G	52.57	68.20	-15.63	41.32	3	Vertical	78	2.86	-	37.10	7.25	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	59.60	88.20	-28.60	51.07	3	Horizontal	310	1.06	-	34.87	6.60	32.94
RMS	5.9234G	49.01	68.20	-19.19	40.36	3	Horizontal	310	1.06	-	34.99	6.60	32.94
PK	6.5422G	109.80	Inf	-Inf	100.00	3	Horizontal	310	1.06	-	35.77	7.00	32.97
RMS	6.5478G	99.34	Inf	-Inf	89.52	3	Horizontal	310	1.06	-	35.79	7.00	32.97
PK	7.2142G	64.26	88.20	-23.94	53.06	3	Horizontal	310	1.06	-	37.10	7.21	33.11
RMS	7.245G	52.46	68.20	-15.74	41.21	3	Horizontal	310	1.06	-	37.10	7.25	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08966G	58.86	88.20	-29.34	41.19	3	Vertical	68	2.48	-	39.69	9.49	31.51
RMS	13.08982G	45.31	68.20	-22.89	27.64	3	Vertical	68	2.48	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0891G	58.95	88.20	-29.25	41.28	3	Horizontal	186	1.38	-	39.69	9.49	31.51
RMS	13.08718G	45.32	68.20	-22.88	27.65	3	Horizontal	186	1.38	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63398G	51.70	83.54	-31.84	48.20	1	Vertical	301	1.58	-	37.85	15.35	49.70
AV	19.63624G	38.12	63.54	-25.42	34.62	1	Vertical	301	1.58	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63252G	52.04	83.54	-31.50	48.54	1	Horizontal	14	1.53	-	37.85	15.35	49.70
AV	19.63348G	38.11	63.54	-25.43	34.61	1	Horizontal	14	1.53	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6154G	103.39	Inf	-Inf	93.47	3	Vertical	81	2.84	-	35.93	7.00	33.01	
RMS	6.6154G	93.46	Inf	-Inf	83.54	3	Vertical	81	2.84	-	35.93	7.00	33.01	
PK	7.2178G	63.58	88.20	-24.62	52.37	3	Vertical	81	2.84	-	37.10	7.22	33.11	
RMS	7.2178G	52.39	68.20	-15.81	41.18	3	Vertical	81	2.84	-	37.10	7.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6274G	109.07	Inf	-Inf	99.13	3	Horizontal	309	2.00	-	35.95	7.00	33.01	
RMS	6.6226G	99.47	Inf	-Inf	89.53	3	Horizontal	309	2.00	-	35.95	7.00	33.01	
PK	7.1914G	62.87	88.20	-25.33	51.72	3	Horizontal	309	2.00	-	37.07	7.20	33.12	
RMS	7.2226G	52.42	68.20	-15.78	41.21	3	Horizontal	309	2.00	-	37.10	7.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24996G	59.84	88.20	-28.36	41.64	3	Vertical	187	2.99	-	39.95	9.56	31.31	
RMS	13.2474G	46.15	68.20	-22.05	27.95	3	Vertical	187	2.99	-	39.95	9.56	31.31	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24822G	59.28	88.20	-28.92	41.08	3	Horizontal	13	2.79	-	39.95	9.56	31.31	
RMS	13.24796G	46.10	68.20	-22.10	27.90	3	Horizontal	13	2.79	-	39.95	9.56	31.31	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87738G	51.14	83.54	-32.40	47.79	1	Vertical	131	1.51	-	37.60	15.45	49.70
AV	19.87334G	37.98	63.54	-25.56	34.63	1	Vertical	131	1.51	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87726G	51.57	83.54	-31.97	48.22	1	Horizontal	313	1.54	-	37.60	15.45	49.70
AV	19.87712G	38.06	63.54	-25.48	34.71	1	Horizontal	313	1.54	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.701G	101.77	Inf	-Inf	91.91	3	Vertical	74	3.00	-	35.91	7.00	33.05	
RMS	6.701G	91.72	Inf	-Inf	81.86	3	Vertical	74	3.00	-	35.91	7.00	33.05	
PK	7.189G	62.89	88.20	-25.31	51.74	3	Vertical	74	3.00	-	37.06	7.21	33.12	
RMS	7.205G	52.28	68.20	-15.92	41.09	3	Vertical	74	3.00	-	37.10	7.21	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	109.13	Inf	-Inf	99.23	3	Horizontal	310	2.11	-	35.95	7.00	33.05	
RMS	6.703G	99.69	Inf	-Inf	89.82	3	Horizontal	310	2.11	-	35.92	7.00	33.05	
PK	7.169G	63.18	88.20	-25.02	52.11	3	Horizontal	310	2.11	-	36.98	7.22	33.13	
RMS	7.199G	52.32	68.20	-15.88	41.14	3	Horizontal	310	2.11	-	37.10	7.20	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40878G	60.28	88.20	-27.92	41.55	3	Vertical	180	2.59	-	40.20	9.63	31.10	
RMS	13.40644G	46.39	68.20	-21.81	27.67	3	Vertical	180	2.59	-	40.20	9.63	31.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41052G	59.92	88.20	-28.28	41.19	3	Horizontal	231	1.85	-	40.20	9.63	31.10
RMS	13.41034G	46.38	68.20	-21.82	27.65	3	Horizontal	231	1.85	-	40.20	9.63	31.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11816G	52.66	83.54	-30.88	49.37	1	Vertical	100	1.54	-	37.49	15.55	49.75
AV	20.11732G	39.60	63.54	-23.94	36.31	1	Vertical	100	1.54	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 18
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.11004G	53.50	83.54	-30.04	50.20	1	Horizontal	46	1.50	-	37.49	15.55	49.74	
AV	20.11554G	39.62	63.54	-23.92	36.33	1	Horizontal	46	1.50	-	37.49	15.55	49.75	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.753G	104.30	Inf	-Inf	94.17	3	Vertical	85	3.00	-	36.20	7.00	33.07	
RMS	6.7866G	93.53	Inf	-Inf	83.42	3	Vertical	85	3.00	-	36.20	7.00	33.09	
PK	7.1818G	63.39	88.20	-24.81	52.27	3	Vertical	85	3.00	-	37.03	7.21	33.12	
RMS	7.1834G	52.13	68.20	-16.07	41.01	3	Vertical	85	3.00	-	37.03	7.21	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7818G	108.45	Inf	-Inf	98.34	3	Horizontal	298	1.01	-	36.20	7.00	33.09	
RMS	6.7802G	98.18	Inf	-Inf	88.06	3	Horizontal	298	1.01	-	36.20	7.00	33.08	
PK	7.1466G	63.27	88.20	-24.93	52.31	3	Horizontal	298	1.01	-	36.87	7.23	33.14	
RMS	7.1834G	52.12	68.20	-16.08	41.00	3	Horizontal	298	1.01	-	37.03	7.21	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57106G	59.74	88.20	-28.46	40.80	3	Vertical	170	1.18	-	40.27	9.71	31.04	
RMS	13.56798G	46.03	68.20	-22.17	27.09	3	Vertical	170	1.18	-	40.27	9.71	31.04	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57342G	59.09	88.20	-29.11	40.15	3	Horizontal	147	1.44	-	40.27	9.71	31.04	
RMS	13.56506G	45.95	68.20	-22.25	27.01	3	Horizontal	147	1.44	-	40.27	9.70	31.03	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35874G	52.19	83.54	-31.35	48.73	1	Vertical	350	1.58	-	37.64	15.66	49.84
AV	20.35782G	38.51	63.54	-25.03	35.05	1	Vertical	350	1.58	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.35476G	51.74	83.54	-31.80	48.28	1	Horizontal	325	1.52	-	37.64	15.66	49.84	
AV	20.35988G	38.49	63.54	-25.05	35.03	1	Horizontal	325	1.52	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8698G	101.21	Inf	-Inf	90.80	3	Vertical	84	2.79	-	36.44	7.10	33.13	
RMS	6.8698G	91.35	Inf	-Inf	80.94	3	Vertical	84	2.79	-	36.44	7.10	33.13	
PK	7.1362G	62.98	88.20	-25.22	52.10	3	Vertical	84	2.79	-	36.79	7.23	33.14	
RMS	7.165G	51.91	68.20	-16.29	40.86	3	Vertical	84	2.79	-	36.96	7.22	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8698G	110.70	Inf	-Inf	100.29	3	Horizontal	317	2.93	-	36.44	7.10	33.13	
RMS	6.8674G	100.85	Inf	-Inf	90.42	3	Horizontal	317	2.93	-	36.46	7.10	33.13	
PK	7.1542G	62.62	88.20	-25.58	51.61	3	Horizontal	317	2.93	-	36.92	7.22	33.13	
RMS	7.1518G	51.96	68.20	-16.24	40.97	3	Horizontal	317	2.93	-	36.91	7.22	33.14	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72636G	62.78	88.20	-25.42	43.56	3	Vertical	105	2.79	-	40.58	9.78	31.14
RMS	13.734G	49.45	68.20	-18.75	30.22	3	Vertical	105	2.79	-	40.60	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.726G	62.77	88.20	-25.43	43.55	3	Horizontal	126	1.60	-	40.58	9.78	31.14
RMS	13.73388G	49.29	68.20	-18.91	30.06	3	Horizontal	126	1.60	-	40.60	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59038G	53.22	83.54	-30.32	49.50	1	Vertical	232	1.53	-	37.81	15.77	49.86
AV	20.59892G	39.93	63.54	-23.61	36.20	1	Vertical	232	1.53	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59844G	53.25	83.54	-30.29	49.52	1	Horizontal	0	1.53	-	37.82	15.77	49.86
AV	20.59138G	39.78	63.54	-23.76	36.06	1	Horizontal	0	1.53	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9498G	100.27	Inf	-Inf	89.72	3	Vertical	152	2.03	-	36.50	7.22	33.17
RMS	6.9366G	89.44	Inf	-Inf	78.98	3	Vertical	152	2.03	-	36.42	7.20	33.16
PK	7.2414G	63.44	88.20	-24.76	52.20	3	Vertical	152	2.03	-	37.10	7.24	33.10
RMS	7.2402G	52.55	68.20	-15.65	41.31	3	Vertical	152	2.03	-	37.10	7.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.951G	111.16	Inf	-Inf	100.60	3	Horizontal	319	1.08	-	36.50	7.23	33.17
RMS	6.9474G	100.75	Inf	-Inf	90.21	3	Horizontal	319	1.08	-	36.48	7.22	33.16
PK	7.2114G	63.50	88.20	-24.70	52.30	3	Horizontal	319	1.08	-	37.10	7.21	33.11
RMS	7.245G	52.55	68.20	-15.65	41.30	3	Horizontal	319	1.08	-	37.10	7.25	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88722G	63.56	88.20	-24.64	44.07	3	Vertical	85	2.88	-	40.89	9.85	31.25
RMS	13.88982G	50.55	68.20	-17.65	31.07	3	Vertical	85	2.88	-	40.89	9.85	31.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8904G	64.02	88.20	-24.18	44.54	3	Horizontal	225	2.19	-	40.89	9.85	31.26
RMS	13.89194G	50.33	68.20	-17.87	30.85	3	Horizontal	225	2.19	-	40.89	9.85	31.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83468G	52.15	83.54	-31.39	48.18	1	Vertical	91	1.50	-	37.86	15.88	49.77
AV	20.83524G	39.13	63.54	-24.41	35.16	1	Vertical	91	1.50	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83828G	52.42	83.54	-31.12	48.44	1	Horizontal	262	1.54	-	37.86	15.88	49.76
AV	20.8335G	39.14	63.54	-24.40	35.16	1	Horizontal	262	1.54	-	37.87	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0234G	101.65	Inf	-Inf	91.10	3	Vertical	149	1.91	-	36.44	7.29	33.18	
RMS	7.0226G	91.07	Inf	-Inf	80.52	3	Vertical	149	1.91	-	36.44	7.29	33.18	
PK	7.1258G	64.58	88.20	-23.62	53.77	3	Vertical	149	1.91	-	36.71	7.24	33.14	
RMS	7.2178G	52.34	68.20	-15.86	41.13	3	Vertical	149	1.91	-	37.10	7.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0194G	110.89	Inf	-Inf	100.36	3	Horizontal	313	2.80	-	36.42	7.29	33.18	
RMS	7.0266G	100.14	Inf	-Inf	89.57	3	Horizontal	313	2.80	-	36.46	7.29	33.18	
PK	7.129G	71.24	88.20	-16.96	60.41	3	Horizontal	313	2.80	-	36.73	7.24	33.14	
RMS	7.209G	52.41	68.20	-15.79	41.21	3	Horizontal	313	2.80	-	37.10	7.21	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05022G	63.62	88.20	-24.58	44.18	3	Vertical	199	1.12	-	40.90	9.92	31.38
RMS	14.05282G	49.65	68.20	-18.55	30.21	3	Vertical	199	1.12	-	40.90	9.92	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04544G	63.10	88.20	-25.10	43.66	3	Horizontal	273	2.63	-	40.90	9.91	31.37
RMS	14.05292G	49.60	68.20	-18.60	30.16	3	Horizontal	273	2.63	-	40.90	9.92	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07866G	51.71	83.54	-31.83	47.80	1	Vertical	181	1.55	-	37.60	15.99	49.68
AV	21.07658G	38.51	63.54	-25.03	34.61	1	Vertical	181	1.55	-	37.60	15.98	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0775G	51.47	83.54	-32.07	47.57	1	Horizontal	51	1.56	-	37.60	15.98	49.68
AV	21.07684G	38.70	63.54	-24.84	34.80	1	Horizontal	51	1.56	-	37.60	15.98	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8842G	60.66	88.20	-27.54	52.13	3	Vertical	16	2.96	-	34.87	6.60	32.94	
RMS	5.9178G	48.86	68.20	-19.34	40.23	3	Vertical	16	2.96	-	34.97	6.60	32.94	
PK	6.1882G	101.50	Inf	-Inf	92.12	3	Vertical	16	2.96	-	35.45	6.88	32.95	
RMS	6.1882G	91.44	Inf	-Inf	82.06	3	Vertical	16	2.96	-	35.45	6.88	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.801G	60.49	88.20	-27.71	52.41	3	Horizontal	342	1.80	-	34.41	6.60	32.93	
RMS	5.889G	48.84	68.20	-19.36	40.30	3	Horizontal	342	1.80	-	34.88	6.60	32.94	
PK	6.1802G	106.21	Inf	-Inf	96.87	3	Horizontal	342	1.80	-	35.42	6.87	32.95	
RMS	6.1818G	95.62	Inf	-Inf	86.27	3	Horizontal	342	1.80	-	35.43	6.87	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37198G	56.92	74.00	-17.08	41.53	3	Vertical	1	2.63	-	38.64	9.17	32.42
AV	12.37378G	43.58	54.00	-10.42	28.18	3	Vertical	1	2.63	-	38.65	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3653G	56.63	74.00	-17.37	41.27	3	Horizontal	285	1.82	-	38.63	9.16	32.43
AV	12.36924G	43.40	54.00	-10.60	28.01	3	Horizontal	285	1.82	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07866G	51.71	83.54	-31.83	47.80	1	Vertical	181	1.55	-	37.60	15.99	49.68
AV	21.07658G	38.51	63.54	-25.03	34.61	1	Vertical	181	1.55	-	37.60	15.98	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0775G	51.47	83.54	-32.07	47.57	1	Horizontal	51	1.56	-	37.60	15.98	49.68
AV	21.07684G	38.70	63.54	-24.84	34.80	1	Horizontal	51	1.56	-	37.60	15.98	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.881G	59.76	88.20	-28.44	51.24	3	Vertical	83	3.00	-	34.86	6.60	32.94	
RMS	5.885G	48.84	68.20	-19.36	40.31	3	Vertical	83	3.00	-	34.87	6.60	32.94	
PK	6.355G	103.89	Inf	-Inf	94.53	3	Vertical	83	3.00	-	35.33	6.98	32.95	
RMS	6.351G	93.80	Inf	-Inf	84.46	3	Vertical	83	3.00	-	35.31	6.98	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.873G	59.99	88.20	-28.21	51.48	3	Horizontal	290	1.80	-	34.85	6.60	32.94	
RMS	5.907G	48.85	68.20	-19.35	40.26	3	Horizontal	290	1.80	-	34.93	6.60	32.94	
PK	6.351G	105.33	Inf	-Inf	95.99	3	Horizontal	290	1.80	-	35.31	6.98	32.95	
RMS	6.351G	95.95	Inf	-Inf	86.61	3	Horizontal	290	1.80	-	35.31	6.98	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6892G	57.03	74.00	-16.97	40.77	3	Vertical	47	2.21	-	38.97	9.31	32.02
AV	12.69306G	43.88	54.00	-10.12	27.60	3	Vertical	47	2.21	-	38.98	9.31	32.01

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69228G	57.98	74.00	-16.02	41.70	3	Horizontal	108	1.18	-	38.98	9.31	32.01	
AV	12.69048G	43.93	54.00	-10.07	27.67	3	Horizontal	108	1.18	-	38.97	9.31	32.02	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03028G	50.27	83.54	-33.27	46.81	1	Vertical	319	1.58	-	37.96	15.11	49.61
AV	19.0399G	37.33	63.54	-26.21	33.87	1	Vertical	319	1.58	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 20
01-A-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03394G	50.72	83.54	-32.82	47.26	1	Horizontal	13	1.57	-	37.96	15.11	49.61
AV	19.036G	37.36	63.54	-26.18	33.90	1	Horizontal	13	1.57	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	60.11	88.20	-28.09	51.59	3	Vertical	78	3.00	-	34.86	6.60	32.94
RMS	5.889G	48.90	68.20	-19.30	40.36	3	Vertical	78	3.00	-	34.88	6.60	32.94
PK	6.4994G	108.09	Inf	-Inf	98.44	3	Vertical	78	3.00	-	35.60	7.00	32.95
RMS	6.4994G	97.88	Inf	-Inf	88.23	3	Vertical	78	3.00	-	35.60	7.00	32.95
PK	7.205G	63.27	88.20	-24.93	52.08	3	Vertical	78	3.00	-	37.10	7.21	33.12
RMS	7.205G	52.20	68.20	-16.00	41.01	3	Vertical	78	3.00	-	37.10	7.21	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8638G	60.01	88.20	-28.19	51.52	3	Horizontal	312	1.99	-	34.83	6.60	32.94
RMS	5.8946G	48.98	68.20	-19.22	40.43	3	Horizontal	312	1.99	-	34.89	6.60	32.94
PK	6.5078G	112.86	Inf	-Inf	103.18	3	Horizontal	312	1.99	-	35.63	7.00	32.95
RMS	6.5106G	102.11	Inf	-Inf	92.43	3	Horizontal	312	1.99	-	35.64	7.00	32.96
PK	7.1854G	63.97	88.20	-24.23	52.84	3	Horizontal	312	1.99	-	37.04	7.21	33.12
RMS	7.205G	52.20	68.20	-16.00	41.01	3	Horizontal	312	1.99	-	37.10	7.21	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0136G	58.12	88.20	-30.08	40.65	3	Vertical	291	2.70	-	39.61	9.46	31.60
RMS	13.01342G	44.83	68.20	-23.37	27.36	3	Vertical	291	2.70	-	39.61	9.46	31.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.00756G	57.94	88.20	-30.26	40.49	3	Horizontal	349	2.50	-	39.61	9.45	31.61	
RMS	13.00776G	44.81	68.20	-23.39	27.36	3	Horizontal	349	2.50	-	39.61	9.45	31.61	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51322G	51.33	83.54	-32.21	47.83	1	Vertical	253	1.58	-	37.89	15.31	49.70
AV	19.51036G	38.36	63.54	-25.18	34.86	1	Vertical	253	1.58	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51428G	51.77	83.54	-31.77	48.27	1	Horizontal	180	1.54	-	37.89	15.31	49.70
AV	19.51948G	38.26	63.54	-25.28	34.76	1	Horizontal	180	1.54	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 22
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	105.14	Inf	-Inf	95.16	3	Vertical	78	2.71	-	36.00	7.00	33.02	
RMS	6.6496G	94.63	Inf	-Inf	84.65	3	Vertical	78	2.71	-	36.00	7.00	33.02	
PK	7.1314G	64.09	88.20	-24.11	53.25	3	Vertical	78	2.71	-	36.75	7.23	33.14	
RMS	7.2128G	52.24	68.20	-15.96	41.04	3	Vertical	78	2.71	-	37.10	7.21	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 22
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6628G	110.45	Inf	-Inf	100.51	3	Horizontal	301	1.04	-	35.97	7.00	33.03
RMS	6.6694G	100.26	Inf	-Inf	90.33	3	Horizontal	301	1.04	-	35.96	7.00	33.03
PK	7.204G	63.32	88.20	-24.88	52.14	3	Horizontal	301	1.04	-	37.10	7.20	33.12
RMS	7.2128G	52.19	68.20	-16.01	40.99	3	Horizontal	301	1.04	-	37.10	7.21	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 22
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33374G	58.90	74.00	-15.10	40.43	3	Vertical	244	2.02	-	40.07	9.60	31.20
AV	13.33434G	45.51	54.00	-8.49	27.04	3	Vertical	244	2.02	-	40.07	9.60	31.20

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 22
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33244G	58.67	74.00	-15.33	40.21	3	Horizontal	263	1.95	-	40.06	9.60	31.20
AV	13.32574G	45.62	54.00	-8.38	27.18	3	Horizontal	263	1.95	-	40.05	9.60	31.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 22
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9962G	52.17	83.54	-31.37	48.96	1	Vertical	313	1.56	-	37.41	15.50	49.70
AV	19.99532G	38.98	63.54	-24.56	35.77	1	Vertical	313	1.56	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 22
01-A-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.9953G	52.88	83.54	-30.66	49.67	1	Horizontal	73	1.58	-	37.41	15.50	49.70
AV	19.99892G	38.92	63.54	-24.62	35.72	1	Horizontal	73	1.58	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7626G	104.40	Inf	-Inf	94.28	3	Vertical	76	2.71	-	36.20	7.00	33.08	
RMS	6.8122G	92.40	Inf	-Inf	82.18	3	Vertical	76	2.71	-	36.30	7.02	33.10	
PK	7.185G	63.45	88.20	-24.75	52.32	3	Vertical	76	2.71	-	37.04	7.21	33.12	
RMS	7.2106G	52.26	68.20	-15.94	41.06	3	Vertical	76	2.71	-	37.10	7.21	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8138G	111.95	Inf	-Inf	101.72	3	Horizontal	312	2.94	-	36.31	7.02	33.10
RMS	6.8122G	100.98	Inf	-Inf	90.76	3	Horizontal	312	2.94	-	36.30	7.02	33.10
PK	7.145G	65.34	88.20	-22.86	54.39	3	Horizontal	312	2.94	-	36.86	7.23	33.14
RMS	7.2154G	52.24	68.20	-15.96	41.03	3	Horizontal	312	2.94	-	37.10	7.22	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6694G	60.06	88.20	-28.14	40.98	3	Vertical	14	2.05	-	40.44	9.75	31.11	
RMS	13.6721G	47.71	68.20	-20.49	28.63	3	Vertical	14	2.05	-	40.44	9.75	31.11	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65036G	60.34	88.20	-27.86	41.29	3	Horizontal	301	2.00	-	40.40	9.74	31.09
RMS	13.65176G	47.41	68.20	-20.79	28.36	3	Horizontal	301	2.00	-	40.40	9.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47306G	51.43	83.54	-32.11	47.92	1	Vertical	180	1.57	-	37.69	15.71	49.89
AV	20.47418G	38.51	63.54	-25.03	35.00	1	Vertical	180	1.57	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 23
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47322G	51.47	83.54	-32.07	47.96	1	Horizontal	171	1.54	-	37.69	15.71	49.89
AV	20.47428G	38.33	63.54	-25.21	34.82	1	Horizontal	171	1.54	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 21
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.914G	101.98	Inf	-Inf	91.68	3	Vertical	166	3.00	-	36.28	7.17	33.15	
RMS	6.981G	89.40	Inf	-Inf	78.93	3	Vertical	166	3.00	-	36.38	7.27	33.18	
PK	7.133G	68.35	88.20	-19.85	57.50	3	Vertical	166	3.00	-	36.76	7.23	33.14	
RMS	7.235G	52.19	68.20	-16.01	40.97	3	Vertical	166	3.00	-	37.10	7.23	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 21
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.981G	110.37	Inf	-Inf	99.90	3	Horizontal	315	2.97	-	36.38	7.27	33.18	
RMS	6.981G	99.78	Inf	-Inf	89.31	3	Horizontal	315	2.97	-	36.38	7.27	33.18	
PK	7.14G	72.96	88.20	-15.24	62.05	3	Horizontal	315	2.97	-	36.82	7.23	33.14	
RMS	7.235G	52.20	68.20	-16.00	40.98	3	Horizontal	315	2.97	-	37.10	7.23	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 21
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.97018G	61.09	88.20	-27.11	41.61	3	Vertical	29	2.05	-	40.90	9.89	31.31	
RMS	13.97336G	48.52	68.20	-19.68	29.04	3	Vertical	29	2.05	-	40.90	9.89	31.31	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 21
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96784G	61.88	88.20	-26.32	42.40	3	Horizontal	231	2.20	-	40.90	9.89	31.31	
RMS	13.96814G	48.39	68.20	-19.81	28.91	3	Horizontal	231	2.20	-	40.90	9.89	31.31	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 21
01-A-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9523G	51.28	83.54	-32.26	47.39	1	Vertical	319	1.50	-	37.68	15.93	49.72
AV	20.95238G	38.35	63.54	-25.19	34.46	1	Vertical	319	1.50	-	37.68	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT_Z_2TX
Setting 21
01-A-K-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95624G	51.39	83.54	-32.15	47.51	1	Horizontal	300	1.58	-	37.67	15.93	49.72
AV	20.953G	38.40	63.54	-25.14	34.51	1	Horizontal	300	1.58	-	37.68	15.93	49.72

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6275MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

27/04/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6285MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

27/04/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6305MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

27/04/2022




802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

27/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

27/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

27/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

27/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

27/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

27/04/2022




802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

27/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6115MHz_TnomVnom

04/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6275MHz_TnomVnom

04/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

04/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

04/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

04/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

04/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

04/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

04/05/2022

