



Explosion diagram specification



1	FL(CTP+LCM) 6.52HD+ KE5 Black HX V1.0	2	Astigmatism film 3.5*1.2*0.05 KE5
3	FPC Side key BB4	4	Astigmatism film 3.5*1.2*0.05 KE5
5	Shield Seal Cop foil 20.7*15.5 *0.06 KE5	6	LT sensor Seal rubber KE5 Black
7	F CAM Seal rubber KE5 Black	8	FPC REC KC1
9	FM(ICNF7332AL)04 Aqua Blue19 fingerchip	10	CAM FF 8W GC6153 CSP W6003 XCG V 1.0
11	CAM AF 13M S5K3L6 B B 5P B ST V1.0	12	CAM FF 8M GC8034 A B 4P B TXD V1.0
13	F CAM con fb 10.75*7.75*0.1 KE5	14	DistanceSensorSeal mylar10.7*4.8*0.03 KE5

15	F LED-Flashseal mylar 8*4.8*0.03 KE5	16	PCBA MB H6123 A1 32GB+2GB V1.0
17	REC 1206W H20 broadband H:SPL 50mW Goer	18	R MAIN CAM Con foams 12.61*10.46*0.2 KE5
19	BATT Seal rubber 6.15*4.0*0.65 KE5	20	LCM Con Seal rubber 13.1*3.7 *0.65 KE5
21	R hsg asm KE5 Black PC	22	Bat imp steel KE5
23	R CAM lens KE5 Glass 0.5mm Black	24	mc screw M1.4*L2.5*D2.5 *H0.5 silver glue
25	Bat cover asm KE5 Aqua Blue PC	26	mc screw M1.4*L3.5*D2.5 *H0.5 silver
27	SPK frame asm KE5 Black PC	28	Coaxial cable ECT D 147.9 X653C
29	Bat TECNO BL 49FT 4900mAh FH IN	30	PCBA SUB H6123 1 A V1.0
31	FP graphite film 37.14*28.8 *0.05 KE5	32	FP In mylar 4*4*0.05 KE5
33	FP support foam 13.26*12.78 *0.6 KE5	34	FP con foams 7.5*3.5*1 KE5
35	ZIF mylar 9.5*3.5*0.05 KE5	36	Motor COIN 1027 L22 H JX
37	SPK 1115 SPR H3.0 aluminiumfilmRoHS Goer	38	SUB PCB Con Seal rubber KE5
39	FPC SPK KE5		

Know your phone



1. Front camera
2. Volume key
3. Power key

SIM/SD card installation

1. Power off mobile.
2. Refer to the following picture for SIM / SD card installation.



Charging the phone

You can charge your device using a charger or by connecting it to the computer using a USB cable (comes with the phone).

1. Please remind the front and back of the plug.
2. Use only TECNO charger and cables. Other chargers or cables may damage the device. This will invalidate your phone warranty.



FCC Caution

Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Information to user.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:

SAR tests are conducted using standard operating positions accepted by the FCC with the phone transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating

can be well below the maximum value. Before a new model phone is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the exposure limit established by the FCC, tests for each phone are performed in positions and locations as required by the FCC. For body worn operation, this model phone has been tested and meets the FCC RF exposure guidelines when used with an accessory designated for this product or when used with an accessory that contains no metal and that positions the handset a minimum of 10mm from the body. Non-compliance with the above restrictions may result in violation of RF exposure guidelines.