

Page 1 of 104

## ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

Sony Mobile Communications INC. Applicant:

**EUT Description:** Mobile Phone FCC ID: PY7-04605A

**Report Number:** ZR/2018/A001102 **FCC Rule Part:** §15.247, Cat: DTS

**Issue Date:** 2018/11/30

Date of Test: 2018/10/19 to 2018/11/14

**Date of EUT Received:** 2018/10/18

#### We hereby certify that:

The above equipment was tested by SGS Shenzhen Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Authorized for issue by:		
Tested By	Mike Mu	2018/11/30
	(Mike Hu) /Project Engineer	Date
Checked By	David Chen	2018/11/30
	(David Chen) /Reviewer	Date
Approved By	Derde yang	2018/11/30
	(Derek Yang) Wireless Laboratory Manager	Date

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 2 of 104

# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
	Rev.00	Initial creation of document	All	2018/11/30	-

The difference between PY7-04605Aand PY7-50241M is show in the below table:

		PY7-04605A	PY7-50241M
		(Updated approval)	(Full approval)
	LTE	1,2,3,5,7,8,28,38,39,40,41M	1,2,3,5,7,8,20,38
	UMTS	the same	the same
Licensed Frequency	GSM	the same	the same
	IC	the same	the same
	Antenna	the same	the same
	Bluetooth	The same	The same
	2.4G Wi-Fi	the same	the same
Unlicensed Frequency	5G Wi-Fi	the same	the same
	IC	the same	the same
	Antenna	the same	the same
	Ram / Rom	the same	the same
	Camera	The same	the same
Hardware	PCB	the same	the same
	USB Port	the same	the same
Appearance	Dimension	the same	the same
Accessory	Battery	the same	the same
	External Charger	the same	the same
	USB cable	the same	the same
other	SIM card	Double	Double

Considering to the difference, only the worst case RSE data was spot check and the data displayed in the report (Report No.: ZR/2018/A001106), the other data can refer to the original report (Report No.: ZR/2018/9002702)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tasted and such sample(s) are retained for 90 days only. 

First part of the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

First part of 90 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

t +86 (0) 755 2601 2053

f +86 (0) 755 2671 0594



Page 3 of 104

## **Table of Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	11
6	CONDUCTED EMISSION TEST	12
7	DUTY CYCLE OF TEST SIGNAL	16
8	CONDUCTED OUTPUT POWER MEASUREMENT	18
9	6DB & 99% EMISSION BANDWIDTH MEASUREMENT	20
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	27
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	33
12	PEAK POWER SPECTRAL DENSITY	98
13	ANTENNA REQUIREMENT	103
14	PHOTOGRAPHS - FUT TEST SETUP DETAILS	104

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tasted and such sample(s) are retained for 90 days only. 

First part of the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

First part of 90 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 4 of 104

#### GENERAL INFORMATION

#### 1.1 Product description

General:

General.				
EUT Description:	Mobile Phone			
Trade Mark:	Sony			
	⊠ 802.11B (20 MHz channel bandwidth),			
IEEE 802.11 WLAN Mode	802.11G (20 MHz channel bandwidth)			
Supported	802.11N (20 MHz channel bandwidth),			
	802.11N (40 MHz channel bandwidth)			
	2402 MHz -2483.5MHz			
	fc = 2407 MHz + N * 5 MHz, where:			
Operation Frequency:	-fc = "Operating Frequency" in MHz,			
	-N = "Channel Number" with the range from 1 to 11 for the 20 MHz channel band			
	width, or 3 to 9 for the 40 MHz channel bandwidth. IEEE for 802.11B: DSSS			
	IEEE for 802.11G : OFDM			
Type of Modulation:	IEEE for 802.11N(HT20) : OFDM			
	IEEE for 802.11N(HT40) : OFDM			
	802.11 b: 1/2/5.5/11 Mbps			
Transition Rate:	802.11 g: 6/9/12/18/24/36/48/54 Mbps			
Transition Rate.	802.11 n_20MHz: 6.5 – 72.2Mbps			
	802.11 n_40MHz: 13.5 - 150.0Mbps			
Power Supply:	Lithium-ion battery:3.85V or charge by USB			
Sample Type:	□ Portable Device,    □ Module			
Antenna Type:	☐ External, ⊠ Integrated			
Antenna Ports				
Smart System	☐ MIMO (for 802.11N): Tx & Rx,			
	☐ Diversity (for 802.11B/G): Tx & Rx			
Antenna Gain:	-2.79dBi			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053



Page 5 of 104

#### 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas, Guidance v05

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

#### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

#### A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

#### • FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

#### • Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

#### 1.4 Special Accessories

AC Charger, USB cable and Earphone are used while the test is conducted and there is no other accessory attached. This is the worst case condition.

#### 1.5 Equipment Modifications

There was no modification incorporated into the EUT.

#### 1.6 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m\*9m\*6m semi-anechoic chamber.

the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



Page 6 of 104

#### 2 SYSTEM TEST CONFIGURATION

#### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

#### 2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t +86 (0) 755 2601 2053

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 7 of 104

# 2.4 Configuration of Tested System Fig. 2-1 Conducted Emission Configuration




Fig. 2-2 Conducted test Configuration (RF)

Fig. 2-3 Conducted power Configuration







Fig. 2-3 Radiated Emission Configuration



**Ground Reference Plane** 



30MHz to 1GHz



Above 1 GHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

t +86 (0) 755 2601 2053

SGS Shenzhen Ltd.

f +86 (0) 755 2671 0594



Page 8 of 104

#### **SUMMARY OF TEST RESULTS**

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Conducted Output Power	Compliant
§15.247(a)(2)	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tasted and such sample(s) are retained for 90 days only. 

First part of the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

First part of 90 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 9 of 104

#### **DESCRIPTION OF TEST MODES**

#### 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b. 802.11g and 802.11n HT20

le provided for 602.11b, 602.11g and 602.11ff_1120				
	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
	1	2412 MHz	7	2442 MHz
	2	2417 MHz	8	2447 MHz
	3	2422 MHz	9	2452 MHz
	4	2427 MHz	10	2457 MHz
	5	2432 MHz	11	2462 MHz
ſ	6	2437 MHz		

7 channels are provided for 802.11n HT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
3	2422 MHz	7	2442 MHz
4	2427 MHz	8	2447 MHz
5	2432 MHz	9	2452 MHz
6	2437 MHz		

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

#### 4.2.1 RADIATED EMISSION TEST:

RADIATED EMISSION TEST (BELOW 1 GHz)				
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)
802.11g	1 to 11	1,6,11	OFDM	6

RADIATED EMISSION TEST (ABOVE 1 GHz)				
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)
802.11b	1 to 11	1, 6, 11	DSSS	1
802.11g	1 to 11	1, 6, 11	OFDM	6
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	MCS 0

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E1 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



Page 10 of 104

#### 4.2.2 ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	
802.11b	1 to 11	1, 6, 11	DSSS	1	
802.11g	1 to 11	1, 6, 11	OFDM	6	
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	MCS 0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tasted and such sample(s) are retained for 90 days only. 

First part of the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

First part of 90 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 11 of 104

#### 5 **MEASUREMENT UNCERTAINTY**

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Padiated Spurious emission test	±4.5dB (30MHz-1GHz)
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

t +86 (0) 755 2601 2053



Page 12 of 104

#### **CONDUCTED EMISSION TEST**

#### 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits	s dB(uV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

#### Note

- 1. The lower limit shall apply at the transition frequencies
- 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

## 6.2 Measurement Equipment Used

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate
rest Equipment	Manufacturer	woder No.	inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2017/5/10	2020/5/9
LISN	Rohde & Schwarz	ENV216	SEM007-01	2018/9/2	2019/9/2
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2018/4/2	2019/4/1
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2018/7/12	2019/7/11
2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN-T2-02	EMC0122	2018/2/14	2019/2/13
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2018/4/2	2019/4/1

#### 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd. No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

> t +86 (0) 755 2601 2053 f +86 (0) 755 2671 0594



Page 13 of 104

#### 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 14 of 104

#### AC POWER LINE CONDUCTED EMISSION TEST DATA: L



Site : Shielding Room

Condition: Line Job No. : 90027 Test mode: d

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15	0.01	9.66	11.96	21.63	55.82	-34.19	Average
2	0.15	0.01	9.66	31.04	40.71	65.82	-25.11	QP
3	0.20	0.02	9.66	10.02	19.70	53.49	-33.79	Average
4	0.20	0.02	9.66	27.22	36.90	63.49	-26.59	QP
5	0.64	0.07	9.67	10.58	20.32	46.00	-25.68	Average
6	0.64	0.07	9.67	16.62	26.36	56.00	-29.64	QP
7	1.07	0.10	9.74	5.73	15.57	46.00	-30.43	Average
8	1.07	0.10	9.74	12.34	22.18	56.00	-33.82	QP
9	4.53	0.17	9.73	6.54	16.44	46.00	-29.56	Average
10	4.53	0.17	9.73	11.99	21.89	56.00	-34.11	QP
11	9.16	0.17	9.83	13.35	23.35	50.00	-26.65	Average
12	9.16	0.17	9.83	22.43	32.43	60.00	-27.57	QP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tasted and such sample(s) are retained for 90 days only. 

First part of the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 


First part of 90 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



Page 15 of 104

## AC POWER LINE CONDUCTED EMISSION TEST DATA: N



Site : Shielding Room

Condition: Neutral Job No. : 90027

Test mode: d

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17	0.01	9.64	13.07	22.72	55.08	-32.36	Average
2	0.17	0.01	9.64	31.93	41.58	65.08	-23.50	QP
3	0.21	0.02	9.64	11.68	21.34	53.10	-31.76	Average
4	0.21	0.02	9.64	29.02	38.68	63.10	-24.42	QP
5	0.51	0.06	9.64	0.38	10.08	46.00	-35.92	Average
6	0.51	0.06	9.64	13.60	23.30	56.00	-32.70	QP
7	1.00	0.09	9.71	4.27	14.07	46.00	-31.93	Average
8	1.00	0.09	9.71	11.59	21.39	56.00	-34.61	QP
9	4.57	0.17	9.70	4.16	14.03	46.00	-31.97	Average
10	4.57	0.17	9.70	12.02	21.89	56.00	-34.11	QP
11	13.62	0.20	10.25	11.86	22.31	50.00	-27.69	Average
12	13.62	0.20	10.25	19.94	30.39	60.00	-29.61	QP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tasted and such sample(s) are retained for 90 days only. 

First part of the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

First part of 90 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



Page 16 of 104

## 7 DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### Formula:

Duty Cycle = Ton / (Ton+Toff)

Duty Cycle Factor = 10 \* log(1/Duty Cycle)

#### **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 1MHz
- 3. VBW = 1MHz,
- 4. Detector = Peak

#### **Duty Cycle:**

Test Mode	Duty Cycle[%]	Duty cycle factor
11B	99.52	0.02
11G	95.50	0.20
11N_20	95.91	0.18
11N_40	92.23	0.35

\*Refer to next page for plots


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-

t +86 (0) 755 2601 2053

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 17 of 104




Date: 25.OCT.2018 09:59:56

#### Duty Cycle\_802.11g\_20MHz\_Chain0\_2412MHz




Date: 31.OCT.2018 08:23:04

#### Duty Cycle\_802.11n\_20MHz\_Chain0\_2412MHz



Date: 31.OCT.2018 08:24:14

#### Duty Cycle\_802.11n\_40MHz\_Chain0\_2422MHz



Date: 31.OCT.2018 08:25:07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



Page 18 of 104

#### CONDUCTED OUTPUT POWER MEASUREMENT

#### 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Frequency (MHz)	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
2412~2462	0.00	30.00


The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

#### 8.2 Measurement Equipment Used

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate
rest Equipment	Wandacturer	Wodel No.	inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2018/9/15	2019/9/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2018/3/13	2019/3/12
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/13	2019/7/12
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/9/2	2019/9/2
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/27	2019/11/27
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2018/9/2	2019/9/2

#### 8.3 Test Set-up

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 19 of 104

#### 8.3 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter. **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

#### 8.4 Measurement Result

#### 8.4.1 Measurement Data of Average Power:

Mode	Test Channel	Average Output Power (dBm)	Result
	Lowest	17.25	Report purpose only
802.11B	Middle	17.64	Report purpose only
0022	Highest	17.77	Report purpose only
	Lowest	14.96	Report purpose only
802.11G	Middle	15.49	Report purpose only
302	Highest	15.36	Report purpose only
	Lowest	13.92	Report purpose only
802.11N20	Middle	14.51	Report purpose only
33223	Highest	14.40	Report purpose only
	Lowest	14.47	Report purpose only
802.11N40	Middle	14.68	Report purpose only
332.711110	Highest	14.71	Report purpose only

#### 8.4.2 Measurement Data of Peak Power:

Mode	Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result
	Lowest	20.97	30.00	Pass
802.11B	Middle	21.43	30.00	Pass
002.1112	Highest	21.52	30.00	Pass
	Lowest	22.61	30.00	Pass
802.11G	Middle	22.95	30.00	Pass
302.113	Highest	23.10	30.00	Pass
	Lowest	21.64	30.00	Pass
802.11N20	Middle	21.96	30.00	Pass
0021111120	Highest	22.10	30.00	Pass
	Lowest	22.24	30.00	Pass
802.11N40	Middle	22.34	30.00	Pass
332.111110	Highest	22.39	30.00	Pass

<sup>\*</sup> Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 20 of 104

#### 6DB & 99% EMISSION BANDWIDTH MEASUREMENT


#### 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

#### 9.2 Measurement Equipment Used

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate
rest Equipment	Wanuracturer	wiodei No.	inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2018/9/15	2019/9/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2018/3/13	2019/3/12
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/13	2019/7/12
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/9/2	2019/9/2
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2017/12/4	2018/12/4
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2018/9/2	2019/9/2

#### 9.3 Test Set-up



#### 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- For 6dB Bandwidth:

Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/60MHz, Detector=peak, Sweep=auto.

- Mark the peak frequency and -6dB (upper and lower) frequency.
- For 99% Emission Bandwidth:

Set the spectrum analyzer as RBW=100K, VBW = 3\*RBW, Span = 30M/60MHz, Detector=Sample, Sweep=auto.

- Turn on the 99% bandwidth function, max reading. 7.
- Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 21 of 104

#### 9.5 Measurement Result

Mode	Test Chan- nel	Occupied Bandwidth (MHz)	6dB Emission Band- width (MHz)	Limit (kHz)	Result
	Lowest	13.16	8.03	≥500	Pass
802.11B	Middle	13.06	8.06	≥500	Pass
002.1.12	Highest	13.01	8.06	≥500	Pass
	Lowest	16.45	15.85	≥500	Pass
802.11G	Middle	16.36	15.14	≥500	Pass
	Highest	16.39	15.14	≥500	Pass
	Lowest	17.59	15.23	≥500	Pass
802.11N20	Middle	17.53	15.14	≥500	Pass
002	Highest	17.53	15.14	≥500	Pass
	Lowest	34.90	35.19	≥500	Pass
802.11N40	Middle	35.84	33.93	≥500	Pass
002.111140	Highest	35.90	35.19	≥500	Pass


<sup>\*</sup>Refer to next page for plots

t +86 (0) 755 2601 2053




Page 22 of 104

#### 6dB\_802.11b\_20MHz\_Chain0\_2412MHz




Date: 25.OCT.2018 08:57:23

#### 6dB\_802.11b\_20MHz\_Chain0\_2437MHz




Date: 25.OCT.2018 08:59:15

#### 6dB 802.11b 20MHz Chain0 2462MHz




6dB\_802.11g\_20MHz\_Chain0\_2412MHz




Date: 25.OCT.2018 09:01:47

#### 6dB\_802.11g\_20MHz\_Chain0\_2437MHz



Date: 25.OCT.2018 09:03:01

#### 6dB\_802.11g\_20MHz\_Chain0\_2462MHz



Date: 25.OCT.2018 09:03:58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic

t +86 (0) 755 2601 2053


format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a>, available on request or accessione at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a>, available or accessione at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a>, availa

SGS Shenzhen Ltd






6dB\_802.11n\_20MHz\_Chain0\_2437MHz




6dB\_802.11n\_20MHz\_Chain0\_2462MHz




Report No.: ZR/2018/A001102

Page 23 of 104


#### 6dB\_802.11n\_40MHz\_Chain0\_2422MHz



Date: 25.OCT.2018 09:09:37



6dB\_802.11n\_40MHz\_Chain0\_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t +86 (0) 755 2601 2053

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057


Date: 25.OCT.2018 09:12:26

f +86 (0) 755 2671 0594

https://www.sgsgroup.com.cn/



obw\_802.11b\_20MHz\_Chain0\_2412MHz




Date: 25.OCT.2018 09:18:26

obw\_802.11b\_20MHz\_Chain0\_2437MHz



Date: 25.OCT.2018 09:18:50

obw\_802.11b\_20MHz\_Chain0\_2462MHz




Date: 25.OCT.2018 09:19:13

Report No.: ZR/2018/A001102


Page 24 of 104

obw\_802.11g\_20MHz\_Chain0\_2412MHz



Date: 25.OCT.2018 09:16:32

obw 802.11g 20MHz Chain0 2437MHz



Date: 25.OCT.2018 09:17:18


obw 802.11g 20MHz Chain0 2462MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




#### Report No.: ZR/2018/A001102 Page 25 of 104



obw\_802.11n\_20MHz\_Chain0\_2412MHz



obw\_802.11n\_20MHz\_Chain0\_2437MHz




Date: 25.OCT.2018 09:15:11

#### obw\_802.11n\_20MHz\_Chain0\_2462MHz


Ref Level 21.00 dBr 4.37 dB 2.4607410 GF 17.532467500 10 dB 4/10/4/0W WATHYWAIN

obw\_802.11n\_40MHz\_Chain0\_2422MHz



Date: 25.OCT.2018 09:13:54

obw\_802.11n\_40MHz\_Chain0\_2437MHz Mode Auto Sweep



Date: 25.OCT.2018 09:13:33

obw\_802.11n\_40MHz\_Chain0\_2452MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Shenzhen Ltd.


No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

t +86 (0) 755 2601 2053 f +86 (0) 755 2671 0594

https://www.sgsgroup.com.cn/



Page 26 of 104



Date: 25.OCT.2018 09:13:04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 27 of 104

#### CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT 10

#### 10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required.

#### 10.2 Measurement Equipment Used

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate
rest Equipment	Manufacturer	wiodei No.	inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2018/9/15	2019/9/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2018/3/13	2019/3/12
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/13	2019/7/12
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/9/2	2019/9/2
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/27	2019/11/27
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2018/9/2	2019/9/2

#### 10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

t +86 (0) 755 2601 2053



Page 28 of 104

#### 10.4 Measurement Procedure

#### **Conducted Band Edge:**

- 1. To connect Antenna Port of EUT to Spectrum.
- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be exam-
- Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 – 20dBm
- Marker on frequency and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- Repeat above procedures until all default test channel (low, middle, and high) was complete.

#### **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum
- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Set RBW = 100 kHz & VBW= 300 kHz, Detector = Peak, Sweep = Auto. 3.
- Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- Repeat above procedures until all default test channel measured were complete.

#### 10.5 Measurement Result


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.




Bandedge\_802.11b\_20MHz\_Chain0\_2412MHz






Date: 25.OCT.2018 09:43:31




Report No.: ZR/2018/A001102 Page 29 of 104

Bandedge\_802.11g\_20MHz\_Chain0\_2462MHz




Date: 25 OCT 2018 09:42:25

Bandedge\_802.11n\_20MHz\_Chain0\_2412MHz



Date: 25 OCT 2018 09:37:35



Date: 25.OCT.2018 09:41:17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057


f +86 (0) 755 2671 0594

https://www.sgsgroup.com.cn/




Page 30 of 104

#### Bandedge\_802.11n\_40MHz\_Chain0\_2422MHz



Bandedge\_802.11n\_40MHz\_Chain0\_2452MHz



Date: 25.OCT.2018 09:40:10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Spurious Emission\_802.11b\_20MHz\_Chain0\_2412MHz




Date: 25 OCT 2018 09:48:24

Spurious Emission\_802.11b\_20MHz\_Chain0\_2437MHz



Date: 25.OCT.2018 09:47:22


Spurious Emission\_802.11b\_20MHz\_Chain0\_2462MHz



Date: 25.OCT.2018 09:46:00


Report No.: ZR/2018/A001102 Page 31 of 104

Spurious Emission\_802.11g\_20MHz\_Chain0\_2412MHz




Date: 25.OCT.2018 09:49:40

Spurious Emission\_802.11g\_20MHz\_Chain0\_2437MHz



Date: 25.OCT.2018 09:50:37

Spurious Emission\_802.11g\_20MHz\_Chain0\_2462MHz



Date: 25.OCT.2018 09:51:16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.




Date: 25.OCT.2018 09:53:13


#### Spurious Emission\_802.11n\_20MHz\_Chain0\_2412MHz



Spurious Emission\_802.11n\_20MHz\_Chain0\_2437MHz



Spurious Emission\_802.11n\_20MHz\_Chain0\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://www.sgs.com/terms">conditions</a>.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Report No.: ZR/2018/A001102

Page 32 of 104


#### Spurious Emission\_802.11n\_40MHz\_Chain0\_2422MHz



#### Spurious Emission\_802.11n\_40MHz\_Chain0\_2437MHz



#### Spurious Emission\_802.11n\_40MHz\_Chain0\_2452MHz



Date: 25.OCT.2018 09:57:46

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

f +86 (0) 755 2671 0594

https://www.sgsgroup.com.cn/

SGS Shenzhen Ltd

t +86 (0) 755 2601 2053

Member of SGS Group



Page 33 of 104

#### 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

#### 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- The lower limit shall apply at the transition frequencies.
- Emission level  $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen. Guanqdong. China



Page 34 of 104

#### 11.2 Measurement Equipment Used:

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2017/8/5	2020/8/4
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2018/7/12	2019/7/11
MXE EMI Receiver (20Hz- 8.4GHz)	Agilent Technologies	N9038A	SEM004-05	2018/9/2	2019/9/2
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2017/6/27	2020/6/26
Pre-amplifier (0.1-1.3GHz)	Agilent Technologies	8447D	SEM005-01	2018/4/2	2019/4/1

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30
EMI Test Receiver (9k-7GHz)	Rohde & Schwarz	ESR	SEM004-03	2018/4/2	2019/4/1
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2016/6/29	2019/6/28
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2018/4/13	2019/4/12
Loop Antenna (9kHz-30MHz)	ETS-Lindgren	6502	SEM003-08	2017/8/22	2020/8/21
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM029-01	2018/7/12	2019/7/11

RE in Chamber					
Toot Equipment	Manufacturar	Manufacturer Model No. Inventory	Inventory No	Cal. date	Cal.Due date
Test Equipment	Manuacturer		inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Measurement Software	AUDIX	e3V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2018/7/12	2019/7/11
EXA Signal Analyzer (10Hz- 26.5GHz)	Agilent Technologies Inc	N9010A	SEM004-09	2018/4/13	2019/4/12
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (0.8-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Pre-amplifier(0.1-1.3GHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier(100MHz-18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2018/9/27	2019/9/27
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2018/4/2	2019/4/1


NOTE: N/A refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.


No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China






#### 11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



#### 11.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China

t +86 (0) 755 2601 2053 f +86 (0) 755 2671 0594



Page 36 of 104

- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ZR/2018/A001102

Page 37 of 104

#### 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
RA = Reading Amplitude	AG = Amplifier Gain
AF = Antenna Factor	

Actual  $FS(dB\mu V/m) = SPA$ . Reading level $(dB\mu V) + Factor(dB)$ 

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

#### 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

#### 11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t +86 (0) 755 2601 2053

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China

f +86 (0) 755 2671 0594




Page 38 of 104



# 11.7.1 Radiated Band Edge Measurement Result

11.7.1.1 802.11B Lowest Channel Peak Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

> 1 2 3

Mode : 2412 Band edge

: 2.4G WIFI 11B

Freq						Limit Line		Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2367.321 2390.000 * 2412.000	5.47	28.52	41.87	57.32	49.44	74.00	-24.56	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 39 of 104



# 11.7.1.2 802.11B\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11B

		Freq				Read Level				Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2462.000	5.57	28.64	41.90	103.12	95.43	74.00	21.43	peak
2		2483.500	5.60	28.67	41.91	56.53	48.89	74.00	-25.11	peak
3		2484.191	5.60	28.67	41.91	58.50	50.86	74.00	-23.14	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 40 of 104



#### 11.7.1.3 802.11B Lowest Channel Peak Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11B

	Freq						Limit Line		Remark
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2382.476	5.46	28.51	41.87	58.08	50.18	74.00	-23.82	peak
2	2390.000	5.47	28.52	41.87	56.72	48.84	74.00	-25.16	peak
3 *	2412.000	5.50	28.56	41.88	107.16	99.34	74.00	25.34	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 41 of 104



# 11.7.1.4 802.11B\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11B

Freq					Level			Remark
MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	——dB	
2462.000								•
2483.500 2483.890								•


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 42 of 104



#### 11.7.1.5 802.11B Lowest Channel Average Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11B

	Freq					Level			Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2388.395	5.47	28.52	41.87	47.76	39.88	54.00	-14.12	Average
2	2390.000	5.47	28.52	41.87	47.61	39.73	54.00	-14.27	Average
3 3	* 2412.000	5.50	28.56	41.88	103.87	96.05	54.00	42.05	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 43 of 104



# 11.7.1.6 802.11B\_ Highest Channel\_ Average \_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11B


		Freq				Read Level				Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2462.000	5.57	28.64	41.90	100.75	93.06	54.00	39.06	Average
2		2483.500	5.60	28.67	41.91	47.98	40.34	54.00	-13.66	Average
3		2486.752	5.60	28.68	41.91	48.01	40.38	54.00	-13.62	Average

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 44 of 104

#### 11.7.1.7 802.11B Lowest Channel Average Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11B

	Freq		Ant Factor						Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
1	2380.667	5.46	28.50	41.87	47.79	39.88	54.00	-14.12	Average	
2	2390.000	5.47	28.52	41.87	47.67	39.79	54.00	-14.21	Average	
3	* 2412.000	5.50	28.56	41.88	104.78	96.96	54.00	42.96	Average	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 45 of 104



# 11.7.1.8 802.11B\_ Highest Channel\_ Average\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11B

	Freq				Read Level				Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	* 2462.000	5.57	28.64	41.90	100.52	92.83	54.00	38.83	Average
2	2483.500	5.60	28.67	41.91	48.22	40.58	54.00	-13.42	Average
3	2491.731	5.61	28.69	41.91	48.13	40.52	54.00	-13.48	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 46 of 104



#### 11.7.1.9 802.11G Lowest Channel Peak Vertical



Site : chamber

Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11G

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2388.758	5.47	28.52	41.87	66.62	58.74	74.00	-15.26	peak
2	2390.000	5.47	28.52	41.87	64.10	56.22	74.00	-17.78	peak
3 ;	* 2412.000	5.51	28.56	41.88	103.38	95.57	74.00	21.57	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 47 of 104



# 11.7.1.10 802.11G\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11G

		Freq				Read Level				Remark
	•	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2462.000	5.57	28.64	41.90	102.86	95.17	74.00	21.17	peak
2		2483.500	5.60	28.67	41.91	58.41	50.77	74.00	-23.23	peak
3		2484.693	5.60	28.68	41.91	59.30	51.67	74.00	-22.33	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 48 of 104



#### 11.7.1.11 802.11G Lowest Channel Peak Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11G

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2388.637	5.47	28.52	41.87	70.34	62.46	74.00	-11.54	peak
2	2390.000	5.47	28.52	41.87	58.58	50.70	74.00	-23.30	peak
3	* 2412.000	5.50	28.56	41.88	108.65	100.83	74.00	26.83	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 49 of 104



# 11.7.1.12 802.11G\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11G

		Freq				Read Level				Remark	
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	*	2462.000	5.57	28.64	41.90	107.46	99.77	74.00	25.77	peak	
2		2483.500	5.60	28.67	41.91	60.58	52.94	74.00	-21.06	peak	
3		2485.295	5.60	28.68	41.91	61.10	53.47	74.00	-20.53	peak	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 50 of 104



#### 11.7.1.13 802.11G Lowest Channel Average Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

> 1 2 3

Mode : 2412 Band edge

: 2.4G WIFI 11G

Freq			Preamp Factor					Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
2389.605								_	
2390.000								_	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


t +86 (0) 755 2601 2053



Page 51 of 104



# 11.7.1.14 802.11G\_ Highest Channel\_ Average \_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11G

		Freq			Preamp Factor					Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2462.000	5.57	28.64	41.90	95.53	87.84	54.00	33.84	Average
2		2483.500	5.60	28.67	41.91	49.44	41.80	54.00	-12.20	Average
3		2483.790	5.60	28.67	41.91	49.16	41.52	54.00	-12.48	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 52 of 104



#### 11.7.1.15 802.11G Lowest Channel Average Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11B

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2380.667	5.46	28.50	41.87	47.79	39.88	54.00	-14.12	Average
2	2390.000	5.47	28.52	41.87	47.67	39.79	54.00	-14.21	Average
3	* 2412.000	5.50	28.56	41.88	104.78	96.96	54.00	42.96	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 53 of 104



# 11.7.1.16 802.11G\_ Highest Channel\_ Average\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11G

		Freq				Read Level				Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2462.000	5.57	28.64	41.90	100.32	92.63	54.00	38.63	Average
2		2483.500	5.60	28.67	41.91	50.92	43.28	54.00	-10.72	Average
3		2483.790	5.60	28.67	41.91	50.55	42.91	54.00	-11.09	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 54 of 104



#### 11.7.1.17 802.11N20 Lowest Channel Peak Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11N20

	Freq				Read Level				Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2337.419	5.40	28.43	41.85	57.23	49.21	74.00	-24.79	peak
2	2390.000	5.47	28.52	41.87	56.39	48.51	74.00	-25.49	peak
3 *	2412.000	5.50	28.56	41.88	101.56	93.74	74.00	19.74	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 55 of 104



# 11.7.1.18 802.11N20\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11N20

		Freq			Preamp Factor					Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2462.000	5.57	28.64	41.90	99.86	92.17	74.00	18.17	peak
2		2483.500	5.60	28.67	41.91	57.78	50.14	74.00	-23.86	peak
3		2494.602	5.61	28.69	41.92	57.73	50.11	74.00	-23.89	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 56 of 104



#### 11.7.1.19 802.11N20 Lowest Channel Peak Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11N20

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2348.335	5.42	28.45	41.85	57.64	49.66	74.00	-24.34	peak
2	2390.000	5.47	28.52	41.87	55.26	47.38	74.00	-26.62	peak
3 *	2412.000	5.50	28.56	41.88	107.46	99.64	74.00	25.64	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 57 of 104



# 11.7.1.20 802.11N20\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11N20

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 *	2462.000	5.57	28.64	41.90	106.59	98.90	74.00	24.90	peak
2	2483.500	5.60	28.67	41.91	62.66	55.02	74.00	-18.98	peak
3	2484.844	5.60	28.68	41.91	60.56	52.93	74.00	-21.07	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 58 of 104



#### 11.7.1.21 802.11N20 Lowest Channel Average Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11N20

	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.968	5.47	28.52	41.87	47.02	39.14	54.00	-14.86	Average
2	2390.000	5.47	28.52	41.87	47.02	39.14	54.00	-14.86	Average
3	* 2412.000	5.50	28.56	41.88	94.09	86.27	54.00	32.27	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 59 of 104



# 11.7.1.22 802.11N20\_ Highest Channel\_ Average \_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11N20

		Freq			Preamp Factor					Remark	
	•	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	*	2462.000	5.57	28.64	41.90	92.85	85.16	54.00	31.16	Average	
2		2483.500	5.60	28.67	41.91	48.04	40.40	54.00	-13.60	Average	
3		2483.940	5.60	28.67	41.91	47.90	40.26	54.00	-13.74	Average	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 60 of 104



#### 11.7.1.23 802.11N20 Lowest Channel Average Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 Band edge

: 2.4G WIFI 11N20

	Freq		Ant Factor						Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
1	2389.968	5.47	28.52	41.87	48.52	40.64	54.00	-13.36	Average	
2	2390.000	5.47	28.52	41.87	48.52	40.64	54.00	-13.36	Average	
3	* 2412.000	5.50	28.56	41.88	100.20	92.38	54.00	38.38	Average	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 61 of 104



# 11.7.1.24 802.11N20\_ Highest Channel\_ Average\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 Band edge

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
			•			•				
1	* 2462.000	5.57	28.64	41.90	99.56	91.87	54.00	37.87	Average	
2	2483.500	5.60	28.67	41.91	50.41	42.77	54.00	-11.23	Average	
3	2483.790	5.60	28.67	41.91	49.78	42.14	54.00	-11.86	Average	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 62 of 104



#### 11.7.1.25 802.11N40 Lowest Channel Peak Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2422 Band edge

: 2.4G WIFI 11N40

	Freq					Read Limit Level Level Line			
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2388.925	5.47	28.52	41.87	59.98	52.10	74.00	-21.90	peak
2	2390.000	5.47	28.52	41.87	57.60	49.72	74.00	-24.28	peak
3 *	2422.000	5.52	28.57	41.89	103.04	95.24	74.00	21.24	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 63 of 104



# 11.7.1.26 802.11N40\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2452 Band edge

: 2.4G WIFI 11N40

	Freq					Level			Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 *	2452.000	5.56	28.62	41.90	104.38	96.66	74.00	22.66	peak
2	2483.500	5.60	28.67	41.91	67.39	59.75	74.00	-14.25	peak
3	2484.147	5.60	28.67	41.91	69.05	61.41	74.00	-12.59	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 64 of 104



#### 11.7.1.27 802.11N40 Lowest Channel Peak Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2422 Band edge

: 2.4G WIFI 11N40

	Freq				Read Level Level				Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2387.723	5.47	28.51	41.87	63.78	55.89	74.00	-18.11	peak
2	2390.000	5.47	28.52	41.87	60.50	52.62	74.00	-21.38	peak
3	* 2422.000	5.52	28.57	41.89	105.47	97.67	74.00	23.67	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 65 of 104



# 11.7.1.28 802.11N40\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2452 Band edge

: 2.4G WIFI 11N40

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	* 2452.000	5.56	28.62	41.90	106.24	98.52	74.00	24.52	peak
2	2483.500	5.60	28.67	41.91	69.80	62.16	74.00	-11.84	peak
3	2484.217	5.60	28.67	41.91	68.20	60.56	74.00	-13.44	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 66 of 104



#### 11.7.1.29 802.11N40 Lowest Channel Average Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2422 Band edge

: 2.4G WIFI 11N40

	Freq				Read Limit Level Level Line				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.827	5.47	28.52	41.87	47.70	39.82	54.00	-14.18	Average
2	2390.000	5.47	28.52	41.87	47.86	39.98	54.00	-14.02	Average
3 *	2422.000	5.52	28.57	41.89	95.65	87.85	54.00	33.85	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 67 of 104



# 11.7.1.30 802.11N40\_ Highest Channel\_ Average \_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2452 Band edge

: 2.4G WIFI 11N40

		Freq						Limit Line		Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	*	2452.000	5.56	28.62	41.90	97.48	89.76	54.00	35.76	Average
2		2483.500	5.60	28.67	41.91	57.84	50.20	54.00	-3.80	Average
3		2483.865	5.60	28.67	41.91	57.11	49.47	54.00	-4.53	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 68 of 104



#### 11.7.1.31 802.11N40 Lowest Channel Average Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2422 Band edge

: 2.4G WIFI 11N40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.827	5.47	28.52	41.87	48.89	41.01	54.00	-12.99	Average
2	2390.000	5.47	28.52	41.87	49.00	41.12	54.00	-12.88	Average
3	* 2422.000	5.52	28.57	41.89	97.93	90.13	54.00	36.13	Average


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 69 of 104



11.7.1.32 802.11N40\_ Highest Channel\_ Average\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2452 Band edge

: 2.4G WIFI 11N40

			Cable	Ant	Preamp	Read		Limit	0ver		
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	*	2452.000	5.56	28.62	41.90	99.36	91.64	54.00	37.64	Average	
2		2483.500	5.60	28.67	41.91	58.34	50.70	54.00	-3.30	Average	
3		2483.865	5.60	28.67	41.91	57.50	49.86	54.00	-4.14	Average	

#### Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

All Modes have been tested, but only the worst case data displayed in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China

t +86 (0) 755 2601 2053

f +86 (0) 755 2671 0594



Report No.: ZR/2018/A001102

Page 70 of 104

# 11.7.2 Radiated emission below 1GHz

The test was performed at a 10m test site. According to below formulate and the test data at 10m test distance.

 $L_3 / L_{10} = D_{10} / D_3$ 

Remark:

 $L_3$ : Level @ 3m distance. Unit: uV/m;  $L_{10}$ : Level @ 10m distance. Unit: uV/m;

 $D_3$ : 3m distance. Unit: m  $D_{10}$ : 10m distance. Unit: m

The level at 3m test distance is below:

Frequency (MHz)	Level @ 10m (dBuV/m)	Level @ 10m (uV/m)	Level @ 3m (uV/m)	Level @ 3m (dBuV/m)	Limit @ 3m (dBuV/m)	Over Limit (dB)	Ant. Polari- zation
47.49	14.7	5.43	18.11	25.16	40	-14.84	V
166.07	14.65	5.40	18.00	25.11	40	-14.89	V
248.55	13.05	4.49	14.98	23.51	43.5	-19.99	V
350.48	16.55	6.72	22.41	27.01	46	-18.99	V
515.44	19.88	9.86	32.88	30.34	46	-15.66	V
912.86	26.39	20.87	69.56	36.85	46	-9.15	V
40.7	13.57	4.77	15.90	24.03	40	-15.97	Н
154.82	15.22	5.77	19.23	25.68	40	-14.32	Н
283.98	14.12	5.08	16.94	24.58	43.5	-18.92	Н
413.27	17.39	7.40	24.68	27.85	46	-18.15	Н
638.37	22.55	13.41	44.71	33.01	46	-12.99	Н
919.29	26.39	20.87	69.56	36.85	46	-9.15	Н


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ZR/2018/A001102

Page 71 of 104

# 11.7.2.1 Charge + Transmitting, Vertical




Condition: 10m VERTICAL

Job No. : 90027 Test Mode: d

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	47.49	6.89	12.84	32.45	27.42	14.70	29.50	-14.80
2	166.07	7.50	12.79	32.42	26.78	14.65	33.00	-18.35
3	248.55	7.83	11.22	32.38	26.38	13.05	35.60	-22.55
4	350.48	8.17	13.85	32.35	26.88	16.55	35.60	-19.05
5	515.44	8.65	17.09	32.35	26.49	19.88	35.60	-15.72
6 рр	912.86	9.50	22.40	31.48	25.97	26.39	35.60	-9.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a>





Page 72 of 104

# 11.7.2.2 Charge + Transmitting, Horizontal



Condition: 10m HORIZONTAL

Job No. : 90027 Test Mode: d


		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	40.70	6.83	13.26	32.46	25.94	13.57	29.50	-15.93
2	154.82	7.46	13.40	32.43	26.79	15.22	33.00	-17.78
3	283.98	7.96	12.26	32.37	26.27	14.12	35.60	-21.48
4	413.27	8.35	15.23	32.34	26.15	17.39	35.60	-18.21
5	638.37	8.96	19.39	32.35	26.55	22.55	35.60	-13.05
6 pp	919.29	9.51	22.48	31.42	25.82	26.39	35.60	-9.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a>

Page 73 of 104

## 11.7.3 Transmitter emission above 1GHz

### 11.7.3.1 802.11B\_Lowest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 TX RSE Note : 2.4G WIFI 11B


		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
-						4D. A//	4D. A//			-
	MHz	dB	ab/m	dB	abuv	abuv/m	abuv/m	dB		
1	1507.470	5.47	25.83	41.41	44.02	33.91	74.00	-40.09	peak	
2	4443.453	7.50	33.50	42.41	46.94	45.53	74.00	-28.47	peak	
3	4824.000	7.91	34.00	42.47	46.84	46.28	74.00	-27.72	peak	
4	6507.536	11.52	35.60	41.21	46.29	52.20	74.00	-21.80	peak	
5	7236.000	10.07	36.09	40.69	44.28	49.75	74.00	-24.25	peak	
6	9648.000	10.77	37.69	37.68	42.53	53.31	74.00	-20.69	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 11.7.3.2 802.11B\_ Middle Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2437 TX RSE Note : 2.4G WIFI 11B


		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1644.019	5.30	26.44	41.50	44.84	35.08	74.00	-38.92	peak
2	4456.315	7.51	33.53	42.41	46.63	45.26	74.00	-28.74	peak
3	4874.000	7.96	34.05	42.48	45.73	45.26	74.00	-28.74	peak
4	6322.136	11.20	35.43	41.35	47.67	52.95	74.00	-21.05	peak
5	7311.000	10.05	36.15	40.64	45.03	50.59	74.00	-23.41	peak
6	9748.000	10.82	37.75	37.54	40.56	51.59	74.00	-22.41	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page 75 of 104

### 11.7.3.3 802.11B\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 TX RSE Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
				<del></del>		<del></del>	<del></del>		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1620.431	E 22	26 24	A1 A9	/3 Q9	2/ 16	74 00	20 04	nook
1									•
2	4495.125	7.55	33.59	42.42	46.31	45.03	74.00	-28.97	peak
3	4924.000	8.01	34.11	42.49	47.69	47.32	74.00	-26.68	peak
4	6640.542	11.13	35.69	41.11	46.91	52.62	74.00	-21.38	peak
5	7386.000	10.03	36.21	40.59	44.55	50.20	74.00	-23.80	peak
6	9848.000	10.87	37.81	37.41	39.53	50.80	74.00	-23.20	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 76 of 104

# 11.7.3.4 802.11B\_Lowest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 TX RSE Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB		dB		dBuV/m	dBuV/m	dB	
	PHIZ	ub	ub/III	ub	abav	ubuv/III	ubuv/III	ub	
1	1625.121	5.32	26.36	41.49	43.55	33.74	74.00	-40.26	peak
2	4267.237	7.30	33.19	42.38	47.86	45.97	74.00	-28.03	peak
3	4824.000	7.91	34.00	42.47	45.95	45.39	74.00	-28.61	peak
4	6621.375	11.19	35.67	41.13	46.58	52.31	74.00	-21.69	peak
5	7236.000	10.07	36.09	40.69	44.46	49.93	74.00	-24.07	peak
6	9648.000	10.77	37.69	37.68	41.51	52.29	74.00	-21.71	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 77 of 104

## 11.7.3.5 802.11B\_ Middle Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2437 TX RSE : 2.4G WIFI 11B Note

				Preamp					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1697.129	5.23	26.66	41.53	45.05	35.41	74.00	-38.59	peak
2	4482.150	7.54	33.57	42.41	46.19	44.89	74.00	-29.11	peak
3	4874.000	7.96	34.05	42.48	46.21	45.74	74.00	-28.26	peak
4	6583.209	11.30	35.65	41.15	46.78	52.58	74.00	-21.42	peak
5	7311.000	10.05	36.15	40.64	45.38	50.94	74.00	-23.06	peak
6	9748.000	10.82	37.75	37.54	39.60	50.63	74.00	-23.37	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 78 of 104

# 11.7.3.6 802.11B\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 TX RSE Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1556.169	5.41	26.06	41.44	45.05	35.08	74.00	-38.92	peak
2	4430.628	7.48	33.48	42.41	46.62	45.17	74.00	-28.83	peak
3	4924.000	8.01	34.11	42.49	46.39	46.02	74.00	-27.98	peak
4	6322.136	11.20	35.43	41.35	47.49	52.77	74.00	-21.23	peak
5	7386.000	10.03	36.21	40.59	43.92	49.57	74.00	-24.43	peak
6	9848.000	10.87	37.81	37.41	40.50	51.77	74.00	-22.23	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 79 of 104

### 11.7.3.7 802.11G\_Lowest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 TX RSE : 2.4G WIFI 11G Note

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1648.778	5.29	26.46	41.50	45.11	35.36	74.00	-38.64	peak
2	4193.872	7.21	33.06	42.36	47.36	45.27	74.00	-28.73	peak
3	4824.000	7.91	34.00	42.47	46.74	46.18	74.00	-27.82	peak
4	6377.195	11.31	35.48	41.31	46.69	52.17	74.00	-21.83	peak
5	7236.000	10.07	36.09	40.69	45.21	50.68	74.00	-23.32	peak
6	9648.000	10.77	37.69	37.68	41.19	51.97	74.00	-22.03	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 80 of 104

### 11.7.3.8 802.11G\_ Middle Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2437 TX RSE : 2.4G WIFI 11G Note

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1538.281	5.43	25.98	41.43	45.52	35.50	74.00	-38.50	peak
2	3890.255	6.87	32.49	42.30	48.15	45.21	74.00	-28.79	peak
3	4874.000	7.96	34.05	42.48	46.86	46.39	74.00	-27.61	peak
4	6526.373	11.46	35.62	41.20	47.05	52.93	74.00	-21.07	peak
5	7311.000	10.05	36.15	40.64	45.15	50.71	74.00	-23.29	peak
6	9748.000	10.82	37.75	37.54	39.90	50.93	74.00	-23.07	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 81 of 104

## 11.7.3.9 802.11G\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 TX RSE Note : 2.4G WIFI 11G


		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1682.477	5.25	26.60	41.52	44.93	35.26	74.00	-38.74	peak
2	4430.628	7.48	33.48	42.41	46.63	45.18	74.00	-28.82	peak
3	4924.000	8.01	34.11	42.49	45.88	45.51	74.00	-28.49	peak
4	6545.263	11.41	35.63	41.18	46.58	52.44	74.00	-21.56	peak
5	7386.000	10.03	36.21	40.59	44.50	50.15	74.00	-23.85	peak
6	9848.000	10.87	37.81	37.41	40.36	51.63	74.00	-22.37	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page 82 of 104

### 11.7.3.10 802.11G\_Lowest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 TX RSE Note : 2.4G WIFI 11G


		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1494.455	5.46	25.78	41.40	45.06	34.90	74.00	-39.10	peak	
2	4157.664	7.17	33.00	42.36	47.03	44.84	74.00	-29.16	peak	
3	4824.000	7.91	34.00	42.47	47.11	46.55	74.00	-27.45	peak	
4	6488.754	11.52	35.59	41.22	46.76	52.65	74.00	-21.35	peak	
5	7236.000	10.07	36.09	40.69	45.30	50.77	74.00	-23.23	peak	
6	9648.000	10.77	37.69	37.68	40.94	51.72	74.00	-22.28	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page 83 of 104

## 11.7.3.11 802.11G\_ Middle Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2437 TX RSE : 2.4G WIFI 11G Note

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1697.129	5.23	26.66	41.53	44.07	34.43	74.00	-39.57	peak
2	4430.628	7.48	33.48	42.41	47.17	45.72	74.00	-28.28	peak
3	4874.000	7.96	34.05	42.48	46.92	46.45	74.00	-27.55	peak
4	6526.373	11.46	35.62	41.20	46.49	52.37	74.00	-21.63	peak
5	7311.000	10.05	36.15	40.64	45.39	50.95	74.00	-23.05	peak
6	9748.000	10.82	37.75	37.54	39.93	50.96	74.00	-23.04	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 84 of 104

### 11.7.3.12 802.11G\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 TX RSE Note : 2.4G WIFI 11G

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1620.431	5.32	26.34	41.48	45.49	35.67	74.00	-38.33	peak
2	4304.400	7.34	33.26	42.38	47.65	45.87	74.00	-28.13	peak
3	4924.000	8.01	34.11	42.49	47.05	46.68	74.00	-27.32	peak
4	6679.040	11.02	35.71	41.08	48.09	53.74	74.00	-20.26	peak
5	7386.000	10.03	36.21	40.59	44.29	49.94	74.00	-24.06	peak
	9848.000								•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 85 of 104

### 11.7.3.13 802.11N20\_Lowest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2412 TX RSE

: 2.4G WIFI 11N 20 Note

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1547.199	5.42	26.02	41.44	44.32	34.32	74.00	-39.68	peak
2	4316.859	7.36	33.28	42.38	47.53	45.79	74.00	-28.21	peak
3	4824.000	7.91	34.00	42.47	46.62	46.06	74.00	-27.94	peak
4	6737.207	10.86	35.75	41.04	47.64	53.21	74.00	-20.79	peak
5	7236.000	10.07	36.09	40.69	46.28	51.75	74.00	-22.25	peak
6		10.77	37.69	37.68	40.99	51.77	74.00	-22.23	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 86 of 104



# 11.7.3.14 802.11N20\_ Middle Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2437 TX RSE

Note : 2.4G WIFI 11N 20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1560.673	5.40	26.08	41.45	44.61	34.64	74.00	-39.36	peak
2	4456.315	7.51	33.53	42.41	46.57	45.20	74.00	-28.80	peak
3	4874.000	7.96	34.05	42.48	45.68	45.21	74.00	-28.79	peak
4	6640.542	11.13	35.69	41.11	47.04	52.75	74.00	-21.25	peak
5	7311.000	10.05	36.15	40.64	46.04	51.60	74.00	-22.40	peak
6	9748.000	10.82	37.75	37.54	39.36	50.39	74.00	-23.61	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



## 11.7.3.15 802.11N20\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2462 TX RSE

Note : 2.4G WIFI 11N 20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1663.137	5.27	26.52	41.51	44.54	34.82	74.00	-39.18	peak	
2	4304.400	7.34	33.26	42.38	46.87	45.09	74.00	-28.91	peak	
3	4924.000	8.01	34.11	42.49	46.03	45.66	74.00	-28.34	peak	
4	6432.732	11.41	35.54	41.27	46.43	52.11	74.00	-21.89	peak	
5	7386.000	10.03	36.21	40.59	45.58	51.23	74.00	-22.77	peak	
6	9848.000	10.87	37.81	37.41	40.06	51.33	74.00	-22.67	neak	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 11.7.3.16 802.11N20\_Lowest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2412 TX RSE

Note : 2.4G WIFI 11N 20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1525.000	5.45	25.91	41.42	44.64	34.58	74.00	-39.42	peak
2	3946.885	6.93	32.60	42.31	48.30	45.52	74.00	-28.48	peak
3	4824.000	7.91	34.00	42.47	46.33	45.77	74.00	-28.23	peak
4	6159.797	10.89	35.26	41.48	48.02	52.69	74.00	-21.31	peak
5	7236.000	10.07	36.09	40.69	44.22	49.69	74.00	-24.31	peak
	9648.000	10.77	37.69	37.68	41.27	52.05	74.00	-21.95	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 89 of 104

## 11.7.3.17 802.11N20\_ Middle Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2437 TX RSE

Note : 2.4G WIFI 11N 20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1331.288	4.91	25.15	41.29	46.48	35.25	74.00	-38.75	peak
2	4218.186	7.24	33.11	42.37	47.19	45.17	74.00	-28.83	peak
3	4874.000	7.96	34.05	42.48	46.65	46.18	74.00	-27.82	peak
4	6602.265	11.24	35.66	41.14	46.34	52.10	74.00	-21.90	peak
5	7311.000	10.05	36.15	40.64	45.43	50.99	74.00	-23.01	peak
6	9748.000	10.82	37.75	37.54	39.36	50.39	74.00	-23.61	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.

Page 90 of 104

# 11.7.3.18 802.11N20\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2462 TX RSE

Note : 2.4G WIFI 11N 20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
						dD: \// /m	dD: \//m		
	MHz	dB	ub/m	dB	abuv	ubuv/m	ubuv/m	dB	
1	1692.231	5.24	26.64	41.53	44.04	34.39	74.00	-39.61	peak
2	4291.977	7.33	33.24	42.38	47.87	46.06	74.00	-27.94	peak
3	4924.000	8.01	34.11	42.49	47.47	47.10	74.00	-26.90	peak
4	6395.654	11.34	35.50	41.30	47.01	52.55	74.00	-21.45	peak
5	7386.000	10.03	36.21	40.59	44.16	49.81	74.00	-24.19	peak
6	9848.000	10.87	37.81	37.41	40.35	51.62	74.00	-22.38	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

SGS Shenzhen Ltd.

Page 91 of 104

### 11.7.3.19 802.11N40\_Lowest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2422 TX RSE

Note : 2.4G WIFI 11N 40

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1702.042	5.23	26.68	41.53	43.73	34.11	74.00	-39.89	peak
2	4392.376	7.44	33.42	42.40	46.34	44.80	74.00	-29.20	peak
3	4844.000	7.93	34.02	42.48	46.93	46.40	74.00	-27.60	peak
4	6564.209	11.35	35.64	41.17	46.27	52.09	74.00	-21.91	peak
5	7266.000	10.06	36.12	40.67	45.36	50.87	74.00	-23.13	peak
6	9688.000	10.79	37.71	37.63	40.29	51.16	74.00	-22.84	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 92 of 104

### 11.7.3.20 802.11N40\_ Middle Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2437 TX RSE

Note : 2.4G WIFI 11N 40

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1648.778	5.29	26.46	41.50	44.10	34.35	74.00	-39.65	peak
2	4405.090	7.46	33.44	42.40	47.27	45.77	74.00	-28.23	peak
3	4874.000	7.96	34.05	42.48	47.13	46.66	74.00	-27.34	peak
4	6159.797	10.89	35.26	41.48	47.93	52.60	74.00	-21.40	peak
5	7311.000	10.05	36.15	40.64	45.14	50.70	74.00	-23.30	peak
	9748.000								•

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


hen Ltd. No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

t +86 (0) 755 2601 2053

f +86 (0) 755 2671 0594

Page 93 of 104

# 11.7.3.21 802.11N40\_ Highest Channel\_ Peak\_ Vertical



Site : chamber Condition: 3m VERTICAL

Job No : 90027

Mode : 2452 TX RSE

Note : 2.4G WIFI 11N 40

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1677.621	5.25	26.58	41.52	44.65	34.96	74.00	-39.04	peak
2	4482.150	7.54	33.57	42.41	46.79	45.49	74.00	-28.51	peak
3	4904.000	7.99	34.09	42.48	46.97	46.57	74.00	-27.43	peak
4	6053.894	10.68	35.16	41.56	48.78	53.06	74.00	-20.94	peak
5	7356.000	10.04	36.19	40.61	45.71	51.33	74.00	-22.67	peak
6	9808.000	10.85	37.79	37.46	40.91	52.09	74.00	-21.91	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 94 of 104

### 11.7.3.22 802.11N40\_Lowest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2422 TX RSE

Note : 2.4G WIFI 11N 40

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	——dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
			,						
1	1677.621	5.25	26.58	41.52	45.12	35.43	74.00	-38.57	peak
2	4193.872	7.21	33.06	42.36	47.32	45.23	74.00	-28.77	peak
3	4844.000	7.93	34.02	42.48	46.79	46.26	74.00	-27.74	peak
4	6488.754	11.52	35.59	41.22	46.96	52.85	74.00	-21.15	peak
5	7266.000	10.06	36.12	40.67	45.07	50.58	74.00	-23.42	peak
6	9688.000	10.79	37.71	37.63	41.67	52.54	74.00	-21.46	peak


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.

Page 95 of 104

# 11.7.3.23 802.11N40\_ Middle Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2437 TX RSE

Note : 2.4G WIFI 11N 40


		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1587.975	5.37	26.20	41.46	44.88	34.99	74.00	-39.01	peak
2	4417.841	7.47	33.46	42.40	46.30	44.83	74.00	-29.17	peak
3	4874.000	7.96	34.05	42.48	47.77	47.30	74.00	-26.70	peak
4	6526.373	11.46	35.62	41.20	46.56	52.44	74.00	-21.56	peak
5	7311.000	10.05	36.15	40.64	44.84	50.40	74.00	-23.60	peak
6	9748.000	10.82	37.75	37.54	40.25	51.28	74.00	-22.72	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page 96 of 104

# 11.7.3.24 802.11N40\_ Highest Channel\_ Peak\_ Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 90027

Mode : 2452 TX RSE

: 2.4G WIFI 11N 40 Note

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1672.779	5.26	26.56	41.52	44.60	34.90	74.00	-39.10	peak
2	4495.125	7.55	33.59	42.42	46.72	45.44	74.00	-28.56	peak
3	4904.000	7.99	34.09	42.48	47.66	47.26	74.00	-26.74	peak
4	6602.265	11.24	35.66	41.14	47.95	53.71	74.00	-20.29	peak
5	7356.000	10.04	36.19	40.61	45.44	51.06	74.00	-22.94	peak
6	9808,000	10.85	37.79	37.46	39.72	50.90	74.00	-23.10	neak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 97 of 104

#### Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
  - Final Test Level =Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.

t +86 (0) 755 2601 2053



Page 98 of 104

### 12 PEAK POWER SPECTRAL DENSITY

### 12.1 Standard Applicable

Per Part 15.247 (e)

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

Frequency (MHz)	Effective Legacy Gain (dBi)	Peak spectral density (dBm/3kHz)
2412~2462	0.00	8.00

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

#### Per RSS-247 section 5.4 d

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1 W. The e.i.r.p. shall not exceed 4 W, except as provided in section 5.4(e).

### 12.2 Measurement Equipment Used

RF conducted test								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate			
rest Equipment			inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)			
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2018/9/15	2019/9/15			
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2018/3/13	2019/3/12			
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/13	2019/7/12			
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A			
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/9/2	2019/9/2			
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/27	2019/11/27			
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2018/9/2	2019/9/2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.



Page 99 of 104

### 12.3 Test Set-up



Ground Reference Plane

### 12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- Set the span to 1.5 times the DTS channel bandwidth.
- Set the RBW = 3 kHz & VBW = 10 kHz.
- 5. For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-



Page 100 of 104


### 12.5 Measurement Result

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
802.11B	Lowest	-3.15	≤8.00	Pass
	Middle	-3.55	≤8.00	Pass
	Highest	-3.70	≤8.00	Pass
802.11G	Lowest	-7.52	≤8.00	Pass
	Middle	-7.01	≤8.00	Pass
	Highest	-7.54	≤8.00	Pass
802.11N20	Lowest	-9.31	≤8.00	Pass
	Middle	-8.61	≤8.00	Pass
	Highest	-8.92	≤8.00	Pass
802.11N40	Lowest	-11.04	≤8.00	Pass
	Middle	-12.01	≤8.00	Pass
	Highest	-11.98	≤8.00	Pass


<sup>\*</sup>Refer to next page for plots



### Power Density\_802.11b\_20MHz\_Chain0\_2412MHz




Power Density\_802.11b\_20MHz\_Chain0\_2437MHz



Date: 25 OCT 2018 09:25:34

Date: 25 OCT 2018 09:25:55


## Power Density\_802.11b\_20MHz\_Chain0\_2462MHz



Date: 25.OCT.2018 09:24:58


## Report No.: ZR/2018/A001102 Page 101 of 104

### Power Density\_802.11g\_20MHz\_Chain0\_2412MHz




Date: 25 OCT 2018 09:26:20

### Power Density\_802.11g\_20MHz\_Chain0\_2437MHz



Date: 25 OCT 2018 09:26:43

## Power Density\_802.11g\_20MHz\_Chain0\_2462MHz



Date: 25.OCT.2018 09:17:45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057


t +86 (0) 755 2601 2053

f +86 (0) 755 2671 0594


https://www.sgsgroup.com.cn/




### Power Density\_802.11n\_20MHz\_Chain0\_2412MHz



Date: 25 OCT 2018 09:14:31






Date: 25.OCT.2018 09:15:38


## Report No.: ZR/2018/A001102 Page 102 of 104

### Power Density\_802.11n\_40MHz\_Chain0\_2422MHz



Date: 25 OCT 2018 09:13:54

Power Density\_802.11n\_40MHz\_Chain0\_2437MHz



Date: 25 OCT 2018 09:13:33

Power Density\_802.11n\_40MHz\_Chain0\_2452MHz Spectrum 2.02 dBr 2.4545170 GH mornal lake blak harry filtration

Date: 25.OCT.2018 09:13:04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

t +86 (0) 755 2601 2053 f +86 (0) 755 2671 0594

https://www.sgsgroup.com.cn/



Page 103 of 104

### ANTENNA REQUIREMENT

## 13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

### 13.2 Antenna Connected Construction

The antenna is designed with unique RF connector / as permanently attached and no consideration of replacement. Please see EUT photo for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Shenzhen Ltd.



Page 104 of 104

## 14 PHOTOGRAPHS - EUT TEST SETUP DETAILS

Refer to Appendix A - Photographs of EUT Test Setup Details for ZR/2018/A0011.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t +86 (0) 755 2601 2053

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Shenzhen Ltd.