

SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 1 of 24

TEST REPORT

Application No.: FYCR2412000020AT

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai, China 200233

Equipment Under Test (EUT):

EUT Name: NTN Satellite Communication Module

Model No.: BG95-S5
Trade Mark: Quectel

 FCC ID:
 XMR202406BG95S5

 Standard(s):
 47 CFR Part 2

47 CFR Part 25

Date of Receipt: 2024-06-07

Date of Test: 2024-06-11 to 2024-07-11 (for report FYCR240700001901) 2024-11-25 to 2024-12-03 (for report FYCR241200002001)

Date of Issue: 2024-12-05

Test Result: Pass

Powell Bao

Lab Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 2 of 24

| | Revision Record | | | | | |
|---------|-----------------|------------|----------|----------|--|--|
| Version | Chapter | Date | Modifier | Remark | | |
| 01 | | 2024-12-05 | | Original | | |
| | | | | | | |
| | | | | | | |

| Authorized for issue by: | | |
|--------------------------|-----------------------------|---|
| | Tree Zhan | |
| | Tree Zhan /Project Engineer | - |
| | Jones Bao | |
| | Powell Bao /Reviewer | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 3 of 24

2 Test Summary

| Test Item | FCC Rule No. | Requirements | Verdict |
|---|------------------------------|---|---------|
| Effective (Isotropic) Radiated Output Power Data | §2.1046 §25.204 | ERP≤ 40dBW | PASS |
| Bandwidth | §2.1049(h) | OBW: No limit EBW: No limit | PASS |
| Emission limitations. | §2.1051 §25.202 (f)(1)(2) | Refer to clause 6.3 | PASS |
| Conducted Spurious emissions | §2.1051 §25.202 (f)(3) | Refer to clause 6.4 | PASS |
| Field strength of spurious radiation | §2.1053 §25.202 (f)(3) | Refer to clause 6.5 | PASS |
| Frequency stability | §2.1055 §25.202 (d) | within 0.001 percent of the reference frequency | PASS |
| Additional unwanted emission limits for MESs | §25.216(c)(e)(h)(i) | Refer to clause 6.7 | PASS |

Remark:

This test report (Report No.: FYCR241200002001 issue on 2024/12/05) is based on the original test report (Report No.: FYCR240700001901 issue on 2024/07/22).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report the Effective (Isotropic) Radiated Output Power, Bandwidth, Emission limitations, Conducted Spurious emissions, Field strength of spurious radiation, Frequency stability, Additional unwanted emission limits for MESs were retested.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 4 of 24

3 Contents

| 1 | Cov | er Page | Page |
|---|----------------|--|------|
| | | Summary | |
| 2 | | • | |
| 3 | Con | tents | 4 |
| 4 | Gen | eral Information | 6 |
| , | 4.1 | Details of E.U.T. | 6 |
| | 4.2 | Test Frequency | |
| | 1.3 | Test Environment | |
| | 1.4 | Description of Support Units | |
| | 1.5 | Measurement Uncertainty | |
| | 1.6 | Test Location | |
| | 1.7 | Test Facility | |
| 4 | 4.8 | Deviation from Standards | |
| 4 | 4.9 | Abnormalities from Standard Conditions | |
| 5 | Equi | ipment List | 10 |
| 6 | _ | io Spectrum Matter Test Results | |
| | | | |
| (| 5.1 | Effective (Isotropic) Radiated Output Power Data | |
| | 6.1.1 6.1.2 | E E F E E E E | |
| | 6.1.2 | | |
| | 6.1.3 5.2 | Bandwidth | |
| , | o.∠ 6.2.1 | | |
| | 6.2.2 | • | |
| | 6.2.3 | | |
| 6 | 6.2.3 5.3 | Emission limitations | |
| , | 6.3.1 | | |
| | 6.3.2 | · | |
| | 6.3.3 | 1 5 | |
| 6 | 5.4 | Conducted Spurious emissions. | |
| | 6.4.1 | · | |
| | 6.4.2 | • | |
| | 6.4.3 | | |
| (| 6.5 | Field strength of spurious radiation | |
| | 6.5.1 | | |
| | 6.5.2 | • | |
| | 6.5.3 | | |
| (| 6.6 | Frequency stability | |
| | 6.6.1 | E.U.T. Operation | 21 |
| | 6.6.2 | • | |
| | 6.6.3 | B Measurement Data | 21 |
| (| 5.7 | Additional unwanted emission limits for MESs | 22 |
| | 6.7.1 | E.U.T. Operation | 22 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions (Terms-and-Conditions) and the time of the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



|--|

| Report No.: | FYCR241 | 2000 | 020 |)0 |
|-------------|---------|------|-----|----|
| Page. | | 5 | ٥f | 2 |

| | | | Page. | 5 01 24 |
|---|--------|-------------------------------------|-------|---------|
| | 6.7.2 | Test Setup Diagram | | 23 |
| | | Measurement Data | | |
| 7 | Test S | Setup Photo | | 24 |
| 8 | EUT C | Constructional Details (EUT Photos) | | 24 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions (Terms-and-Conditions) and the time of the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 6 of 24

4 General Information

4.1 Details of E.U.T.

| EUT Description: | NTN Satellite Communication Module | | |
|----------------------------|------------------------------------|---|---------------------|
| Model No.: | BG95-S5 | | |
| Trade Mark: | Quectel | | |
| Hardware Version: | R2.1 | | |
| Software Version: | BG95S5LAR08A | N03 | |
| | Power from the I | Mainboard: | |
| | Mainboard Powe | er by DC 5V 2A fro | om DC Port. |
| Power Supply: | Adapter model: I | P12F050200 | |
| | Input: 100-240V | ~50/60Hz, 0.3A M | ax |
| | Output: DC 5V2A | | |
| IMEI: | 8620630700010 | 57 | |
| Antenna Type: | | Integrated | |
| | Tx Frequency | Band 23: 2000 MHz ~ 2020 MHz | |
| Operation Frequency Band: | TXTTCqucticy | | .5 MHz ~ 1660.5 MHz |
| operation requests y zame. | Rx Frequency | Band 23: 2180 MHz ~ 2200 MHz Band 255: 1525 MHz ~1559 MHz | |
| | | Band 255: 1525 | MHZ ~1559 MHZ |
| Modulation Type: | BPSK, QPSK | | |
| SCS: | 3.75kHz, 15kHz | | |
| Bandwidth | 200kHz | | |
| Antenna Gain: | Band 23: 3.3dBi | | |
| Antenna Gain. | Band 255: 2.8dE | Bi | |
| DE Cable | 1600MHz ~ 1700 | OMHz | 2000MHz ~ 2100MHz |
| RF Cable: | (3.9dB) | | (4.0dB) |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Note:

(1) The antenna gain value is provided by the customer. The test lab will not be responsible for wrong test result due to incorrect information about antenna gain values.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or sensity. The Deccheck of the content of the law.



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 7 of 24

4.2 Test Frequency

| | SCS | RF Channel | | |
|-------------|-------|------------|------------|----------|
| Test mode1: | (KHz) | Low (L) | Middle (M) | High (H) |
| | | MHz | MHz | MHz |
| Dand 22 | 3.75 | 2000.1 | 2010 | 2010.0 |
| Band 23 | 15 | 2000.1 | 2010 | 2019.9 |
| | scs | RF Channel | | |
| Test mode2: | (KHz) | Low (L) | Middle (M) | High (H) |
| | | MHz | MHz | MHz |
| Band 255 | 3.75 | 1626.6 | 1643.5 | 1660.4 |
| Ballu 255 | 15 | 1020.0 | 1043.5 | 1000.4 |

Remark: The test mode(s) are selected according to relevant radio technology specifications.

4.3 Test Environment

| Environment Parameter | 102 kPa Selected Values During Tests | |
|-----------------------|--------------------------------------|------------|
| Relative Humidity | 44-46 % RH Ambient | |
| Value | Temperature(°C) | Voltage(V) |
| NTNV | 21~23 | 3.8 |
| LTLV | -30 | 3.3 |
| LTHV | -30 | 4.3 |
| HTLV | 50 | 3.3 |
| HTHV | 50 | 4.3 |

Remark:

NV: Normal Voltage LV: Low Extreme Test Voltage HV: High Extreme Test Voltage

NT: Normal Temperature LT: Low Extreme Test Temperature HT: High Extreme Test

Temperature

4.4 Description of Support Units

| Description | Manufacturer | Model No. | |
|--|--------------|-----------|--|
| UMTS<E-EVB | Quectel | Q1-A0770 | |
| Remark: all above the information of table are provided by client. | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CN Deccheck@css.com.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 8 of 24

4.5 Measurement Uncertainty

| No. | Item | Measurement Uncertainty |
|-----|---------------------------------|--------------------------|
| 1 | Radio Frequency | ± 5.4 x 10 ⁻⁸ |
| 2 | Occupied Bandwidth | ± 3% |
| 3 | RF conducted power | ± 0.8dB |
| 4 | RF power density | ± 0.4dB |
| 5 | Conducted Spurious emissions | ± 2.7dB |
| | Dedicted Courieus emission test | ± 3.1dB (Below 1GHz) |
| 6 | Radiated Spurious emission test | ± 4.4dB (Above 1GHz) |
| 7 | Temperature test | ± 1°C |
| 8 | Humidity test | ± 3% |
| 9 | Supply voltages | ± 1.5% |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions (Terms-and-Conditions) and the time of the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 9 of 24

4.6 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 10 of 24

5 Equipment List

| Conducted | | | | | |
|---|------------------------------------|-------------------|------------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| MXA Signal Analyzer | KEYSIGHT | N9020B | SEM004-24 | 2024/3/14 | 2025/3/13 |
| Radio Communication Analyzer | Keysight | UXM 5G(E7515B) | SZ-WRG-M- 021 | 2024/5/24 | 2025/5/23 |
| DC power supply | MAISHENG | MP5020D | SEM011-15 | 2024/8/13 | 2025/8/12 |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2024/3/19 | 2025/3/18 |
| Coaxial Cable | SGS | N/A | SEM031-02 | 2024/7/6 | 2025/7/5 |
| Coaxial Cable | SGS | N/A | SEM031-03 | 2024/7/6 | 2025/7/5 |

| Field strength of spurious radiation(Below 1GHz & Above 1GHz) | | | | | | | | | | | |
|---|--------------|-------------|---------------|------------|--------------|--|--|--|--|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | | | | | |
| 966 Anechoic Chamber | CRT | N/A | SEM001-13 | 2022/10/15 | 2025/10/14 | | | | | | |
| Trilog-Broadband Antenna | Schwarzbeck | VULB9168 | SEM003-26 | 2023/9/23 | 2025/9/22 | | | | | | |
| Loop Antenna | ETS-LINDGREN | 6502 | SEM003-43 | 2023/7/28 | 2026/7/27 | | | | | | |
| EMI Test Receiver | Agilent | N9038A | SEM004-05 | 2024/8/13 | 2025/8/12 | | | | | | |
| Pre-Amplifier | HP | 8447D | SEM005-02 | 2024/8/13 | 2025/8/12 | | | | | | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9120D | SEM003-32 | 2023/9/17 | 2025/9/16 | | | | | | |
| Coaxial Cable | SGS | N/A | SEM035-01 | 2024/5/13 | 2025/5/12 | | | | | | |
| Coaxial Cable | SGS | N/A | SEM035-02 | 2024/5/13 | 2025/5/12 | | | | | | |
| Coaxial Cable | SGS | N/A | SEM035-03 | 2024/5/13 | 2025/5/12 | | | | | | |
| MXA Signal Analyzer | Keysight | N9020A | SEM004-23 | 2024/3/16 | 2025/3/15 | | | | | | |
| Pre-amplifier | TST PASS | LNA04080G30 | SEM005-27 | 2024/3/28 | 2025/3/27 | | | | | | |
| Pre-amplifier | TST PASS | LNA10180G45 | SEM005-28 | 2024/3/28 | 2025/3/27 | | | | | | |

| General used equipment | | | | | | | | | | |
|---------------------------------|---|-----------|---------------|-----------|--------------|--|--|--|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | | | | |
| Humidity/ Temperature Indicator | deli | 8838 | SEM002-52 | 2024/7/24 | 2025/7/23 | | | | | |
| Humidity/ Temperature Indicator | deli | 8838 | SEM002-53 | 2024/7/24 | 2025/7/23 | | | | | |
| Barometer | Changchun Meteorological Industry Factory | DYM3 | SEM002-01 | 2024/3/18 | 2025/3/17 | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions (Terms-and-Conditions) and the time of the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 11 of 24

| Radio Communication Analyzer K | eysight | UXM 5G(E7515B) | SZ-WRG-M- 021 | 2024-05-24 | 2025-05-23 |
|-----------------------------------|---------|-------------------|------------------|------------|------------|
|-----------------------------------|---------|-------------------|------------------|------------|------------|

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Output Power Data

Test Requirement: §2.1046; §25.204

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: 40dBW


6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.8 °C Humidity: 53.9 % RH Atmospheric Pressure: 1020 mbar

Test mode : Test mode1 and Test mode2

6.1.2 Test Setup Diagram



Ground Reference Plane

6.1.3 Measurement Data

Please refer to Appendix for NTN test data(Band 23) and NTN test data(Band 255)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 12 of 24

6.2 Bandwidth

Test Requirement: §2.1049(h)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: OBW: No limit

EBW: No limit


6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 21.8 °C Humidity: 53.9 % RH Atmospheric Pressure: 1020 mbar

Test mode : Test mode1 and Test mode2

6.2.2 Test Setup Diagram



Ground Reference Plane

6.2.3 Measurement Data

Please refer to Appendix for NTN test data(Band 23) and NTN test data(Band 255)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's fidnings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

> Page: 13 of 24

6.3 Emission limitations

Test Requirement: §2.1051; §25.202 (f)(1)(2)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

In any 4 kHz band, the center frequency of which is removed from the Limit:

assigned frequency by more than 50 percent up to and including 100 percent of the authorized bandwidth: 25 dB;

In any 4 kHz band, the center frequency of which is removed from the assigned frequency by more than 100 percent up to and including 250

percent of the authorized bandwidth: 35 dB;


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 21.8 °C 53.9 % RH Atmospheric Pressure: 1020 mbar Humidity:

Test mode : Test mode1 and Test mode2

6.3.2 Test Setup Diagram



Ground Reference Plane

6.3.3 Measurement Data

Please refer to Appendix for NTN test data(Band 23) and NTN test data(Band 255)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 14 of 24

6.4 Conducted Spurious emissions

Test Requirement: §2.1051; §25.202 (f)(3)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: In any 4 kHz band, the center frequency of which is removed from the

assigned frequency by more than 250 percent of the authorized bandwidth: An amount equal to 43 dB plus 10 times the logarithm (to the base 10) of

the transmitter power in watts


6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 21.8 °C Humidity: 53.9 % RH Atmospheric Pressure: 1020 mbar

Test mode : Test mode1 and Test mode2

6.4.2 Test Setup Diagram



Ground Reference Plane

6.4.3 Measurement Data

Please refer to Appendix for NTN test data(Band 23) and NTN test data(Band 255)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 15 of 24

6.5 Field strength of spurious radiation

Test Requirement: §2.1051; §25.202 (f)(3)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: In any 4 kHz band, the center frequency of which is removed from the

assigned frequency by more than 250 percent of the authorized bandwidth: An amount equal to 43 dB plus 10 times the logarithm (to the base 10) of

the transmitter power in watts


6.5.1 E.U.T. Operation


Operating Environment:

Temperature: 21.4 °C Humidity: 40.8 % RH Atmospheric Pressure: 1020 mbar

Test mode : Test mode1 and Test mode2


6.5.2 Test Setup Diagram






EUT

Substitue Antenna+Signal Generator





EUT

Substiute Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 16 of 24

6.5.3 Measurement Procedure and Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4)The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6)The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11)The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 17 of 24

| | NTN Band 255-Low channel, Modulation: QPSK, SCS:15KHz, 1@0 | | | | | | | | | | | |
|--------------------|--|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 3253.2 | -54.89 | -13 | -41.89 | -58.46 | 3.23 | 6.8 | Horizontal | Pass | | | | |
| 4809.499 | -64.11 | -13 | -51.11 | -69.03 | 4.08 | 9 | Horizontal | Pass | | | | |
| 6412.427 | -61.69 | -13 | -48.69 | -66.84 | 4.85 | 10 | Horizontal | Pass | | | | |
| 3253.2 | -56.53 | -13 | -43.53 | -60.1 | 3.23 | 6.8 | Vertical | Pass | | | | |
| 4821.757 | -63.74 | -13 | -50.74 | -68.66 | 4.08 | 9 | Vertical | Pass | | | | |
| 6396.125 | -61.8 | -13 | -48.8 | -66.95 | 4.85 | 10 | Vertical | Pass | | | | |

| | NTN Band 255-Middle channel, Modulation: QPSK, SCS:15KHz, 1@0 | | | | | | | | | | | |
|--------------------|---|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 3287 | -51.95 | -13 | -38.95 | -55.52 | 3.23 | 6.8 | Horizontal | Pass | | | | |
| 4871.103 | -63.85 | -13 | -50.85 | -68.77 | 4.08 | 9 | Horizontal | Pass | | | | |
| 6494.564 | -61.8 | -13 | -48.8 | -66.95 | 4.85 | 10 | Horizontal | Pass | | | | |
| 3287 | -58.45 | -13 | -45.45 | -62.02 | 3.23 | 6.8 | Vertical | Pass | | | | |
| 4895.965 | -63.26 | -13 | -50.26 | -68.18 | 4.08 | 9 | Vertical | Pass | | | | |
| 6527.712 | -61.61 | -13 | -48.61 | -67.39 | 4.32 | 10.1 | Vertical | Pass | | | | |

| | NTN Band 255-High channel, Modulation: QPSK, SCS:15KHz, 1@0 | | | | | | | | | | | |
|--------------------|---|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 3320.8 | -54.89 | -13 | -41.89 | -58.46 | 3.23 | 6.8 | Horizontal | Pass | | | | |
| 4946.072 | -63.5 | -13 | -50.5 | -68.42 | 4.08 | 9 | Horizontal | Pass | | | | |
| 6561.03 | -60.94 | -13 | -47.94 | -66.72 | 4.32 | 10.1 | Horizontal | Pass | | | | |
| 3320.8 | -61.52 | -13 | -48.52 | -65.09 | 3.23 | 6.8 | Vertical | Pass | | | | |
| 4981.2 | -62.15 | -13 | -49.15 | -67.07 | 4.08 | 9 | Vertical | Pass | | | | |
| 6641.6 | -61.38 | -13 | -48.38 | -67.16 | 4.32 | 10.1 | Vertical | Pass | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 18 of 24

| | NTN Band 23-Low channel, Modulation: QPSK, SCS:15KHz, 1@0 | | | | | | | | | | | |
|--------------------|---|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 4000.2 | -65.32 | -13 | -52.32 | -69.4 | 4.42 | 8.5 | Horizontal | Pass | | | | |
| 5910.798 | -62.58 | -13 | -49.58 | -68.04 | 4.44 | 9.9 | Horizontal | Pass | | | | |
| 7900.858 | -59.16 | -13 | -46.16 | -65.85 | 4.71 | 11.4 | Horizontal | Pass | | | | |
| 4000.2 | -63.58 | -13 | -50.58 | -67.66 | 4.42 | 8.5 | Vertical | Pass | | | | |
| 6000.3 | -63.47 | -13 | -50.47 | -68.62 | 4.85 | 10 | Vertical | Pass | | | | |
| 7860.737 | -59.04 | -13 | -46.04 | -65.73 | 4.71 | 11.4 | Vertical | Pass | | | | |

| | NTN Band 23-Middle channel, Modulation: QPSK, SCS:15KHz, 1@0 | | | | | | | | | | | |
|--------------------|--|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 4065.707 | -65.97 | -13 | -52.97 | -70.05 | 4.42 | 8.5 | Horizontal | Pass | | | | |
| 5940.967 | -63.17 | -13 | -50.17 | -68.63 | 4.44 | 9.9 | Horizontal | Pass | | | | |
| 7961.425 | -59.51 | -13 | -46.51 | -66.2 | 4.71 | 11.4 | Horizontal | Pass | | | | |
| 4020 | -64.63 | -13 | -51.63 | -68.71 | 4.42 | 8.5 | Vertical | Pass | | | | |
| 6094.137 | -63.05 | -13 | -50.05 | -68.2 | 4.85 | 10 | Vertical | Pass | | | | |
| 8208.37 | -59.24 | -13 | -46.24 | -66.06 | 4.98 | 11.8 | Vertical | Pass | | | | |

| | NTN Band 23-High channel, Modulation: QPSK, SCS:15KHz, 1@0 | | | | | | | | | | | |
|--------------------|--|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 4117.785 | -65.89 | -13 | -52.89 | -69.97 | 4.42 | 8.5 | Horizontal | Pass | | | | |
| 6219.512 | -62.61 | -13 | -49.61 | -67.76 | 4.85 | 10 | Horizontal | Pass | | | | |
| 8187.502 | -59.61 | -13 | -46.61 | -66.43 | 4.98 | 11.8 | Horizontal | Pass | | | | |
| 4086.459 | -65.87 | -13 | -52.87 | -69.95 | 4.42 | 8.5 | Vertical | Pass | | | | |
| 6187.929 | -62.42 | -13 | -49.42 | -67.57 | 4.85 | 10 | Vertical | Pass | | | | |
| 8187.502 | -59.32 | -13 | -46.32 | -66.14 | 4.98 | 11.8 | Vertical | Pass | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 19 of 24

| | NTN Band 255-Low channel, Modulation: QPSK, SCS:3.75KHz, 1@0 | | | | | | | | | | | |
|--------------------|--|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 3253.2 | -47.89 | -13 | -34.89 | -51.46 | 3.23 | 6.8 | Horizontal | Pass | | | | |
| 4834.046 | -63.6 | -13 | -50.6 | -68.52 | 4.08 | 9 | Horizontal | Pass | | | | |
| 6445.156 | -61.99 | -13 | -48.99 | -67.14 | 4.85 | 10 | Horizontal | Pass | | | | |
| 3253.2 | -57.56 | -13 | -44.56 | -61.13 | 3.23 | 6.8 | Vertical | Pass | | | | |
| 4958.678 | -62.87 | -13 | -49.87 | -67.79 | 4.08 | 9 | Vertical | Pass | | | | |
| 6678.987 | -60.91 | -13 | -47.91 | -66.69 | 4.32 | 10.1 | Vertical | Pass | | | | |

| | NTN Band 255-Middle channel, Modulation: QPSK, SCS:3.75KHz, 1@0 | | | | | | | | | | | |
|--------------------|---|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|--|--|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | | | | |
| 3287 | -47.23 | -13 | -34.23 | -50.8 | 3.23 | 6.8 | Horizontal | Pass | | | | |
| 4871.103 | -63.55 | -13 | -50.55 | -68.47 | 4.08 | 9 | Horizontal | Pass | | | | |
| 6511.117 | -61.66 | -13 | -48.66 | -67.44 | 4.32 | 10.1 | Horizontal | Pass | | | | |
| 3287 | -55.65 | -13 | -42.65 | -59.22 | 3.23 | 6.8 | Vertical | Pass | | | | |
| 4883.519 | -63.44 | -13 | -50.44 | -68.36 | 4.08 | 9 | Vertical | Pass | | | | |
| 6478.053 | -61.95 | -13 | -48.95 | -67.1 | 4.85 | 10 | Vertical | Pass | | | | |

| NTN Band 255-High channel, Modulation: QPSK, SCS:3.75KHz, 1@0 | | | | | | | | | |
|---|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | |
| 3320.8 | -62.31 | -13 | -49.31 | -65.88 | 3.23 | 6.8 | Horizontal | Pass | |
| 4858.719 | -64.56 | -13 | -51.56 | -69.48 | 4.08 | 9 | Horizontal | Pass | |
| 6494.564 | -62.47 | -13 | -49.47 | -67.62 | 4.85 | 10 | Horizontal | Pass | |
| 3320.8 | -65.89 | -13 | -52.89 | -69.46 | 3.23 | 6.8 | Vertical | Pass | |
| 4981.2 | -63.23 | -13 | -50.23 | -68.15 | 4.08 | 9 | Vertical | Pass | |
| 6641.6 | -62.56 | -13 | -49.56 | -68.34 | 4.32 | 10.1 | Vertical | Pass | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 20 of 24

| NTN Band 23-Low channel, Modulation: QPSK, SCS:3.75KHz, 1@0 | | | | | | | | | |
|---|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | |
| 4000.2 | -62.46 | -13 | -49.46 | -66.54 | 4.42 | 8.5 | Horizontal | Pass | |
| 5910.798 | -62.53 | -13 | -49.53 | -67.99 | 4.44 | 9.9 | Horizontal | Pass | |
| 7900.858 | -59.39 | -13 | -46.39 | -66.08 | 4.71 | 11.4 | Horizontal | Pass | |
| 4000.2 | -63.12 | -13 | -50.12 | -67.2 | 4.42 | 8.5 | Vertical | Pass | |
| 6000.3 | -62.18 | -13 | -49.18 | -67.33 | 4.85 | 10 | Vertical | Pass | |
| 7920.996 | -58.99 | -13 | -45.99 | -65.68 | 4.71 | 11.4 | Vertical | Pass | |

| NTN Band 23-Middle channel, Modulation: QPSK, SCS:3.75KHz, 1@0 | | | | | | | | | |
|--|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | |
| 4020 | -65.3 | -13 | -52.3 | -69.38 | 4.42 | 8.5 | Horizontal | Pass | |
| 6030 | -62.86 | -13 | -49.86 | -68.01 | 4.85 | 10 | Horizontal | Pass | |
| 8040 | -59.57 | -13 | -46.57 | -66.39 | 4.98 | 11.8 | Horizontal | Pass | |
| 4020 | -65.23 | -13 | -52.23 | -69.31 | 4.42 | 8.5 | Vertical | Pass | |
| 5925.863 | -62.77 | -13 | -49.77 | -68.23 | 4.44 | 9.9 | Vertical | Pass | |
| 7900.858 | -59.46 | -13 | -46.46 | -66.15 | 4.71 | 11.4 | Vertical | Pass | |

| NTN Band 23-High channel, Modulation: QPSK, SCS:3.75KHz, 1@0 | | | | | | | | | |
|--|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|--|
| Frequency (KHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result | |
| 4039.8 | -65.12 | -13 | -52.12 | -69.2 | 4.42 | 8.5 | Horizontal | Pass | |
| 6172.197 | -61.98 | -13 | -48.98 | -67.13 | 4.85 | 10 | Horizontal | Pass | |
| 8250.266 | -59.12 | -13 | -46.12 | -65.94 | 4.98 | 11.8 | Horizontal | Pass | |
| 4039.8 | -62.8 | -13 | -49.8 | -66.88 | 4.42 | 8.5 | Vertical | Pass | |
| 6059.7 | -62.31 | -13 | -49.31 | -67.46 | 4.85 | 10 | Vertical | Pass | |
| 8079.6 | -58.77 | -13 | -45.77 | -65.59 | 4.98 | 11.8 | Vertical | Pass | |

Note: The test result of Below 1G which was very low and not reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions (Terms-and-Conditions) and the time of the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 21 of 24

6.6 Frequency stability

Test Requirement: §2.1055, §25.202 (d)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01 Limit: Within 0.001 percent of the reference frequency


6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 21.8 °C Humidity: 53.9 % RH Atmospheric Pressure: 1020 mbar

Test mode : Test mode1 and Test mode2

6.6.2 Test Setup Diagram



Ground Reference Plane

6.6.3 Measurement Data

Please refer to Appendix for NTN test data(Band 23) and NTN test data(Band 255)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's fidnings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CND pocked-Rigas comp.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 22 of 24

6.7 Additional unwanted emission limits for MESs

Test Requirement: §25.216(c)(e)(h)(i)

Test Method: ANSI C63.26-2015, KDB 971168 D01 v03r01

Limit: The e.i.r.p. density of emissions from mobile earth stations placed in service

after July 21, 2002 with assigned uplink frequencies between 1610 MHz and 1660.5 MHz shall not exceed -70 dBW/MHz, averaged over any 2 millisecond active transmission interval, in the band 1559-1605 MHz. The e.i.r.p. of discrete emissions of less than 700 Hz bandwidth from such stations shall not exceed -80 dBW, averaged over any 2 millisecond active

transmission interval, in the 1559-1605 MHz band.

The e.i.r.p density of emissions from mobile earth stations with assigned uplink frequencies between 1990 MHz and 2025 MHz shall not exceed –70 dBW/MHz, averaged over any 2 millisecond active transmission interval, in frequencies between 1559 MHz and 1610 MHz. The e.i.r.p. of discrete emissions of less than 700 Hz bandwidth from such stations between 1559 MHz and 1605 MHz shall not exceed –80 dBW, averaged over any 2 millisecond active transmission interval. The e.i.r.p. of discrete emissions of less than 700 Hz bandwidth from such stations between 1605 MHz and 1610 MHz manufactured more than six months after Federal Register publication of the rule changes adopted in FCC 03-283 shall not exceed –80 dBW, averaged over any 2 millisecond active transmission interval.

Mobile earth stations manufactured more than six months after Federal Register publication of the rule changes adopted in FCC 03-283 with assigned uplink frequencies in the 1626.5-1660.5 MHz band shall suppress the power density of emissions in the 1605-1610 MHz band-segment to an extent determined by linear interpolation from -70 dBW/MHz at 1605 MHz to -46 dBW/MHz at 1610 MHz, averaged over any 2 millisecond active transmission interval. The e.i.r.p of discrete emissions of less than 700 Hz bandwidth from such stations shall not exceed a level determined by linear interpolation from -80 dBW at 1605 MHz to -56 dBW at 1610 MHz, averaged over any 2 millisecond active transmission interval.

The e.i.r.p density of carrier-off state emissions from mobile earth stations manufactured more than six months after Federal Register publication of the rule changes adopted in FCC 03-283 with assigned uplink frequencies between 1 and 3 GHz shall not exceed -80 dBW/MHz in the 1559-1610 MHz band averaged over any two millisecond interval.

6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 21.8 °C Humidity: 53.9 % RH Atmospheric Pressure: 1020 mbar

Test mode : Test mode1 and Test mode2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/1 Report No.: FYCR241200002001

Page: 23 of 24

6.7.2 Test Setup Diagram



Ground Reference Plane

6.7.3 Measurement Data

Please refer to Appendix for NTN test data(Band 23) and NTN test data(Band 255)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CN Deccheck@css.com.



SZCCS-TRF-01 Rev. A/1

Report No.: FYCR241200002001 Page: 24 of 24

7 Test Setup Photo

Please refer to Appendix A.1 - NTN Setup Photos

8 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CN Deccheck@css.com.