

Appendix for KSCR2207001267AT-FCC-NR-Frequency Stability

1. n2 Frequency Stability

1.1 15k_SISO_5MHz

1.1.1 Test Result

5G NR n2 SCS=15kHz SISO 5MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	-9.90	-0.0053	>=-2.5 & <=2.5	Pass
				HV	-8.10	-0.0043	>=-2.5 & <=2.5	Pass
			-30	NV	-10.70	-0.0057	>=-2.5 & <=2.5	Pass
			-20	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-0.90	-0.0005	>=-2.5 & <=2.5	Pass
			10	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			20	NV	-10.20	-0.0054	>=-2.5 & <=2.5	Pass
			30	NV	-8.10	-0.0043	>=-2.5 & <=2.5	Pass
			40	NV	-9.70	-0.0052	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
				HV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-1.20	-0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-1.00	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-1.60	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			30	NV	-1.70	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-1.50	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing report and certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-57350888 0512-57370911 www.sgs.com.cn
0512-5157350888 0512-5157370911 sgs.china@sgs.com

			30	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			50	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			-20	NV	-7.30	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-7.80	-0.0041	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			50	NV	-6.40	-0.0034	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	-1.50	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			50	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-0.70	-0.0004	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-1.60	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at CH-0001@sgs.com or CH-0001@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

		20	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
		30	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
		40	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
		50	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass

1.2 15k_SISO_10MHz

1.2.1 Test Result

5G NR n2 SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	3.10	0.0016	>=-2.5 & <=2.5	Pass
				HV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-7.80	-0.0041	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0045	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0051	>=-2.5 & <=2.5	Pass
			30	NV	-12.10	-0.0064	>=-2.5 & <=2.5	Pass
			40	NV	-8.20	-0.0044	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-1.50	-0.0008	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
				HV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
			-20	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-5.00	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (1) day prior to send an email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn
0512-515735088 0512-515737010 sgs.china@sgs.com

			20	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-6.30	-0.0034	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-6.30	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-0.80	-0.0004	>=-2.5 & <=2.5	Pass
			30	NV	-0.70	-0.0004	>=-2.5 & <=2.5	Pass
			40	NV	-0.60	-0.0003	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			-20	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	1.00	0.0005	>=-2.5 & <=2.5	Pass
			0	NV	0.70	0.0004	>=-2.5 & <=2.5	Pass
			10	NV	0.80	0.0004	>=-2.5 & <=2.5	Pass
			20	NV	0.60	0.0003	>=-2.5 & <=2.5	Pass
			30	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com.

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-515735088 0512-515737011 www.sgs.com.cn

0512-515735088 0512-515737011 sgs.china@sgs.com

			10	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			50	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass

1.3 15k_SISO_15MHz

1.3.1 Test Result

5G NR n2 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
				HV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			-30	NV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0055	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass
			-20	NV	-7.30	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-10.60	-0.0056	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0056	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0046	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0057	>=-2.5 & <=2.5	Pass
			40	NV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-6.50	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions-for-Electronic-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370911 www.sgs.com.cn
 056-512157350883 056-512157370911 sgs.china@sgs.com

			10	NV	-7.30	-0.0039	>=-2.5 & <=2.5	Pass
			20	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0039	>=-2.5 & <=2.5	Pass
			-30	NV	-9.70	-0.0052	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0049	>=-2.5 & <=2.5	Pass
			-10	NV	-12.20	-0.0065	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0056	>=-2.5 & <=2.5	Pass
			20	NV	-10.50	-0.0056	>=-2.5 & <=2.5	Pass
			30	NV	-9.80	-0.0052	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			CP-OFDM QPSK	1880	Outer_Full	20	LV	-6.20
HV	-7.80	-0.0041					>=-2.5 & <=2.5	Pass
-30	NV	-9.90				-0.0053	>=-2.5 & <=2.5	Pass
-20	NV	-8.60				-0.0046	>=-2.5 & <=2.5	Pass
-10	NV	-8.90				-0.0047	>=-2.5 & <=2.5	Pass
0	NV	-7.20				-0.0038	>=-2.5 & <=2.5	Pass
10	NV	-1.70				-0.0009	>=-2.5 & <=2.5	Pass
20	NV	-1.90				-0.0010	>=-2.5 & <=2.5	Pass
30	NV	1.60				0.0009	>=-2.5 & <=2.5	Pass
40	NV	-4.10				-0.0022	>=-2.5 & <=2.5	Pass
50	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
40	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass			
50	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-0.50	-0.0003	>=-2.5 & <=2.5	Pass
			-10	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
40	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass			
50	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions of Service, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of the Client's instructions. It is the Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

186-51257356888 186-51257370818 www.sgsygroup.com.cn
 186-51257356888 186-51257370818 sgsy.china@sgsy.com

		0	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
		10	NV	-6.50	-0.0035	>=-2.5 & <=2.5	Pass
		20	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
		30	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
		40	NV	-7.20	-0.0038	>=-2.5 & <=2.5	Pass
		50	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass

1.4 15k_SISO_20MHz

1.4.1 Test Result

5G NR n2 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	-9.70	-0.0052	>=-2.5 & <=2.5	Pass
				HV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			-30	NV	-11.80	-0.0063	>=-2.5 & <=2.5	Pass
			-20	NV	-12.10	-0.0064	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0055	>=-2.5 & <=2.5	Pass
			0	NV	-8.60	-0.0046	>=-2.5 & <=2.5	Pass
			10	NV	-12.00	-0.0064	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0043	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0048	>=-2.5 & <=2.5	Pass
			40	NV	-9.40	-0.0050	>=-2.5 & <=2.5	Pass
50	NV	-8.60	-0.0046	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-5.00	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-7.10	-0.0038	>=-2.5 & <=2.5	Pass
			30	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
50	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-7.20	-0.0038	>=-2.5 & <=2.5	Pass
			-20	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
50	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
				HV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	2.20	0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-51257350888 0512-51257370910 www.sgs.com.cn
0512-51257350888 0512-51257370910 sgs.china@sgs.com

			0	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass
			50	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-9.20	-0.0049	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0049	>=-2.5 & <=2.5	Pass
			-10	NV	-10.80	-0.0057	>=-2.5 & <=2.5	Pass
			0	NV	-10.70	-0.0057	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0044	>=-2.5 & <=2.5	Pass
			20	NV	-10.70	-0.0057	>=-2.5 & <=2.5	Pass
			30	NV	-12.70	-0.0068	>=-2.5 & <=2.5	Pass
			40	NV	-10.30	-0.0055	>=-2.5 & <=2.5	Pass
50	NV	-10.70	-0.0057	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	1880	Outer_Full	20	LV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
			-30	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	1.70	0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-0.90	-0.0005	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass
			40	NV	-9.40	-0.0050	>=-2.5 & <=2.5	Pass
50	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0040	>=-2.5 & <=2.5	Pass
			30	NV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			40	NV	-7.90	-0.0042	>=-2.5 & <=2.5	Pass
50	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
				HV	0.50	0.0003	>=-2.5 & <=2.5	Pass
			-30	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
50	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0034	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed herein, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of its instructions, if any. The Company's sole responsibility is to its client and this document shall not exonerate parties to a transaction from their own responsibilities and obligations under the relevant documents. The document shall not constitute a receipt in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Keshan, Jiangsu, China 215300
中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

086-5125735688 086-5125737001 www.sgsigroup.com.cn
086-5125735688 086-5125737001 sgs.china@sgs.com

			-10	NV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-8.80	-0.0047	>=-2.5 & <=2.5	Pass
			20	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-5.00	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass

1.5 30k SISO 10MHz

1.5.1 Test Result

5G NR n2 SCS=30kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	-17.60	-0.0094	>=-2.5 & <=2.5	Pass
				HV	-22.40	-0.0119	>=-2.5 & <=2.5	Pass
			-30	NV	-20.90	-0.0111	>=-2.5 & <=2.5	Pass
			-20	NV	-18.40	-0.0098	>=-2.5 & <=2.5	Pass
			-10	NV	-13.60	-0.0072	>=-2.5 & <=2.5	Pass
			0	NV	-13.50	-0.0072	>=-2.5 & <=2.5	Pass
			10	NV	-10.70	-0.0057	>=-2.5 & <=2.5	Pass
			20	NV	-12.50	-0.0066	>=-2.5 & <=2.5	Pass
			30	NV	-8.50	-0.0045	>=-2.5 & <=2.5	Pass
			40	NV	-14.30	-0.0076	>=-2.5 & <=2.5	Pass
50	NV	-12.50	-0.0066	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-13.20	-0.0070	>=-2.5 & <=2.5	Pass
				HV	-13.70	-0.0073	>=-2.5 & <=2.5	Pass
			-30	NV	-11.30	-0.0060	>=-2.5 & <=2.5	Pass
			-20	NV	-11.30	-0.0060	>=-2.5 & <=2.5	Pass
			-10	NV	-15.70	-0.0084	>=-2.5 & <=2.5	Pass
			0	NV	-10.80	-0.0057	>=-2.5 & <=2.5	Pass
			10	NV	-14.60	-0.0078	>=-2.5 & <=2.5	Pass
			20	NV	-15.00	-0.0080	>=-2.5 & <=2.5	Pass
			30	NV	-11.50	-0.0061	>=-2.5 & <=2.5	Pass
			40	NV	-8.10	-0.0043	>=-2.5 & <=2.5	Pass
50	NV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-14.90	-0.0079	>=-2.5 & <=2.5	Pass
				HV	-12.10	-0.0064	>=-2.5 & <=2.5	Pass
			-30	NV	-13.70	-0.0073	>=-2.5 & <=2.5	Pass
			-20	NV	-16.20	-0.0086	>=-2.5 & <=2.5	Pass
			-10	NV	-13.80	-0.0073	>=-2.5 & <=2.5	Pass
			0	NV	-10.20	-0.0054	>=-2.5 & <=2.5	Pass
			10	NV	-14.70	-0.0078	>=-2.5 & <=2.5	Pass
			20	NV	-12.90	-0.0069	>=-2.5 & <=2.5	Pass
			30	NV	-15.70	-0.0084	>=-2.5 & <=2.5	Pass
			40	NV	-13.70	-0.0073	>=-2.5 & <=2.5	Pass
50	NV	-13.60	-0.0072	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-11.50	-0.0061	>=-2.5 & <=2.5	Pass
				HV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			-30	NV	-12.30	-0.0065	>=-2.5 & <=2.5	Pass
			-20	NV	-13.50	-0.0072	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.esa.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.esa.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and accepted the Terms and Conditions of the document and the Company's policy and the Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may be prosecuted to the full. The Company has otherwise stated the conditions in which this document may be used and the conditions of its use are available on request at <http://www.esa.com/en>.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735888 86-5125737000 www.sgs.com.cn
86-5125735888 86-5125737000 sgs.china@sgs.com

			-10	NV	-16.70	-0.0089	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			0	NV	-16.10	-0.0086	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			10	NV	-14.70	-0.0078	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			20	NV	-13.80	-0.0073	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			30	NV	-13.20	-0.0070	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			40	NV	-14.30	-0.0076	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			50	NV	-12.20	-0.0065	$>=-2.5 \text{ \& } \leq 2.5$	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-11.80	-0.0063	$>=-2.5 \text{ \& } \leq 2.5$	Pass
				HV	-10.90	-0.0058	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-30	NV	-10.90	-0.0058	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-20	NV	-12.20	-0.0065	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-10	NV	-9.90	-0.0053	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			0	NV	-13.00	-0.0069	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			10	NV	-13.30	-0.0071	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			20	NV	-10.40	-0.0055	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			30	NV	-10.40	-0.0055	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			40	NV	-11.10	-0.0059	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			50	NV	-13.50	-0.0072	$>=-2.5 \text{ \& } \leq 2.5$	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	-4.60	-0.0024	$>=-2.5 \text{ \& } \leq 2.5$	Pass
				HV	-2.80	-0.0015	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-30	NV	-1.80	-0.0010	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-20	NV	-5.80	-0.0031	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-10	NV	-5.40	-0.0029	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			0	NV	-2.00	-0.0011	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			10	NV	-3.50	-0.0019	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			20	NV	1.40	0.0007	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			30	NV	-2.70	-0.0014	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			40	NV	-4.20	-0.0022	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			50	NV	-4.10	-0.0022	$>=-2.5 \text{ \& } \leq 2.5$	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-6.20	-0.0033	$>=-2.5 \text{ \& } \leq 2.5$	Pass
				HV	-3.80	-0.0020	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-30	NV	-5.00	-0.0027	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-20	NV	-2.50	-0.0013	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-10	NV	-4.20	-0.0022	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			0	NV	-5.70	-0.0030	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			10	NV	-6.90	-0.0037	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			20	NV	-5.80	-0.0031	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			30	NV	-2.40	-0.0013	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			40	NV	-5.30	-0.0028	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			50	NV	-2.50	-0.0013	$>=-2.5 \text{ \& } \leq 2.5$	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-3.20	-0.0017	$>=-2.5 \text{ \& } \leq 2.5$	Pass
				HV	-2.20	-0.0012	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-30	NV	-3.20	-0.0017	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-20	NV	-2.80	-0.0015	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-10	NV	-2.60	-0.0014	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			0	NV	-1.00	-0.0005	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			10	NV	-4.10	-0.0022	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			20	NV	-4.00	-0.0021	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			30	NV	-1.70	-0.0009	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			40	NV	-7.40	-0.0039	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			50	NV	-6.60	-0.0035	$>=-2.5 \text{ \& } \leq 2.5$	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-4.30	-0.0023	$>=-2.5 \text{ \& } \leq 2.5$	Pass
				HV	-3.70	-0.0020	$>=-2.5 \text{ \& } \leq 2.5$	Pass
			-30	NV	-6.00	-0.0032	$>=-2.5 \text{ \& } \leq 2.5$	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0086-512(57350888) 006-512(5737091) www.sgs.com.cn

0086-512(57350888) 006-512(5737091) sgs.china@sgs.com

			-20	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			30	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			50	NV	-7.20	-0.0038	>=-2.5 & <=2.5	Pass

1.6 30k_SISO_15MHz

1.6.1 Test Result

5G NR n2 SCS=30kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	-20.80	-0.0111	>=-2.5 & <=2.5	Pass
				HV	-15.90	-0.0085	>=-2.5 & <=2.5	Pass
			-30	NV	-12.00	-0.0064	>=-2.5 & <=2.5	Pass
			-20	NV	-14.60	-0.0078	>=-2.5 & <=2.5	Pass
			-10	NV	-13.50	-0.0072	>=-2.5 & <=2.5	Pass
			0	NV	-15.40	-0.0082	>=-2.5 & <=2.5	Pass
			10	NV	-17.00	-0.0090	>=-2.5 & <=2.5	Pass
			20	NV	-14.30	-0.0076	>=-2.5 & <=2.5	Pass
			30	NV	-17.90	-0.0095	>=-2.5 & <=2.5	Pass
			40	NV	-19.30	-0.0103	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-18.20	-0.0097	>=-2.5 & <=2.5	Pass
				HV	-17.70	-0.0094	>=-2.5 & <=2.5	Pass
			-30	NV	-12.90	-0.0069	>=-2.5 & <=2.5	Pass
			-20	NV	-9.60	-0.0051	>=-2.5 & <=2.5	Pass
			-10	NV	-14.50	-0.0077	>=-2.5 & <=2.5	Pass
			0	NV	-13.60	-0.0072	>=-2.5 & <=2.5	Pass
			10	NV	-16.00	-0.0085	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			30	NV	-15.60	-0.0083	>=-2.5 & <=2.5	Pass
			40	NV	-9.00	-0.0048	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-13.50	-0.0072	>=-2.5 & <=2.5	Pass
				HV	-15.90	-0.0085	>=-2.5 & <=2.5	Pass
			-30	NV	-13.00	-0.0069	>=-2.5 & <=2.5	Pass
			-20	NV	-15.80	-0.0084	>=-2.5 & <=2.5	Pass
			-10	NV	-13.90	-0.0074	>=-2.5 & <=2.5	Pass
			0	NV	-15.50	-0.0082	>=-2.5 & <=2.5	Pass
			10	NV	-13.00	-0.0069	>=-2.5 & <=2.5	Pass
			20	NV	-15.20	-0.0081	>=-2.5 & <=2.5	Pass
			30	NV	-13.00	-0.0069	>=-2.5 & <=2.5	Pass
			40	NV	-15.50	-0.0082	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-18.90	-0.0101	>=-2.5 & <=2.5	Pass
				HV	-14.80	-0.0079	>=-2.5 & <=2.5	Pass
			-30	NV	-14.80	-0.0079	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (1) day before/7 days after email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn
0512-515735088 0512-515737010 sgs.china@sgs.com

			-20	NV	-12.80	-0.0068	>=-2.5 & <=2.5	Pass
			-10	NV	-12.40	-0.0066	>=-2.5 & <=2.5	Pass
			0	NV	-13.60	-0.0072	>=-2.5 & <=2.5	Pass
			10	NV	-16.90	-0.0090	>=-2.5 & <=2.5	Pass
			20	NV	-13.10	-0.0070	>=-2.5 & <=2.5	Pass
			30	NV	-12.30	-0.0065	>=-2.5 & <=2.5	Pass
			40	NV	-17.00	-0.0090	>=-2.5 & <=2.5	Pass
			50	NV	-14.30	-0.0076	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-14.60	-0.0078	>=-2.5 & <=2.5	Pass
				HV	-13.50	-0.0072	>=-2.5 & <=2.5	Pass
			-30	NV	-13.40	-0.0071	>=-2.5 & <=2.5	Pass
			-20	NV	-14.40	-0.0077	>=-2.5 & <=2.5	Pass
			-10	NV	-13.70	-0.0073	>=-2.5 & <=2.5	Pass
			0	NV	-10.40	-0.0055	>=-2.5 & <=2.5	Pass
			10	NV	-11.90	-0.0063	>=-2.5 & <=2.5	Pass
			20	NV	-13.80	-0.0073	>=-2.5 & <=2.5	Pass
			30	NV	-12.50	-0.0066	>=-2.5 & <=2.5	Pass
			40	NV	-14.60	-0.0078	>=-2.5 & <=2.5	Pass
			50	NV	-11.90	-0.0063	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	-9.30	-0.0049	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			-20	NV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			0	NV	-8.90	-0.0047	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-7.10	-0.0038	>=-2.5 & <=2.5	Pass
			30	NV	-7.80	-0.0041	>=-2.5 & <=2.5	Pass
			40	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			50	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-7.10	-0.0038	>=-2.5 & <=2.5	Pass
				HV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0053	>=-2.5 & <=2.5	Pass
			-10	NV	-7.50	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0038	>=-2.5 & <=2.5	Pass
			10	NV	-8.10	-0.0043	>=-2.5 & <=2.5	Pass
			20	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-9.70	-0.0052	>=-2.5 & <=2.5	Pass
			40	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			50	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-7.90	-0.0042	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0053	>=-2.5 & <=2.5	Pass
			-20	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-9.50	-0.0051	>=-2.5 & <=2.5	Pass
			10	NV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			20	NV	-10.40	-0.0055	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0048	>=-2.5 & <=2.5	Pass
			40	NV	-6.50	-0.0035	>=-2.5 & <=2.5	Pass
			50	NV	-8.80	-0.0047	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0038	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH.Official@sgs.com or CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			-30	NV	-8.40	-0.0045	>=-2.5 & <=2.5	Pass
			-20	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-7.30	-0.0039	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass

1.7 30k_SISO_20MHz

1.7.1 Test Result

5G NR n2 SCS=30kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	20	LV	-14.00	-0.0074	>=-2.5 & <=2.5	Pass
				HV	-15.70	-0.0084	>=-2.5 & <=2.5	Pass
			-30	NV	-15.30	-0.0081	>=-2.5 & <=2.5	Pass
			-20	NV	-14.90	-0.0079	>=-2.5 & <=2.5	Pass
			-10	NV	-16.20	-0.0086	>=-2.5 & <=2.5	Pass
			0	NV	-10.80	-0.0057	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0058	>=-2.5 & <=2.5	Pass
			20	NV	-11.80	-0.0063	>=-2.5 & <=2.5	Pass
			30	NV	-16.10	-0.0086	>=-2.5 & <=2.5	Pass
			40	NV	-18.60	-0.0099	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-14.00	-0.0074	>=-2.5 & <=2.5	Pass
				HV	-15.50	-0.0082	>=-2.5 & <=2.5	Pass
			-30	NV	-16.40	-0.0087	>=-2.5 & <=2.5	Pass
			-20	NV	-14.90	-0.0079	>=-2.5 & <=2.5	Pass
			-10	NV	-15.10	-0.0080	>=-2.5 & <=2.5	Pass
			0	NV	-17.40	-0.0093	>=-2.5 & <=2.5	Pass
			10	NV	-16.00	-0.0085	>=-2.5 & <=2.5	Pass
			20	NV	-14.80	-0.0079	>=-2.5 & <=2.5	Pass
			30	NV	-13.90	-0.0074	>=-2.5 & <=2.5	Pass
			40	NV	-13.20	-0.0070	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-9.20	-0.0049	>=-2.5 & <=2.5	Pass
				HV	-10.60	-0.0056	>=-2.5 & <=2.5	Pass
			-30	NV	-10.80	-0.0057	>=-2.5 & <=2.5	Pass
			-20	NV	-12.60	-0.0067	>=-2.5 & <=2.5	Pass
			-10	NV	-16.40	-0.0087	>=-2.5 & <=2.5	Pass
			0	NV	-11.70	-0.0062	>=-2.5 & <=2.5	Pass
			10	NV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			20	NV	-11.60	-0.0062	>=-2.5 & <=2.5	Pass
			30	NV	-12.20	-0.0065	>=-2.5 & <=2.5	Pass
			40	NV	-12.90	-0.0069	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-11.10	-0.0059	>=-2.5 & <=2.5	Pass
				HV	-16.60	-0.0088	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (1) of the following:
 or email: CH.Official@sgs.com
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 0512-5125735088 0512-5125737010 www.sgs.com.cn
 0512-5125735088 0512-5125737010 sgs.china@sgs.com

			-30	NV	-16.40	-0.0087	>=-2.5 & <=2.5	Pass
			-20	NV	-16.70	-0.0089	>=-2.5 & <=2.5	Pass
			-10	NV	-14.40	-0.0077	>=-2.5 & <=2.5	Pass
			0	NV	-13.30	-0.0071	>=-2.5 & <=2.5	Pass
			10	NV	-14.80	-0.0079	>=-2.5 & <=2.5	Pass
			20	NV	-14.00	-0.0074	>=-2.5 & <=2.5	Pass
			30	NV	-14.20	-0.0076	>=-2.5 & <=2.5	Pass
			40	NV	-13.90	-0.0074	>=-2.5 & <=2.5	Pass
			50	NV	-14.70	-0.0078	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-11.10	-0.0059	>=-2.5 & <=2.5	Pass
				HV	-10.20	-0.0054	>=-2.5 & <=2.5	Pass
			-30	NV	-8.50	-0.0045	>=-2.5 & <=2.5	Pass
			-20	NV	-9.30	-0.0049	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0051	>=-2.5 & <=2.5	Pass
			0	NV	-12.60	-0.0067	>=-2.5 & <=2.5	Pass
			10	NV	-11.30	-0.0060	>=-2.5 & <=2.5	Pass
			20	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
			40	NV	-12.00	-0.0064	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	50	NV	-11.60	-0.0062	>=-2.5 & <=2.5	Pass
			20	LV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
				HV	-10.20	-0.0054	>=-2.5 & <=2.5	Pass
			-30	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0043	>=-2.5 & <=2.5	Pass
			-10	NV	-8.40	-0.0045	>=-2.5 & <=2.5	Pass
			0	NV	-9.70	-0.0052	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0058	>=-2.5 & <=2.5	Pass
			20	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0044	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	40	NV	-9.80	-0.0052	>=-2.5 & <=2.5	Pass
			50	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			20	LV	-10.30	-0.0055	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0038	>=-2.5 & <=2.5	Pass
			-30	NV	-8.80	-0.0047	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0047	>=-2.5 & <=2.5	Pass
			0	NV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			10	NV	-10.20	-0.0054	>=-2.5 & <=2.5	Pass
			20	NV	-11.00	-0.0059	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	30	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0041	>=-2.5 & <=2.5	Pass
			50	NV	-10.80	-0.0057	>=-2.5 & <=2.5	Pass
			20	LV	-10.20	-0.0054	>=-2.5 & <=2.5	Pass
				HV	-10.50	-0.0056	>=-2.5 & <=2.5	Pass
			-30	NV	-12.00	-0.0064	>=-2.5 & <=2.5	Pass
			-20	NV	-7.80	-0.0041	>=-2.5 & <=2.5	Pass
			-10	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0045	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass
			30	NV	-9.30	-0.0049	>=-2.5 & <=2.5	Pass
			40	NV	-10.90	-0.0058	>=-2.5 & <=2.5	Pass
			50	NV	-10.10	-0.0054	>=-2.5 & <=2.5	Pass
			20	LV	2.20	0.0012	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at info@sgs.com or info@sgs.com.cn or email: CH-Office@sgs.com

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-51257350000 0512-51257370000 www.sgs.com.cn

0512-51257350000 0512-51257370000 sgs.china@sgs.com

				HV	-5.00	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-2.80	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-6.90	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-5.90	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-5.20	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-7.50	-0.0040	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-5.40	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-5.80	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-9.30	-0.0049	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-8.50	-0.0045	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certification reports & certificates, please connect us at telephone: (+86-512) 57370011 or email: CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512) 57350888 (86-512) 57370011 www.sgs.com.cn
(86-512) 57350883 (86-512) 57370011 sgs.china@sgs.com

2. n5 Frequency Stability

2.1 15k_SISO_5MHz

2.1.1 Test Result

5G NR n5 SCS=15kHz SISO 5MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	-10.10	-0.0121	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
				NV	-6.30	-0.0075	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
				NV	-7.60	-0.0091	>=-2.5 & <=2.5	Pass
			10	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
				NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			30	NV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass
				NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			-30	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
				NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			-10	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
				NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
			10	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
				NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			30	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
				NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
				HV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-30	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
				NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			-10	NV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
				NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
			10	NV	-6.90	-0.0082	>=-2.5 & <=2.5	Pass
				NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			30	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
				NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
				NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
				NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
				NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			30	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
				NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
				NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
				NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
				NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			30	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
				NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing report or certificate, please contact us at least one (1) working day in advance by email: CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0085-51257350888 006-51257370911 www.sgs.com cn

0085-51257350888 006-51257370911 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0081	>=-2.5 & <=2.5	Pass
			-30	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			-10	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			20	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			30	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			40	NV	-5.20	-0.0062	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	836.5	Outer_Full	50	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			20	LV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
				HV	-6.00	-0.0072	>=-2.5 & <=2.5	Pass
			-30	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0077	>=-2.5 & <=2.5	Pass
			-10	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			0	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			10	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			20	NV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0071	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	40	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
			50	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			20	LV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-30	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			-20	NV	-10.10	-0.0121	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	30	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			50	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			20	LV	-6.40	-0.0077	>=-2.5 & <=2.5	Pass
				HV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			-30	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0124	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	20	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			40	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			50	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			20	LV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
				HV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			0	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			10	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			20	NV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass
			30	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			40	NV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com.

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0085-51215735088 006-51215737011 www.sgs.com.cn

0085-51215735088 006-51215737011 sgs.china@sgs.com

			50	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
--	--	--	----	----	--------	---------	----------------	------

2.2 15k_SISO_10MHz

2.2.1 Test Result

5G NR n5 SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			-30	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
			0	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			20	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			40	NV	-6.30	-0.0075	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-5.40	-0.0065	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			-30	NV	-6.90	-0.0082	>=-2.5 & <=2.5	Pass
			-20	NV	-5.20	-0.0062	>=-2.5 & <=2.5	Pass
			-10	NV	-5.70	-0.0068	>=-2.5 & <=2.5	Pass
			0	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0079	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			30	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			-20	NV	-6.90	-0.0082	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			0	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			20	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			40	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass
			-30	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			0	NV	-6.80	-0.0081	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			40	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CH.Official@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn
0512-515735088 0512-515737010 sgs.china@sgs.com

			50	NV	-11.10	-0.0133	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			-20	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
			-10	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			0	NV	-6.30	-0.0075	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			40	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
50	NV	-6.90	-0.0082	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	836.5	Outer_Full	20	LV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0124	>=-2.5 & <=2.5	Pass
			-30	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-10	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			0	NV	-10.40	-0.0124	>=-2.5 & <=2.5	Pass
			10	NV	-7.60	-0.0091	>=-2.5 & <=2.5	Pass
			20	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			30	NV	-7.60	-0.0091	>=-2.5 & <=2.5	Pass
			40	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass
50	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	836.5	Outer_Full	20	LV	-11.10	-0.0133	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			-30	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			-20	NV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-10	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			0	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0081	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			30	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			40	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
50	NV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	836.5	Outer_Full	20	LV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-20	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			10	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			20	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			30	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0124	>=-2.5 & <=2.5	Pass
50	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	836.5	Outer_Full	20	LV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
				HV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			-10	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			0	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			20	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
30	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. The Company does not warrant that the information drawn to the attention of the Client is, in all respects, free from error or omission. Any notice of this document is deemed to have been received by the Client at the time of its receipt. The Company's findings at the time of its intervention only, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

86-5125735888 86-5125737000 www.sgs.com.cn
86-5125735888 86-5125737000 sgs.china@sgs.com

		40	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
		50	NV	-10.30	-0.0123	>=-2.5 & <=2.5	Pass

2.3 15k_SISO_15MHz

2.3.1 Test Result

5G NR n5 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	-11.90	-0.0142	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-30	NV	-12.40	-0.0148	>=-2.5 & <=2.5	Pass
			-20	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			-10	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass
			0	NV	-10.90	-0.0130	>=-2.5 & <=2.5	Pass
			10	NV	-11.20	-0.0134	>=-2.5 & <=2.5	Pass
			20	NV	-11.80	-0.0141	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			40	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			50	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-6.50	-0.0078	>=-2.5 & <=2.5	Pass
				HV	-5.30	-0.0063	>=-2.5 & <=2.5	Pass
			-30	NV	-6.60	-0.0079	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			-10	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			10	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			20	NV	-5.90	-0.0071	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
			50	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
				HV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			-20	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			0	NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
			10	NV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass
			20	NV	-5.80	-0.0069	>=-2.5 & <=2.5	Pass
			30	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			40	NV	-6.20	-0.0074	>=-2.5 & <=2.5	Pass
			50	NV	-6.80	-0.0081	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
				HV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			-30	NV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-20	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
			0	NV	-6.30	-0.0075	>=-2.5 & <=2.5	Pass
			10	NV	-5.60	-0.0067	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
			30	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370911 www.sgs.com.cn
 056-512157350888 056-512157370911 sgs.china@sgs.com

			40	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			50	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-4.80	-0.0057	>=-2.5 & <=2.5	Pass
				HV	-6.10	-0.0073	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			-20	NV	-5.90	-0.0071	>=-2.5 & <=2.5	Pass
			-10	NV	-4.60	-0.0055	>=-2.5 & <=2.5	Pass
			0	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0063	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			40	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			50	NV	-4.40	-0.0053	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	836.5	Outer_Full	20	LV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-20	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			-10	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			30	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			40	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			50	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	20	LV	-6.00	-0.0072	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-20	NV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass
			-10	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			0	NV	-7.60	-0.0091	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0081	>=-2.5 & <=2.5	Pass
			20	NV	-7.60	-0.0091	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0077	>=-2.5 & <=2.5	Pass
			40	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			50	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	20	LV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
			-10	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			0	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			10	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			20	NV	-10.40	-0.0124	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			40	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			50	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	20	LV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
				HV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			-30	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			-10	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			0	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			10	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			20	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (86-512)57370911 or email: CH-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

86-512(57370988 86-512(57370911 www.sgs.com.cn

86-512(57350888 86-512(57370911 sgs.china@sgs.com)

		30	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
		40	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
		50	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass

2.4 15k_SISO_20MHz

2.4.1 Test Result

5G NR n5 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	-13.60	-0.0163	>=-2.5 & <=2.5	Pass
				HV	-12.00	-0.0143	>=-2.5 & <=2.5	Pass
			-30	NV	-12.80	-0.0153	>=-2.5 & <=2.5	Pass
			-20	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
			-10	NV	-12.40	-0.0148	>=-2.5 & <=2.5	Pass
			0	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			20	NV	-12.60	-0.0151	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0123	>=-2.5 & <=2.5	Pass
			40	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
				HV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			-30	NV	-12.00	-0.0143	>=-2.5 & <=2.5	Pass
			-20	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			-10	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			0	NV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass
			10	NV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			40	NV	-6.50	-0.0078	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0074	>=-2.5 & <=2.5	Pass
			-30	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			-20	NV	-5.30	-0.0063	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			20	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			30	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			40	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass
			-20	NV	-6.50	-0.0078	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0078	>=-2.5 & <=2.5	Pass
			0	NV	-6.20	-0.0074	>=-2.5 & <=2.5	Pass
			10	NV	-6.30	-0.0075	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.
 No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300
 0512-51257350000 0512-51257370010 www.sgs.com.cn
 0512-51257350000 0512-51257370010 sgs.china@sgs.com

			30	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			40	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			50	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-7.50	-0.0090	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			-30	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			-10	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
			0	NV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
			10	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0082	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			40	NV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			50	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	836.5	Outer_Full	20	LV	-5.30	-0.0063	>=-2.5 & <=2.5	Pass
				HV	-6.40	-0.0077	>=-2.5 & <=2.5	Pass
			-30	NV	-6.50	-0.0078	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0072	>=-2.5 & <=2.5	Pass
			-10	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			30	NV	-6.00	-0.0072	>=-2.5 & <=2.5	Pass
			40	NV	-7.60	-0.0091	>=-2.5 & <=2.5	Pass
			50	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	20	LV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
				HV	-5.70	-0.0068	>=-2.5 & <=2.5	Pass
			-30	NV	-4.60	-0.0055	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0055	>=-2.5 & <=2.5	Pass
			-10	NV	-6.10	-0.0073	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0061	>=-2.5 & <=2.5	Pass
			10	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0082	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0072	>=-2.5 & <=2.5	Pass
			50	NV	-6.20	-0.0074	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	20	LV	-7.00	-0.0084	>=-2.5 & <=2.5	Pass
				HV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0077	>=-2.5 & <=2.5	Pass
			-10	NV	-6.20	-0.0074	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0061	>=-2.5 & <=2.5	Pass
			10	NV	-5.70	-0.0068	>=-2.5 & <=2.5	Pass
			20	NV	-3.40	-0.0041	>=-2.5 & <=2.5	Pass
			30	NV	-5.00	-0.0060	>=-2.5 & <=2.5	Pass
			40	NV	-3.90	-0.0047	>=-2.5 & <=2.5	Pass
			50	NV	-5.30	-0.0063	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	20	LV	-11.10	-0.0133	>=-2.5 & <=2.5	Pass
				HV	-10.30	-0.0123	>=-2.5 & <=2.5	Pass
			-30	NV	-10.90	-0.0130	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			0	NV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
			10	NV	-12.00	-0.0143	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CN-Check@sgs.com or at www.sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0085-51215735088 006-51215737011 www.sgs.com.cn
0085-51215735088 006-51215737011 sgs.china@sgs.com

		20	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
		30	NV	-11.20	-0.0134	>=-2.5 & <=2.5	Pass
		40	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
		50	NV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass

2.5 30k_SISO_10MHz

2.5.1 Test Result

5G NR n5 SCS=30kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	3.60	0.0043	>=-2.5 & <=2.5	Pass
				HV	-1.20	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	6.00	0.0072	>=-2.5 & <=2.5	Pass
			-20	NV	3.40	0.0041	>=-2.5 & <=2.5	Pass
			-10	NV	5.90	0.0071	>=-2.5 & <=2.5	Pass
			0	NV	7.70	0.0092	>=-2.5 & <=2.5	Pass
			10	NV	6.80	0.0081	>=-2.5 & <=2.5	Pass
			20	NV	6.90	0.0082	>=-2.5 & <=2.5	Pass
			30	NV	7.50	0.0090	>=-2.5 & <=2.5	Pass
			40	NV	5.80	0.0069	>=-2.5 & <=2.5	Pass
			50	NV	8.30	0.0099	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
				HV	-8.40	-0.0100	>=-2.5 & <=2.5	Pass
			-30	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			-20	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
			-10	NV	7.70	0.0092	>=-2.5 & <=2.5	Pass
			0	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			10	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
			20	NV	-6.70	-0.0080	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			40	NV	-11.30	-0.0135	>=-2.5 & <=2.5	Pass
			50	NV	-11.20	-0.0134	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
				HV	7.50	0.0090	>=-2.5 & <=2.5	Pass
			-30	NV	6.50	0.0078	>=-2.5 & <=2.5	Pass
			-20	NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			-10	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			0	NV	-12.60	-0.0151	>=-2.5 & <=2.5	Pass
			10	NV	-11.70	-0.0140	>=-2.5 & <=2.5	Pass
			20	NV	-12.30	-0.0147	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			40	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			50	NV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-12.50	-0.0149	>=-2.5 & <=2.5	Pass
				HV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			-30	NV	-5.90	-0.0071	>=-2.5 & <=2.5	Pass
			-20	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
			0	NV	6.50	0.0078	>=-2.5 & <=2.5	Pass
			10	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9737091/7091 or email: CH.Official@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 86-512(57350888 86-512(5737091) www.sgs.com.cn
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300 86-512(57350888 86-512(5737091) sgs.china@sgs.com)

			20	NV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass
			30	NV	-11.20	-0.0134	>=-2.5 & <=2.5	Pass
			40	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass
			50	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-11.80	-0.0141	>=-2.5 & <=2.5	Pass
				HV	-9.50	-0.0114	>=-2.5 & <=2.5	Pass
			-30	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
			-20	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			-10	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			10	NV	-11.90	-0.0142	>=-2.5 & <=2.5	Pass
			20	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			40	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	836.5	Outer_Full	20	LV	-12.30	-0.0147	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			-30	NV	-10.80	-0.0129	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0129	>=-2.5 & <=2.5	Pass
			-10	NV	-13.10	-0.0157	>=-2.5 & <=2.5	Pass
			0	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
			10	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass
			20	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			30	NV	-12.80	-0.0153	>=-2.5 & <=2.5	Pass
			40	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	20	LV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass
				HV	-10.80	-0.0129	>=-2.5 & <=2.5	Pass
			-30	NV	-12.70	-0.0152	>=-2.5 & <=2.5	Pass
			-20	NV	-13.20	-0.0158	>=-2.5 & <=2.5	Pass
			-10	NV	-12.80	-0.0153	>=-2.5 & <=2.5	Pass
			0	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			10	NV	-12.40	-0.0148	>=-2.5 & <=2.5	Pass
			20	NV	-14.20	-0.0170	>=-2.5 & <=2.5	Pass
			30	NV	-14.10	-0.0169	>=-2.5 & <=2.5	Pass
			40	NV	-13.10	-0.0157	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	20	LV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
				HV	-12.90	-0.0154	>=-2.5 & <=2.5	Pass
			-30	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass
			-20	NV	-11.10	-0.0133	>=-2.5 & <=2.5	Pass
			-10	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			0	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
			20	NV	-12.30	-0.0147	>=-2.5 & <=2.5	Pass
			30	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass
			40	NV	-13.10	-0.0157	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	20	LV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
				HV	-13.10	-0.0157	>=-2.5 & <=2.5	Pass
			-30	NV	-13.50	-0.0161	>=-2.5 & <=2.5	Pass
			-20	NV	-11.90	-0.0142	>=-2.5 & <=2.5	Pass
			-10	NV	-13.90	-0.0166	>=-2.5 & <=2.5	Pass
			0	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH-03@sgs.com or CH-03@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-515737011 www.sgs.com.cn

0512-515735088 0512-515737011 sgs.china@sgs.com

			10	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			20	NV	-15.50	-0.0185	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0123	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			50	NV	-14.30	-0.0171	>=-2.5 & <=2.5	Pass

2.6 30k SISO 15MHz

2.6.1 Test Result

5G NR n5 SCS=30kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	4.70	0.0056	>=-2.5 & <=2.5	Pass
				HV	7.60	0.0091	>=-2.5 & <=2.5	Pass
			-30	NV	6.10	0.0073	>=-2.5 & <=2.5	Pass
			-20	NV	6.50	0.0078	>=-2.5 & <=2.5	Pass
			-10	NV	6.80	0.0081	>=-2.5 & <=2.5	Pass
			0	NV	6.00	0.0072	>=-2.5 & <=2.5	Pass
			10	NV	6.80	0.0081	>=-2.5 & <=2.5	Pass
			20	NV	4.90	0.0059	>=-2.5 & <=2.5	Pass
			30	NV	3.70	0.0044	>=-2.5 & <=2.5	Pass
			40	NV	8.20	0.0098	>=-2.5 & <=2.5	Pass
			50	NV	4.30	0.0051	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-11.30	-0.0135	>=-2.5 & <=2.5	Pass
				HV	-12.50	-0.0149	>=-2.5 & <=2.5	Pass
			-30	NV	-10.40	-0.0124	>=-2.5 & <=2.5	Pass
			-20	NV	-11.10	-0.0133	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			10	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
			20	NV	-10.30	-0.0123	>=-2.5 & <=2.5	Pass
			30	NV	-12.50	-0.0149	>=-2.5 & <=2.5	Pass
			40	NV	-13.60	-0.0163	>=-2.5 & <=2.5	Pass
50	NV	-12.90	-0.0154	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-6.40	-0.0077	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0085	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-10	NV	-6.00	-0.0072	>=-2.5 & <=2.5	Pass
			0	NV	-11.60	-0.0139	>=-2.5 & <=2.5	Pass
			10	NV	6.90	0.0082	>=-2.5 & <=2.5	Pass
			20	NV	-5.20	-0.0062	>=-2.5 & <=2.5	Pass
			30	NV	7.50	0.0090	>=-2.5 & <=2.5	Pass
			40	NV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
50	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
				HV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			-30	NV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
			-20	NV	6.90	0.0082	>=-2.5 & <=2.5	Pass
			-10	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass
			0	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.ags.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.ags.com.au/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and agreed to the Terms and Conditions of the Company's General Conditions of Service and the Client's Instructions. If any, The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may be prosecuted to the full. The Company has otherwise stated the contents of this document only refer to the information contained in the documents referred to and has not reviewed the documents.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-51257356888 800-51257370010 www.agsgroup.com.cn
800-51257356888 800-51257370010 ags.china@ags.com

			10	NV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass			
			20	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass			
			30	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass			
			40	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass			
			50	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-11.80	-0.0141	>=-2.5 & <=2.5	Pass			
				HV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass			
			-30	NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass			
			-20	NV	7.70	0.0092	>=-2.5 & <=2.5	Pass			
			-10	NV	-7.90	-0.0094	>=-2.5 & <=2.5	Pass			
			0	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass			
			10	NV	-12.30	-0.0147	>=-2.5 & <=2.5	Pass			
			20	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass			
			30	NV	-7.20	-0.0086	>=-2.5 & <=2.5	Pass			
			40	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass			
			50	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass			
			CP-OFDM QPSK	836.5	Outer_Full	20	LV	-12.00	-0.0143	>=-2.5 & <=2.5	Pass
							HV	-10.10	-0.0121	>=-2.5 & <=2.5	Pass
-30	NV	-10.40				-0.0124	>=-2.5 & <=2.5	Pass			
-20	NV	-12.70				-0.0152	>=-2.5 & <=2.5	Pass			
-10	NV	-11.10				-0.0133	>=-2.5 & <=2.5	Pass			
0	NV	-9.30				-0.0111	>=-2.5 & <=2.5	Pass			
10	NV	-12.60				-0.0151	>=-2.5 & <=2.5	Pass			
20	NV	-12.70				-0.0152	>=-2.5 & <=2.5	Pass			
30	NV	-11.10				-0.0133	>=-2.5 & <=2.5	Pass			
40	NV	-10.00				-0.0120	>=-2.5 & <=2.5	Pass			
50	NV	-10.10	-0.0121	>=-2.5 & <=2.5	Pass						
CP-OFDM 16 QAM	836.5	Outer_Full	20	LV	-10.10	-0.0121	>=-2.5 & <=2.5	Pass			
				HV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass			
			-30	NV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass			
			-20	NV	-11.90	-0.0142	>=-2.5 & <=2.5	Pass			
			-10	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass			
			0	NV	-14.30	-0.0171	>=-2.5 & <=2.5	Pass			
			10	NV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass			
			20	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass			
			30	NV	-11.80	-0.0141	>=-2.5 & <=2.5	Pass			
			40	NV	-13.50	-0.0161	>=-2.5 & <=2.5	Pass			
50	NV	-11.10	-0.0133	>=-2.5 & <=2.5	Pass						
CP-OFDM 64 QAM	836.5	Outer_Full	20	LV	-13.00	-0.0155	>=-2.5 & <=2.5	Pass			
				HV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass			
			-30	NV	-10.10	-0.0121	>=-2.5 & <=2.5	Pass			
			-20	NV	-12.60	-0.0151	>=-2.5 & <=2.5	Pass			
			-10	NV	-13.60	-0.0163	>=-2.5 & <=2.5	Pass			
			0	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass			
			10	NV	-11.30	-0.0135	>=-2.5 & <=2.5	Pass			
			20	NV	-12.60	-0.0151	>=-2.5 & <=2.5	Pass			
			30	NV	-11.20	-0.0134	>=-2.5 & <=2.5	Pass			
			40	NV	-12.40	-0.0148	>=-2.5 & <=2.5	Pass			
50	NV	-12.50	-0.0149	>=-2.5 & <=2.5	Pass						
CP-OFDM 256 QAM	836.5	Outer_Full	20	LV	-13.20	-0.0158	>=-2.5 & <=2.5	Pass			
				HV	-11.30	-0.0135	>=-2.5 & <=2.5	Pass			
			-30	NV	-13.60	-0.0163	>=-2.5 & <=2.5	Pass			
			-20	NV	-13.60	-0.0163	>=-2.5 & <=2.5	Pass			
			-10	NV	-13.20	-0.0158	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.ags.com/en/Terms-and-Conditions.aspx>, and for electronic format documents, also available in Terms and Conditions. Electronic Documents are fully subject to the same Terms and Conditions as Document as printed. Attention is drawn to the limitation of liability, indemnification and jurisdiction matters defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

186-51257356888 186-51257370818 www.sgsygroup.com.cn
186-51257356888 186-51257370818 sgsy.china@sgsy.com

		0	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
		10	NV	-13.60	-0.0163	>=-2.5 & <=2.5	Pass
		20	NV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass
		30	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
		40	NV	-12.40	-0.0148	>=-2.5 & <=2.5	Pass
		50	NV	-13.90	-0.0166	>=-2.5 & <=2.5	Pass

2.7 30k_SISO_20MHz

2.7.1 Test Result

5G NR n5 SCS=30kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	2.80	0.0033	>=-2.5 & <=2.5	Pass
				HV	5.30	0.0063	>=-2.5 & <=2.5	Pass
			-30	NV	3.20	0.0038	>=-2.5 & <=2.5	Pass
			-20	NV	4.60	0.0055	>=-2.5 & <=2.5	Pass
			-10	NV	4.20	0.0050	>=-2.5 & <=2.5	Pass
			0	NV	4.40	0.0053	>=-2.5 & <=2.5	Pass
			10	NV	5.50	0.0066	>=-2.5 & <=2.5	Pass
			20	NV	4.70	0.0056	>=-2.5 & <=2.5	Pass
			30	NV	8.70	0.0104	>=-2.5 & <=2.5	Pass
			40	NV	7.10	0.0085	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
				HV	-11.20	-0.0134	>=-2.5 & <=2.5	Pass
			-30	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			-20	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			-10	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			10	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0104	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	20	LV	-11.30	-0.0135	>=-2.5 & <=2.5	Pass
				HV	-13.40	-0.0160	>=-2.5 & <=2.5	Pass
			-30	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			-20	NV	-12.90	-0.0154	>=-2.5 & <=2.5	Pass
			-10	NV	-5.00	-0.0060	>=-2.5 & <=2.5	Pass
			0	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			10	NV	-5.90	-0.0071	>=-2.5 & <=2.5	Pass
			20	NV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			30	NV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0068	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	20	LV	-9.20	-0.0110	>=-2.5 & <=2.5	Pass
				HV	-12.20	-0.0146	>=-2.5 & <=2.5	Pass
			-30	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			-10	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9577044 or email: CH.Official@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

86-51257350888 86-51257370911 www.sgs.com.cn
86-51257350888 86-51257370911 sgs.china@sgs.com

			0	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			20	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			30	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
			40	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			50	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	20	LV	-11.80	-0.0141	>=-2.5 & <=2.5	Pass
				HV	-9.00	-0.0108	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0097	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
			-10	NV	-12.50	-0.0149	>=-2.5 & <=2.5	Pass
			0	NV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0087	>=-2.5 & <=2.5	Pass
			20	NV	8.40	0.0100	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0093	>=-2.5 & <=2.5	Pass
	50	NV	5.40	0.0065	>=-2.5 & <=2.5	Pass		
CP-OFDM QPSK	836.5	Outer_Full	20	LV	-9.30	-0.0111	>=-2.5 & <=2.5	Pass
				HV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass
			-20	NV	-12.90	-0.0154	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0096	>=-2.5 & <=2.5	Pass
			0	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			10	NV	-11.80	-0.0141	>=-2.5 & <=2.5	Pass
			20	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
			30	NV	-9.80	-0.0117	>=-2.5 & <=2.5	Pass
			40	NV	-8.90	-0.0106	>=-2.5 & <=2.5	Pass
	50	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass		
CP-OFDM 16 QAM	836.5	Outer_Full	20	LV	-12.80	-0.0153	>=-2.5 & <=2.5	Pass
				HV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass
			-30	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			-20	NV	-9.70	-0.0116	>=-2.5 & <=2.5	Pass
			-10	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			0	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0127	>=-2.5 & <=2.5	Pass
			20	NV	-13.70	-0.0164	>=-2.5 & <=2.5	Pass
			30	NV	-12.10	-0.0145	>=-2.5 & <=2.5	Pass
			40	NV	-12.30	-0.0147	>=-2.5 & <=2.5	Pass
	50	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass		
CP-OFDM 64 QAM	836.5	Outer_Full	20	LV	-12.90	-0.0154	>=-2.5 & <=2.5	Pass
				HV	-12.60	-0.0151	>=-2.5 & <=2.5	Pass
			-30	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			-20	NV	-13.40	-0.0160	>=-2.5 & <=2.5	Pass
			-10	NV	-11.00	-0.0132	>=-2.5 & <=2.5	Pass
			0	NV	-13.50	-0.0161	>=-2.5 & <=2.5	Pass
			10	NV	-9.40	-0.0112	>=-2.5 & <=2.5	Pass
			20	NV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
			30	NV	-11.40	-0.0136	>=-2.5 & <=2.5	Pass
			40	NV	-10.20	-0.0122	>=-2.5 & <=2.5	Pass
	50	NV	-12.30	-0.0147	>=-2.5 & <=2.5	Pass		
CP-OFDM 256 QAM	836.5	Outer_Full	20	LV	-8.80	-0.0105	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass
			-30	NV	-12.40	-0.0148	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse or available on request or accessible at <http://www.irs.com/irs/Terms-and-Conditions.aspx> and, for electronic form documents, subject to Terms and Conditions for Electronic Documents at <http://www.irs.com/irs/terms-and-conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or used in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system, without the prior written permission of the Company. Any unauthorized alteration, copying or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

886-51257356888 886-51257370810 www.sgsigroup.com.cn
886-51257356888 886-51257370810 sgs.china@sgs.com

			-10	NV	-9.60	-0.0115	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-10.00	-0.0120	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-9.20	-0.0110	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-10.60	-0.0127	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-11.70	-0.0140	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-10.90	-0.0130	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-11.20	-0.0134	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certification reports & certificates, please connect us at telephone: (+86-512) 57370011 or email: CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512)57350888 (86-512)57370011 www.sgs.com.cn
(86-512)57350888 (86-512)57370011 sgs.china@sgs.com

3. n7 Frequency Stability

3.1 15k_SISO_5MHz

3.1.1 Test Result

5G NR n7 SCS=15kHz SISO 5MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			0	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-1.50	-0.0006	>=-2.5 & <=2.5	Pass
				HV	-2.00	-0.0008	>=-2.5 & <=2.5	Pass
			-30	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			50	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-1.80	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			50	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing report or certificate, please contact us at least one (1) day prior to the test at email: CH.Official@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业伟业路10号 邮编 215300
 056-512157350888 056-512157370919 www.sgs.com.cn
 056-512157350888 056-512157370919 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
50	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	2535	Outer_Full	20	LV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
50	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
50	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-0.60	-0.0002	>=-2.5 & <=2.5	Pass
				HV	1.70	0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	1.40	0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			30	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
40	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. The Company is not drawn to the attention of the Client, in the event of any dispute, that the Company is not bound by the terms and conditions of any document unless it is advised that information contained therein reflects the Company's findings at the time of its intervention and/or within the limits of the Client's instructions. It is the Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

186-51257356888 186-51257370818 www.sgsygroup.com.cn
 186-51257356888 186-51257370818 sgsy.china@sgsy.com

			50	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
--	--	--	----	----	-------	---------	----------------	------

3.2 15k_SISO_10MHz

3.2.1 Test Result

5G NR n7 SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			20	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-10.40	-0.0041	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-1.90	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-2.00	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			0	NV	-1.60	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-1.60	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-2.60	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-of-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

005-512157350888 006-51215737010 www.sgs.com cn

005-512157350888 006-51215737010 sgs.china@sgs.com

			50	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-1.90	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
50	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	2535	Outer_Full	20	LV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
50	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			-20	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
50	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
50	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
30	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions of Service, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

886-51257356888 886-51257370818 www.agsgroup.com.cn
 886-51257356888 886-51257370818 ags.china@ags.com

		40	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
		50	NV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass

3.3 15k_SISO_15MHz

3.3.1 Test Result

5G NR n7 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-2.00	-0.0008	>=-2.5 & <=2.5	Pass
			50	NV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			50	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-1.90	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	1.00	0.0004	>=-2.5 & <=2.5	Pass
			0	NV	-1.80	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-1.10	-0.0004	>=-2.5 & <=2.5	Pass
			20	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	2535	Outer_Full	40	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	2.00	0.0008	>=-2.5 & <=2.5	Pass
			20	LV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	30	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			20	LV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-1.80	-0.0007	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	20	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-1.20	-0.0005	>=-2.5 & <=2.5	Pass
			20	LV	-1.50	-0.0006	>=-2.5 & <=2.5	Pass
				HV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass
			-20	NV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	10	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			50	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			20	LV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	0	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			50	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			20	LV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) working day in advance by email: CH.Official@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0085-512157350000 0085-512157370010 www.sgs.com.cn

0085-512157350000 0085-512157370010 sgs.china@sgs.com

		30	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
		40	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
		50	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass

3.4 15k_SISO_20MHz

3.4.1 Test Result

5G NR n7 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CN-Office@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0085-512157350888 006-512157370911 www.sgs.com.cn
0085-512157350888 006-512157370911 sgs.china@sgs.com

			30	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
			40	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass
			-20	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-0.90	-0.0004	>=-2.5 & <=2.5	Pass
			0	NV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	1.80	0.0007	>=-2.5 & <=2.5	Pass
			20	NV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-1.90	-0.0007	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	20	LV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			50	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH-00000000@sgs.com or CH-00000000@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0085-51257350888 0085-51257370911 www.sgs.com.cn

0085-51257350888 0085-51257370911 sgs.china@sgs.com

			20	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass

3.5 15k_SISO_25MHz

3.5.1 Test Result

5G NR n7 SCS=15kHz SISO 25MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-11.90	-0.0047	>=-2.5 & <=2.5	Pass
			10	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
				HV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
				HV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CN-Office@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业伟业路10号 邮编 215300

0512-57350888 0512-57370911 www.sgs.com.cn
0512-57350883 0512-57370911 sgs.china@sgs.com

			20	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			CP-OFDM QPSK	2535	Outer_Full	20	LV	-8.70
	HV	-7.20				-0.0028	>=-2.5 & <=2.5	Pass
-30	NV	-8.40				-0.0033	>=-2.5 & <=2.5	Pass
-20	NV	-7.40				-0.0029	>=-2.5 & <=2.5	Pass
-10	NV	-8.80				-0.0035	>=-2.5 & <=2.5	Pass
0	NV	-5.70				-0.0022	>=-2.5 & <=2.5	Pass
10	NV	-5.10				-0.0020	>=-2.5 & <=2.5	Pass
20	NV	-7.60				-0.0030	>=-2.5 & <=2.5	Pass
30	NV	-5.40				-0.0021	>=-2.5 & <=2.5	Pass
40	NV	-6.80				-0.0027	>=-2.5 & <=2.5	Pass
50	NV	-8.00				-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full				20	LV	-6.10
				HV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-8.60
	HV	-8.30				-0.0033	>=-2.5 & <=2.5	Pass
-30	NV	-7.20				-0.0028	>=-2.5 & <=2.5	Pass
-20	NV	-4.60				-0.0018	>=-2.5 & <=2.5	Pass
-10	NV	-6.10				-0.0024	>=-2.5 & <=2.5	Pass
0	NV	-7.20				-0.0028	>=-2.5 & <=2.5	Pass
10	NV	-5.90				-0.0023	>=-2.5 & <=2.5	Pass
20	NV	-1.70				-0.0007	>=-2.5 & <=2.5	Pass
30	NV	1.00				0.0004	>=-2.5 & <=2.5	Pass
40	NV	-2.50				-0.0010	>=-2.5 & <=2.5	Pass
50	NV	-0.90				-0.0004	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full				20	LV	-2.10
				HV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-1.80	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/Terms-and-Conditions.aspx>. This document is drawn to the attention of the Client, for information only, for identification and record-keeping purposes only. Any reliance on this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

86-5125735688 86-5125737011 www.sgs-group.com.cn
86-5125735688 86-5125737011 sgs.china@sgs.com

			10	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-2.20	-0.0009	>=-2.5 & <=2.5	Pass
			50	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass

3.6 15k SISO 30MHz

3.6.1 Test Result

5G NR n7 SCS=15kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-10.90	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			10	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-1.80	-0.0007	>=-2.5 & <=2.5	Pass
				HV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-1.50	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	1.10	0.0004	>=-2.5 & <=2.5	Pass
			30	NV	0.30	0.0001	>=-2.5 & <=2.5	Pass
			40	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
50	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	1.30	0.0005	>=-2.5 & <=2.5	Pass
			-10	NV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass
			40	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
50	NV	1.70	0.0007	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-2.00	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	0.40	0.0002	>=-2.5 & <=2.5	Pass
			-20	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-1.60	-0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.ags.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.ags.com.au/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and agreed to be bound by the terms and conditions of the document and the Company's instructions. If any, The Company will accept responsibility to its Client, not this document does not, generate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may be prosecuted to the full. The Company has otherwise stated the terms of which this document only refer to the document it is intended to replace and it has been replaced by 39200001.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

186-51257356888 186-51257370818 www.sgsygroup.com.cn
186-51257356888 186-51257370818 sgsy.china@sgsy.com

			10	NV	-1.30	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-2.00	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	-0.90	-0.0004	>=-2.5 & <=2.5	Pass
			50	NV	-1.60	-0.0006	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			20	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	50	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			20	LV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-0.60	-0.0002	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	40	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	0.90	0.0004	>=-2.5 & <=2.5	Pass
			20	LV	1.90	0.0007	>=-2.5 & <=2.5	Pass
				HV	-1.90	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-2.20	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-0.80	-0.0003	>=-2.5 & <=2.5	Pass
			0	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-1.20	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-0.50	-0.0002	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	30	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	1.10	0.0004	>=-2.5 & <=2.5	Pass
			50	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			20	LV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-1.30	-0.0005	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0006	>=-2.5 & <=2.5	Pass
			-20	NV	1.30	0.0005	>=-2.5 & <=2.5	Pass
			-10	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	1.40	0.0006	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	NV	-1.30	-0.0005	>=-2.5 & <=2.5	Pass
			30	NV	-0.90	-0.0004	>=-2.5 & <=2.5	Pass
			40	NV	-2.20	-0.0009	>=-2.5 & <=2.5	Pass
			50	NV	-0.70	-0.0003	>=-2.5 & <=2.5	Pass
			20	LV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			0	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			50	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass

3.7 15k_SISO_40MHz

3.7.1 Test Result

5G NR n7 SCS=15kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			-30	NV	-10.70	-0.0042	>=-2.5 & <=2.5	Pass
			-20	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
50	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-1.40	-0.0006	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
50	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-1.70	-0.0007	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed herein, available on request or available at <http://www.ies.com/terms-and-conditions> and, for sections of this document subject to Terms and Conditions for Electronic Documents at <http://www.ies.com/terms-and-conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a dispute from their own responsibility. The Company's findings are based on the information provided to it and it does not accept in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735688 86-5125737011 www.sgsgroup.com.cn
86-5125735688 86-5125737011 sgs.china@sgs.com

			0	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-11.70	-0.0046	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-9.80	-0.0039	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			50	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	20	LV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	1.20	0.0005	>=-2.5 & <=2.5	Pass
			30	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-1.90	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-1.10	-0.0004	>=-2.5 & <=2.5	Pass
			-30	NV	1.30	0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-2.10	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-2.00	-0.0008	>=-2.5 & <=2.5	Pass
			10	NV	-1.80	-0.0007	>=-2.5 & <=2.5	Pass
			20	NV	-1.00	-0.0004	>=-2.5 & <=2.5	Pass
			30	NV	-2.60	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	1.40	0.0006	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-1.30	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-1.20	-0.0005	>=-2.5 & <=2.5	Pass
			-10	NV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-2.60	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-2.60	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-0.80	-0.0003	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at CH-Check@sgs.com or at least one of the following:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

006-512157350888 006-512157370911 www.sgs.com.cn

006-512157350888 006-512157370911 sgs.china@sgs.com

			-10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass

3.8 15k SISO 50MHz

3.8.1 Test Result

5G NR n7 SCS=15kHz SISO 50MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			-20	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the back, available on request at <http://www.ics.com.au> Terms and Conditions page and for electronic format documents, subject to Terms and Conditions of Electronic Communication at <http://www.ics.com.au> Terms and Conditions of Service page. Attention is drawn to the importance of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or stored in full without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be liable to criminal sanctions and/or civil damages. Other than the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

886-51257356888 886-51257370610 www.agsgroup.com.cn
 886-51257356888 886-51257370610 ags.china@ags.com

			-10	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			50	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	20	LV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-4.00	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or CN-Office@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			-20	NV	-9.80	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			0	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass

3.9 30k_SISO_10MHz

3.9.1 Test Result

5G NR n7 SCS=30kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-11.20	-0.0044	>=-2.5 & <=2.5	Pass
				HV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			-30	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			0	NV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9577044 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-512)57350888 86-512)5737044 www.sgs.com.cn
86-512)57350888 86-512)5737044 sgs.china@sgs.com

			-20	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-11.30	-0.0045	>=-2.5 & <=2.5	Pass
			10	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
			40	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-11.10	-0.0044	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-11.00	-0.0043	>=-2.5 & <=2.5	Pass
				HV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-12.10	-0.0048	>=-2.5 & <=2.5	Pass
			-20	NV	-11.00	-0.0043	>=-2.5 & <=2.5	Pass
			-10	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			0	NV	-12.70	-0.0050	>=-2.5 & <=2.5	Pass
			10	NV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			50	NV	-13.70	-0.0054	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	20	LV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-12.40	-0.0049	>=-2.5 & <=2.5	Pass
				HV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			-20	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			-10	NV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			30	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			50	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at CN-Check@sgs.com or at <tel:+8651257350888> / <tel:+8651257370911> / www.sgs.com.cn

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

[+86-512-57350888](tel:+8651257350888) / [+86-512-57370911](tel:+8651257370911) / www.sgs.com.cn

[+86-512-57350888](tel:+8651257350888) / [+86-512-57370911](tel:+8651257370911) / sgs.china@sgs.com

			-30	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-11.30	-0.0045	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			50	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass

3.10 30k_SISO_15MHz

3.10.1 Test Result

5G NR n7 SCS=30kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-12.60	-0.0050	>=-2.5 & <=2.5	Pass
				HV	-12.50	-0.0049	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			0	NV	-15.10	-0.0060	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-10.40	-0.0041	>=-2.5 & <=2.5	Pass
			30	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			-30	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-10.90	-0.0043	>=-2.5 & <=2.5	Pass
			10	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-10.90	-0.0043	>=-2.5 & <=2.5	Pass
				HV	-11.00	-0.0043	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)95970911 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

886-512157350888 886-512157370911 www.sgs.com.cn

886-512157350888 886-512157370911 sgs.china@sgs.com

			-30	NV	-11.30	-0.0045	>=-2.5 & <=2.5	Pass
			-20	NV	-11.40	-0.0045	>=-2.5 & <=2.5	Pass
			-10	NV	-11.80	-0.0047	>=-2.5 & <=2.5	Pass
			0	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
			10	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-1.20	-0.0005	>=-2.5 & <=2.5	Pass
			40	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	20	LV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-3.00	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-2.80	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			-10	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-5125735000 0512-5125737000 www.sgs.com.cn

0512-5125735000 0512-5125737000 sgs.china@sgs.com

				HV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			30	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass

3.11 30k_SISO_20MHz

3.11.1 Test Result

5G NR n7 SCS=30kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			20	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			10	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0041	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	50	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	LV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)97370911 or email: CH.Official@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

86-512)57350888 86-512)57370911 www.sgs.com.cn

86-512)57350888 86-512)57370911 sgs.china@sgs.com

				HV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-11.90	-0.0047	>=-2.5 & <=2.5	Pass
			-20	NV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0043	>=-2.5 & <=2.5	Pass
			20	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0042	>=-2.5 & <=2.5	Pass
			40	NV	-11.70	-0.0046	>=-2.5 & <=2.5	Pass
			50	NV	-11.40	-0.0045	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-10.10	-0.0040	>=-2.5 & <=2.5	Pass
				HV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0039	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	1.80	0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	2535	Outer_Full	50	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			20	LV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	2535	Outer_Full	40	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			20	LV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	2535	Outer_Full	30	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			50	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	LV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.

No. 18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			50	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass

3.12 30k_SISO_25MHz

3.12.1 Test Result

5G NR n7 SCS=30kHz SISO 25MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-12.10	-0.0048	>=-2.5 & <=2.5	Pass
				HV	-13.50	-0.0053	>=-2.5 & <=2.5	Pass
			-30	NV	-10.90	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-16.80	-0.0066	>=-2.5 & <=2.5	Pass
			-10	NV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
			0	NV	-10.50	-0.0041	>=-2.5 & <=2.5	Pass
			10	NV	-12.90	-0.0051	>=-2.5 & <=2.5	Pass
			20	NV	-10.50	-0.0041	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			40	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			-30	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0041	>=-2.5 & <=2.5	Pass
			20	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			-10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificates, please contact us at sgs@sgs.com or CN.Certification@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-11.60	-0.0046	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
50	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			10	NV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-6.50	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-11.30	-0.0045	>=-2.5 & <=2.5	Pass
50	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	2535	Outer_Full	20	LV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			20	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
50	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-10.40	-0.0041	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
50	NV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-10.10	-0.0040	>=-2.5 & <=2.5	Pass
				HV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
			-30	NV	-11.60	-0.0046	>=-2.5 & <=2.5	Pass
			-20	NV	-12.00	-0.0047	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0041	>=-2.5 & <=2.5	Pass
			0	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
			20	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
40	NV	-10.10	-0.0040	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions of Service, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of the Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

886-5125735688 886-5125737081 www.agsgroup.com.cn
886-5125735688 886-5125737081 sgs.china@sgs.com

			50	NV	-9.60	-0.0038	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-11.60	-0.0046	≥ -2.5 & ≤ 2.5	Pass
				HV	-9.50	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-7.80	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.10	-0.0036	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-3.60	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-2.40	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			10	NV	3.20	0.0013	≥ -2.5 & ≤ 2.5	Pass
			20	NV	3.10	0.0012	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-3.90	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-2.40	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-4.30	-0.0017	≥ -2.5 & ≤ 2.5	Pass

3.13 30k_SISO_30MHz

3.13.1 Test Result

5G NR n7 SCS=30kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-9.80	-0.0039	≥ -2.5 & ≤ 2.5	Pass
				HV	-6.30	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-8.10	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-7.00	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-4.50	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-6.40	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-6.40	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-8.90	-0.0035	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-8.10	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-6.00	-0.0024	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-7.00	-0.0028	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-10.50	-0.0041	≥ -2.5 & ≤ 2.5	Pass
				HV	-5.70	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-10.00	-0.0039	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.60	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-8.10	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-9.00	-0.0036	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-7.40	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-1.80	-0.0007	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-6.60	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-5.40	-0.0021	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-3.30	-0.0013	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-3.90	-0.0015	≥ -2.5 & ≤ 2.5	Pass
				HV	-7.40	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-5.70	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-3.60	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-8.20	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-7.40	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-7.30	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-4.80	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-6.80	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-6.60	-0.0026	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9577044 or email: CH.Official@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留學生创业园伟业路18号 邮编 215300

086-51215735088 086-51215737010 www.sgs.com.cn

086-51215735088 086-51215737010 sgs.china@sgs.com

			50	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			-30	NV	-11.00	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-9.40	-0.0037	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-13.10	-0.0052	>=-2.5 & <=2.5	Pass
			20	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0041	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass
50	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-12.10	-0.0048	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-11.20	-0.0044	>=-2.5 & <=2.5	Pass
			10	NV	-11.50	-0.0045	>=-2.5 & <=2.5	Pass
			20	NV	-13.20	-0.0052	>=-2.5 & <=2.5	Pass
			30	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			40	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
50	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	2535	Outer_Full	20	LV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-2.40	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
50	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-5.50	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-5.40	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-5.00	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-3.60	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-4.70	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-3.30	-0.0013	>=-2.5 & <=2.5	Pass
30	NV	-5.70	-0.0022	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions for Electronic Documents, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生创业園伟业路10号 邮编 215300

186-51257356888 186-51257370818 www.sgsygroup.com.cn
186-51257356888 186-51257370818 sgsy.china@sgsy.com

			40	NV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0044	>=-2.5 & <=2.5	Pass
			40	NV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			50	NV	-10.50	-0.0041	>=-2.5 & <=2.5	Pass

3.14 30k SISO 40MHz

3.14.1 Test Result

5G NR n7 SCS=30kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
				HV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-12.70	-0.0050	>=-2.5 & <=2.5	Pass
			-20	NV	-11.50	-0.0045	>=-2.5 & <=2.5	Pass
			-10	NV	-13.50	-0.0053	>=-2.5 & <=2.5	Pass
			0	NV	-11.00	-0.0043	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-11.70	-0.0046	>=-2.5 & <=2.5	Pass
			30	NV	-11.20	-0.0044	>=-2.5 & <=2.5	Pass
			40	NV	-4.10	-0.0016	>=-2.5 & <=2.5	Pass
50	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
50	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-3.50	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-4.40	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
50	NV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the Company and the terms of its verification of its information within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

800-5125735888 800-5125737000 www.sgs.com.cn
 800-5125735888 800-5125737000 sgs.china@sgs.com

DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
				HV	-5.20	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-4.90	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-5.90	-0.0023	>=-2.5 & <=2.5	Pass
50	NV	-6.40	-0.0025	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-4.50	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0038	>=-2.5 & <=2.5	Pass
			-30	NV	-12.70	-0.0050	>=-2.5 & <=2.5	Pass
			-20	NV	-11.60	-0.0046	>=-2.5 & <=2.5	Pass
			-10	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
			10	NV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			40	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
50	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	2535	Outer_Full	20	LV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			-20	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-8.60	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-11.50	-0.0045	>=-2.5 & <=2.5	Pass
			10	NV	-10.00	-0.0039	>=-2.5 & <=2.5	Pass
			20	NV	-4.60	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
50	NV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass
				HV	-6.90	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0040	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-10.60	-0.0042	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-8.90	-0.0035	>=-2.5 & <=2.5	Pass
50	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-7.40	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-9.00	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-10.80	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-9.10	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-7.50	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-6.70	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-6.20	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0037	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

800-5125735888 800-5125737000 www.sgsgroup.com.cn
 86-51265735888 86-51265737000 sgs.china@sgs.com

			50	NV	-8.00	-0.0032	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	2535	Outer_Full	20	LV	-4.60	-0.0018	≥ -2.5 & ≤ 2.5	Pass
				HV	-1.90	-0.0007	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	2.00	0.0008	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-3.50	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-6.80	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-2.90	-0.0011	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-4.40	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-4.90	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-8.20	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-7.40	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-5.20	-0.0021	≥ -2.5 & ≤ 2.5	Pass

3.15 30k_SISO_50MHz

3.15.1 Test Result

5G NR n7 SCS=30kHz SISO 50MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	2535	Outer_Full	20	LV	-5.30	-0.0021	≥ -2.5 & ≤ 2.5	Pass
				HV	-8.20	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-8.10	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-12.00	-0.0047	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-6.60	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-10.20	-0.0040	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-6.70	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-9.60	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-9.40	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-9.70	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-11.70	-0.0046	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM QPSK	2535	Outer_Full	20	LV	-3.00	-0.0012	≥ -2.5 & ≤ 2.5	Pass
				HV	-4.50	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-3.40	-0.0013	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-6.70	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-6.30	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-5.30	-0.0021	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-2.30	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-5.10	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-10.30	-0.0041	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-11.00	-0.0043	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-14.00	-0.0055	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 16 QAM	2535	Outer_Full	20	LV	-11.80	-0.0047	≥ -2.5 & ≤ 2.5	Pass
				HV	-12.20	-0.0048	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-9.60	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-10.10	-0.0040	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-13.00	-0.0051	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-12.20	-0.0048	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-3.10	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-5.50	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-4.30	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-3.60	-0.0014	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9577044 or email: CH.Official@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留學生创业园伟业路18号 邮编 215300

086-51215735088 086-51215737010 www.sgs.com.cn

086-51215735088 086-51215737010 sgs.china@sgs.com

			50	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	2535	Outer_Full	20	LV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-9.60	-0.0038	>=-2.5 & <=2.5	Pass
			-10	NV	-6.60	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0034	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0042	>=-2.5 & <=2.5	Pass
			40	NV	-12.80	-0.0050	>=-2.5 & <=2.5	Pass
50	NV	-9.90	-0.0039	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	2535	Outer_Full	20	LV	-11.40	-0.0045	>=-2.5 & <=2.5	Pass
				HV	-10.30	-0.0041	>=-2.5 & <=2.5	Pass
			-30	NV	-13.70	-0.0054	>=-2.5 & <=2.5	Pass
			-20	NV	-8.70	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-12.20	-0.0048	>=-2.5 & <=2.5	Pass
			0	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-12.30	-0.0049	>=-2.5 & <=2.5	Pass
			20	NV	-8.20	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-11.60	-0.0046	>=-2.5 & <=2.5	Pass
			40	NV	-9.80	-0.0039	>=-2.5 & <=2.5	Pass
50	NV	-12.00	-0.0047	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	2535	Outer_Full	20	LV	-2.50	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	2.70	0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-7.60	-0.0030	>=-2.5 & <=2.5	Pass
50	NV	-7.00	-0.0028	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	2535	Outer_Full	20	LV	0.90	0.0004	>=-2.5 & <=2.5	Pass
				HV	-8.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-3.10	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-2.90	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-4.20	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-3.70	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	1.60	0.0006	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-7.20	-0.0028	>=-2.5 & <=2.5	Pass
50	NV	-4.30	-0.0017	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	2535	Outer_Full	20	LV	-5.30	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-7.70	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-3.40	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-5.60	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-8.80	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-6.80	-0.0027	>=-2.5 & <=2.5	Pass
30	NV	-6.10	-0.0024	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/Electronic-Documents-Terms-and-Conditions.aspx>. It is drawn to the attention of the Client that the Company does not warrant the accuracy or completeness of the information contained herein, and that the Company does not accept any liability for any loss or damage suffered by the Client as a result of reliance on the information contained herein. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

86-5125735888 86-5125737000 www.sgs.com.cn
86-5125735888 86-5125737000 sgs.china@sgs.com

CP-OFDM 256 QAM	2535	Outer_Full	40	NV	-2.70	-0.0011	≥ -2.5 & ≤ 2.5	Pass
			50	NV	1.60	0.0006	≥ -2.5 & ≤ 2.5	Pass
			20	LV	-7.70	-0.0030	≥ -2.5 & ≤ 2.5	Pass
				HV	-9.20	-0.0036	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-7.80	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.50	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-13.20	-0.0052	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-5.80	-0.0023	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-4.80	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-3.80	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-4.40	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-4.30	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-2.50	-0.0010	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certification reports & certificates, please connect us at telephone: (+86-512) 57370011 or email: CN-Check@sgs.com.

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512) 57350888 (86-512) 57370011 www.sgs.com.cn
(86-512) 57350883 (86-512) 57370011 sgs.china@sgs.com

4. n25 Frequency Stability

4.1 15k_SISO_5MHz

4.1.1 Test Result

5G NR n25 SCS=15kHz SISO 5MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1882.5	Outer_Full	20	LV	-7.40	-0.0039	>=-2.5 & <=2.5	Pass
				HV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
				NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
				NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
				NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
				NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1882.5	Outer_Full	20	LV	-6.30	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
				NV	-6.60	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				NV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
				NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
				NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1882.5	Outer_Full	20	LV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
				NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
				NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			0	NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
				NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
				NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1882.5	Outer_Full	20	LV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
				NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
				NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
				NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1882.5	Outer_Full	20	LV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
				NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
				NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
				NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1882.5	Outer_Full	20	LV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
				NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
				NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
				NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing report or certificate, please contact us at least one (1) working day in advance by email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-57350888 0512-57370919 www.sgs.com cn

0512-57350888 0512-57370919 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	1882.5	Outer_Full	20	LV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-5.00	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1882.5	Outer_Full	50	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	LV	-6.50	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass
			-20	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			-10	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-6.40	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1882.5	Outer_Full	40	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			50	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	LV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1882.5	Outer_Full	30	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			20	LV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
			10	NV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1882.5	Outer_Full	20	NV	-7.50	-0.0040	>=-2.5 & <=2.5	Pass
			30	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-6.50	-0.0035	>=-2.5 & <=2.5	Pass
			50	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			20	LV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-6.70	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH.Official@sgs.com or at www.sgs.com/en/Tools

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			50	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
--	--	--	----	----	-------	---------	----------------	------

4.2 15k_SISO_10MHz

4.2.1 Test Result

5G NR n25 SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1882.5	Outer_Full	20	LV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			0	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			10	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-6.60	-0.0035	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1882.5	Outer_Full	20	LV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			0	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0039	>=-2.5 & <=2.5	Pass
			20	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1882.5	Outer_Full	20	LV	-1.00	-0.0005	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-1.20	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1882.5	Outer_Full	20	LV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-0.50	-0.0003	>=-2.5 & <=2.5	Pass
			-20	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions-for-Electronic-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) month prior to the expiry date of the certificate by email: CH.Collect@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

005-512157350888 006-512157370911 www.sgs.com cn

005-512157350888 006-512157370911 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	1882.5	Outer_Full	50	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			20	LV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
				HV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			-20	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-1.20	-0.0006	>=-2.5 & <=2.5	Pass
			20	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	1.40	0.0007	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1882.5	Outer_Full	50	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	LV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-7.60	-0.0040	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1882.5	Outer_Full	50	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			20	LV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1882.5	Outer_Full	50	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	LV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1882.5	Outer_Full	50	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
			20	LV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
				HV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH.Official@sgs.com or at www.sgs.com/en/About-us.aspx

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0086-512157350888 006-512157370911 www.sgs.com.cn

0086-512157350888 006-512157370911 sgs.china@sgs.com

		40	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
		50	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass

4.3 15k_SISO_15MHz

4.3.1 Test Result

5G NR n25 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1882.5	Outer_Full	20	LV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1882.5	Outer_Full	20	LV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-5.00	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1882.5	Outer_Full	20	LV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-6.50	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1882.5	Outer_Full	20	LV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-5.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-5.00	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9737091 or email: CH.Official@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0086-512(573)50888 0086-512(573)70911 www.sgs.com.cn

0086-512(573)50888 0086-512(573)70911 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	1882.5	Outer_Full	40	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			20	LV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1882.5	Outer_Full	30	NV	-6.30	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			50	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			20	LV	2.00	0.0011	>=-2.5 & <=2.5	Pass
				HV	0.70	0.0004	>=-2.5 & <=2.5	Pass
			-30	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	2.70	0.0014	>=-2.5 & <=2.5	Pass
			10	NV	2.60	0.0014	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1882.5	Outer_Full	20	NV	1.90	0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-1.20	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	1.50	0.0008	>=-2.5 & <=2.5	Pass
			50	NV	1.70	0.0009	>=-2.5 & <=2.5	Pass
			20	LV	1.40	0.0007	>=-2.5 & <=2.5	Pass
				HV	1.80	0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	2.20	0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	1.30	0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	2.40	0.0013	>=-2.5 & <=2.5	Pass
			0	NV	0.50	0.0003	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1882.5	Outer_Full	10	NV	0.40	0.0002	>=-2.5 & <=2.5	Pass
			20	NV	2.30	0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-0.90	-0.0005	>=-2.5 & <=2.5	Pass
			40	NV	0.80	0.0004	>=-2.5 & <=2.5	Pass
			50	NV	0.60	0.0003	>=-2.5 & <=2.5	Pass
			20	LV	2.80	0.0015	>=-2.5 & <=2.5	Pass
				HV	2.70	0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	2.00	0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	0.70	0.0004	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1882.5	Outer_Full	0	NV	1.80	0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-1.70	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	1.80	0.0010	>=-2.5 & <=2.5	Pass
			30	NV	2.90	0.0015	>=-2.5 & <=2.5	Pass
			40	NV	0.90	0.0005	>=-2.5 & <=2.5	Pass
			50	NV	-0.80	-0.0004	>=-2.5 & <=2.5	Pass
			20	LV	-5.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-6.40	-0.0034	>=-2.5 & <=2.5	Pass
			-30	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the expiry of the certificate by email: CH-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735000 0512-515737010 www.sgs.com.cn

0512-515735000 0512-515737010 sgs.china@sgs.com

		30	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
		40	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
		50	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass

4.4 15k_SISO_20MHz

4.4.1 Test Result

5G NR n25 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	1882.5	Outer_Full	20	LV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-1.80	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-1.50	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-1.20	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	1882.5	Outer_Full	20	LV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-3.90	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-4.80	-0.0025	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1882.5	Outer_Full	20	LV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-1.70	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	-3.30	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1882.5	Outer_Full	20	LV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-2.60	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com (86-512)57370000 or email: CN-Office@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 (86-512)57370000 (86-512)57370010 www.sgs.com.cn
 (86-512)57370000 (86-512)57370010 sgs.china@sgs.com