





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,435.500	51.14	74.00	22.86	11.13	V	351.2	1.00
9	5,460.000	49.64	74.00	24.36	11.12	V	4.3	1.00
9	5,576.000	104.97			11.20	V	138.3	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,445.500	36.80	54.00	17.20	11.13	V	116.9	2.00
9	5,460.000	36.73	54.00	17.27	11.12	V	116.9	2.00
9	5,578.000	91.31			11.20	V	339.5	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,695.000	88.35			11.63	H	66.2	1.00
10	5,725.000	48.53	68.20	19.67	11.70	H	1.4	2.00
10	5,734.000	49.79	68.20	18.41	11.71	H	247	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,696.000	88.81			11.63	V	131.2	2.00
10	5,725.000	48.74	68.20	19.46	11.70	V	359	2.00
10	5,749.500	49.92	68.20	18.28	11.74	V	359.1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,722.500	87.53			11.69	H	130.1	2.00
11	5,850.000	48.28	68.20	19.92	11.98	H	303.4	2.00
11	5,851.000	49.63	68.20	18.57	11.98	H	282.6	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,724.000	88.62			11.69	V	134.7	2.00
11	5,850.000	48.70	68.20	19.50	11.98	V	0.9	2.00
11	5,869.500	49.87	68.20	18.33	12.04	V	234.7	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.

802.11ac (40MHz)


CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,453.500	50.36	74.00	23.64	11.12	H	129.7	1.00
5	5,460.000	50.20	74.00	23.80	11.12	H	359	2.00
5	5,506.000	101.63			11.09	H	58.2	2.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	35.53	54.00	18.47	11.12	H	122.4	1.00
5	5,460.000	35.60	54.00	18.40	11.12	H	122.4	1.00
5	5,513.500	89.53			11.09	H	47.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,453.500	49.98	74.00	24.02	11.12	V	187	1.00
5	5,460.000	49.58	74.00	24.42	11.12	V	59.1	1.00
5	5,514.000	101.70			11.09	V	317.3	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	35.37	54.00	18.63	11.12	V	113.3	2.00
5	5,460.000	35.51	54.00	18.49	11.12	V	113.3	2.00
5	5,504.000	88.75			11.09	V	308.9	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5510MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,455.500	49.41	74.00	24.59	11.12	H	359	2.00
6	5,460.000	48.68	74.00	25.32	11.12	H	1	1.00
6	5,555.000	100.31			11.14	H	47.5	2.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,458.500	34.81	54.00	19.19	11.12	H	3.3	2.00
6	5,460.000	34.83	54.00	19.17	11.12	H	359	2.00
6	5,553.500	89.75			11.13	H	59.1	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,449.500	49.85	74.00	24.15	11.12	V	151.4	2.00
6	5,460.000	47.89	74.00	26.11	11.12	V	300.9	2.00
6	5,558.500	100.94			11.15	V	318.4	1.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.000	34.75	54.00	19.25	11.12	V	313.8	1.00
6	5,460.000	34.68	54.00	19.32	11.12	V	114.4	2.00
6	5,558.000	89.19			11.15	V	313.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,676.000	101.39			11.55	H	75.8	1.00
7	5,725.000	48.02	68.20	20.18	11.70	H	0.9	2.00
7	5,749.000	49.34	68.20	18.86	11.74	H	359	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,657.500	102.30			11.48	V	107.2	2.00
7	5,725.000	48.04	68.20	20.16	11.70	V	359	2.00
7	5,748.000	49.89	68.20	18.31	11.73	V	351.8	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5670MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,714.000	101.17			11.67	H	60.2	1.00
8	5,850.000	48.55	68.20	19.65	11.98	H	1	2.00
8	5,891.500	50.18	68.20	18.02	12.12	H	4.9	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,721.000	102.05			11.69	V	104.9	2.00
8	5,850.000	49.15	68.20	19.05	11.98	V	159.5	1.00
8	5,875.500	49.62	68.20	18.58	12.06	V	358.5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5710MHz: Fundamental frequency.
3. #: Out of restricted band.

802.11ac (80MHz)


CHANNEL	TX Channel 106	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,453.000	51.19	74.00	22.81	11.12	H	1.5	2.00
3	5,460.000	51.22	74.00	22.78	11.12	H	62.6	1.00
3	5,536.000	97.33			11.11	H	27.1	2.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,458.500	37.50	54.00	16.50	11.12	H	39.1	2.00
3	5,460.000	37.56	54.00	16.44	11.12	H	0.9	2.00
3	5,533.500	86.15			11.11	H	61.4	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,457.500	50.97	74.00	23.03	11.12	V	91.7	2.00
3	5,460.000	49.54	74.00	24.46	11.12	V	91.7	2.00
3	5,528.000	97.54			11.10	V	168.2	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,458.000	37.20	54.00	16.80	11.12	V	359.1	1.00
3	5,460.000	37.32	54.00	16.68	11.12	V	103.7	2.00
3	5,518.000	85.97			11.09	V	320.9	1.00




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5530MHz: Fundamental frequency.
- #: Out of restricted band.

CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,586.500	97.11			11.23	H	37.8	2.00
4	5,725.000	51.17	68.20	17.03	11.70	H	0.9	2.00
4	5,748.000	52.43	68.20	15.77	11.73	H	359	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,629.500	97.58			11.36	V	334	1.00
4	5,725.000	50.79	68.20	17.41	11.70	V	167	2.00
4	5,744.000	52.02	68.20	16.18	11.73	V	101.3	2.00




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5610MHz: Fundamental frequency.
- #: Out of restricted band.

CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,683.000	95.91			11.58	H	69.8	1.00
5	5,850.000	51.17	68.20	17.03	11.98	H	359.1	1.00
5	5,873.500	53.29	68.20	14.91	12.06	H	359	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,702.500	97.25			11.65	V	62.6	1.00
5	5,850.000	51.53	68.20	16.67	11.98	V	92.9	2.00
5	5,861.000	52.52	68.20	15.68	12.02	V	1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5690MHz: Fundamental frequency.
- #: Out of restricted band.



Test Report No.: PSU-QSU2312140113RF11

802.11ac (160MHz)

CHANNEL	TX Channel 114	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,441.000	53.52	74.00	20.48	11.13	H	359	2.00
7	5,460.000	50.20	74.00	23.80	11.12	H	359	2.00
7	5,542.938	95.30			11.12	H	1.7	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,441.875	38.02	54.00	15.98	11.13	H	0.9	2.00
7	5,460.000	37.60	54.00	16.40	11.12	H	1.4	2.00
7	5,533.750	82.00			11.11	H	24.8	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,393.750	51.31	74.00	22.69	11.13	V	96.4	2.00
7	5,460.000	48.94	74.00	25.06	11.12	V	330.4	1.00
7	5,543.375	95.43			11.12	V	330.4	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,412.125	38.45	54.00	15.55	11.14	V	96.5	2.00
7	5,460.000	37.31	54.00	16.69	11.12	V	329.2	1.00
7	5,552.563	84.62			11.13	V	329.2	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5690MHz: Fundamental frequency.
- #: Out of restricted band.




802.11ax (20MHz)

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,446.000	51.30	74.00	22.70	11.12	H	359	1.00
8	5,460.000	49.78	74.00	24.22	11.12	H	359	1.00
8	5,497.500	107.41			11.10	H	1	1.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.000	36.08	54.00	17.92	11.12	H	355.7	1.00
8	5,460.000	36.01	54.00	17.99	11.12	H	359.1	1.00
8	5,497.000	93.04			11.10	H	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,443.500	50.79	74.00	23.21	11.13	V	359.1	1.00
8	5,460.000	50.59	74.00	23.41	11.12	V	231.2	1.00
8	5,501.000	106.13			11.09	V	305.7	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.000	36.00	54.00	18.00	11.12	V	329.1	1.00
8	5,460.000	36.11	54.00	17.89	11.12	V	329.1	1.00
8	5,501.500	92.79			11.09	V	329.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,434.000	51.59	74.00	22.41	11.13	H	358.2	1.00
9	5,460.000	49.80	74.00	24.20	11.12	H	51.8	1.00
9	5,576.500	104.78			11.20	H	359.1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,456.000	36.25	54.00	17.75	11.12	H	359.1	1.00
9	5,460.000	36.12	54.00	17.88	11.12	H	359.1	1.00
9	5,586.000	90.75			11.23	H	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,456.500	50.75	74.00	23.25	11.12	V	349.4	2.00
9	5,460.000	49.68	74.00	24.32	11.12	V	112.1	2.00
9	5,582.000	105.71			11.22	V	291	1.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,455.500	36.01	54.00	17.99	11.12	V	355.1	2.00
9	5,460.000	35.93	54.00	18.07	11.12	V	73.8	2.00
9	5,586.000	90.84			11.23	V	73.8	2.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,693.500	104.67			11.62	H	10.6	2.00
10	5,725.000	56.58	68.20	11.62	11.70	H	0.9	2.00
10	5,726.000	55.70	68.20	12.50	11.70	H	10.6	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,694.500	105.10			11.62	V	54.2	1.00
10	5,725.000	54.11	68.20	14.09	11.70	V	5.5	1.00
10	5,725.500	54.87	68.20	13.33	11.70	V	5.5	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5700MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,718.000	105.36			11.68	H	36.7	2.00
11	5,850.000	47.36	68.20	20.84	11.98	H	357.2	1.00
11	5,873.000	49.04	68.20	19.16	12.06	H	91.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,714.500	105.09			11.67	V	86.9	2.00
11	5,850.000	47.87	68.20	20.33	11.98	V	4.9	1.00
11	5,895.500	49.44	68.20	18.76	12.13	V	268.2	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5720MHz: Fundamental frequency.
- #: Out of restricted band.

802.11ax (40MHz)

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,456.000	51.71	74.00	22.29	11.12	H	359	1.00
5	5,460.000	50.37	74.00	23.63	11.12	H	355.7	2.00
5	5,516.500	104.59			11.09	H	1	1.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.000	35.28	54.00	18.72	11.12	H	1	1.00
5	5,460.000	34.82	54.00	19.18	11.12	H	359.1	1.00
5	5,507.000	90.53			11.09	H	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	52.85	74.00	21.15	11.12	V	355	2.00
5	5,460.000	52.03	74.00	21.97	11.12	V	355	2.00
5	5,509.000	104.76			11.09	V	130	2.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	35.43	54.00	18.57	11.12	V	355.8	2.00
5	5,460.000	35.61	54.00	18.39	11.12	V	355.8	2.00
5	5,513.000	89.93			11.09	V	288.5	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5510MHz: Fundamental frequency.
3. #: Out of restricted band.


CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.000	49.09	74.00	24.91	11.12	H	300.5	1.00
6	5,460.000	47.08	74.00	26.92	11.12	H	3.3	2.00
6	5,547.000	103.24			11.12	H	359.1	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,454.000	34.01	54.00	19.99	11.12	H	33.1	2.00
6	5,460.000	33.96	54.00	20.04	11.12	H	1	1.00
6	5,556.000	89.50			11.14	H	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,446.000	48.24	74.00	25.76	11.12	V	5	1.00
6	5,460.000	47.44	74.00	26.56	11.12	V	0.9	2.00
6	5,554.500	103.07			11.14	V	71.4	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,455.500	33.88	54.00	20.12	11.12	V	355.8	2.00
6	5,460.000	33.72	54.00	20.28	11.12	V	355.8	2.00
6	5,547.500	88.93			11.12	V	128.9	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5500MHz: Fundamental frequency.
- #: Out of restricted band.

CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,663.000	103.90			11.50	H	14.1	2.00
7	5,725.000	48.53	68.20	19.67	11.70	H	0.9	2.00
7	5,734.500	48.81	68.20	19.39	11.71	H	359	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,680.000	104.09			11.57	V	239.5	1.00
7	5,725.000	47.86	68.20	20.34	11.70	V	0.8	2.00
7	5,727.000	49.09	68.20	19.11	11.70	V	125.3	2.00




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5670MHz: Fundamental frequency.
- #: Out of restricted band.

CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,717.000	103.24			11.68	H	37.9	2.00
8	5,850.000	47.97	68.20	20.23	11.98	H	97.8	2.00
8	5,891.000	48.92	68.20	19.28	12.11	H	359.1	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,711.500	102.58			11.67	V	118.1	2.00
8	5,850.000	48.01	68.20	20.19	11.98	V	1	1.00
8	5,862.500	48.91	68.20	19.29	12.02	V	359.1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5710MHz: Fundamental frequency.
3. #: Out of restricted band.

802.11ax (80MHz)

CHANNEL	TX Channel 106	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,455.000	55.99	74.00	18.01	11.12	H	355.1	2.00
3	5,460.000	54.00	74.00	20.00	11.12	H	355.1	2.00
3	5,528.500	101.60			11.10	H	56	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,459.000	38.29	54.00	15.71	11.12	H	355.1	2.00
3	5,460.000	38.54	54.00	15.46	11.12	H	355.1	2.00
3	5,526.500	86.85			11.10	H	359.1	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,450.000	37.82	54.00	16.18	11.12	V	53.5	2.00
3	5,460.000	38.98	54.00	15.02	11.12	V	53.5	2.00
3	5,541.500	87.35			11.12	V	305.3	1.00



Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,456.000	55.47	74.00	18.53	11.12	V	107.3	2.00
3	5,460.000	54.52	74.00	19.48	11.12	V	302.2	2.00
3	5,551.000	101.12			11.13	V	305.3	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5530MHz: Fundamental frequency.
3. #: Out of restricted band.

CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,633.500	99.54			11.38	H	16.2	2.00
4	5,725.000	49.80	68.20	18.40	11.70	H	355.7	1.00
4	5,740.000	51.46	68.20	16.74	11.72	H	353.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,626.000	100.25			11.35	V	54.8	2.00
4	5,725.000	50.35	68.20	17.85	11.70	V	5.1	2.00
4	5,749.500	51.88	68.20	16.32	11.74	V	302.2	2.00




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5610MHz: Fundamental frequency.
- #: Out of restricted band.

CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,661.500	99.20			11.49	H	57.9	1.00
5	5,850.000	50.42	68.20	17.78	11.98	H	57.9	1.00
5	5,890.500	52.87	68.20	15.33	12.11	H	5	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,698.000	98.90			11.64	V	60.2	1.00
5	5,850.000	50.64	68.20	17.56	11.98	V	0.9	2.00
5	5,887.500	51.88	68.20	16.32	12.10	V	359.1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5690MHz: Fundamental frequency.
- #: Out of restricted band.


5G WIFI-RU

802.11ax (20MHz)(RU26):

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M
--

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.000	52.86	74.00	21.14	3.76	H	0.9	2.00
7	5,460.000	50.94	74.00	23.06	3.76	H	311.5	2.00
7	5,491.200	101.73			3.84	H	1	1.00






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,450.250	52.80	74.00	21.20	3.74	V	205.1	1.00
7	5,460.000	52.39	74.00	21.61	3.76	V	1	1.00
7	5,491.200	105.42			3.84	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,442.150	37.44	54.00	16.56	3.72	H	189.6	2.00
7	5,460.000	37.33	54.00	16.67	3.76	H	2.9	2.00
7	5,491.200	87.58			3.84	H	1	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	37.55	54.00	16.45	3.76	V	359.1	1.00
7	5,460.000	37.47	54.00	16.53	3.76	V	346.6	1.00
7	5,491.650	91.58			3.84	V	1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5500MHz: Fundamental frequency.
- #: Out of restricted band.