







Maximum Conducted Output Power NVNT ANT1_802_11n(HT40)_5755




Maximum Conducted Output Power NVNT ANT1_802_11n(HT40)_5795




Maximum Conducted Output Power NVNT ANT1 802_11ac(VHT40)_5755




Maximum Conducted Output Power NVNT ANT1 802_11ac(VHT40)_5795



Maximum Conducted Output Power NVNT ANT1 802 11ax(HE40) 5755



Maximum Conducted Output Power NVNT ANT1 802 11ax(HE40) 5795



5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-22.20	2.38	-0.09	-19.91	30	Pass
NVNT	ANT1	802.11a	5785.00	-23.85	2.44	-0.09	-21.49	30	Pass
NVNT	ANT1	802.11a	5825.00	-22.16	2.38	-0.09	-19.87	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-8.72	0.79	-0.09	-8.01	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-12.13	0.79	-0.09	-11.43	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-11.60	0.79	-0.09	-10.90	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-10.70	0.79	-0.09	-10.00	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-11.54	0.79	-0.09	-10.83	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-12.28	0.79	-0.09	-11.58	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-10.78	1.01	-0.09	-9.86	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-12.08	1.01	-0.09	-11.16	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-14.32	1.01	-0.09	-13.39	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-17.12	0.82	-0.09	-16.39	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-17.48	0.82	-0.09	-16.75	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-16.66	0.82	-0.09	-15.93	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-18.47	0.82	-0.09	-17.73	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-17.10	1.02	-0.09	-16.17	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-20.74	1.00	-0.09	-19.82	30	Pass




Power Spectral Density NVNT ANT1 802 11a 5785




Power Spectral Density NVNT ANT1_802_11a_5825




Power Spectral Density NVNT ANT1_802_11n(HT20)_5745




Power Spectral Density NVNT ANT1 802 11n(HT20) 5785




Power Spectral Density NVNT ANT1 802 11n(HT20) 5825




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5745




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5785




Power Spectral Density NVNT ANT1 802 11ac(VHT20) 5825





Power Spectral Density NVNT ANT1 802 11ax(HE20) 5745




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5785



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5825




Power Spectral Density NVNT ANT1 802 11n(HT40) 5795




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5755




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5795



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5755



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5795



5. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
40degrees C&&12.0V	ANT1	802.11a	5745.00	5745.002	5736.484	5753.520	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11a	5745.00	5744.974	5736.644	5753.304	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5745.00	5745.010	5736.768	5753.252	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11a	5745.00	5745.004	5736.848	5753.160	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11a	5745.00	5745.000	5736.908	5753.092	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11a	5745.00	5745.002	5736.964	5753.040	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11a	5745.00	5744.880	5737.000	5752.760	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11a	5745.00	5744.916	5737.040	5752.792	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5745.00	5744.926	5737.088	5752.764	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11a	5745.00	5744.934	5737.132	5752.736	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11a	5785.00	5785.006	5776.476	5793.536	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11a	5785.00	5785.000	5776.652	5793.348	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5785.00	5785.000	5776.776	5793.224	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11a	5785.00	5784.998	5776.848	5793.148	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11a	5785.00	5785.020	5776.916	5793.124	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11a	5785.00	5784.978	5776.976	5792.980	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11a	5785.00	5784.948	5777.032	5792.864	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11a	5785.00	5784.986	5777.084	5792.888	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5785.00	5784.972	5777.140	5792.804	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11a	5785.00	5785.000	5777.188	5792.812	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11a	5825.00	5824.964	5816.424	5833.504	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11a	5825.00	5824.988	5816.628	5833.348	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5825.00	5824.992	5816.752	5833.232	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11a	5825.00	5824.986	5816.836	5833.136	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11a	5825.00	5824.954	5816.892	5833.016	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11a	5825.00	5824.974	5816.936	5833.012	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11a	5825.00	5825.004	5816.980	5833.028	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11a	5825.00	5825.008	5817.028	5832.988	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11a	5825.00	5825.004	5817.080	5832.928	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11a	5825.00	5825.010	5817.108	5832.912	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.988	5735.860	5754.116	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.010	5736.040	5753.980	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.004	5736.172	5753.836	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.000	5736.244	5753.756	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.010	5736.308	5753.712	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.008	5736.356	5753.660	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5745.008	5736.416	5753.600	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11n(HT20)	5745.00	5744.992	5736.460	5753.524	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5745.00	5744.992	5736.508	5753.476	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5745.00	5745.000	5736.552	5753.448	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.012	5775.880	5794.144	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.008	5776.052	5793.964	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.000	5776.172	5793.828	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5785.010	5776.240	5793.780	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.296	5793.700	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.340	5793.656	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.990	5776.392	5793.588	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.448	5793.548	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.504	5793.492	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.548	5793.448	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.982	5815.844	5834.120	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.992	5816.036	5833.948	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.982	5816.152	5833.812	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.974	5816.232	5833.716	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.982	5816.284	5833.680	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.972	5816.328	5833.616	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.988	5816.384	5833.592	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11n(HT20)	5825.00	5824.984	5816.432	5833.536	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5825.00	5824.966	5816.484	5833.448	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5825.00	5824.992	5816.540	5833.444	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.008	5735.872	5754.144	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.000	5736.048	5753.952	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.006	5736.168	5753.844	5725~5850	Pass

15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.010	5736.244	5753.776	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.000	5736.296	5753.704	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5745.000	5736.348	5753.652	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5744.998	5736.400	5753.596	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT20)	5745.00	5744.996	5736.452	5753.540	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5745.00	5744.988	5736.504	5753.472	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5745.00	5745.002	5736.552	5753.452	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5775.896	5794.152	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.020	5776.076	5793.964	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.014	5776.188	5793.840	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.006	5776.252	5793.760	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.000	5776.308	5793.692	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5784.998	5776.356	5793.640	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.408	5793.608	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT20)	5785.00	5785.004	5776.452	5793.556	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5785.00	5785.002	5776.500	5793.504	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5785.00	5785.002	5776.548	5793.456	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.984	5815.856	5834.112	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.974	5816.032	5833.916	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.994	5816.160	5833.828	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.988	5816.236	5833.740	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.980	5816.288	5833.672	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.986	5816.336	5833.636	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.984	5816.388	5833.580	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT20)	5825.00	5824.978	5816.432	5833.524	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5825.00	5824.984	5816.476	5833.492	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5825.00	5824.970	5816.528	5833.412	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5744.996	5735.352	5754.640	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.012	5735.480	5754.544	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.010	5735.552	5754.468	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.028	5735.632	5754.424	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.040	5735.696	5754.384	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.016	5735.748	5754.284	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.014	5735.816	5754.212	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ax(HE20)	5745.00	5745.052	5735.872	5754.232	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE20)	5745.00	5745.058	5735.944	5754.172	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ax(HE20)	5745.00	5745.058	5736.004	5754.112	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.012	5775.384	5794.640	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.002	5775.476	5794.528	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.002	5775.548	5794.456	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.014	5775.616	5794.412	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5784.992	5775.668	5794.316	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.008	5775.716	5794.300	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.004	5775.760	5794.248	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ax(HE20)	5785.00	5785.040	5775.816	5794.264	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE20)	5785.00	5785.014	5775.880	5794.148	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ax(HE20)	5785.00	5785.008	5775.932	5794.084	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.998	5815.368	5834.628	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.996	5815.484	5834.508	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5825.000	5815.552	5834.448	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.986	5815.600	5834.372	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.982	5815.636	5834.328	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.958	5815.676	5834.240	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.988	5815.716	5834.260	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ax(HE20)	5825.00	5824.982	5815.764	5834.200	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE20)	5825.00	5824.994	5815.816	5834.172	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ax(HE20)	5825.00	5824.966	5815.864	5834.068	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.732	5736.856	5794.608	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.660	5736.856	5794.464	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.508	5736.856	5794.160	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.404	5736.856	5793.952	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.384	5736.856	5793.912	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.272	5736.856	5793.688	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5765.204	5736.856	5793.552	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11n(HT40)	5755.00	5765.080	5736.856	5793.304	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5755.00	5764.976	5736.856	5793.096	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT40)	5755.00	5764.824	5736.856	5792.792	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.008	5776.816	5813.200	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.012	5776.952	5813.072	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.000	5777.056	5812.944	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5794.996	5777.160	5812.832	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.008	5777.272	5812.744	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.020	5777.384	5812.656	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.020	5777.464	5812.576	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11n(HT40)	5795.00	5794.992	5777.552	5812.432	5725~5850	Pass

25degrees C&&12.0V	ANT1	802.11n(HT40)	5795.00	5795.020	5777.672	5812.368	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11n(HT40)	5795.00	5795.012	5777.752	5812.272	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.036	5736.856	5773.216	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.036	5736.992	5773.080	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.044	5737.104	5772.984	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.060	5737.224	5772.896	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.060	5737.320	5772.800	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.416	5772.664	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.512	5772.568	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT40)	5755.00	5755.060	5737.608	5772.512	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5755.00	5755.032	5737.704	5772.360	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT40)	5755.00	5755.016	5737.792	5772.240	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.032	5776.848	5813.216	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5776.968	5813.064	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5777.080	5812.952	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.024	5777.184	5812.864	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.024	5777.264	5812.784	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.000	5777.352	5812.648	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5794.996	5777.448	5812.544	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ac(VHT40)	5795.00	5795.008	5777.544	5812.472	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.640	5812.400	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT40)	5795.00	5794.988	5777.760	5812.216	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.052	5736.064	5774.040	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.068	5736.208	5773.928	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.080	5736.336	5773.824	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.056	5736.432	5773.680	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.092	5736.536	5773.648	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.040	5736.632	5773.448	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.112	5736.760	5773.464	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ax(HE40)	5755.00	5755.120	5736.872	5773.368	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE40)	5755.00	5755.048	5736.944	5773.152	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ax(HE40)	5755.00	5755.096	5737.048	5773.144	5725~5850	Pass
40degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5795.028	5776.024	5814.032	5725~5850	Pass
35degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5795.004	5776.128	5813.880	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5794.984	5776.240	5813.728	5725~5850	Pass
15degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5794.956	5776.344	5813.568	5725~5850	Pass
5degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5794.980	5776.440	5813.520	5725~5850	Pass
-5degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5794.952	5776.520	5813.384	5725~5850	Pass
-10degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5794.964	5776.600	5813.328	5725~5850	Pass
25degrees C&&13.2V	ANT1	802.11ax(HE40)	5795.00	5795.004	5776.720	5813.288	5725~5850	Pass
25degrees C&&12.0V	ANT1	802.11ax(HE40)	5795.00	5795.008	5776.808	5813.208	5725~5850	Pass
25degrees C&&10.8V	ANT1	802.11ax(HE40)	5795.00	5794.940	5776.896	5812.984	5725~5850	Pass