

Material acknowledgement

Manufacturer: Shenzhen Yusheng Communication Equipment Co., Ltd Project model: CW 07-REBK01

product description	Address: 407-411, Floor 4, Building 2, South Taiyun Chuanggu Park, Southeast of intersection of Guangming Avenue and Dongchang Road, Guangming District, Shenzhen Item name: FPC antenna Specifications / Colors: Material code: Sample delivery date: year, month, day Version number: Note: (this cover requires supplier seal)	
appendix	<input type="checkbox"/> sample <input type="checkbox"/> Manufacturing flow chart / 2D diagram <input type="checkbox"/> Electrical and Mechanical Property Description (Specification) <input type="checkbox"/> Full-size measurement report <input type="checkbox"/> CPK report <input type="checkbox"/> QC schedule drawing	<input type="checkbox"/> Reliability test report <input type="checkbox"/> packaging information <input type="checkbox"/> List of raw materials / RoHS & REACH & HF Report <input type="checkbox"/> Bill of Materials, MSDS <input type="checkbox"/> Environmental material questionnaire
Supplier audit	Formulation: Li Jieyi, review: Zeng Xianghao, approval: Feng Jiwei (All of the above require manual signature, and printing is not allowed)	



The above is filled by the supplier, the following is filled by Xiao Che Technology

discriminate	Confirmation of the person	Confirm content	Confirm the results	Signature of confirmation	Confirmation date
Technical confirmation	ID	<input type="checkbox"/> Appearance <input type="checkbox"/> color <input type="checkbox"/> process <input type="checkbox"/> material			
	structure	<input type="checkbox"/> Material <input type="checkbox"/> dimension (including the key control dimension annotation) <input type="checkbox"/> Specification and technical requirements <input type="checkbox"/> adaptation verification			
	hardware	<input type="checkbox"/> Specification and technical requirements (including electrical performance parameters) <input type="checkbox"/> Adaptation to verify the effect			
	quality	<input type="checkbox"/> RoHS materials <input type="checkbox"/> Non-RoHS materials <input type="checkbox"/> meet the requirements of REACH <input type="checkbox"/> Compliance with halogen free requirements <input type="checkbox"/> other environmental requirements <input type="checkbox"/> test standard confirmation <input type="checkbox"/> appearance <input type="checkbox"/> normative			



		dimension <input type="checkbox"/> reliability confirmation			
Final confirmation	project	<input type="checkbox"/> Acknowledge the integrity of the document <input type="checkbox"/> dimension dimensions <input type="checkbox"/> Appearance <input type="checkbox"/> Electrical performance parameter <input type="checkbox"/> function <input type="checkbox"/> effect			
condition of recognition:	<input type="checkbox"/> formal admission <input type="checkbox"/> Limited recognition (Limited _____ PCS) <input type="checkbox"/> disallow				
Distribution Department:	<input type="checkbox"/> Supplier <input type="checkbox"/> Factory IQC <input type="checkbox"/> Quality <input type="checkbox"/> Project <input type="checkbox"/> After-sales <input type="checkbox"/> Customer <input type="checkbox"/> Other _____				



Catalogue

1. OVERVIEW	4
1.1 SCOPE OF APPLICATION.....	4
1.2 PROJECT BASIC INFORMATION.....	4
2. TECHNICAL INDEX REQUIREMENTS	4
2.1 INTRODUCTION OF TEST ITEMS AND EQUIPMENT.....	4
2.2 ACTIVE REPORTING.....	4
2.2.1 TEST INSTRUCTIONS.....	4
2.2.2 SCHEMATIC DIAGRAM OF THE MODIFICATION OF THE ANTENNA MATCHING CIRCUIT.....	5
2.2.3 TESTING CONDITIONS OF ANTENNA IMPEDANCE PARAMETERS.....	5
2.2.4 TESTING SITUATION OF ANTENNA EFFICIENCY PARAMETERS.....	6
2.2.5, WITH A PASSIVE ORIENTATION DIAGRAM.....	7
2.2.6 ANTENNA TEST ENVIRONMENT.....	8
3. STRUCTURAL DRAWINGS	9
4. LIST OF MATERIALS	10
5. PACKAGE SCHEMATIC DIAGRAM	11

1. Overview

1.1 Scope of application

This requirement, specifies CW 07-REBK01 Antenna technical requirements and material requirements specifications.

This requirement applies to CW07-REBK01 Antenna type selection, test, and acceptance.

1.2 Project basic information

Antenna name:	<u>CW07-REBK01</u>
Antenna frequency band:	BT
Antenna material:	FPC
edition:	V0.2

2. Technical index requirements

2.1 Introduction of test items and equipment

inventory	test item	equipment
Active test	TRP,TIS	Integrated tester, microwave darkroom

2.2 Active Reporting

2.2.1 Test instructions


Test tools: Agilent8960 instrument, R & S CMW500, full wave far field ETS dark room, high precision positioning system and its controller and computer with automatic test program

Test environment: temperature $22^{\circ}\text{C} \pm 3^{\circ}\text{C}$, humidity $50\% \pm 15\%$

Test method: DUT is fixed in the center of the turntable with the H plane, on the same horizontal line as the center of the horn antenna.


The positioning system enables the DUT to rotate in the whole sphere to satisfy the high-precision 3 D positioning. Each RF instrument and turntable controller communicate with the PC with automatic test software through the GPIB interface.

2.2.2 Schematic diagram of the modification of the antenna matching circuit




The main antenna matching is not changed, the antenna contact thimble with two, the antenna using PIFA antenna design

2.2.3 Testing conditions of antenna impedance parameters



The SPK line is rotated clockwise for three times and then welded to avoid the antenna placement




Antenna assembly, and fit on the inner side as shown in the figure


2.2.4 Testing situation of antenna efficiency parameters

FS	frequency point	productiveness%	productiveness db	gain
	2400	15.4	-8.1	-4.7
	2410	15.5	-8.1	-4.3
	2420	16.2	-7.9	-4.1
	2430	16.5	-7.8	-3.8
	2440	16.1	-7.9	-4.1
	2450	16.0	-8.0	-4.3
	2460	15.7	-8.0	-4.5
	2470	15.6	-8.1	-4.6
	2480	15.5	-8.1	-4.7
	2490	15.3	-8.2	-4.8
	2500	15.1	-8.2	-4.8


ARM	frequency point	productiveness%	productiveness db	gain
	2400	7.8	-11.1	-5.7
	2410	8.2	-10.9	-5.6
	2420	8.8	-10.6	-5.8
	2430	8.9	-10.5	-5.9
	2440	9.1	-10.4	-5.6
	2450	9.4	-10.3	-5.4
	2460	9.6	-10.2	-5.2
	2470	9.1	-10.4	-5.4
	2480	8.9	-10.5	-5.6
	2490	8.4	-10.8	-5.7
	2500	8.1	-10.9	-5.5

2.2.5, with a passive orientation diagram





2.2.6 Antenna test environment



3. Structural drawings

<p style="text-align: center;">由 Autodesk 教育版产品制作</p>	<p style="text-align: center;">由 Autodesk 教育版产品制作</p>	<p style="text-align: center;">由 Autodesk 教育版产品制作</p>																																
<p>skills requirements:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>PI substrate:</td> <td>Electrolytic copper (half to half)</td> </tr> <tr> <td>Electrolytic copper:</td> <td>0.5oz (BD)</td> </tr> <tr> <td>Double-sided tape:</td> <td>9471</td> </tr> <tr> <td>Nickel plated:</td> <td>3μm;</td> </tr> <tr> <td>Surface ink color:</td> <td>Mat black</td> </tr> <tr> <td>Printing font color:</td> <td>BLACK</td> </tr> <tr> <td>Printing font height:</td> <td>According to drawings</td> </tr> </table>	PI substrate:	Electrolytic copper (half to half)	Electrolytic copper:	0.5oz (BD)	Double-sided tape:	9471	Nickel plated:	3 μ m;	Surface ink color:	Mat black	Printing font color:	BLACK	Printing font height:	According to drawings	<p>4. Reliability requirements:</p> <ol style="list-style-type: none"> 1. Reliability test: salt spray test\rubber friction test\alcohol resistance test\100 grid test. 2. The front ink, the surface of the ink is required to be folded in half without cracking, scratching, etc. 	<p>5. Tolerance requirements:</p> <ol style="list-style-type: none"> 1. Shape tolerance ± 0.10; 2. Copper foil circuit tolerance ± 0.05; 3. The position of the copper foil to the shape is ± 0.15; 4. Hole-to-hole position tolerance ± 0.10; hole-to-shape position tolerance ± 0.15; 5. The size tolerance of gold finger is ± 0.20. 6. For other unmarked dimensions, refer to 2D drawings. 																		
PI substrate:	Electrolytic copper (half to half)																																	
Electrolytic copper:	0.5oz (BD)																																	
Double-sided tape:	9471																																	
Nickel plated:	3 μ m;																																	
Surface ink color:	Mat black																																	
Printing font color:	BLACK																																	
Printing font height:	According to drawings																																	
<p>6. Key control size:</p> <p>The dimensions marked with numbers are regarded as important dimensions, and the others refer to 2D drawings</p>																																		
<p>7. Environmental requirements:</p> <p>8. Packaging requirements:</p>	<p style="text-align: center;">Shenzhen Yu Sheng Communication Equipment Co., Ltd.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Model</td> <td>CN07-FRBN01</td> <td>DATE</td> <td>20240314</td> </tr> <tr> <td>Name</td> <td>BT-PPC</td> <td>Design</td> <td>JFB</td> </tr> <tr> <td>Part NO</td> <td>604008-1A</td> <td>Review</td> <td>JFB</td> </tr> <tr> <td>Material quality</td> <td>Electrolytic copper (half to half)</td> <td>RF</td> <td>CKH</td> </tr> <tr> <td>Gold surface treatment</td> <td></td> <td>confirm</td> <td></td> </tr> <tr> <td>Appearance treatment</td> <td></td> <td>UNIT</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>proportion</td> <td>FIT</td> </tr> <tr> <td></td> <td></td> <td>Revised</td> <td>R:A</td> </tr> </table>		Model	CN07-FRBN01	DATE	20240314	Name	BT-PPC	Design	JFB	Part NO	604008-1A	Review	JFB	Material quality	Electrolytic copper (half to half)	RF	CKH	Gold surface treatment		confirm		Appearance treatment		UNIT	mm			proportion	FIT			Revised	R:A
Model	CN07-FRBN01	DATE	20240314																															
Name	BT-PPC	Design	JFB																															
Part NO	604008-1A	Review	JFB																															
Material quality	Electrolytic copper (half to half)	RF	CKH																															
Gold surface treatment		confirm																																
Appearance treatment		UNIT	mm																															
		proportion	FIT																															
		Revised	R:A																															
<p>DATE</p> <p>Modify the content</p>	<p>Version</p>	<p>Revise</p>																																
1	2	3																																
4	5	6																																
7	8	9																																

由 Autodesk 教育版产品制作



4. Bill Of Material



604008 (GW07-RFBK01) BOM表


edition: R:A

client: 604


Type of aircraft: 604008

Set a date: 2024/03/14

Item	*Material code	*Material name	name	*Machine type	Specification and model	colour	*UNIT	dosage	remark
1	604008-IA-TA	BT-FPC		GW07-RFBK01	BLACK BT-FPC Electrolytic copper weld 20.30*9.92*0.12 mm	black	PCS	1	
1.1	604008-IA-01-TA	BT-FPC		GW07-RFBK01	BLACK BT-FPC Electrolytic copper weld 24.52*5.58*0.12MM	black	PCS	1	
<p>verify: examine: manufacture: FJW</p>									



5. Package schematic diagram

Packaging method diagram		
product name	LDS antenna	
Project model	<u>CW07-REBK01</u>	
File details	Carton Size 1: 270*260*200MM Carton Size 2: 260*200*200MM Carton Size 3: Depending on the order quantity / volume	
	Boating method	Depending on the project situation
	Total number of binning	Packaging by order quantity
labeling requirement	Tag Size 1: Universal use 100 * 100mm Tag Size 2: According to customer requirements	
matters need attention		
1. Due to the limitation of order quantity, the packing method of each material is the size of the box according to the total quantity of the order or the physical volume		
2. Storage temperature: room temperature		
3. Preservation conditions: store them in a cool and dry place		