


## 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1496G      | 68.60             | 74.00             | -5.40          | 63.88         | 3           | Horizontal | 122            | 2.06          | -       | 31.70      | 5.00       | 31.98      |  |
| AV   | 5.1496G      | 51.14             | 54.00             | -2.86          | 46.42         | 3           | Horizontal | 122            | 2.06          | -       | 31.70      | 5.00       | 31.98      |  |
| PK   | 5.198G       | 110.30            | Inf               | -Inf           | 105.89        | 3           | Horizontal | 122            | 2.06          | -       | 31.41      | 5.00       | 32.00      |  |
| AV   | 5.2024G      | 101.02            | Inf               | -Inf           | 96.63         | 3           | Horizontal | 122            | 2.06          | -       | 31.39      | 5.00       | 32.00      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.60136G    | 60.14             | 74.00             | -13.86         | 45.81         | 3           | Vertical  | 180            | 1.61          | -       | 38.19      | 10.40      | 34.26      |
| AV   | 15.6014G     | 47.19             | 54.00             | -6.81          | 32.86         | 3           | Vertical  | 180            | 1.61          | -       | 38.19      | 10.40      | 34.26      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.60752G    | 59.40             | 74.00             | -14.60         | 45.09         | 3           | Horizontal | 277            | 2.91          | -       | 38.17      | 10.40      | 34.26      |
| AV   | 15.60028G    | 46.86             | 54.00             | -7.14          | 32.52         | 3           | Horizontal | 277            | 2.91          | -       | 38.20      | 10.40      | 34.26      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1038G      | 57.24             | 74.00             | -16.76         | 52.22         | 3           | Vertical  | 151            | 1.98          | -       | 31.98      | 5.00       | 31.96      |
| AV   | 5.0942G      | 45.55             | 54.00             | -8.45          | 40.56         | 3           | Vertical  | 151            | 1.98          | -       | 31.94      | 5.00       | 31.95      |
| PK   | 5.2412G      | 105.85            | Inf               | -Inf           | 101.72        | 3           | Vertical  | 151            | 1.98          | -       | 31.15      | 5.00       | 32.02      |
| AV   | 5.2424G      | 96.50             | Inf               | -Inf           | 92.37         | 3           | Vertical  | 151            | 1.98          | -       | 31.15      | 5.00       | 32.02      |
| PK   | 5.3648G      | 57.07             | 74.00             | -16.93         | 52.95         | 3           | Vertical  | 151            | 1.98          | -       | 31.19      | 5.00       | 32.07      |
| AV   | 5.381G       | 45.00             | 54.00             | -9.00          | 40.79         | 3           | Vertical  | 151            | 1.98          | -       | 31.29      | 5.00       | 32.08      |

# 802.11a\_Nss1,(6Mbps)\_1TX

## 5240MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1236G      | 59.65             | 74.00             | -14.35         | 54.75         | 3           | Horizontal | 126            | 2.09          | -       | 31.86      | 5.00       | 31.96      |
| AV   | 5.0942G      | 45.63             | 54.00             | -8.37          | 40.64         | 3           | Horizontal | 126            | 2.09          | -       | 31.94      | 5.00       | 31.95      |
| PK   | 5.2352G      | 110.58            | Inf               | -Inf           | 106.40        | 3           | Horizontal | 126            | 2.09          | -       | 31.19      | 5.00       | 32.01      |
| AV   | 5.2424G      | 101.11            | Inf               | -Inf           | 96.98         | 3           | Horizontal | 126            | 2.09          | -       | 31.15      | 5.00       | 32.02      |
| PK   | 5.3516G      | 57.28             | 74.00             | -16.72         | 53.23         | 3           | Horizontal | 126            | 2.09          | -       | 31.11      | 5.00       | 32.06      |
| AV   | 5.3846G      | 45.23             | 54.00             | -8.77          | 41.00         | 3           | Horizontal | 126            | 2.09          | -       | 31.31      | 5.00       | 32.08      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.48956G    | 56.48             | 68.20             | -11.72         | 43.12         | 3           | Vertical  | 342            | 1.80          | -       | 39.59      | 7.90       | 34.13      |
| PK   | 15.72516G    | 59.35             | 74.00             | -14.65         | 45.40         | 3           | Vertical  | 121            | 1.00          | -       | 37.80      | 10.46      | 34.31      |
| AV   | 15.71984G    | 46.32             | 54.00             | -7.68          | 32.37         | 3           | Vertical  | 121            | 1.00          | -       | 37.80      | 10.46      | 34.31      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.47124G    | 56.64             | 68.20             | -11.56         | 43.30         | 3           | Horizontal | 0              | 1.98          | -       | 39.57      | 7.89       | 34.12      |
| PK   | 15.72388G    | 59.11             | 74.00             | -14.89         | 45.16         | 3           | Horizontal | 310            | 1.80          | -       | 37.80      | 10.46      | 34.31      |
| AV   | 15.72016G    | 46.66             | 54.00             | -7.34          | 32.71         | 3           | Horizontal | 310            | 1.80          | -       | 37.80      | 10.46      | 34.31      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1244G      | 56.36             | 74.00             | -17.64         | 51.47         | 3           | Vertical  | 153            | 1.94          | -       | 31.85      | 5.00       | 31.96      |
| AV   | 5.137G       | 45.58             | 54.00             | -8.42          | 40.77         | 3           | Vertical  | 153            | 1.94          | -       | 31.78      | 5.00       | 31.97      |
| PK   | 5.2552G      | 106.54            | Inf               | -Inf           | 102.46        | 3           | Vertical  | 153            | 1.94          | -       | 31.10      | 5.00       | 32.02      |
| AV   | 5.263G       | 96.80             | Inf               | -Inf           | 92.73         | 3           | Vertical  | 153            | 1.94          | -       | 31.10      | 5.00       | 32.03      |
| PK   | 5.3566G      | 56.58             | 74.00             | -17.42         | 52.51         | 3           | Vertical  | 153            | 1.94          | -       | 31.14      | 5.00       | 32.07      |
| AV   | 5.3992G      | 45.17             | 54.00             | -8.83          | 40.86         | 3           | Vertical  | 153            | 1.94          | -       | 31.40      | 5.00       | 32.09      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1232G      | 56.50             | 74.00             | -17.50         | 51.60         | 3           | Horizontal | 126            | 2.10          | -       | 31.86      | 5.00       | 31.96      |
| AV   | 5.1142G      | 45.85             | 54.00             | -8.15          | 40.90         | 3           | Horizontal | 126            | 2.10          | -       | 31.91      | 5.00       | 31.96      |
| PK   | 5.2588G      | 110.80            | Inf               | -Inf           | 106.72        | 3           | Horizontal | 126            | 2.10          | -       | 31.10      | 5.00       | 32.02      |
| AV   | 5.2624G      | 101.26            | Inf               | -Inf           | 97.19         | 3           | Horizontal | 126            | 2.10          | -       | 31.10      | 5.00       | 32.03      |
| PK   | 5.3506G      | 56.58             | 74.00             | -17.42         | 52.54         | 3           | Horizontal | 126            | 2.10          | -       | 31.10      | 5.00       | 32.06      |
| AV   | 5.3932G      | 45.23             | 54.00             | -8.77          | 40.95         | 3           | Horizontal | 126            | 2.10          | -       | 31.36      | 5.00       | 32.08      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 15.7894G  | 57.98    | 74.00    | -16.02 | 44.03  | 3    | Vertical  | 214     | 1.20   | -       | 37.80 | 10.49 | 34.34 |  |
| AV   | 15.77016G | 45.95    | 54.00    | -8.05  | 31.99  | 3    | Vertical  | 214     | 1.20   | -       | 37.80 | 10.49 | 34.33 |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.78148G    | 57.93             | 74.00             | -16.07         | 43.97         | 3           | Horizontal | 91             | 1.61          | -       | 37.80      | 10.49      | 34.33      |
| AV   | 15.77296G    | 45.78             | 54.00             | -8.22          | 31.82         | 3           | Horizontal | 91             | 1.61          | -       | 37.80      | 10.49      | 34.33      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.2956G      | 105.78            | Inf               | -Inf           | 101.72        | 3           | Vertical  | 324            | 1.80          | -       | 31.10      | 5.00       | 32.04      |  |
| AV   | 5.2952G      | 96.01             | Inf               | -Inf           | 91.95         | 3           | Vertical  | 324            | 1.80          | -       | 31.10      | 5.00       | 32.04      |  |
| PK   | 5.3504G      | 58.21             | 74.00             | -15.79         | 54.17         | 3           | Vertical  | 324            | 1.80          | -       | 31.10      | 5.00       | 32.06      |  |
| AV   | 5.3508G      | 46.05             | 54.00             | -7.95          | 42.01         | 3           | Vertical  | 324            | 1.80          | -       | 31.10      | 5.00       | 32.06      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.2956G      | 111.07            | Inf               | -Inf           | 107.01        | 3           | Horizontal | 125            | 2.04          | -       | 31.10      | 5.00       | 32.04      |  |
| AV   | 5.2952G      | 101.18            | Inf               | -Inf           | 97.12         | 3           | Horizontal | 125            | 2.04          | -       | 31.10      | 5.00       | 32.04      |  |
| PK   | 5.3564G      | 64.06             | 74.00             | -9.94          | 59.99         | 3           | Horizontal | 125            | 2.04          | -       | 31.14      | 5.00       | 32.07      |  |
| AV   | 5.3512G      | 48.90             | 54.00             | -5.10          | 44.85         | 3           | Horizontal | 125            | 2.04          | -       | 31.11      | 5.00       | 32.06      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.90148G    | 57.68             | 74.00             | -16.32         | 43.91         | 3           | Vertical  | 36             | 1.05          | -       | 37.60      | 10.55      | 34.38      |
| AV   | 15.89256G    | 45.30             | 54.00             | -8.70          | 31.52         | 3           | Vertical  | 36             | 1.05          | -       | 37.61      | 10.55      | 34.38      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.90944G    | 58.26             | 74.00             | -15.74         | 44.51         | 3           | Horizontal | 286            | 1.26          | -       | 37.58      | 10.55      | 34.38      |
| AV   | 15.89572G    | 45.39             | 54.00             | -8.61          | 31.61         | 3           | Horizontal | 286            | 1.26          | -       | 37.61      | 10.55      | 34.38      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 68  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.3154G      | 103.13            | Inf               | -Inf           | 99.08         | 3           | Vertical  | 329            | 1.91          | -       | 31.10      | 5.00       | 32.05      |  |
| AV   | 5.3262G      | 93.17             | Inf               | -Inf           | 89.12         | 3           | Vertical  | 329            | 1.91          | -       | 31.10      | 5.00       | 32.05      |  |
| PK   | 5.3508G      | 63.18             | 74.00             | -10.82         | 59.14         | 3           | Vertical  | 329            | 1.91          | -       | 31.10      | 5.00       | 32.06      |  |
| AV   | 5.35G        | 48.44             | 54.00             | -5.56          | 44.40         | 3           | Vertical  | 329            | 1.91          | -       | 31.10      | 5.00       | 32.06      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 68  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3154G      | 108.86            | Inf               | -Inf           | 104.81        | 3           | Horizontal | 123            | 1.98          | -       | 31.10      | 5.00       | 32.05      |
| AV   | 5.3262G      | 98.88             | Inf               | -Inf           | 94.83         | 3           | Horizontal | 123            | 1.98          | -       | 31.10      | 5.00       | 32.05      |
| PK   | 5.3502G      | 68.98             | 74.00             | -5.02          | 64.94         | 3           | Horizontal | 123            | 1.98          | -       | 31.10      | 5.00       | 32.06      |
| AV   | 5.35G        | 52.80             | 54.00             | -1.20          | 48.76         | 3           | Horizontal | 123            | 1.98          | -       | 31.10      | 5.00       | 32.06      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 68  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.9508G     | 56.97             | 74.00             | -17.03         | 43.29         | 3           | Vertical  | 110            | 1.34          | -       | 37.50      | 10.58      | 34.40      |  |
| AV   | 15.9626G     | 45.17             | 54.00             | -8.83          | 31.53         | 3           | Vertical  | 110            | 1.34          | -       | 37.47      | 10.58      | 34.41      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 68  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.95356G    | 57.02             | 74.00             | -16.98         | 43.35         | 3           | Horizontal | 130            | 2.67          | -       | 37.49      | 10.58      | 34.40      |
| AV   | 15.95992G    | 45.06             | 54.00             | -8.94          | 31.40         | 3           | Horizontal | 130            | 2.67          | -       | 37.48      | 10.58      | 34.40      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 57  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.414G       | 57.51             | 74.00             | -16.49         | 53.16         | 3           | Vertical  | 360            | 2.76          | -       | 31.43      | 5.01       | 32.09      |  |
| PK   | 5.4696G      | 62.70             | 68.20             | -5.50          | 58.25         | 3           | Vertical  | 360            | 2.76          | -       | 31.50      | 5.07       | 32.12      |  |
| AV   | 5.4556G      | 46.00             | 54.00             | -8.00          | 41.55         | 3           | Vertical  | 360            | 2.76          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.4956G      | 102.52            | Inf               | -Inf           | 98.05         | 3           | Vertical  | 360            | 2.76          | -       | 31.50      | 5.10       | 32.13      |  |
| AV   | 5.5024G      | 92.39             | Inf               | -Inf           | 87.92         | 3           | Vertical  | 360            | 2.76          | -       | 31.50      | 5.10       | 32.13      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 57  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4596G      | 59.95             | 74.00             | -14.05         | 55.50         | 3           | Horizontal | 126            | 2.00          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.4572G      | 46.79             | 54.00             | -7.21          | 42.34         | 3           | Horizontal | 126            | 2.00          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.4696G      | 66.78             | 68.20             | -1.42          | 62.33         | 3           | Horizontal | 126            | 2.00          | -       | 31.50      | 5.07       | 32.12      |  |
| PK   | 5.4956G      | 105.91            | Inf               | -Inf           | 101.44        | 3           | Horizontal | 126            | 2.00          | -       | 31.50      | 5.10       | 32.13      |  |
| AV   | 5.5024G      | 95.87             | Inf               | -Inf           | 91.40         | 3           | Horizontal | 126            | 2.00          | -       | 31.50      | 5.10       | 32.13      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 57  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.00492G    | 56.24             | 74.00             | -17.76         | 42.19         | 3           | Vertical  | 119            | 2.26          | -       | 40.18      | 8.10       | 34.23      |
| AV   | 10.99284G    | 43.89             | 54.00             | -10.11         | 29.83         | 3           | Vertical  | 119            | 2.26          | -       | 40.19      | 8.10       | 34.23      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 57  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.9938G     | 55.56             | 74.00             | -18.44         | 41.50         | 3           | Horizontal | 323            | 2.57          | -       | 40.19      | 8.10       | 34.23      |
| AV   | 10.99244G    | 43.68             | 54.00             | -10.32         | 29.62         | 3           | Horizontal | 323            | 2.57          | -       | 40.19      | 8.10       | 34.23      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4072G      | 58.04             | 74.00             | -15.96         | 53.71         | 3           | Vertical  | 360            | 2.45          | -       | 31.41      | 5.01       | 32.09      |
| PK   | 5.4648G      | 55.73             | 68.20             | -12.47         | 51.28         | 3           | Vertical  | 360            | 2.45          | -       | 31.50      | 5.06       | 32.11      |
| AV   | 5.452G       | 45.43             | 54.00             | -8.57          | 40.99         | 3           | Vertical  | 360            | 2.45          | -       | 31.50      | 5.05       | 32.11      |
| PK   | 5.5728G      | 104.99            | Inf               | -Inf           | 100.44        | 3           | Vertical  | 360            | 2.45          | -       | 31.55      | 5.17       | 32.17      |
| AV   | 5.5864G      | 96.06             | Inf               | -Inf           | 91.48         | 3           | Vertical  | 360            | 2.45          | -       | 31.57      | 5.19       | 32.18      |
| PK   | 5.7584G      | 57.73             | 68.20             | -10.47         | 52.74         | 3           | Vertical  | 360            | 2.45          | -       | 32.00      | 5.28       | 32.29      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4384G      | 56.67             | 74.00             | -17.33         | 52.25         | 3           | Horizontal | 125            | 2.00          | -       | 31.48      | 5.04       | 32.10      |
| PK   | 5.4672G      | 56.11             | 68.20             | -12.09         | 51.66         | 3           | Horizontal | 125            | 2.00          | -       | 31.50      | 5.07       | 32.12      |
| AV   | 5.4584G      | 45.33             | 54.00             | -8.67          | 40.88         | 3           | Horizontal | 125            | 2.00          | -       | 31.50      | 5.06       | 32.11      |
| PK   | 5.5752G      | 109.29            | Inf               | -Inf           | 104.74        | 3           | Horizontal | 125            | 2.00          | -       | 31.55      | 5.18       | 32.18      |
| AV   | 5.5752G      | 99.76             | Inf               | -Inf           | 95.21         | 3           | Horizontal | 125            | 2.00          | -       | 31.55      | 5.18       | 32.18      |
| PK   | 5.7384G      | 57.63             | 68.20             | -10.57         | 52.68         | 3           | Horizontal | 125            | 2.00          | -       | 31.95      | 5.27       | 32.27      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.15844G    | 55.13             | 74.00             | -18.87         | 41.55         | 3           | Vertical  | 40             | 2.02          | -       | 39.68      | 8.16       | 34.26      |
| AV   | 11.15288G    | 43.36             | 54.00             | -10.64         | 29.76         | 3           | Vertical  | 40             | 2.02          | -       | 39.69      | 8.16       | 34.25      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.15176G    | 55.27             | 74.00             | -18.73         | 41.66         | 3           | Horizontal | 274            | 2.00          | -       | 39.70      | 8.16       | 34.25      |
| AV   | 11.16892G    | 42.97             | 54.00             | -11.03         | 29.40         | 3           | Horizontal | 274            | 2.00          | -       | 39.66      | 8.17       | 34.26      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 78  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6954G      | 103.65            | Inf               | -Inf           | 98.87         | 3           | Vertical  | 196            | 2.48          | -       | 31.78      | 5.25       | 32.25      |
| AV   | 5.695G       | 93.83             | Inf               | -Inf           | 89.05         | 3           | Vertical  | 196            | 2.48          | -       | 31.78      | 5.25       | 32.25      |
| PK   | 5.7264G      | 64.64             | 68.20             | -3.56          | 59.74         | 3           | Vertical  | 196            | 2.48          | -       | 31.91      | 5.26       | 32.27      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6954G      | 107.69            | Inf               | -Inf           | 102.91        | 3           | Horizontal | 128            | 1.99          | -       | 31.78      | 5.25       | 32.25      |
| AV   | 5.695G       | 97.67             | Inf               | -Inf           | 92.89         | 3           | Horizontal | 128            | 1.99          | -       | 31.78      | 5.25       | 32.25      |
| PK   | 5.7262G      | 67.17             | 68.20             | -1.03          | 62.28         | 3           | Horizontal | 128            | 1.99          | -       | 31.90      | 5.26       | 32.27      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.39968G    | 54.68             | 74.00             | -19.32         | 40.91         | 3           | Vertical  | 329            | 2.88          | -       | 39.80      | 8.26       | 34.29      |  |
| AV   | 11.39232G    | 42.76             | 54.00             | -11.24         | 29.01         | 3           | Vertical  | 329            | 2.88          | -       | 39.78      | 8.26       | 34.29      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.39588G    | 54.81             | 74.00             | -19.19         | 41.05         | 3           | Horizontal | 307            | 2.38          | -       | 39.79      | 8.26       | 34.29      |
| AV   | 11.39804G    | 42.86             | 54.00             | -11.14         | 29.09         | 3           | Horizontal | 307            | 2.38          | -       | 39.80      | 8.26       | 34.29      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.716G       | 105.03            | Inf               | -Inf           | 100.17        | 3           | Vertical  | 154            | 1.80          | -       | 31.86      | 5.26       | 32.26      |
| AV   | 5.7152G      | 95.32             | Inf               | -Inf           | 90.46         | 3           | Vertical  | 154            | 1.80          | -       | 31.86      | 5.26       | 32.26      |
| PK   | 5.856G       | 57.24             | 68.20             | -10.96         | 52.21         | 3           | Vertical  | 154            | 1.80          | -       | 32.01      | 5.36       | 32.34      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.716G       | 107.09            | Inf               | -Inf           | 102.23        | 3           | Horizontal | 149            | 1.88          | -       | 31.86      | 5.26       | 32.26      |
| AV   | 5.7144G      | 97.21             | Inf               | -Inf           | 92.35         | 3           | Horizontal | 149            | 1.88          | -       | 31.86      | 5.26       | 32.26      |
| PK   | 5.8744G      | 56.63             | 68.20             | -11.57         | 51.56         | 3           | Horizontal | 149            | 1.88          | -       | 32.05      | 5.37       | 32.35      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.44288G    | 57.57             | 74.00             | -16.43         | 43.88         | 3           | Vertical  | 25             | 2.81          | -       | 39.71      | 8.28       | 34.30      |
| AV   | 11.44236G    | 44.82             | 54.00             | -9.18          | 31.12         | 3           | Vertical  | 25             | 2.81          | -       | 39.72      | 8.28       | 34.30      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.43668G    | 56.95             | 74.00             | -17.05         | 43.25         | 3           | Horizontal | 50             | 1.35          | -       | 39.73      | 8.27       | 34.30      |
| AV   | 11.44008G    | 44.78             | 54.00             | -9.22          | 31.08         | 3           | Horizontal | 50             | 1.35          | -       | 39.72      | 8.28       | 34.30      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.559G       | 56.78             | 68.20             | -11.42         | 52.27         | 3           | Vertical  | 2              | 1.68          | -       | 31.52      | 5.16       | 32.17      |  |
| PK   | 5.743G       | 103.98            | Inf               | -Inf           | 99.02         | 3           | Vertical  | 2              | 1.68          | -       | 31.97      | 5.27       | 32.28      |  |
| AV   | 5.751G       | 94.61             | Inf               | -Inf           | 89.61         | 3           | Vertical  | 2              | 1.68          | -       | 32.00      | 5.28       | 32.28      |  |
| PK   | 5.968G       | 57.77             | 68.20             | -10.43         | 52.51         | 3           | Vertical  | 2              | 1.68          | -       | 32.20      | 5.47       | 32.41      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.524G       | 56.93             | 68.20             | -11.27         | 52.45         | 3           | Horizontal | 129            | 1.75          | -       | 31.50      | 5.12       | 32.14      |  |
| PK   | 5.743G       | 107.46            | Inf               | -Inf           | 102.50        | 3           | Horizontal | 129            | 1.75          | -       | 31.97      | 5.27       | 32.28      |  |
| AV   | 5.739G       | 98.11             | Inf               | -Inf           | 93.15         | 3           | Horizontal | 129            | 1.75          | -       | 31.96      | 5.27       | 32.27      |  |
| PK   | 5.925G       | 58.11             | 68.20             | -10.09         | 52.92         | 3           | Horizontal | 129            | 1.75          | -       | 32.15      | 5.42       | 32.38      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.48988G    | 56.79             | 74.00             | -17.21         | 43.18         | 3           | Vertical  | 353            | 1.80          | -       | 39.62      | 8.30       | 34.31      |  |
| AV   | 11.48112G    | 44.50             | 54.00             | -9.50          | 30.88         | 3           | Vertical  | 353            | 1.80          | -       | 39.64      | 8.29       | 34.31      |  |
| PK   | 17.24252G    | 62.95             | 68.20             | -5.25          | 45.01         | 3           | Vertical  | 351            | 1.34          | -       | 41.07      | 11.47      | 34.60      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.49372G    | 55.91             | 74.00             | -18.09         | 42.31         | 3           | Horizontal | 23             | 2.27          | -       | 39.61      | 8.30       | 34.31      |  |
| AV   | 11.49132G    | 43.31             | 54.00             | -10.69         | 29.70         | 3           | Horizontal | 23             | 2.27          | -       | 39.62      | 8.30       | 34.31      |  |
| PK   | 17.24116G    | 62.50             | 68.20             | -5.70          | 44.57         | 3           | Horizontal | 350            | 1.80          | -       | 41.06      | 11.47      | 34.60      |  |

# 802.11a\_Nss1,(6Mbps)\_1TX

## 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.608G       | 56.69             | 68.20             | -11.51         | 52.08         | 3           | Vertical  | 2.2            | 1.68          | -       | 31.60      | 5.20       | 32.19      |
| PK   | 5.783G       | 103.93            | Inf               | -Inf           | 98.94         | 3           | Vertical  | 2.2            | 1.68          | -       | 32.00      | 5.29       | 32.30      |
| AV   | 5.778G       | 94.47             | Inf               | -Inf           | 89.48         | 3           | Vertical  | 2.2            | 1.68          | -       | 32.00      | 5.29       | 32.30      |
| PK   | 6.005G       | 57.40             | 68.20             | -10.80         | 52.10         | 3           | Vertical  | 2.2            | 1.68          | -       | 32.23      | 5.50       | 32.43      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.576G       | 56.51             | 68.20             | -11.69         | 51.96         | 3           | Horizontal | 133            | 2.00          | -       | 31.55      | 5.18       | 32.18      |
| PK   | 5.78G        | 106.52            | Inf               | -Inf           | 101.53        | 3           | Horizontal | 133            | 2.00          | -       | 32.00      | 5.29       | 32.30      |
| AV   | 5.78G        | 97.67             | Inf               | -Inf           | 92.68         | 3           | Horizontal | 133            | 2.00          | -       | 32.00      | 5.29       | 32.30      |
| PK   | 6.007G       | 58.10             | 68.20             | -10.10         | 52.79         | 3           | Horizontal | 133            | 2.00          | -       | 32.24      | 5.50       | 32.43      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.56772G    | 55.28             | 74.00             | -18.72         | 41.72         | 3           | Vertical  | 233            | 2.01          | -       | 39.53      | 8.33       | 34.30      |  |
| AV   | 11.57078G    | 42.97             | 54.00             | -11.03         | 29.41         | 3           | Vertical  | 233            | 2.01          | -       | 39.53      | 8.33       | 34.30      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.56978G    | 55.04             | 74.00             | -18.96         | 41.48         | 3           | Horizontal | 227            | 1.88          | -       | 39.53      | 8.33       | 34.30      |
| AV   | 11.57224G    | 43.03             | 54.00             | -10.97         | 29.47         | 3           | Horizontal | 227            | 1.88          | -       | 39.53      | 8.33       | 34.30      |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.645G       | 56.38             | 68.20             | -11.82         | 51.78         | 3           | Vertical  | 6              | 1.80          | -       | 31.60      | 5.22       | 32.22      |  |
| PK   | 5.823G       | 104.78            | Inf               | -Inf           | 99.78         | 3           | Vertical  | 6              | 1.80          | -       | 32.00      | 5.32       | 32.32      |  |
| AV   | 5.831G       | 95.36             | Inf               | -Inf           | 90.36         | 3           | Vertical  | 6              | 1.80          | -       | 32.00      | 5.33       | 32.33      |  |
| PK   | 5.975G       | 57.89             | 68.20             | -10.31         | 52.63         | 3           | Vertical  | 6              | 1.80          | -       | 32.20      | 5.47       | 32.41      |  |

# 802.11a\_Nss1,(6Mbps)\_1TX

## 5825MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.626G       | 57.13             | 68.20             | -11.07         | 52.53         | 3           | Horizontal | 133            | 1.95          | -       | 31.60      | 5.21       | 32.21      |  |
| PK   | 5.822G       | 106.01            | Inf               | -Inf           | 101.01        | 3           | Horizontal | 133            | 1.95          | -       | 32.00      | 5.32       | 32.32      |  |
| AV   | 5.82G        | 96.98             | Inf               | -Inf           | 91.98         | 3           | Horizontal | 133            | 1.95          | -       | 32.00      | 5.32       | 32.32      |  |
| PK   | 6.054G       | 58.12             | 68.20             | -10.08         | 52.58         | 3           | Horizontal | 133            | 1.95          | -       | 32.49      | 5.50       | 32.45      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.6485G     | 55.07             | 74.00             | -18.93         | 41.64         | 3           | Vertical  | 102            | 2.91          | -       | 39.35      | 8.36       | 34.28      |  |
| AV   | 11.65314G    | 43.16             | 54.00             | -10.84         | 29.74         | 3           | Vertical  | 102            | 2.91          | -       | 39.34      | 8.36       | 34.28      |  |

## 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.64634G    | 55.57             | 74.00             | -18.43         | 42.13         | 3           | Horizontal | 181            | 2.00          | -       | 39.36      | 8.36       | 34.28      |  |
| AV   | 11.65122G    | 42.99             | 54.00             | -11.01         | 29.56         | 3           | Horizontal | 181            | 2.00          | -       | 39.35      | 8.36       | 34.28      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5180MHz\_TnomVnom




EUT V\_1TX  
Setting 60  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1464G      | 67.07             | 74.00             | -6.93          | 62.32         | 3           | Vertical  | 159            | 1.80          | -       | 31.72      | 5.00       | 31.97      |  |
| AV   | 5.1484G      | 48.21             | 54.00             | -5.79          | 43.48         | 3           | Vertical  | 159            | 1.80          | -       | 31.71      | 5.00       | 31.98      |  |
| PK   | 5.1848G      | 101.43            | Inf               | -Inf           | 96.93         | 3           | Vertical  | 159            | 1.80          | -       | 31.49      | 5.00       | 31.99      |  |
| AV   | 5.1752G      | 91.51             | Inf               | -Inf           | 86.95         | 3           | Vertical  | 159            | 1.80          | -       | 31.55      | 5.00       | 31.99      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5180MHz\_TnomVnom




EUT V\_1TX  
Setting 60  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1456G      | 71.35             | 74.00             | -2.65          | 66.59         | 3           | Horizontal | 324            | 1.80          | -       | 31.73      | 5.00       | 31.97      |  |
| AV   | 5.15G        | 52.76             | 54.00             | -1.24          | 48.04         | 3           | Horizontal | 324            | 1.80          | -       | 31.70      | 5.00       | 31.98      |  |
| PK   | 5.1828G      | 105.47            | Inf               | -Inf           | 100.96        | 3           | Horizontal | 324            | 1.80          | -       | 31.50      | 5.00       | 31.99      |  |
| AV   | 5.1724G      | 96.00             | Inf               | -Inf           | 91.42         | 3           | Horizontal | 324            | 1.80          | -       | 31.57      | 5.00       | 31.99      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TnomVnom




EUT V\_1TX  
Setting 60  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.53546G    | 58.78             | 74.00             | -15.22         | 44.12         | 3           | Vertical  | 288            | 2.14          | -       | 38.52      | 10.37      | 34.23      |
| AV   | 15.53982G    | 46.91             | 54.00             | -7.09          | 32.28         | 3           | Vertical  | 288            | 2.14          | -       | 38.50      | 10.37      | 34.24      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TnomVnom




EUT V\_1TX  
Setting 60  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.53806G    | 59.50             | 74.00             | -14.50         | 44.86         | 3           | Horizontal | 37             | 1.57          | -       | 38.51      | 10.37      | 34.24      |
| AV   | 15.53848G    | 46.84             | 54.00             | -7.16          | 32.20         | 3           | Horizontal | 37             | 1.57          | -       | 38.51      | 10.37      | 34.24      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.148G       | 63.41             | 74.00             | -10.59         | 58.68         | 3           | Vertical  | 158            | 1.80          | -       | 31.71      | 5.00       | 31.98      |  |
| AV   | 5.15G        | 48.48             | 54.00             | -5.52          | 43.76         | 3           | Vertical  | 158            | 1.80          | -       | 31.70      | 5.00       | 31.98      |  |
| PK   | 5.2016G      | 104.99            | Inf               | -Inf           | 100.60        | 3           | Vertical  | 158            | 1.80          | -       | 31.39      | 5.00       | 32.00      |  |
| AV   | 5.2052G      | 95.48             | Inf               | -Inf           | 91.11         | 3           | Vertical  | 158            | 1.80          | -       | 31.37      | 5.00       | 32.00      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.148G       | 70.07             | 74.00             | -3.93          | 65.34         | 3           | Horizontal | 325            | 1.80          | -       | 31.71      | 5.00       | 31.98      |
| AV   | 5.15G        | 52.81             | 54.00             | -1.19          | 48.09         | 3           | Horizontal | 325            | 1.80          | -       | 31.70      | 5.00       | 31.98      |
| PK   | 5.2032G      | 109.45            | Inf               | -Inf           | 105.07        | 3           | Horizontal | 325            | 1.80          | -       | 31.38      | 5.00       | 32.00      |
| AV   | 5.1932G      | 99.98             | Inf               | -Inf           | 95.54         | 3           | Horizontal | 325            | 1.80          | -       | 31.44      | 5.00       | 32.00      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.59818G    | 58.89             | 74.00             | -15.11         | 44.54         | 3           | Vertical  | 18             | 1.49          | -       | 38.21      | 10.40      | 34.26      |
| AV   | 15.59716G    | 47.23             | 54.00             | -6.77          | 32.88         | 3           | Vertical  | 18             | 1.49          | -       | 38.21      | 10.40      | 34.26      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.59528G    | 59.83             | 74.00             | -14.17         | 45.47         | 3           | Horizontal | 109            | 2.75          | -       | 38.22      | 10.40      | 34.26      |
| AV   | 15.5987G     | 47.12             | 54.00             | -6.88          | 32.77         | 3           | Horizontal | 109            | 2.75          | -       | 38.21      | 10.40      | 34.26      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1074G      | 57.08             | 74.00             | -16.92         | 52.08         | 3           | Vertical  | 161            | 1.79          | -       | 31.96      | 5.00       | 31.96      |
| AV   | 5.105G       | 45.30             | 54.00             | -8.70          | 40.29         | 3           | Vertical  | 161            | 1.79          | -       | 31.97      | 5.00       | 31.96      |
| PK   | 5.2472G      | 105.56            | Inf               | -Inf           | 101.46        | 3           | Vertical  | 161            | 1.79          | -       | 31.12      | 5.00       | 32.02      |
| AV   | 5.2466G      | 95.51             | Inf               | -Inf           | 91.41         | 3           | Vertical  | 161            | 1.79          | -       | 31.12      | 5.00       | 32.02      |
| PK   | 5.354G       | 56.22             | 74.00             | -17.78         | 52.17         | 3           | Vertical  | 161            | 1.79          | -       | 31.12      | 5.00       | 32.07      |
| AV   | 5.3786G      | 44.95             | 54.00             | -9.05          | 40.76         | 3           | Vertical  | 161            | 1.79          | -       | 31.27      | 5.00       | 32.08      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1482G      | 58.44             | 74.00             | -15.56         | 53.71         | 3           | Horizontal | 323            | 1.76          | -       | 31.71      | 5.00       | 31.98      |
| AV   | 5.1008G      | 45.41             | 54.00             | -8.59          | 40.36         | 3           | Horizontal | 323            | 1.76          | -       | 32.00      | 5.00       | 31.95      |
| PK   | 5.246G       | 109.88            | Inf               | -Inf           | 105.78        | 3           | Horizontal | 323            | 1.76          | -       | 31.12      | 5.00       | 32.02      |
| AV   | 5.2472G      | 100.00            | Inf               | -Inf           | 95.90         | 3           | Horizontal | 323            | 1.76          | -       | 31.12      | 5.00       | 32.02      |
| PK   | 5.3858G      | 56.37             | 74.00             | -17.63         | 52.14         | 3           | Horizontal | 323            | 1.76          | -       | 31.31      | 5.00       | 32.08      |
| AV   | 5.384G       | 44.62             | 54.00             | -9.38          | 40.40         | 3           | Horizontal | 323            | 1.76          | -       | 31.30      | 5.00       | 32.08      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.48068G    | 56.42             | 68.20             | -11.78         | 43.08         | 3           | Vertical  | 340            | 2.70          | -       | 39.58      | 7.89       | 34.13      |
| PK   | 15.71892G    | 58.35             | 74.00             | -15.65         | 44.40         | 3           | Vertical  | 5              | 1.80          | -       | 37.80      | 10.46      | 34.31      |
| AV   | 15.72252G    | 46.17             | 54.00             | -7.83          | 32.22         | 3           | Vertical  | 5              | 1.80          | -       | 37.80      | 10.46      | 34.31      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.48888G    | 55.65             | 68.20             | -12.55         | 42.29         | 3           | Horizontal | 162            | 1.80          | -       | 39.59      | 7.90       | 34.13      |
| PK   | 15.71668G    | 58.91             | 74.00             | -15.09         | 44.96         | 3           | Horizontal | 316            | 1.78          | -       | 37.80      | 10.46      | 34.31      |
| AV   | 15.71256G    | 46.71             | 54.00             | -7.29          | 32.76         | 3           | Horizontal | 316            | 1.78          | -       | 37.80      | 10.46      | 34.31      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1448G      | 57.05             | 74.00             | -16.95         | 52.29         | 3           | Vertical  | 159            | 1.79          | -       | 31.73      | 5.00       | 31.97      |
| AV   | 5.1148G      | 45.11             | 54.00             | -8.89          | 40.16         | 3           | Vertical  | 159            | 1.79          | -       | 31.91      | 5.00       | 31.96      |
| PK   | 5.2534G      | 106.00            | Inf               | -Inf           | 101.92        | 3           | Vertical  | 159            | 1.79          | -       | 31.10      | 5.00       | 32.02      |
| AV   | 5.2522G      | 96.20             | Inf               | -Inf           | 92.12         | 3           | Vertical  | 159            | 1.79          | -       | 31.10      | 5.00       | 32.02      |
| PK   | 5.3986G      | 56.45             | 74.00             | -17.55         | 52.15         | 3           | Vertical  | 159            | 1.79          | -       | 31.39      | 5.00       | 32.09      |
| AV   | 5.4052G      | 44.70             | 54.00             | -9.30          | 40.37         | 3           | Vertical  | 159            | 1.79          | -       | 31.41      | 5.01       | 32.09      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1256G      | 56.46             | 74.00             | -17.54         | 51.58         | 3           | Horizontal | 321            | 1.98          | -       | 31.85      | 5.00       | 31.97      |
| AV   | 5.113G       | 45.25             | 54.00             | -8.75          | 40.29         | 3           | Horizontal | 321            | 1.98          | -       | 31.92      | 5.00       | 31.96      |
| PK   | 5.2576G      | 109.78            | Inf               | -Inf           | 105.70        | 3           | Horizontal | 321            | 1.98          | -       | 31.10      | 5.00       | 32.02      |
| AV   | 5.2558G      | 100.33            | Inf               | -Inf           | 96.25         | 3           | Horizontal | 321            | 1.98          | -       | 31.10      | 5.00       | 32.02      |
| PK   | 5.371G       | 56.28             | 74.00             | -17.72         | 52.12         | 3           | Horizontal | 321            | 1.98          | -       | 31.23      | 5.00       | 32.07      |
| AV   | 5.3968G      | 44.87             | 54.00             | -9.13          | 40.57         | 3           | Horizontal | 321            | 1.98          | -       | 31.38      | 5.00       | 32.08      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.7788G     | 58.41             | 74.00             | -15.59         | 44.45         | 3           | Vertical  | 252            | 2.06          | -       | 37.80      | 10.49      | 34.33      |
| AV   | 15.77704G    | 45.84             | 54.00             | -8.16          | 31.88         | 3           | Vertical  | 252            | 2.06          | -       | 37.80      | 10.49      | 34.33      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.78134G    | 58.08             | 74.00             | -15.92         | 44.12         | 3           | Horizontal | 283            | 1.19          | -       | 37.80      | 10.49      | 34.33      |  |
| AV   | 15.778G      | 46.07             | 54.00             | -7.93          | 32.11         | 3           | Horizontal | 283            | 1.19          | -       | 37.80      | 10.49      | 34.33      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3048G      | 105.23            | Inf               | -Inf           | 101.17        | 3           | Vertical  | 157            | 1.86          | -       | 31.10      | 5.00       | 32.04      |
| AV   | 5.294G       | 95.87             | Inf               | -Inf           | 91.81         | 3           | Vertical  | 157            | 1.86          | -       | 31.10      | 5.00       | 32.04      |
| PK   | 5.3504G      | 60.38             | 74.00             | -13.62         | 56.34         | 3           | Vertical  | 157            | 1.86          | -       | 31.10      | 5.00       | 32.06      |
| AV   | 5.35G        | 46.48             | 54.00             | -7.52          | 42.44         | 3           | Vertical  | 157            | 1.86          | -       | 31.10      | 5.00       | 32.06      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.2928G      | 109.03            | Inf               | -Inf           | 104.97        | 3           | Horizontal | 326            | 1.99          | -       | 31.10      | 5.00       | 32.04      |  |
| AV   | 5.2952G      | 99.90             | Inf               | -Inf           | 95.84         | 3           | Horizontal | 326            | 1.99          | -       | 31.10      | 5.00       | 32.04      |  |
| PK   | 5.35G        | 63.88             | 74.00             | -10.12         | 59.84         | 3           | Horizontal | 326            | 1.99          | -       | 31.10      | 5.00       | 32.06      |  |
| AV   | 5.35G        | 48.96             | 54.00             | -5.04          | 44.92         | 3           | Horizontal | 326            | 1.99          | -       | 31.10      | 5.00       | 32.06      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.90068G    | 57.37             | 74.00             | -16.63         | 43.60         | 3           | Vertical  | 284            | 2.09          | -       | 37.60      | 10.55      | 34.38      |  |
| AV   | 15.90176G    | 45.77             | 54.00             | -8.23          | 32.00         | 3           | Vertical  | 284            | 2.09          | -       | 37.60      | 10.55      | 34.38      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.9023G     | 57.75             | 74.00             | -16.25         | 43.98         | 3           | Horizontal | 350            | 1.48          | -       | 37.60      | 10.55      | 34.38      |
| AV   | 15.89816G    | 45.49             | 54.00             | -8.51          | 31.72         | 3           | Horizontal | 350            | 1.48          | -       | 37.60      | 10.55      | 34.38      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3132G      | 102.71            | Inf               | -Inf           | 98.66         | 3           | Vertical  | 168            | 1.80          | -       | 31.10      | 5.00       | 32.05      |
| AV   | 5.312G       | 93.41             | Inf               | -Inf           | 89.36         | 3           | Vertical  | 168            | 1.80          | -       | 31.10      | 5.00       | 32.05      |
| PK   | 5.3528G      | 64.44             | 74.00             | -9.56          | 60.39         | 3           | Vertical  | 168            | 1.80          | -       | 31.12      | 5.00       | 32.07      |
| AV   | 5.35G        | 50.05             | 54.00             | -3.95          | 46.01         | 3           | Vertical  | 168            | 1.80          | -       | 31.10      | 5.00       | 32.06      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.314G       | 107.13            | Inf               | -Inf           | 103.08        | 3           | Horizontal | 326            | 1.95          | -       | 31.10      | 5.00       | 32.05      |  |
| AV   | 5.326G       | 97.40             | Inf               | -Inf           | 93.35         | 3           | Horizontal | 326            | 1.95          | -       | 31.10      | 5.00       | 32.05      |  |
| PK   | 5.352G       | 68.02             | 74.00             | -5.98          | 63.97         | 3           | Horizontal | 326            | 1.95          | -       | 31.11      | 5.00       | 32.06      |  |
| AV   | 5.3504G      | 52.67             | 54.00             | -1.33          | 48.63         | 3           | Horizontal | 326            | 1.95          | -       | 31.10      | 5.00       | 32.06      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.9567G     | 57.82             | 74.00             | -16.18         | 44.15         | 3           | Vertical  | 154            | 2.35          | -       | 37.49      | 10.58      | 34.40      |
| AV   | 15.95804G    | 45.08             | 54.00             | -8.92          | 31.42         | 3           | Vertical  | 154            | 2.35          | -       | 37.48      | 10.58      | 34.40      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.95812G    | 57.03             | 74.00             | -16.97         | 43.37         | 3           | Horizontal | 51             | 1.33          | -       | 37.48      | 10.58      | 34.40      |
| AV   | 15.95818G    | 44.97             | 54.00             | -9.03          | 31.31         | 3           | Horizontal | 51             | 1.33          | -       | 37.48      | 10.58      | 34.40      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 54  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.452G       | 57.56             | 74.00             | -16.44         | 53.12         | 3           | Vertical  | 348            | 2.56          | -       | 31.50      | 5.05       | 32.11      |  |
| PK   | 5.464G       | 64.09             | 68.20             | -4.11          | 59.64         | 3           | Vertical  | 348            | 2.56          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.46G        | 45.45             | 54.00             | -8.55          | 41.00         | 3           | Vertical  | 348            | 2.56          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.5044G      | 100.94            | Inf               | -Inf           | 96.47         | 3           | Vertical  | 348            | 2.56          | -       | 31.50      | 5.10       | 32.13      |  |
| AV   | 5.5056G      | 91.55             | Inf               | -Inf           | 87.07         | 3           | Vertical  | 348            | 2.56          | -       | 31.50      | 5.11       | 32.13      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 54  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4596G      | 57.72             | 74.00             | -16.28         | 53.27         | 3           | Horizontal | 327            | 1.88          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.4596G      | 45.93             | 54.00             | -8.07          | 41.48         | 3           | Horizontal | 327            | 1.88          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.4652G      | 67.02             | 68.20             | -1.18          | 62.56         | 3           | Horizontal | 327            | 1.88          | -       | 31.50      | 5.07       | 32.11      |  |
| PK   | 5.496G       | 102.93            | Inf               | -Inf           | 98.46         | 3           | Horizontal | 327            | 1.88          | -       | 31.50      | 5.10       | 32.13      |  |
| AV   | 5.5068G      | 93.71             | Inf               | -Inf           | 89.23         | 3           | Horizontal | 327            | 1.88          | -       | 31.50      | 5.11       | 32.13      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 54  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.00286G    | 56.62             | 74.00             | -17.38         | 42.56         | 3           | Vertical  | 132            | 1.36          | -       | 40.19      | 8.10       | 34.23      |  |
| AV   | 11.0047G     | 44.11             | 54.00             | -9.89          | 30.06         | 3           | Vertical  | 132            | 1.36          | -       | 40.18      | 8.10       | 34.23      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 54  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 10.99874G    | 56.64             | 74.00             | -17.36         | 42.57         | 3           | Horizontal | 161            | 1.75          | -       | 40.20      | 8.10       | 34.23      |  |
| AV   | 11.00446G    | 44.11             | 54.00             | -9.89          | 30.06         | 3           | Horizontal | 161            | 1.75          | -       | 40.18      | 8.10       | 34.23      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.444G       | 57.25             | 74.00             | -16.75         | 52.83         | 3           | Vertical  | 339            | 2.00          | -       | 31.49      | 5.04       | 32.11      |
| AV   | 5.4168G      | 44.91             | 54.00             | -9.09          | 40.55         | 3           | Vertical  | 339            | 2.00          | -       | 31.43      | 5.02       | 32.09      |
| PK   | 5.468G       | 56.56             | 68.20             | -11.64         | 52.11         | 3           | Vertical  | 339            | 2.00          | -       | 31.50      | 5.07       | 32.12      |
| PK   | 5.584G       | 105.33            | Inf               | -Inf           | 100.76        | 3           | Vertical  | 339            | 2.00          | -       | 31.57      | 5.18       | 32.18      |
| AV   | 5.576G       | 96.29             | Inf               | -Inf           | 91.74         | 3           | Vertical  | 339            | 2.00          | -       | 31.55      | 5.18       | 32.18      |
| PK   | 5.78G        | 58.43             | 68.20             | -9.77          | 53.44         | 3           | Vertical  | 339            | 2.00          | -       | 32.00      | 5.29       | 32.30      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4264G      | 56.99             | 74.00             | -17.01         | 52.61         | 3           | Horizontal | 330            | 1.79          | -       | 31.45      | 5.03       | 32.10      |
| AV   | 5.4152G      | 44.82             | 54.00             | -9.18          | 40.46         | 3           | Horizontal | 330            | 1.79          | -       | 31.43      | 5.02       | 32.09      |
| PK   | 5.4648G      | 56.30             | 68.20             | -11.90         | 51.85         | 3           | Horizontal | 330            | 1.79          | -       | 31.50      | 5.06       | 32.11      |
| PK   | 5.5744G      | 107.38            | Inf               | -Inf           | 102.83        | 3           | Horizontal | 330            | 1.79          | -       | 31.55      | 5.17       | 32.17      |
| AV   | 5.5752G      | 97.71             | Inf               | -Inf           | 93.16         | 3           | Horizontal | 330            | 1.79          | -       | 31.55      | 5.18       | 32.18      |
| PK   | 5.7696G      | 57.25             | 68.20             | -10.95         | 52.26         | 3           | Horizontal | 330            | 1.79          | -       | 32.00      | 5.28       | 32.29      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.16044G    | 55.80             | 74.00             | -18.20         | 42.22         | 3           | Vertical  | 297            | 2.29          | -       | 39.68      | 8.16       | 34.26      |
| AV   | 11.1588G     | 43.52             | 54.00             | -10.48         | 29.94         | 3           | Vertical  | 297            | 2.29          | -       | 39.68      | 8.16       | 34.26      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.16128G    | 55.45             | 74.00             | -18.55         | 41.87         | 3           | Horizontal | 204            | 2.27          | -       | 39.68      | 8.16       | 34.26      |
| AV   | 11.1564G     | 43.35             | 54.00             | -10.65         | 29.76         | 3           | Horizontal | 204            | 2.27          | -       | 39.69      | 8.16       | 34.26      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 73  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6936G      | 104.28            | Inf               | -Inf           | 99.51         | 3           | Vertical  | 349            | 2.31          | -       | 31.77      | 5.25       | 32.25      |
| AV   | 5.6948G      | 95.12             | Inf               | -Inf           | 90.34         | 3           | Vertical  | 349            | 2.31          | -       | 31.78      | 5.25       | 32.25      |
| PK   | 5.7256G      | 66.23             | 68.20             | -1.97          | 61.34         | 3           | Vertical  | 349            | 2.31          | -       | 31.90      | 5.26       | 32.27      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 73  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7032G      | 104.88            | Inf               | -Inf           | 100.07        | 3           | Horizontal | 325            | 1.80          | -       | 31.81      | 5.25       | 32.25      |
| AV   | 5.6948G      | 95.39             | Inf               | -Inf           | 90.61         | 3           | Horizontal | 325            | 1.80          | -       | 31.78      | 5.25       | 32.25      |
| PK   | 5.7252G      | 67.18             | 68.20             | -1.02          | 62.29         | 3           | Horizontal | 325            | 1.80          | -       | 31.90      | 5.26       | 32.27      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 73  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.3978G     | 55.56             | 74.00             | -18.44         | 41.79         | 3           | Vertical  | 7              | 1.56          | -       | 39.80      | 8.26       | 34.29      |  |
| AV   | 11.3974G     | 43.01             | 54.00             | -10.99         | 29.25         | 3           | Vertical  | 7              | 1.56          | -       | 39.79      | 8.26       | 34.29      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 73  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.40256G    | 55.30             | 74.00             | -18.70         | 41.54         | 3           | Horizontal | 307            | 2.52          | -       | 39.79      | 8.26       | 34.29      |  |
| AV   | 11.39944G    | 42.99             | 54.00             | -11.01         | 29.22         | 3           | Horizontal | 307            | 2.52          | -       | 39.80      | 8.26       | 34.29      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7248G      | 104.36            | Inf               | -Inf           | 99.46         | 3           | Vertical  | 155            | 1.79          | -       | 31.90      | 5.26       | 32.26      |
| AV   | 5.7128G      | 95.26             | Inf               | -Inf           | 90.41         | 3           | Vertical  | 155            | 1.79          | -       | 31.85      | 5.26       | 32.26      |
| PK   | 5.8664G      | 57.22             | 68.20             | -10.98         | 52.17         | 3           | Vertical  | 155            | 1.79          | -       | 32.03      | 5.37       | 32.35      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7176G      | 106.07            | Inf               | -Inf           | 101.20        | 3           | Horizontal | 152            | 1.85          | -       | 31.87      | 5.26       | 32.26      |
| AV   | 5.7136G      | 96.82             | Inf               | -Inf           | 91.97         | 3           | Horizontal | 152            | 1.85          | -       | 31.85      | 5.26       | 32.26      |
| PK   | 5.9104G      | 58.09             | 68.20             | -10.11         | 52.94         | 3           | Horizontal | 152            | 1.85          | -       | 32.12      | 5.41       | 32.38      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.44112G    | 57.05             | 74.00             | -16.95         | 43.35         | 3           | Vertical  | 58             | 1.99          | -       | 39.72      | 8.28       | 34.30      |
| AV   | 11.43792G    | 44.80             | 54.00             | -9.20          | 31.10         | 3           | Vertical  | 58             | 1.99          | -       | 39.72      | 8.28       | 34.30      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.44516G    | 57.24             | 74.00             | -16.76         | 43.55         | 3           | Horizontal | 100            | 2.67          | -       | 39.71      | 8.28       | 34.30      |
| AV   | 11.44476G    | 44.62             | 54.00             | -9.38          | 30.93         | 3           | Horizontal | 100            | 2.67          | -       | 39.71      | 8.28       | 34.30      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.573G       | 56.67             | 68.20             | -11.53         | 52.12         | 3           | Vertical  | 346            | 2.10          | -       | 31.55      | 5.17       | 32.17      |  |
| PK   | 5.742G       | 105.80            | Inf               | -Inf           | 100.84        | 3           | Vertical  | 346            | 2.10          | -       | 31.97      | 5.27       | 32.28      |  |
| AV   | 5.738G       | 96.64             | Inf               | -Inf           | 91.69         | 3           | Vertical  | 346            | 2.10          | -       | 31.95      | 5.27       | 32.27      |  |
| PK   | 5.957G       | 57.67             | 68.20             | -10.53         | 52.41         | 3           | Vertical  | 346            | 2.10          | -       | 32.20      | 5.46       | 32.40      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.561G       | 57.06             | 68.20             | -11.14         | 52.55         | 3           | Horizontal | 304            | 1.84          | -       | 31.52      | 5.16       | 32.17      |  |
| PK   | 5.738G       | 106.84            | Inf               | -Inf           | 101.89        | 3           | Horizontal | 304            | 1.84          | -       | 31.95      | 5.27       | 32.27      |  |
| AV   | 5.737G       | 96.90             | Inf               | -Inf           | 91.95         | 3           | Horizontal | 304            | 1.84          | -       | 31.95      | 5.27       | 32.27      |  |
| PK   | 5.967G       | 56.97             | 68.20             | -11.23         | 51.71         | 3           | Horizontal | 304            | 1.84          | -       | 32.20      | 5.47       | 32.41      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.48968G    | 56.29             | 74.00             | -17.71         | 42.68         | 3           | Vertical  | 58             | 1.61          | -       | 39.62      | 8.30       | 34.31      |  |
| AV   | 11.49194G    | 43.27             | 54.00             | -10.73         | 29.66         | 3           | Vertical  | 58             | 1.61          | -       | 39.62      | 8.30       | 34.31      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5745MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.49204G    | 55.54             | 74.00             | -18.46         | 41.93         | 3           | Horizontal | 314            | 1.29          | -       | 39.62      | 8.30       | 34.31      |  |
| AV   | 11.48708G    | 43.07             | 54.00             | -10.93         | 29.46         | 3           | Horizontal | 314            | 1.29          | -       | 39.63      | 8.29       | 34.31      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.592G       | 56.26             | 68.20             | -11.94         | 51.68         | 3           | Vertical  | 341            | 2.23          | -       | 31.58      | 5.19       | 32.19      |  |
| PK   | 5.784G       | 104.66            | Inf               | -Inf           | 99.67         | 3           | Vertical  | 341            | 2.23          | -       | 32.00      | 5.29       | 32.30      |  |
| AV   | 5.78G        | 95.74             | Inf               | -Inf           | 90.75         | 3           | Vertical  | 341            | 2.23          | -       | 32.00      | 5.29       | 32.30      |  |
| PK   | 5.937G       | 57.72             | 68.20             | -10.48         | 52.50         | 3           | Vertical  | 341            | 2.23          | -       | 32.17      | 5.44       | 32.39      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.557G       | 56.33             | 68.20             | -11.87         | 51.82         | 3           | Horizontal | 304            | 1.80          | -       | 31.51      | 5.16       | 32.16      |  |
| PK   | 5.792G       | 105.91            | Inf               | -Inf           | 100.92        | 3           | Horizontal | 304            | 1.80          | -       | 32.00      | 5.30       | 32.31      |  |
| AV   | 5.778G       | 96.52             | Inf               | -Inf           | 91.53         | 3           | Horizontal | 304            | 1.80          | -       | 32.00      | 5.29       | 32.30      |  |
| PK   | 5.925G       | 57.71             | 68.20             | -10.49         | 52.52         | 3           | Horizontal | 304            | 1.80          | -       | 32.15      | 5.42       | 32.38      |  |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.5731G     | 55.65             | 74.00             | -18.35         | 42.09         | 3           | Vertical  | 356            | 1.68          | -       | 39.53      | 8.33       | 34.30      |
| AV   | 11.57324G    | 43.29             | 54.00             | -10.71         | 29.73         | 3           | Vertical  | 356            | 1.68          | -       | 39.53      | 8.33       | 34.30      |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5785MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.569G      | 55.84             | 74.00             | -18.16         | 42.28         | 3           | Horizontal | 243            | 2.55          | -       | 39.53      | 8.33       | 34.30      |
| AV   | 11.57384G    | 43.22             | 54.00             | -10.78         | 29.66         | 3           | Horizontal | 243            | 2.55          | -       | 39.53      | 8.33       | 34.30      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5825MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.65G        | 56.41             | 68.20             | -11.79         | 51.81         | 3           | Vertical  | 339            | 2.44          | -       | 31.60      | 5.22       | 32.22      |
| PK   | 5.827G       | 104.69            | Inf               | -Inf           | 99.69         | 3           | Vertical  | 339            | 2.44          | -       | 32.00      | 5.33       | 32.33      |
| AV   | 5.832G       | 95.59             | Inf               | -Inf           | 90.59         | 3           | Vertical  | 339            | 2.44          | -       | 32.00      | 5.33       | 32.33      |
| PK   | 6.02G        | 57.51             | 68.20             | -10.69         | 52.13         | 3           | Vertical  | 339            | 2.44          | -       | 32.32      | 5.50       | 32.44      |

# 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5825MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.589G       | 56.37             | 68.20             | -11.83         | 51.78         | 3           | Horizontal | 306            | 1.80          | -       | 31.58      | 5.19       | 32.18      |  |
| PK   | 5.828G       | 105.38            | Inf               | -Inf           | 100.38        | 3           | Horizontal | 306            | 1.80          | -       | 32.00      | 5.33       | 32.33      |  |
| AV   | 5.832G       | 96.30             | Inf               | -Inf           | 91.30         | 3           | Horizontal | 306            | 1.80          | -       | 32.00      | 5.33       | 32.33      |  |
| PK   | 6.04G        | 57.68             | 68.20             | -10.52         | 52.19         | 3           | Horizontal | 306            | 1.80          | -       | 32.44      | 5.50       | 32.45      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.65172G    | 56.25             | 74.00             | -17.75         | 42.83         | 3           | Vertical  | 212            | 1.36          | -       | 39.34      | 8.36       | 34.28      |  |
| AV   | 11.64648G    | 43.12             | 54.00             | -10.88         | 29.68         | 3           | Vertical  | 212            | 1.36          | -       | 39.36      | 8.36       | 34.28      |  |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.64686G    | 55.04             | 74.00             | -18.96         | 41.60         | 3           | Horizontal | 40             | 2.05          | -       | 39.36      | 8.36       | 34.28      |  |
| AV   | 11.645G      | 43.25             | 54.00             | -10.75         | 29.80         | 3           | Horizontal | 40             | 2.05          | -       | 39.37      | 8.36       | 34.28      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5190MHz\_TnomVnom




EUT V\_1TX  
Setting 42  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1492G      | 62.27             | 74.00             | -11.73         | 57.55         | 3           | Vertical  | 158            | 1.80          | -       | 31.70      | 5.00       | 31.98      |  |
| AV   | 5.1488G      | 48.85             | 54.00             | -5.15          | 44.12         | 3           | Vertical  | 158            | 1.80          | -       | 31.71      | 5.00       | 31.98      |  |
| PK   | 5.1776G      | 93.75             | Inf               | -Inf           | 89.21         | 3           | Vertical  | 158            | 1.80          | -       | 31.53      | 5.00       | 31.99      |  |
| AV   | 5.2032G      | 83.98             | Inf               | -Inf           | 79.60         | 3           | Vertical  | 158            | 1.80          | -       | 31.38      | 5.00       | 32.00      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5190MHz\_TnomVnom




EUT V\_1TX  
Setting 42  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1476G      | 65.78             | 74.00             | -8.22          | 61.04         | 3           | Horizontal | 323            | 1.79          | -       | 31.71      | 5.00       | 31.97      |  |
| AV   | 5.1496G      | 52.88             | 54.00             | -1.12          | 48.16         | 3           | Horizontal | 323            | 1.79          | -       | 31.70      | 5.00       | 31.98      |  |
| PK   | 5.2064G      | 98.24             | Inf               | -Inf           | 93.88         | 3           | Horizontal | 323            | 1.79          | -       | 31.36      | 5.00       | 32.00      |  |
| AV   | 5.2052G      | 88.47             | Inf               | -Inf           | 84.10         | 3           | Horizontal | 323            | 1.79          | -       | 31.37      | 5.00       | 32.00      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TnomVnom




EUT V\_1TX  
Setting 42  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.5658G     | 58.94             | 74.00             | -15.06         | 44.44         | 3           | Vertical  | 31             | 2.78          | -       | 38.37      | 10.38      | 34.25      |
| AV   | 15.5689G     | 46.90             | 54.00             | -7.10          | 32.41         | 3           | Vertical  | 31             | 2.78          | -       | 38.36      | 10.38      | 34.25      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TnomVnom




EUT V\_1TX  
Setting 42  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.57242G    | 58.78             | 74.00             | -15.22         | 44.30         | 3           | Horizontal | 117            | 1.03          | -       | 38.34      | 10.39      | 34.25      |
| AV   | 15.5656G     | 46.97             | 54.00             | -7.03          | 32.47         | 3           | Horizontal | 117            | 1.03          | -       | 38.37      | 10.38      | 34.25      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1334G      | 60.55             | 74.00             | -13.45         | 55.72         | 3           | Vertical  | 160            | 1.80          | -       | 31.80      | 5.00       | 31.97      |
| AV   | 5.149G       | 48.02             | 54.00             | -5.98          | 43.29         | 3           | Vertical  | 160            | 1.80          | -       | 31.71      | 5.00       | 31.98      |
| PK   | 5.2426G      | 101.55            | Inf               | -Inf           | 97.43         | 3           | Vertical  | 160            | 1.80          | -       | 31.14      | 5.00       | 32.02      |
| AV   | 5.2444G      | 91.98             | Inf               | -Inf           | 87.87         | 3           | Vertical  | 160            | 1.80          | -       | 31.13      | 5.00       | 32.02      |
| PK   | 5.3512G      | 56.31             | 74.00             | -17.69         | 52.26         | 3           | Vertical  | 160            | 1.80          | -       | 31.11      | 5.00       | 32.06      |
| AV   | 5.3704G      | 44.61             | 54.00             | -9.39          | 40.46         | 3           | Vertical  | 160            | 1.80          | -       | 31.22      | 5.00       | 32.07      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1442G      | 65.49             | 74.00             | -8.51          | 60.73         | 3           | Horizontal | 321            | 1.80          | -       | 31.73      | 5.00       | 31.97      |
| AV   | 5.15G        | 52.69             | 54.00             | -1.31          | 47.97         | 3           | Horizontal | 321            | 1.80          | -       | 31.70      | 5.00       | 31.98      |
| PK   | 5.2336G      | 105.45            | Inf               | -Inf           | 101.26        | 3           | Horizontal | 321            | 1.80          | -       | 31.20      | 5.00       | 32.01      |
| AV   | 5.2426G      | 95.78             | Inf               | -Inf           | 91.66         | 3           | Horizontal | 321            | 1.80          | -       | 31.14      | 5.00       | 32.02      |
| PK   | 5.356G       | 56.52             | 74.00             | -17.48         | 52.45         | 3           | Horizontal | 321            | 1.80          | -       | 31.14      | 5.00       | 32.07      |
| AV   | 5.3518G      | 45.18             | 54.00             | -8.82          | 41.13         | 3           | Horizontal | 321            | 1.80          | -       | 31.11      | 5.00       | 32.06      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5230MHz\_TnomVnom




EUT V\_1TX  
Setting 76  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.69092G    | 58.59             | 74.00             | -15.41         | 44.60         | 3           | Vertical  | 89             | 2.46          | -       | 37.84      | 10.45      | 34.30      |
| AV   | 15.68814G    | 46.76             | 54.00             | -7.24          | 32.77         | 3           | Vertical  | 89             | 2.46          | -       | 37.85      | 10.44      | 34.30      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TnomVnom




EUT V\_1TX  
Setting 76  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.68622G    | 58.59             | 74.00             | -15.41         | 44.58         | 3           | Horizontal | 304            | 2.89          | -       | 37.86      | 10.44      | 34.29      |  |
| AV   | 15.68544G    | 46.41             | 54.00             | -7.59          | 32.40         | 3           | Horizontal | 304            | 2.89          | -       | 37.86      | 10.44      | 34.29      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1212G      | 57.58             | 74.00             | -16.42         | 52.67         | 3           | Vertical  | 161            | 1.76          | -       | 31.87      | 5.00       | 31.96      |
| AV   | 5.1488G      | 45.77             | 54.00             | -8.23          | 41.04         | 3           | Vertical  | 161            | 1.76          | -       | 31.71      | 5.00       | 31.98      |
| PK   | 5.2736G      | 102.81            | Inf               | -Inf           | 98.74         | 3           | Vertical  | 161            | 1.76          | -       | 31.10      | 5.00       | 32.03      |
| AV   | 5.2604G      | 93.11             | Inf               | -Inf           | 89.03         | 3           | Vertical  | 161            | 1.76          | -       | 31.10      | 5.00       | 32.02      |
| PK   | 5.3504G      | 63.33             | 74.00             | -10.67         | 59.29         | 3           | Vertical  | 161            | 1.76          | -       | 31.10      | 5.00       | 32.06      |
| AV   | 5.35G        | 48.98             | 54.00             | -5.02          | 44.94         | 3           | Vertical  | 161            | 1.76          | -       | 31.10      | 5.00       | 32.06      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5270MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1494G      | 61.47             | 74.00             | -12.53         | 56.75         | 3           | Horizontal | 328            | 1.80          | -       | 31.70      | 5.00       | 31.98      |
| AV   | 5.15G        | 47.77             | 54.00             | -6.23          | 43.05         | 3           | Horizontal | 328            | 1.80          | -       | 31.70      | 5.00       | 31.98      |
| PK   | 5.2646G      | 106.79            | Inf               | -Inf           | 102.72        | 3           | Horizontal | 328            | 1.80          | -       | 31.10      | 5.00       | 32.03      |
| AV   | 5.258G       | 97.20             | Inf               | -Inf           | 93.12         | 3           | Horizontal | 328            | 1.80          | -       | 31.10      | 5.00       | 32.02      |
| PK   | 5.35G        | 67.18             | 74.00             | -6.82          | 63.14         | 3           | Horizontal | 328            | 1.80          | -       | 31.10      | 5.00       | 32.06      |
| AV   | 5.35G        | 52.77             | 54.00             | -1.23          | 48.73         | 3           | Horizontal | 328            | 1.80          | -       | 31.10      | 5.00       | 32.06      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.80578G    | 57.94             | 74.00             | -16.06         | 43.99         | 3           | Vertical  | 305            | 1.99          | -       | 37.79      | 10.50      | 34.34      |
| AV   | 15.81428G    | 45.85             | 54.00             | -8.15          | 31.92         | 3           | Vertical  | 305            | 1.99          | -       | 37.77      | 10.51      | 34.35      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 15.81038G | 58.09    | 74.00    | -15.91 | 44.14  | 3    | Horizontal | 319     | 1.39   | -       | 37.78 | 10.51 | 34.34 |
| AV   | 15.81466G | 45.71    | 54.00    | -8.29  | 31.78  | 3    | Horizontal | 319     | 1.39   | -       | 37.77 | 10.51 | 34.35 |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 61  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3202G      | 98.58             | Inf               | -Inf           | 94.53         | 3           | Vertical  | 158            | 1.73          | -       | 31.10      | 5.00       | 32.05      |
| AV   | 5.3238G      | 89.02             | Inf               | -Inf           | 84.97         | 3           | Vertical  | 158            | 1.73          | -       | 31.10      | 5.00       | 32.05      |
| PK   | 5.3508G      | 69.50             | 74.00             | -4.50          | 65.46         | 3           | Vertical  | 158            | 1.73          | -       | 31.10      | 5.00       | 32.06      |
| AV   | 5.3508G      | 50.13             | 54.00             | -3.87          | 46.09         | 3           | Vertical  | 158            | 1.73          | -       | 31.10      | 5.00       | 32.06      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 61  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.295G       | 102.08            | Inf               | -Inf           | 98.02         | 3           | Horizontal | 322            | 1.84          | -       | 31.10      | 5.00       | 32.04      |  |
| AV   | 5.3238G      | 92.69             | Inf               | -Inf           | 88.64         | 3           | Horizontal | 322            | 1.84          | -       | 31.10      | 5.00       | 32.05      |  |
| PK   | 5.3544G      | 72.52             | 74.00             | -1.48          | 68.46         | 3           | Horizontal | 322            | 1.84          | -       | 31.13      | 5.00       | 32.07      |  |
| AV   | 5.35G        | 52.85             | 54.00             | -1.15          | 48.81         | 3           | Horizontal | 322            | 1.84          | -       | 31.10      | 5.00       | 32.06      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 61  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.92648G    | 57.63             | 74.00             | -16.37         | 43.91         | 3           | Vertical  | 49             | 2.68          | -       | 37.55      | 10.56      | 34.39      |  |
| AV   | 15.92762G    | 45.52             | 54.00             | -8.48          | 31.81         | 3           | Vertical  | 49             | 2.68          | -       | 37.54      | 10.56      | 34.39      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5310MHz\_TnomVnom




EUT\_V\_1TX  
Setting 61  
06-F-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 15.92608G | 57.29    | 74.00    | -16.71 | 43.57  | 3    | Horizontal | 105     | 1.51   | -       | 37.55 | 10.56 | 34.39 |
| AV   | 15.9311G  | 45.39    | 54.00    | -8.61  | 31.67  | 3    | Horizontal | 105     | 1.51   | -       | 37.54 | 10.57 | 34.39 |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 50  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4596G      | 59.80             | 74.00             | -14.20         | 55.35         | 3           | Vertical  | 349            | 2.03          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.46G        | 46.61             | 54.00             | -7.39          | 42.16         | 3           | Vertical  | 349            | 2.03          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.4698G      | 64.32             | 68.20             | -3.88          | 59.87         | 3           | Vertical  | 349            | 2.03          | -       | 31.50      | 5.07       | 32.12      |  |
| PK   | 5.5202G      | 96.88             | Inf               | -Inf           | 92.40         | 3           | Vertical  | 349            | 2.03          | -       | 31.50      | 5.12       | 32.14      |  |
| AV   | 5.522G       | 87.29             | Inf               | -Inf           | 82.81         | 3           | Vertical  | 349            | 2.03          | -       | 31.50      | 5.12       | 32.14      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 50  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.46G        | 63.84             | 74.00             | -10.16         | 59.39         | 3           | Horizontal | 328            | 1.90          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.46G        | 48.61             | 54.00             | -5.39          | 44.16         | 3           | Horizontal | 328            | 1.90          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.4692G      | 67.19             | 68.20             | -1.01          | 62.74         | 3           | Horizontal | 328            | 1.90          | -       | 31.50      | 5.07       | 32.12      |  |
| PK   | 5.5238G      | 99.41             | Inf               | -Inf           | 94.93         | 3           | Horizontal | 328            | 1.90          | -       | 31.50      | 5.12       | 32.14      |  |
| AV   | 5.5238G      | 89.41             | Inf               | -Inf           | 84.93         | 3           | Horizontal | 328            | 1.90          | -       | 31.50      | 5.12       | 32.14      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5510MHz\_TnomVnom




EUT\_V\_1TX  
Setting 50  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.01548G    | 56.01             | 74.00             | -17.99         | 41.99         | 3           | Vertical  | 45             | 2.57          | -       | 40.14      | 8.11       | 34.23      |  |
| AV   | 11.02066G    | 43.73             | 54.00             | -10.27         | 29.73         | 3           | Vertical  | 45             | 2.57          | -       | 40.12      | 8.11       | 34.23      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 50  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.01678G    | 56.87             | 74.00             | -17.13         | 42.86         | 3           | Horizontal | 179            | 2.38          | -       | 40.13      | 8.11       | 34.23      |  |
| AV   | 11.02056G    | 43.72             | 54.00             | -10.28         | 29.72         | 3           | Horizontal | 179            | 2.38          | -       | 40.12      | 8.11       | 34.23      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4588G      | 63.31             | 74.00             | -10.69         | 58.86         | 3           | Vertical  | 348            | 2.12          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.4588G      | 49.55             | 54.00             | -4.45          | 45.10         | 3           | Vertical  | 348            | 2.12          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.4696G      | 64.15             | 68.20             | -4.05          | 59.70         | 3           | Vertical  | 348            | 2.12          | -       | 31.50      | 5.07       | 32.12      |  |
| PK   | 5.5416G      | 104.37            | Inf               | -Inf           | 99.88         | 3           | Vertical  | 348            | 2.12          | -       | 31.50      | 5.14       | 32.15      |  |
| AV   | 5.5416G      | 94.24             | Inf               | -Inf           | 89.75         | 3           | Vertical  | 348            | 2.12          | -       | 31.50      | 5.14       | 32.15      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4558G      | 65.25             | 74.00             | -8.75          | 60.80         | 3           | Horizontal | 327            | 2.01          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.46G        | 51.40             | 54.00             | -2.60          | 46.95         | 3           | Horizontal | 327            | 2.01          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.47G        | 66.97             | 68.20             | -1.23          | 62.52         | 3           | Horizontal | 327            | 2.01          | -       | 31.50      | 5.07       | 32.12      |  |
| PK   | 5.554G       | 105.61            | Inf               | -Inf           | 101.10        | 3           | Horizontal | 327            | 2.01          | -       | 31.51      | 5.16       | 32.16      |  |
| AV   | 5.5368G      | 95.90             | Inf               | -Inf           | 91.41         | 3           | Horizontal | 327            | 2.01          | -       | 31.50      | 5.14       | 32.15      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09576G    | 55.81             | 74.00             | -18.19         | 42.10         | 3           | Vertical  | 286            | 1.09          | -       | 39.82      | 8.14       | 34.25      |
| AV   | 11.09568G    | 43.40             | 54.00             | -10.60         | 29.69         | 3           | Vertical  | 286            | 1.09          | -       | 39.82      | 8.14       | 34.25      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09674G    | 55.83             | 74.00             | -18.17         | 42.13         | 3           | Horizontal | 2              | 1.32          | -       | 39.81      | 8.14       | 34.25      |
| AV   | 11.0955G     | 43.43             | 54.00             | -10.57         | 29.72         | 3           | Horizontal | 2              | 1.32          | -       | 39.82      | 8.14       | 34.25      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5670MHz\_TnomVnom




EUT\_V\_1TX  
Setting 78  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6748G      | 102.79            | Inf               | -Inf           | 98.08         | 3           | Vertical  | 344            | 2.67          | -       | 31.70      | 5.24       | 32.23      |
| AV   | 5.6568G      | 93.28             | Inf               | -Inf           | 88.64         | 3           | Vertical  | 344            | 2.67          | -       | 31.63      | 5.23       | 32.22      |
| PK   | 5.7408G      | 66.29             | 68.20             | -1.91          | 61.33         | 3           | Vertical  | 344            | 2.67          | -       | 31.96      | 5.27       | 32.27      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6784G      | 103.71            | Inf               | -Inf           | 99.00         | 3           | Horizontal | 332            | 1.80          | -       | 31.71      | 5.24       | 32.24      |
| AV   | 5.6568G      | 93.63             | Inf               | -Inf           | 88.99         | 3           | Horizontal | 332            | 1.80          | -       | 31.63      | 5.23       | 32.22      |
| PK   | 5.7366G      | 66.99             | 68.20             | -1.21          | 62.04         | 3           | Horizontal | 332            | 1.80          | -       | 31.95      | 5.27       | 32.27      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.33874G    | 55.45             | 74.00             | -18.55         | 41.81         | 3           | Vertical  | 222            | 2.11          | -       | 39.68      | 8.24       | 34.28      |
| AV   | 11.33558G    | 43.44             | 54.00             | -10.56         | 29.82         | 3           | Vertical  | 222            | 2.11          | -       | 39.67      | 8.23       | 34.28      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.34272G    | 55.75             | 74.00             | -18.25         | 42.10         | 3           | Horizontal | 101            | 2.60          | -       | 39.69      | 8.24       | 34.28      |
| AV   | 11.3368G     | 43.13             | 54.00             | -10.87         | 29.51         | 3           | Horizontal | 101            | 2.60          | -       | 39.67      | 8.23       | 34.28      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7012G      | 102.94            | Inf               | -Inf           | 98.14         | 3           | Vertical  | 156            | 1.72          | -       | 31.80      | 5.25       | 32.25      |
| AV   | 5.6948G      | 92.97             | Inf               | -Inf           | 88.19         | 3           | Vertical  | 156            | 1.72          | -       | 31.78      | 5.25       | 32.25      |
| PK   | 5.894G       | 56.75             | 68.20             | -11.45         | 51.64         | 3           | Vertical  | 156            | 1.72          | -       | 32.09      | 5.39       | 32.37      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6932G      | 104.00            | Inf               | -Inf           | 99.23         | 3           | Horizontal | 152            | 1.80          | -       | 31.77      | 5.25       | 32.25      |
| AV   | 5.694G       | 94.19             | Inf               | -Inf           | 89.41         | 3           | Horizontal | 152            | 1.80          | -       | 31.78      | 5.25       | 32.25      |
| PK   | 5.8852G      | 56.75             | 68.20             | -11.45         | 51.65         | 3           | Horizontal | 152            | 1.80          | -       | 32.07      | 5.39       | 32.36      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.41168G    | 56.36             | 74.00             | -17.64         | 42.62         | 3           | Vertical  | 98             | 2.31          | -       | 39.78      | 8.26       | 34.30      |  |
| AV   | 11.41712G    | 44.33             | 54.00             | -9.67          | 30.59         | 3           | Vertical  | 98             | 2.31          | -       | 39.77      | 8.27       | 34.30      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4292G     | 56.32             | 74.00             | -17.68         | 42.61         | 3           | Horizontal | 291            | 2.19          | -       | 39.74      | 8.27       | 34.30      |
| AV   | 11.42944G    | 43.94             | 54.00             | -10.06         | 30.23         | 3           | Horizontal | 291            | 2.19          | -       | 39.74      | 8.27       | 34.30      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5755MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.649G       | 64.38             | 68.20             | -3.82          | 59.78         | 3           | Vertical  | 333            | 2.09          | -       | 31.60      | 5.22       | 32.22      |  |
| PK   | 5.742G       | 103.42            | Inf               | -Inf           | 98.46         | 3           | Vertical  | 333            | 2.09          | -       | 31.97      | 5.27       | 32.28      |  |
| AV   | 5.741G       | 93.63             | Inf               | -Inf           | 88.67         | 3           | Vertical  | 333            | 2.09          | -       | 31.96      | 5.27       | 32.27      |  |
| PK   | 5.99G        | 56.78             | 68.20             | -11.42         | 51.51         | 3           | Vertical  | 333            | 2.09          | -       | 32.20      | 5.49       | 32.42      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5755MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.625G       | 63.25             | 68.20             | -4.95          | 58.64         | 3           | Horizontal | 305            | 1.80          | -       | 31.60      | 5.21       | 32.20      |  |
| PK   | 5.744G       | 104.21            | Inf               | -Inf           | 99.24         | 3           | Horizontal | 305            | 1.80          | -       | 31.98      | 5.27       | 32.28      |  |
| AV   | 5.741G       | 94.65             | Inf               | -Inf           | 89.69         | 3           | Horizontal | 305            | 1.80          | -       | 31.96      | 5.27       | 32.27      |  |
| PK   | 6.001G       | 57.27             | 68.20             | -10.93         | 51.99         | 3           | Horizontal | 305            | 1.80          | -       | 32.21      | 5.50       | 32.43      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.506G      | 55.62             | 74.00             | -18.38         | 42.04         | 3           | Vertical  | 148            | 2.24          | -       | 39.59      | 8.30       | 34.31      |  |
| AV   | 11.50554G    | 43.46             | 54.00             | -10.54         | 29.88         | 3           | Vertical  | 148            | 2.24          | -       | 39.59      | 8.30       | 34.31      |  |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.51094G    | 56.26             | 74.00             | -17.74         | 42.68         | 3           | Horizontal | 111            | 2.81          | -       | 39.59      | 8.30       | 34.31      |  |
| AV   | 11.50572G    | 43.61             | 54.00             | -10.39         | 30.03         | 3           | Horizontal | 111            | 2.81          | -       | 39.59      | 8.30       | 34.31      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5795MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.638G       | 58.92             | 68.20             | -9.28          | 54.31         | 3           | Vertical  | 343            | 2.46          | -       | 31.60      | 5.22       | 32.21      |  |
| PK   | 5.781G       | 103.22            | Inf               | -Inf           | 98.23         | 3           | Vertical  | 343            | 2.46          | -       | 32.00      | 5.29       | 32.30      |  |
| AV   | 5.78G        | 93.86             | Inf               | -Inf           | 88.87         | 3           | Vertical  | 343            | 2.46          | -       | 32.00      | 5.29       | 32.30      |  |
| PK   | 5.958G       | 57.40             | 68.20             | -10.80         | 52.14         | 3           | Vertical  | 343            | 2.46          | -       | 32.20      | 5.46       | 32.40      |  |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5795MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.627G       | 59.02             | 68.20             | -9.18          | 54.42         | 3           | Horizontal | 305            | 1.97          | -       | 31.60      | 5.21       | 32.21      |
| PK   | 5.781G       | 103.75            | Inf               | -Inf           | 98.76         | 3           | Horizontal | 305            | 1.97          | -       | 32.00      | 5.29       | 32.30      |
| AV   | 5.78G        | 94.30             | Inf               | -Inf           | 89.31         | 3           | Horizontal | 305            | 1.97          | -       | 32.00      | 5.29       | 32.30      |
| PK   | 6.038G       | 57.34             | 68.20             | -10.86         | 51.86         | 3           | Horizontal | 305            | 1.97          | -       | 32.43      | 5.50       | 32.45      |

# 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5795MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.58956G    | 55.99             | 74.00             | -18.01         | 42.43         | 3           | Vertical  | 2              | 1.12          | -       | 39.51      | 8.34       | 34.29      |
| AV   | 11.5937G     | 42.98             | 54.00             | -11.02         | 29.42         | 3           | Vertical  | 2              | 1.12          | -       | 39.51      | 8.34       | 34.29      |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5795MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.59284G    | 55.88             | 74.00             | -18.12         | 42.32         | 3           | Horizontal | 148            | 2.37          | -       | 39.51      | 8.34       | 34.29      |  |
| AV   | 11.58502G    | 43.09             | 54.00             | -10.91         | 29.54         | 3           | Horizontal | 148            | 2.37          | -       | 39.51      | 8.33       | 34.29      |  |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TnomVnom




EUT\_V\_1TX  
Setting 44  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.128G       | 58.79             | 74.00             | -15.21         | 53.93         | 3           | Vertical  | 161            | 1.80          | -       | 31.83      | 5.00       | 31.97      |
| AV   | 5.143G       | 48.86             | 54.00             | -5.14          | 44.09         | 3           | Vertical  | 161            | 1.80          | -       | 31.74      | 5.00       | 31.97      |
| PK   | 5.236G       | 90.31             | Inf               | -Inf           | 86.14         | 3           | Vertical  | 161            | 1.80          | -       | 31.18      | 5.00       | 32.01      |
| AV   | 5.22G        | 81.71             | Inf               | -Inf           | 77.44         | 3           | Vertical  | 161            | 1.80          | -       | 31.28      | 5.00       | 32.01      |
| PK   | 5.445G       | 56.34             | 74.00             | -17.66         | 51.92         | 3           | Vertical  | 161            | 1.80          | -       | 31.49      | 5.04       | 32.11      |
| AV   | 5.438G       | 45.99             | 54.00             | -8.01          | 41.57         | 3           | Vertical  | 161            | 1.80          | -       | 31.48      | 5.04       | 32.10      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5210MHz\_TnomVnom




EUT V\_1TX  
Setting 44  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.146G       | 62.82             | 74.00             | -11.18         | 58.07         | 3           | Horizontal | 323            | 1.80          | -       | 31.72      | 5.00       | 31.97      |
| AV   | 5.144G       | 52.98             | 54.00             | -1.02          | 48.21         | 3           | Horizontal | 323            | 1.80          | -       | 31.74      | 5.00       | 31.97      |
| PK   | 5.238G       | 94.79             | Inf               | -Inf           | 90.63         | 3           | Horizontal | 323            | 1.80          | -       | 31.17      | 5.00       | 32.01      |
| AV   | 5.238G       | 85.88             | Inf               | -Inf           | 81.72         | 3           | Horizontal | 323            | 1.80          | -       | 31.17      | 5.00       | 32.01      |
| PK   | 5.392G       | 56.77             | 74.00             | -17.23         | 52.50         | 3           | Horizontal | 323            | 1.80          | -       | 31.35      | 5.00       | 32.08      |
| AV   | 5.35G        | 46.32             | 54.00             | -7.68          | 42.28         | 3           | Horizontal | 323            | 1.80          | -       | 31.10      | 5.00       | 32.06      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5210MHz\_TnomVnom




EUT V\_1TX  
Setting 44  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.62888G    | 59.83             | 74.00             | -14.17         | 45.61         | 3           | Vertical  | 30             | 2.64          | -       | 38.08      | 10.41      | 34.27      |
| AV   | 15.63094G    | 48.87             | 54.00             | -5.13          | 34.64         | 3           | Vertical  | 30             | 2.64          | -       | 38.08      | 10.42      | 34.27      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TnomVnom




EUT V\_1TX  
Setting 44  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.633G      | 59.54             | 74.00             | -14.46         | 45.32         | 3           | Horizontal | 355            | 2.31          | -       | 38.07      | 10.42      | 34.27      |  |
| AV   | 15.62678G    | 48.81             | 54.00             | -5.19          | 34.58         | 3           | Horizontal | 355            | 2.31          | -       | 38.09      | 10.41      | 34.27      |  |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 59  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.128G       | 57.31             | 74.00             | -16.69         | 52.45         | 3           | Vertical  | 155            | 1.80          | -       | 31.83      | 5.00       | 31.97      |
| AV   | 5.091G       | 46.98             | 54.00             | -7.02          | 42.02         | 3           | Vertical  | 155            | 1.80          | -       | 31.91      | 5.00       | 31.95      |
| PK   | 5.313G       | 94.98             | Inf               | -Inf           | 90.93         | 3           | Vertical  | 155            | 1.80          | -       | 31.10      | 5.00       | 32.05      |
| AV   | 5.309G       | 86.00             | Inf               | -Inf           | 81.95         | 3           | Vertical  | 155            | 1.80          | -       | 31.10      | 5.00       | 32.05      |
| PK   | 5.363G       | 61.31             | 74.00             | -12.69         | 57.20         | 3           | Vertical  | 155            | 1.80          | -       | 31.18      | 5.00       | 32.07      |
| AV   | 5.367G       | 50.14             | 54.00             | -3.86          | 46.01         | 3           | Vertical  | 155            | 1.80          | -       | 31.20      | 5.00       | 32.07      |
| PK   | 5.529G       | 56.32             | 68.20             | -11.88         | 51.84         | 3           | Vertical  | 155            | 1.80          | -       | 31.50      | 5.13       | 32.15      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 59  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.149G       | 57.83             | 74.00             | -16.17         | 53.10         | 3           | Horizontal | 323            | 2.04          | -       | 31.71      | 5.00       | 31.98      |
| AV   | 5.149G       | 47.15             | 54.00             | -6.85          | 42.42         | 3           | Horizontal | 323            | 2.04          | -       | 31.71      | 5.00       | 31.98      |
| PK   | 5.307G       | 98.45             | Inf               | -Inf           | 94.40         | 3           | Horizontal | 323            | 2.04          | -       | 31.10      | 5.00       | 32.05      |
| AV   | 5.315G       | 89.55             | Inf               | -Inf           | 85.50         | 3           | Horizontal | 323            | 2.04          | -       | 31.10      | 5.00       | 32.05      |
| PK   | 5.379G       | 64.84             | 74.00             | -9.16          | 60.65         | 3           | Horizontal | 323            | 2.04          | -       | 31.27      | 5.00       | 32.08      |
| AV   | 5.364G       | 52.83             | 54.00             | -1.17          | 48.72         | 3           | Horizontal | 323            | 2.04          | -       | 31.18      | 5.00       | 32.07      |
| PK   | 5.484G       | 56.79             | 68.20             | -11.41         | 52.33         | 3           | Horizontal | 323            | 2.04          | -       | 31.50      | 5.08       | 32.12      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 59  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.87038G    | 58.01             | 74.00             | -15.99         | 44.18         | 3           | Vertical  | 154            | 2.78          | -       | 37.66      | 10.54      | 34.37      |
| AV   | 15.87162G    | 47.38             | 54.00             | -6.62          | 33.55         | 3           | Vertical  | 154            | 2.78          | -       | 37.66      | 10.54      | 34.37      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 59  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.8671G     | 58.68             | 74.00             | -15.32         | 44.85         | 3           | Horizontal | 243            | 2.60          | -       | 37.67      | 10.53      | 34.37      |
| AV   | 15.87098G    | 47.01             | 54.00             | -6.99          | 33.18         | 3           | Horizontal | 243            | 2.60          | -       | 37.66      | 10.54      | 34.37      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT\_V\_1TX  
Setting 52  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.305G       | 56.03             | 68.20             | -12.17         | 51.97         | 3           | Vertical  | 353            | 2.32          | -       | 31.10      | 5.00       | 32.04      |
| PK   | 5.439G       | 61.18             | 74.00             | -12.82         | 56.76         | 3           | Vertical  | 353            | 2.32          | -       | 31.48      | 5.04       | 32.10      |
| AV   | 5.452G       | 50.23             | 54.00             | -3.77          | 45.79         | 3           | Vertical  | 353            | 2.32          | -       | 31.50      | 5.05       | 32.11      |
| PK   | 5.466G       | 60.05             | 68.20             | -8.15          | 55.60         | 3           | Vertical  | 353            | 2.32          | -       | 31.50      | 5.07       | 32.12      |
| PK   | 5.524G       | 93.61             | Inf               | -Inf           | 89.13         | 3           | Vertical  | 353            | 2.32          | -       | 31.50      | 5.12       | 32.14      |
| AV   | 5.55G        | 85.03             | Inf               | -Inf           | 80.54         | 3           | Vertical  | 353            | 2.32          | -       | 31.50      | 5.15       | 32.16      |
| PK   | 5.758G       | 57.22             | 68.20             | -10.98         | 52.22         | 3           | Vertical  | 353            | 2.32          | -       | 32.00      | 5.28       | 32.28      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5530MHz\_TnomVnom




EUT\_V\_1TX  
Setting 52  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.343G       | 56.25             | 68.20             | -11.95         | 52.21         | 3           | Horizontal | 330            | 1.81          | -       | 31.10      | 5.00       | 32.06      |  |
| PK   | 5.438G       | 62.74             | 74.00             | -11.26         | 58.32         | 3           | Horizontal | 330            | 1.81          | -       | 31.48      | 5.04       | 32.10      |  |
| PK   | 5.462G       | 62.92             | 68.20             | -5.28          | 58.47         | 3           | Horizontal | 330            | 1.81          | -       | 31.50      | 5.06       | 32.11      |  |
| AV   | 5.458G       | 52.79             | 54.00             | -1.21          | 48.34         | 3           | Horizontal | 330            | 1.81          | -       | 31.50      | 5.06       | 32.11      |  |
| PK   | 5.558G       | 95.96             | Inf               | -Inf           | 91.44         | 3           | Horizontal | 330            | 1.81          | -       | 31.52      | 5.16       | 32.16      |  |
| AV   | 5.515G       | 86.70             | Inf               | -Inf           | 82.22         | 3           | Horizontal | 330            | 1.81          | -       | 31.50      | 5.12       | 32.14      |  |
| PK   | 5.754G       | 57.59             | 68.20             | -10.61         | 52.59         | 3           | Horizontal | 330            | 1.81          | -       | 32.00      | 5.28       | 32.28      |  |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT\_V\_1TX  
Setting 52  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.05786G    | 55.98             | 74.00             | -18.02         | 42.13         | 3           | Vertical  | 39             | 2.32          | -       | 39.97      | 8.12       | 34.24      |  |
| AV   | 11.0601G     | 45.17             | 54.00             | -8.83          | 31.33         | 3           | Vertical  | 39             | 2.32          | -       | 39.96      | 8.12       | 34.24      |  |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 52  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.06218G    | 55.91             | 74.00             | -18.09         | 42.08         | 3           | Horizontal | 353            | 1.94          | -       | 39.95      | 8.12       | 34.24      |
| AV   | 11.06342G    | 45.08             | 54.00             | -8.92          | 31.24         | 3           | Horizontal | 353            | 1.94          | -       | 39.95      | 8.13       | 34.24      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.458G       | 59.46             | 74.00             | -14.54         | 55.01         | 3           | Vertical  | 340            | 2.27          | -       | 31.50      | 5.06       | 32.11      |
| AV   | 5.455G       | 50.38             | 54.00             | -3.62          | 45.94         | 3           | Vertical  | 340            | 2.27          | -       | 31.50      | 5.05       | 32.11      |
| PK   | 5.468G       | 60.58             | 68.20             | -7.62          | 56.13         | 3           | Vertical  | 340            | 2.27          | -       | 31.50      | 5.07       | 32.12      |
| PK   | 5.611G       | 99.57             | Inf               | -Inf           | 94.96         | 3           | Vertical  | 340            | 2.27          | -       | 31.60      | 5.21       | 32.20      |
| AV   | 5.598G       | 90.65             | Inf               | -Inf           | 86.04         | 3           | Vertical  | 340            | 2.27          | -       | 31.60      | 5.20       | 32.19      |
| PK   | 5.754G       | 64.21             | 68.20             | -3.99          | 59.21         | 3           | Vertical  | 340            | 2.27          | -       | 32.00      | 5.28       | 32.28      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.443G       | 60.83             | 74.00             | -13.17         | 56.40         | 3           | Horizontal | 329            | 1.80          | -       | 31.49      | 5.04       | 32.10      |
| PK   | 5.465G       | 61.93             | 68.20             | -6.27          | 57.48         | 3           | Horizontal | 329            | 1.80          | -       | 31.50      | 5.06       | 32.11      |
| AV   | 5.458G       | 51.31             | 54.00             | -2.69          | 46.86         | 3           | Horizontal | 329            | 1.80          | -       | 31.50      | 5.06       | 32.11      |
| PK   | 5.591G       | 101.21            | Inf               | -Inf           | 96.62         | 3           | Horizontal | 329            | 1.80          | -       | 31.58      | 5.19       | 32.18      |
| AV   | 5.581G       | 92.06             | Inf               | -Inf           | 87.50         | 3           | Horizontal | 329            | 1.80          | -       | 31.56      | 5.18       | 32.18      |
| PK   | 5.743G       | 66.45             | 68.20             | -1.75          | 61.49         | 3           | Horizontal | 329            | 1.80          | -       | 31.97      | 5.27       | 32.28      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.21682G    | 55.38             | 74.00             | -18.62         | 41.85         | 3           | Vertical  | 201            | 2.98          | -       | 39.60      | 8.19       | 34.26      |
| AV   | 11.21718G    | 45.25             | 54.00             | -8.75          | 31.72         | 3           | Vertical  | 201            | 2.98          | -       | 39.60      | 8.19       | 34.26      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5610MHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.21758G    | 55.58             | 74.00             | -18.42         | 42.05         | 3           | Horizontal | 198            | 1.27          | -       | 39.60      | 8.19       | 34.26      |  |
| AV   | 11.2235G     | 44.84             | 54.00             | -9.16          | 31.32         | 3           | Horizontal | 198            | 1.27          | -       | 39.60      | 8.19       | 34.27      |  |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6924G      | 98.88             | Inf               | -Inf           | 94.11         | 3           | Vertical  | 156            | 1.73          | -       | 31.77      | 5.25       | 32.25      |
| AV   | 5.6628G      | 89.85             | Inf               | -Inf           | 85.20         | 3           | Vertical  | 156            | 1.73          | -       | 31.65      | 5.23       | 32.23      |
| PK   | 5.8516G      | 58.17             | 68.20             | -10.03         | 53.16         | 3           | Vertical  | 156            | 1.73          | -       | 32.00      | 5.35       | 32.34      |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_1TX  
Setting 80  
06-F-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.6764G      | 100.16            | Inf               | -Inf           | 95.45         | 3           | Horizontal | 152            | 1.78          | -       | 31.71      | 5.24       | 32.24      |  |
| AV   | 5.682G       | 91.96             | Inf               | -Inf           | 87.23         | 3           | Horizontal | 152            | 1.78          | -       | 31.73      | 5.24       | 32.24      |  |
| PK   | 5.8556G      | 58.88             | 68.20             | -9.32          | 53.85         | 3           | Horizontal | 152            | 1.78          | -       | 32.01      | 5.36       | 32.34      |  |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.3818G     | 56.20             | 74.00             | -17.80         | 42.48         | 3           | Vertical  | 133            | 2.85          | -       | 39.76      | 8.25       | 34.29      |  |
| AV   | 11.384G      | 45.20             | 54.00             | -8.80          | 31.47         | 3           | Vertical  | 133            | 2.85          | -       | 39.77      | 8.25       | 34.29      |  |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 80  
06-F-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.3762G     | 55.99             | 74.00             | -18.01         | 42.28         | 3           | Horizontal | 175            | 1.14          | -       | 39.75      | 8.25       | 34.29      |  |
| AV   | 11.38024G    | 45.49             | 54.00             | -8.51          | 31.77         | 3           | Horizontal | 175            | 1.14          | -       | 39.76      | 8.25       | 34.29      |  |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.624G       | 66.14             | 68.20             | -2.06          | 61.53         | 3           | Vertical  | 338            | 2.29          | -       | 31.60      | 5.21       | 32.20      |  |
| PK   | 5.748G       | 99.86             | Inf               | -Inf           | 94.88         | 3           | Vertical  | 338            | 2.29          | -       | 31.99      | 5.27       | 32.28      |  |
| AV   | 5.747G       | 91.09             | Inf               | -Inf           | 86.11         | 3           | Vertical  | 338            | 2.29          | -       | 31.99      | 5.27       | 32.28      |  |
| PK   | 5.929G       | 59.09             | 68.20             | -9.11          | 53.89         | 3           | Vertical  | 338            | 2.29          | -       | 32.16      | 5.43       | 32.39      |  |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5775MHz\_TnomVnom




EUT V\_1TX  
Setting 76  
06-F-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.64G        | 66.96             | 68.20             | -1.24          | 62.35         | 3           | Horizontal | 304            | 1.79          | -       | 31.60      | 5.22       | 32.21      |  |
| PK   | 5.751G       | 100.39            | Inf               | -Inf           | 95.39         | 3           | Horizontal | 304            | 1.79          | -       | 32.00      | 5.28       | 32.28      |  |
| AV   | 5.744G       | 91.60             | Inf               | -Inf           | 86.63         | 3           | Horizontal | 304            | 1.79          | -       | 31.98      | 5.27       | 32.28      |  |
| PK   | 5.925G       | 60.12             | 68.20             | -8.08          | 54.93         | 3           | Horizontal | 304            | 1.79          | -       | 32.15      | 5.42       | 32.38      |  |

# 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5775MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.55146G    | 55.59             | 74.00             | -18.41         | 42.02         | 3           | Vertical  | 279            | 1.49          | -       | 39.55      | 8.32       | 34.30      |
| AV   | 11.54638G    | 44.81             | 54.00             | -9.19          | 31.24         | 3           | Vertical  | 279            | 1.49          | -       | 39.55      | 8.32       | 34.30      |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TnomVnom



EUT V\_1TX  
Setting 76  
06-F-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.5468G     | 55.67             | 74.00             | -18.33         | 42.10         | 3           | Horizontal | 153            | 2.77          | -       | 39.55      | 8.32       | 34.30      |  |
| AV   | 11.54912G    | 44.98             | 54.00             | -9.02          | 31.41         | 3           | Horizontal | 153            | 2.77          | -       | 39.55      | 8.32       | 34.30      |  |




## ***Radiated Emissions above 1GHz\_ Co- location***

## ***Appendix F***

### **Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 3 | Pass   | AV   | 1.9955G      | 35.64             | 54.00             | -18.36         | Vertical  |

### Mode 3



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK   | 1.9655G      | 45.90             | 74.00             | -28.10         | -4.56            | 3           | Vertical  | 122            | 2.16          | -       | 50.46           | 25.96        | 3.48       | 34.00      |
| AV   | 1.9955G      | 35.64             | 54.00             | -18.36         | -4.38            | 3           | Vertical  | 122            | 2.16          | "Worst" | 40.02           | 26.08        | 3.50       | 33.96      |

## Mode 3



| Type | Freq   | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Comment | Raw      | AF     | CL   | PA    |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|----------|--------|------|-------|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dB/m) | (m)  |            | (°)     | (m)    |         | (dBuV/m) | (dB/m) | (dB) | (dB)  |
| PK   | 2.105G | 41.75    | 74.00    | -32.25 | -3.46  | 3    | Horizontal | 95      | 2.11   | -       | 45.21    | 26.85  | 3.60 | 33.91 |
| AV   | 2.096G | 28.10    | 54.00    | -25.90 | -3.55  | 3    | Horizontal | 95      | 2.11   | "Worst" | 31.65    | 26.76  | 3.60 | 33.91 |