




PSD NVNT ax40 5230MHz Ant1




PSD NVNT ax40 5230MHz Ant2




PSD NVNT ax80 5210MHz Ant1




PSD NVNT ax80 5210MHz Ant2




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5180MHz Ant2




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant1




PSD NVNT n20 5240MHz Ant2




PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5190MHz Ant2



PSD NVNT n40 5230MHz Ant1



PSD NVNT n40 5230MHz Ant2




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-30.85	-27	Pass
NVNT	ac20	5180	Ant2	-35.39	-27	Pass
NVNT	ac20	5240	Ant1	-43.26	-27	Pass
NVNT	ac20	5240	Ant2	-45.69	-27	Pass
NVNT	ac40	5190	Ant1	-27.01	-27	Pass
NVNT	ac40	5190	Ant2	-30.36	-27	Pass
NVNT	ac40	5230	Ant1	-33.81	-27	Pass
NVNT	ac40	5230	Ant2	-42.92	-27	Pass
NVNT	ac80	5210	Ant1	-41.66	-27	Pass
NVNT	ac80	5210	Ant2	-45.91	-27	Pass
NVNT	ax20	5180	Ant1	-27.41	-27	Pass
NVNT	ax20	5180	Ant2	-42.94	-27	Pass
NVNT	ax20	5240	Ant1	-33.32	-27	Pass
NVNT	ax20	5240	Ant2	-36.93	-27	Pass
NVNT	ax40	5190	Ant1	-28.54	-27	Pass
NVNT	ax40	5190	Ant2	-29.74	-27	Pass
NVNT	ax40	5230	Ant1	-33.34	-27	Pass
NVNT	ax40	5230	Ant2	-36.85	-27	Pass
NVNT	ax80	5210	Ant1	-35.6	-27	Pass
NVNT	ax80	5210	Ant2	-39.36	-27	Pass
NVNT	n20	5180	Ant1	-27.36	-27	Pass
NVNT	n20	5180	Ant2	-44.48	-27	Pass
NVNT	n20	5240	Ant1	-43.14	-27	Pass
NVNT	n20	5240	Ant2	-47.38	-27	Pass
NVNT	n40	5190	Ant1	-27.83	-27	Pass
NVNT	n40	5190	Ant2	-31.37	-27	Pass
NVNT	n40	5230	Ant1	-36	-27	Pass
NVNT	n40	5230	Ant2	-43.8	-27	Pass

Test Graphs


Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5180MHz Low Ant2




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac20 5240MHz High Ant2




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5190MHz Low Ant2




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac40 5230MHz High Ant2




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant2




Band Edge NVNT ax20 5180MHz Low Ant1




Band Edge NVNT ax20 5180MHz Low Ant2




Band Edge NVNT ax20 5240MHz High Ant1




Band Edge NVNT ax20 5240MHz High Ant2




Band Edge NVNT ax40 5190MHz Low Ant1




Band Edge NVNT ax40 5190MHz Low Ant2




Band Edge NVNT ax40 5230MHz High Ant1




Band Edge NVNT ax40 5230MHz High Ant2




Band Edge NVNT ax80 5210MHz High Ant1




Band Edge NVNT ax80 5210MHz High Ant2




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5180MHz Low Ant2




Band Edge NVNT n20 5240MHz High Ant1




Band Edge NVNT n20 5240MHz High Ant2



Band Edge NVNT n40 5190MHz Low Ant1



Band Edge NVNT n40 5190MHz Low Ant2



Band Edge NVNT n40 5230MHz High Ant1



Band Edge NVNT n40 5230MHz High Ant2




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-34.47	-27	Pass
NVNT	ac20	5180	Ant2	-39.07	-27	Pass
NVNT	ac20	5200	Ant1	-35.29	-27	Pass
NVNT	ac20	5200	Ant2	-39.94	-27	Pass
NVNT	ac20	5240	Ant1	-33.38	-27	Pass
NVNT	ac20	5240	Ant2	-38.25	-27	Pass
NVNT	ac40	5190	Ant1	-34.09	-27	Pass
NVNT	ac40	5190	Ant2	-38.67	-27	Pass
NVNT	ac40	5230	Ant1	-33.57	-27	Pass
NVNT	ac40	5230	Ant2	-38.42	-27	Pass
NVNT	ac80	5210	Ant1	-34.02	-27	Pass
NVNT	ac80	5210	Ant2	-37.85	-27	Pass
NVNT	ax20	5180	Ant1	-28.81	-27	Pass
NVNT	ax20	5180	Ant2	-38.61	-27	Pass
NVNT	ax20	5200	Ant1	-31.59	-27	Pass
NVNT	ax20	5200	Ant2	-38.39	-27	Pass
NVNT	ax20	5240	Ant1	-30.9	-27	Pass
NVNT	ax20	5240	Ant2	-36.65	-27	Pass
NVNT	ax40	5190	Ant1	-30.96	-27	Pass
NVNT	ax40	5190	Ant2	-35.3	-27	Pass
NVNT	ax40	5230	Ant1	-31.98	-27	Pass
NVNT	ax40	5230	Ant2	-38.44	-27	Pass
NVNT	ax80	5210	Ant1	-34.39	-27	Pass
NVNT	ax80	5210	Ant2	-38.64	-27	Pass
NVNT	n20	5180	Ant1	-32.49	-27	Pass
NVNT	n20	5180	Ant2	-39.47	-27	Pass
NVNT	n20	5200	Ant1	-34.55	-27	Pass
NVNT	n20	5200	Ant2	-39.2	-27	Pass
NVNT	n20	5240	Ant1	-34.9	-27	Pass
NVNT	n20	5240	Ant2	-40.27	-27	Pass
NVNT	n40	5190	Ant1	-35.16	-27	Pass
NVNT	n40	5190	Ant2	-40.06	-27	Pass
NVNT	n40	5230	Ant1	-35.13	-27	Pass
NVNT	n40	5230	Ant2	-39.71	-27	Pass

Test Graphs


Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant2 Emission





Tx. Spurious NVNT ac20 5200MHz Ant1 Emission





Tx. Spurious NVNT ac20 5200MHz Ant2 Emission


























Tx. Spurious NVNT ax40 5230MHz Ant1 Emission




Tx. Spurious NVNT ax40 5230MHz Ant2 Emission







Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant2 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant2 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant2 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant2 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant2 Emission



5.3G:

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	11.06	1.18	12.24	23.49	Pass
NVNT	ac20	5260	Ant2	9.48	1.18	10.66	23.49	Pass
NVNT	ac20	5260	Sum	13.35	1.18	14.53	23.49	Pass
NVNT	ac20	5280	Ant1	9.84	1.18	11.02	23.49	Pass
NVNT	ac20	5280	Ant2	8.75	1.18	9.93	23.49	Pass
NVNT	ac20	5280	Sum	12.34	1.18	13.52	23.49	Pass
NVNT	ac20	5320	Ant1	10.2	0.02	10.22	23.49	Pass
NVNT	ac20	5320	Ant2	7.93	0.02	7.95	23.49	Pass
NVNT	ac20	5320	Sum	12.22	0.02	12.24	23.49	Pass
NVNT	ac40	5270	Ant1	10.07	0.03	10.1	24	Pass
NVNT	ac40	5270	Ant2	9.08	0.03	9.11	24	Pass
NVNT	ac40	5270	Sum	12.61	0.03	12.64	24	Pass
NVNT	ac40	5310	Ant1	10.57	0.03	10.6	24	Pass
NVNT	ac40	5310	Ant2	8.47	0.03	8.5	24	Pass
NVNT	ac40	5310	Sum	12.66	0.03	12.69	24	Pass
NVNT	ac80	5290	Ant1	9.84	3.46	13.3	24	Pass
NVNT	ac80	5290	Ant2	8.21	3.46	11.67	24	Pass
NVNT	ac80	5290	Sum	12.11	3.46	15.57	24	Pass
NVNT	ax20	5260	Ant1	11.29	0.17	11.46	23.78	Pass
NVNT	ax20	5260	Ant2	9.82	0.17	9.99	23.78	Pass
NVNT	ax20	5260	Sum	13.63	0.17	13.8	23.78	Pass
NVNT	ax20	5280	Ant1	10.19	0.16	10.35	23.78	Pass
NVNT	ax20	5280	Ant2	9.1	0.16	9.26	23.78	Pass
NVNT	ax20	5280	Sum	12.69	0.16	12.85	23.78	Pass
NVNT	ax20	5320	Ant1	10.56	0.18	10.74	23.78	Pass
NVNT	ax20	5320	Ant2	8.41	0.18	8.59	23.78	Pass
NVNT	ax20	5320	Sum	12.63	0.18	12.81	23.78	Pass
NVNT	ax40	5270	Ant1	10.78	0.03	10.81	24	Pass
NVNT	ax40	5270	Ant2	9.79	0.03	9.82	24	Pass
NVNT	ax40	5270	Sum	13.32	0.03	13.35	24	Pass
NVNT	ax40	5310	Ant1	11.06	0.03	11.09	24	Pass

NVNT	ax40	5310	Ant2	9.2	0.03	9.23	24	Pass
NVNT	ax40	5310	Sum	13.24	0.03	13.27	24	Pass
NVNT	ax80	5290	Ant1	9.38	1.17	10.55	24	Pass
NVNT	ax80	5290	Ant2	9.43	1.17	10.6	24	Pass
NVNT	ax80	5290	Sum	12.42	1.17	13.59	24	Pass
NVNT	n20	5260	Ant1	11.02	0.02	11.04	23.47	Pass
NVNT	n20	5260	Ant2	9.25	0.02	9.27	23.47	Pass
NVNT	n20	5260	Sum	13.23	0.02	13.25	23.47	Pass
NVNT	n20	5280	Ant1	9.78	0.02	9.8	23.47	Pass
NVNT	n20	5280	Ant2	8.74	0.02	8.76	23.47	Pass
NVNT	n20	5280	Sum	12.3	0.02	12.32	23.47	Pass
NVNT	n20	5320	Ant1	10.26	0.02	10.28	23.47	Pass
NVNT	n20	5320	Ant2	7.96	0.02	7.98	23.47	Pass
NVNT	n20	5320	Sum	12.27	0.02	12.29	23.47	Pass
NVNT	n40	5270	Ant1	10.7	0.03	10.73	24	Pass
NVNT	n40	5270	Ant2	9.05	0.03	9.08	24	Pass
NVNT	n40	5270	Sum	12.96	0.03	12.99	24	Pass
NVNT	n40	5310	Ant1	10.46	1.19	11.65	24	Pass
NVNT	n40	5310	Ant2	8.44	1.19	9.63	24	Pass
NVNT	n40	5310	Sum	12.58	1.19	13.77	24	Pass

Equivalent Isotropically Radiated Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Antenna Gain (dBi)	EIRP Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	11.06	1.18	12.24	2.95	15.19	29.49	Pass
NVNT	ac20	5260	Ant2	9.48	1.18	10.66	2.95	13.61	29.49	Pass
NVNT	ac20	5260	Sum	13.35	1.18	14.53	2.95	17.48	29.49	Pass
NVNT	ac20	5280	Ant1	9.84	1.18	11.02	2.95	13.97	29.49	Pass
NVNT	ac20	5280	Ant2	8.75	1.18	9.93	2.95	12.88	29.49	Pass
NVNT	ac20	5280	Sum	12.34	1.18	13.52	2.95	16.47	29.49	Pass
NVNT	ac20	5320	Ant1	10.2	0.02	10.22	2.95	13.17	29.49	Pass
NVNT	ac20	5320	Ant2	7.93	0.02	7.95	2.95	10.9	29.49	Pass
NVNT	ac20	5320	Sum	12.22	0.02	12.24	2.95	15.19	29.49	Pass
NVNT	ac40	5270	Ant1	10.07	0.03	10.1	2.95	13.05	30	Pass
NVNT	ac40	5270	Ant2	9.08	0.03	9.11	2.95	12.06	30	Pass
NVNT	ac40	5270	Sum	12.61	0.03	12.64	2.95	15.59	30	Pass
NVNT	ac40	5310	Ant1	10.57	0.03	10.6	2.95	13.55	30	Pass
NVNT	ac40	5310	Ant2	8.47	0.03	8.5	2.95	11.45	30	Pass
NVNT	ac40	5310	Sum	12.66	0.03	12.69	2.95	15.64	30	Pass
NVNT	ac80	5290	Ant1	9.84	3.46	13.3	2.95	16.25	30	Pass
NVNT	ac80	5290	Ant2	8.21	3.46	11.67	2.95	14.62	30	Pass
NVNT	ac80	5290	Sum	12.11	3.46	15.57	2.95	18.52	30	Pass
NVNT	ax20	5260	Ant1	11.29	0.17	11.46	2.95	14.41	29.78	Pass
NVNT	ax20	5260	Ant2	9.82	0.17	9.99	2.95	12.94	29.78	Pass
NVNT	ax20	5260	Sum	13.63	0.17	13.8	2.95	16.75	29.78	Pass
NVNT	ax20	5280	Ant1	10.19	0.16	10.35	2.95	13.3	29.78	Pass
NVNT	ax20	5280	Ant2	9.1	0.16	9.26	2.95	12.21	29.78	Pass
NVNT	ax20	5280	Sum	12.69	0.16	12.85	2.95	15.8	29.78	Pass
NVNT	ax20	5320	Ant1	10.56	0.18	10.74	2.95	13.69	29.78	Pass
NVNT	ax20	5320	Ant2	8.41	0.18	8.59	2.95	11.54	29.78	Pass
NVNT	ax20	5320	Sum	12.63	0.18	12.81	2.95	15.76	29.78	Pass
NVNT	ax40	5270	Ant1	10.78	0.03	10.81	2.95	13.76	30	Pass
NVNT	ax40	5270	Ant2	9.79	0.03	9.82	2.95	12.77	30	Pass
NVNT	ax40	5270	Sum	13.32	0.03	13.35	2.95	16.3	30	Pass
NVNT	ax40	5310	Ant1	11.06	0.03	11.09	2.95	14.04	30	Pass
NVNT	ax40	5310	Ant2	9.2	0.03	9.23	2.95	12.18	30	Pass
NVNT	ax40	5310	Sum	13.24	0.03	13.27	2.95	16.22	30	Pass
NVNT	ax80	5290	Ant1	9.38	1.17	10.55	2.95	13.5	30	Pass
NVNT	ax80	5290	Ant2	9.43	1.17	10.6	2.95	13.55	30	Pass
NVNT	ax80	5290	Sum	12.42	1.17	13.59	2.95	16.54	30	Pass
NVNT	n20	5260	Ant1	11.02	0.02	11.04	2.95	13.99	29.47	Pass
NVNT	n20	5260	Ant2	9.25	0.02	9.27	2.95	12.22	29.47	Pass
NVNT	n20	5260	Sum	13.23	0.02	13.25	2.95	16.2	29.47	Pass

NVNT	n20	5280	Ant1	9.78	0.02	9.8	2.95	12.75	29.47	Pass
NVNT	n20	5280	Ant2	8.74	0.02	8.76	2.95	11.71	29.47	Pass
NVNT	n20	5280	Sum	12.3	0.02	12.32	2.95	15.27	29.47	Pass
NVNT	n20	5320	Ant1	10.26	0.02	10.28	2.95	13.23	29.47	Pass
NVNT	n20	5320	Ant2	7.96	0.02	7.98	2.95	10.93	29.47	Pass
NVNT	n20	5320	Sum	12.27	0.02	12.29	2.95	15.24	29.47	Pass
NVNT	n40	5270	Ant1	10.7	0.03	10.73	2.95	13.68	30	Pass
NVNT	n40	5270	Ant2	9.05	0.03	9.08	2.95	12.03	30	Pass
NVNT	n40	5270	Sum	12.96	0.03	12.99	2.95	15.94	30	Pass
NVNT	n40	5310	Ant1	10.46	1.19	11.65	2.95	14.6	30	Pass
NVNT	n40	5310	Ant2	8.44	1.19	9.63	2.95	12.58	30	Pass
NVNT	n40	5310	Sum	12.58	1.19	13.77	2.95	16.72	30	Pass


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	-3.58	1.18	-2.4	11	Pass
NVNT	ac20	5260	Ant2	-7.23	1.18	-6.05	11	Pass
NVNT	ac20	5260	Sum	-2.02	1.18	-0.84	11	Pass
NVNT	ac20	5280	Ant1	-4.39	1.18	-3.21	11	Pass
NVNT	ac20	5280	Ant2	-6.57	1.18	-5.39	11	Pass
NVNT	ac20	5280	Sum	-2.33	1.18	-1.15	11	Pass
NVNT	ac20	5320	Ant1	-5.22	0.02	-5.2	11	Pass
NVNT	ac20	5320	Ant2	-7.46	0.02	-7.44	11	Pass
NVNT	ac20	5320	Sum	-3.19	0.02	-3.17	11	Pass
NVNT	ac40	5270	Ant1	-7.54	0.03	-7.51	11	Pass
NVNT	ac40	5270	Ant2	-15	0.03	-14.97	11	Pass
NVNT	ac40	5270	Sum	-6.82	0.03	-6.79	11	Pass
NVNT	ac40	5310	Ant1	-11.96	0.03	-11.93	11	Pass
NVNT	ac40	5310	Ant2	-9.23	0.03	-9.2	11	Pass
NVNT	ac40	5310	Sum	-7.37	0.03	-7.34	11	Pass
NVNT	ac80	5290	Ant1	-31.4	3.46	-27.94	11	Pass
NVNT	ac80	5290	Ant2	-32.94	3.46	-29.48	11	Pass
NVNT	ac80	5290	Sum	-29.09	3.46	-25.63	11	Pass
NVNT	ax20	5260	Ant1	-3.77	0.17	-3.6	11	Pass
NVNT	ax20	5260	Ant2	-4.43	0.17	-4.26	11	Pass
NVNT	ax20	5260	Sum	-1.08	0.17	-0.91	11	Pass
NVNT	ax20	5280	Ant1	-9	0.16	-8.84	11	Pass
NVNT	ax20	5280	Ant2	-12.22	0.16	-12.06	11	Pass
NVNT	ax20	5280	Sum	-7.31	0.16	-7.15	11	Pass

NVNT	ax20	5320	Ant1	-3.43	0.18	-3.25	11	Pass
NVNT	ax20	5320	Ant2	-6.64	0.18	-6.46	11	Pass
NVNT	ax20	5320	Sum	-1.73	0.18	-1.55	11	Pass
NVNT	ax40	5270	Ant1	-14.42	0.03	-14.39	11	Pass
NVNT	ax40	5270	Ant2	-15.93	0.03	-15.9	11	Pass
NVNT	ax40	5270	Sum	-12.1	0.03	-12.07	11	Pass
NVNT	ax40	5310	Ant1	-13.62	0.03	-13.59	11	Pass
NVNT	ax40	5310	Ant2	-12.75	0.03	-12.72	11	Pass
NVNT	ax40	5310	Sum	-10.15	0.03	-10.12	11	Pass
NVNT	ax80	5290	Ant1	-14.29	1.17	-13.12	11	Pass
NVNT	ax80	5290	Ant2	-14	1.17	-12.83	11	Pass
NVNT	ax80	5290	Sum	-11.13	1.17	-9.96	11	Pass
NVNT	n20	5260	Ant1	-5.06	0.02	-5.04	11	Pass
NVNT	n20	5260	Ant2	-8.12	0.02	-8.1	11	Pass
NVNT	n20	5260	Sum	-3.32	0.02	-3.3	11	Pass
NVNT	n20	5280	Ant1	-8.58	0.02	-8.56	11	Pass
NVNT	n20	5280	Ant2	-8.23	0.02	-8.21	11	Pass
NVNT	n20	5280	Sum	-5.39	0.02	-5.37	11	Pass
NVNT	n20	5320	Ant1	-4.82	0.02	-4.8	11	Pass
NVNT	n20	5320	Ant2	-6.96	0.02	-6.94	11	Pass
NVNT	n20	5320	Sum	-2.75	0.02	-2.73	11	Pass
NVNT	n40	5270	Ant1	-8.77	0.03	-8.74	11	Pass
NVNT	n40	5270	Ant2	-11.93	0.03	-11.9	11	Pass
NVNT	n40	5270	Sum	-7.06	0.03	-7.03	11	Pass
NVNT	n40	5310	Ant1	-9.14	1.19	-7.95	11	Pass
NVNT	n40	5310	Ant2	-13.99	1.19	-12.8	11	Pass
NVNT	n40	5310	Sum	-7.91	1.19	-6.72	11	Pass

Test Graphs

PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5260MHz Ant2

