


## **Annex A.5 Spurious Emission at Antenna Terminals**

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -57.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.35            | -54.24      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 437.6           | -43.73      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 824.3           | 32.5        | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 8430            | -20.66      | -13         | Pass    | 9002        |




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -58.38      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -53.44      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 377.7           | -43.15      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 836.7           | 32.54       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 7227            | -20.89      | -13         | Pass    | 9002        |



### 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -56.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.84            | -55.04      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 474.2           | -43.33      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 848.8           | 32.4        | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 6951            | -20.44      | -13         | Pass    | 9002        |



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTLV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -62.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.75            | -60.11      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 955.671         | -48.37      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1850            | 29.63       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16438           | -40.01      | -13         | Pass    | 17003       |




## 2.2. GSM Spurious Emission at Antenna Terminals(NTLV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -63.13      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.21            | -60.77      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 897.132         | -48.25      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1880            | 29.23       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16444           | -40.55      | -13         | Pass    | 17003       |



### 2.3. GSM Spurious Emission at Antenna Terminals(NTLV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -61.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.27            | -60.97      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 852.802         | -48.45      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1909            | 26.85       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16432           | -40.18      | -13         | Pass    | 17003       |



### 3. EGPRS\_GSM850


#### 3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -57.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.46            | -54.35      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 421.2           | -44.31      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 824.3           | 27.41       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 8286            | -20.53      | -13         | Pass    | 9002        |




### 3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -56.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -53.44      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 258.9           | -43.49      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 836.6           | 29.73       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 6959            | -20.41      | -13         | Pass    | 9002        |



### 3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -58.21      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.64            | -54.29      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 488.4           | -43.63      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 848.8           | 30.11       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 6975            | -20.07      | -13         | Pass    | 9002        |



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals(NTLV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -62.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.19            | -60.12      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 830.1           | -48.14      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1850            | 28.1        | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16428           | -40.33      | -13         | Pass    | 17003       |




## 4.2. EGPRS Spurious Emission at Antenna Terminals(NTLV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -63.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -59.74      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 840.1           | -49.03      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1880            | 28.8        | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16438           | -40.31      | -13         | Pass    | 17003       |



#### 4.3. EGPRS Spurious Emission at Antenna Terminals(NTLV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -64.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.19            | -60.33      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 949.767         | -48.67      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1910            | 28.97       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16446           | -40.2       | -13         | Pass    | 17003       |



## 5. WCDMA\_Band2


### 5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.27      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -64.39      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 908.439         | -53         | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1851            | 23.96       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16305           | -23.34      | -13         | Pass    | 17003       |




## 5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.8       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.21            | -64.74      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 730.4           | -52.75      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1879            | 23.92       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16247           | -23.13      | -13         | Pass    | 17003       |



### 5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.32            | -64.76      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 894.23          | -53.25      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1906            | 24.1        | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16314           | -22.38      | -13         | Pass    | 17003       |



## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.29            | -63.17      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 481.6           | -53.15      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1711            | 23.76       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16399           | -23.15      | -13         | Pass    | 17003       |




## 6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -65.5       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.15      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 851.101         | -52.63      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1731            | 23.87       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16342           | -22.94      | -13         | Pass    | 17003       |



### 6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.99      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.2             | -64.11      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | Peak     | 773.7           | -53.39      | -13         | Pass    | 9701        |
| 1000                  | 3000                 | 1         | Peak     | 1751            | 23.55       | -13         | N/A     | 2001        |
| 3000                  | 20000                | 1         | Peak     | 16674           | -22.99      | -13         | Pass    | 17003       |



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.22            | -62.91      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 355.3           | -52.59      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 827             | 19.13       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 7221            | -30.74      | -13         | Pass    | 9002        |




## 7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.29      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.73      | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 496.6           | -53.9       | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 835.4           | 17.53       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 6962            | -30.87      | -13         | Pass    | 9002        |



### 7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.062           | -67.13      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.26            | -65         | -13         | Pass    | 2986        |
| 30                    | 500                  | 0.1       | Peak     | 399.7           | -53.66      | -13         | Pass    | 4701        |
| 500                   | 1000                 | 0.1       | Peak     | 845.9           | 18.65       | -13         | N/A     | 5001        |
| 1000                  | 10000                | 1         | Peak     | 6964            | -30.61      | -13         | Pass    | 9002        |



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.21      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 850.801         | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.98      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 23.01       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2958            | -49.28      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6968            | -41.82      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.8       | -13         | Pass    | 8001        |




## 8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.43      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844             | -64.1       | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.2       | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 22          | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2956            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.78      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.8       | -13         | Pass    | 8001        |




### 8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.18      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.904         | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1815            | -52.58      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1879.4          | 23.08       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2950            | -49.19      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16416           | -34.8       | -13         | Pass    | 8001        |




#### 8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.65      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.8           | -64.1       | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1825            | -52.64      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1879.4          | 22.07       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2955            | -49.23      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16388           | -34.81      | -13         | Pass    | 8001        |




### 8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.13      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.38      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 842.1           | -64.1       | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1828            | -52.63      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1908.8          | 23.01       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2948            | -49.23      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.81      | -13         | Pass    | 8001        |




## 8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.18      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.31            | -72.93      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.5           | -64.15      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1817            | -52.65      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1908.8          | 22.07       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2953            | -49.17      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.74      | -13         | Pass    | 8001        |




## 8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.71      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.2           | -63.92      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.86      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 23.06       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2961            | -49.22      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16393           | -34.74      | -13         | Pass    | 8001        |




## 8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.73      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838.6           | -63.99      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.1       | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 22.24       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2958            | -49.15      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6959            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16403           | -34.79      | -13         | Pass    | 8001        |




### 8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.26      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.31      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.1           | -64.17      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1815            | -52.61      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1878.6          | 23.12       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2953            | -49.22      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.82      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16387           | -34.8       | -13         | Pass    | 8001        |




# 8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -73.02      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.804         | -64.04      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1811            | -52.62      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1878.6          | 22.21       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2955            | -49.2       | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6958            | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -34.78      | -13         | Pass    | 8001        |




# 8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.1       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.87      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 859.207         | -64.12      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1822            | -52.66      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1907.2          | 23.08       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2960            | -49.21      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.68      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.7       | -13         | Pass    | 8001        |




## 8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.08      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.41      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.5           | -63.91      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1825            | -52.66      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1907.2          | 22.16       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2957            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.63      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -34.77      | -13         | Pass    | 8001        |




### 8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.15      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.56      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.3           | -63.96      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.66      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 22.96       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2955            | -49.19      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16411           | -34.7       | -13         | Pass    | 8001        |




#### 8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.86      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.59      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.5           | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.87      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.2          | 21.99       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2943            | -49.21      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.66      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16409           | -34.81      | -13         | Pass    | 8001        |




# 8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.58      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.5           | -64.07      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1805            | -52.66      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1877.8          | 23          | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2960            | -49.21      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.76      | -13         | Pass    | 8001        |




# 8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.31            | -72.58      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 830.6           | -64.12      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1817            | -52.62      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1877.8          | 22.17       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2957            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6959            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.78      | -13         | Pass    | 8001        |




# 8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.88      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.5           | -64.03      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1816            | -52.64      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1905.2          | 22.99       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2949            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.78      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16395           | -34.74      | -13         | Pass    | 8001        |




# 8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.12      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 962.675         | -64.16      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1823            | -52.62      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1905.2          | 22.18       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2955            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16391           | -34.78      | -13         | Pass    | 8001        |




# 8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.34      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.38      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 833.4           | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -50.59      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.4          | 22.98       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2956            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.82      | -13         | Pass    | 8001        |




## 8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.66      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.102         | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -50.81      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.4          | 22.16       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2948            | -49.23      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6959            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.73      | -13         | Pass    | 8001        |




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -73.03      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 836.5           | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1816            | -52.59      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1875.4          | 23.05       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2955            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.66      | -13         | Pass    | 8001        |




## 8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.04      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.5           | -64.13      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1821            | -52.64      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1875.4          | 22.04       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2947            | -49.19      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.82      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16383           | -34.83      | -13         | Pass    | 8001        |




### 8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -67.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.46      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 857.906         | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1817            | -52.66      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1900.4          | 23          | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2955            | -49.22      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.71      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16408           | -34.77      | -13         | Pass    | 8001        |




## 8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.07      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.23      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.6           | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1839            | -52.52      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1900.4          | 22.05       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2948            | -49.2       | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16389           | -34.78      | -13         | Pass    | 8001        |




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -72.93      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.901         | -64.11      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -48.43      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.8          | 22.9        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2947            | -49.25      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.71      | -13         | Pass    | 8001        |




## 8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.31      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.1           | -64.12      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -48.67      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1850.8          | 22.05       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2952            | -49.24      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.67      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.75      | -13         | Pass    | 8001        |




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.05      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 863.209         | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1827            | -52.61      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1873.2          | 22.99       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2957            | -49.21      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6958            | -41.8       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.71      | -13         | Pass    | 8001        |




## 8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.46      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.5           | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1818            | -52.64      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1873.2          | 22.06       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2958            | -49.19      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 11980           | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16395           | -34.73      | -13         | Pass    | 8001        |




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.98      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.69      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 855.504         | -64.08      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1814            | -52.6       | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1895.8          | 23.01       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 1922            | -45.77      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -34.75      | -13         | Pass    | 8001        |




### 8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.4       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.201         | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1822            | -52.62      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1895.8          | 22.17       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 1922            | -46.34      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16403           | -34.78      | -13         | Pass    | 8001        |




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,  
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.8       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.4           | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -49.43      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1851            | 22.75       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2951            | -49.25      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16396           | -34.76      | -13         | Pass    | 8001        |




### 8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.86      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.85      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.7           | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -49.59      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1851            | 21.99       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2956            | -49.26      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16395           | -34.79      | -13         | Pass    | 8001        |




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,  
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.61      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.7           | -63.92      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1824            | -52.63      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1871            | 22.84       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2957            | -49.23      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.7       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16409           | -34.68      | -13         | Pass    | 8001        |




### 8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.29      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.4           | -64.1       | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1823            | -52.64      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1871            | 21.88       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2958            | -49.18      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.75      | -13         | Pass    | 8001        |




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,  
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.7       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.72      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 873.116         | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1828            | -52.62      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1891            | 22.86       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2958            | -49.19      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16408           | -34.79      | -13         | Pass    | 8001        |



### 8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.01      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.201         | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1840                 | 1         | RMS      | 1813            | -52.64      | -13         | Pass    | 841         |
| 1840                  | 1920                 | 1         | RMS      | 1891            | 21.89       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | RMS      | 2958            | -49.19      | -13         | Pass    | 1081        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16393           | -34.72      | -13         | Pass    | 8001        |



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.99      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.74      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 836.5           | -64.14      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.27      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.56       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2958            | -49.23      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.75      | -13         | Pass    | 8001        |




## 9.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.85      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 830.1           | -64.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.97      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 21.57       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2945            | -49.21      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.81      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16406           | -34.81      | -13         | Pass    | 8001        |




### 9.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.38      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.74      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848             | -63.97      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.88      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1732.013        | 22.5        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2959            | -49.24      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.81      | -13         | Pass    | 8001        |




#### 9.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.74      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.205         | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.93      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1732.013        | 21.53       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2954            | -49.27      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6959            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.8       | -13         | Pass    | 8001        |




### 9.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.21      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.53      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848             | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.93      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1753.788        | 22.55       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2960            | -49.21      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.71      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16404           | -34.76      | -13         | Pass    | 8001        |




## 9.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.49      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.19      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.3           | -64.04      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1753.788        | 21.68       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2963            | -49.23      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.61      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.77      | -13         | Pass    | 8001        |




### 9.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.99      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.26      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.2           | -64.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.04      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.075        | 22.64       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2953            | -49.2       | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.8       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.77      | -13         | Pass    | 8001        |




## 9.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.09      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.7           | -63.99      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.01      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 21.8        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2952            | -49.2       | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16403           | -34.73      | -13         | Pass    | 8001        |




### 9.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.56      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.99      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 834.9           | -64.07      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.84      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1731.2          | 22.64       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2959            | -49.22      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.7       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.72      | -13         | Pass    | 8001        |




**9.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,  
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.77      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.35      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 911.942         | -63.93      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.89      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1731.2          | 21.66       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2955            | -49.22      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.7       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.73      | -13         | Pass    | 8001        |




**9.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.68      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.15      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 845.8           | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -52.94      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1752.163        | 22.63       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2946            | -49.18      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.68      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.71      | -13         | Pass    | 8001        |




**9.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,  
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.74      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 857.005         | -64         | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -52.89      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1752.163        | 21.69       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2959            | -49.16      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.7       | -13         | Pass    | 8001        |




**9.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,  
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.8       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.33      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.5           | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.91      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.62       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2945            | -49.2       | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.69      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.78      | -13         | Pass    | 8001        |




**9.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,  
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.83      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 865.811         | -64.07      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.13      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 21.66       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2955            | -49.2       | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6966            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.72      | -13         | Pass    | 8001        |




**9.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,  
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.2       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 824.2           | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.81      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1730.225        | 22.53       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2956            | -49.16      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.66      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16375           | -34.72      | -13         | Pass    | 8001        |




**9.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,  
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.73      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838.9           | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1696            | -52.88      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1730.225        | 21.69       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2963            | -49.23      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.68      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.65      | -13         | Pass    | 8001        |




**9.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,  
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.66      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.39      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 845             | -63.93      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.9       | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1750.213        | 22.52       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2955            | -49.26      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6967            | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16382           | -34.76      | -13         | Pass    | 8001        |




**9.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,  
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.04      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.7           | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1696            | -52.86      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1750.213        | 21.75       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2947            | -49.23      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16390           | -34.79      | -13         | Pass    | 8001        |




**9.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,  
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.77      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 954.87          | -64.03      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -49.25      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.563        | 22.66       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2950            | -49.26      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.68      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.73      | -13         | Pass    | 8001        |




**9.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,  
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.27      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838.4           | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -49.87      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.563        | 21.86       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2954            | -49.24      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6966            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.7       | -13         | Pass    | 8001        |




**9.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,  
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.94      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.29      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.904         | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.88      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1727.95         | 22.59       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2951            | -49.22      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.69      | -13         | Pass    | 8001        |




**9.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,  
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.65      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.4           | -64.16      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.85      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1727.95         | 21.59       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2957            | -49.19      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.8       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -34.79      | -13         | Pass    | 8001        |




**9.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,  
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.81      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.9           | -64.04      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1695            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1745.5          | 22.61       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2949            | -49.17      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.69      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.75      | -13         | Pass    | 8001        |




**9.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,  
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.5       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.46      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.7           | -64.14      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1745.5          | 21.65       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2950            | -49.22      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.8       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.74      | -13         | Pass    | 8001        |




**9.25. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:25,  
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.05      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.5           | -63.98      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -46.91      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.725        | 22.59       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2960            | -49.19      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6958            | -41.81      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.71      | -13         | Pass    | 8001        |




**9.26. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:26,  
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.17      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 995.397         | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -47.28      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1710.725        | 21.73       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2951            | -49.2       | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.63      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16413           | -34.75      | -13         | Pass    | 8001        |




**9.27. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:27,  
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.71      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 861.008         | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -48.82      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1725.838        | 22.52       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2951            | -49.2       | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.77      | -13         | Pass    | 8001        |




**9.28. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:28,  
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.33      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 857.305         | -64.08      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -50.18      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1725.838        | 21.54       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2951            | -49.16      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.66      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.69      | -13         | Pass    | 8001        |




**9.29. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:29,  
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.35      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.7           | -64.08      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1686            | -52.88      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1740.788        | 22.49       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1767            | -28         | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6969            | -41.71      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.77      | -13         | Pass    | 8001        |




**9.30. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:30,  
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.49      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.6           | -63.98      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.8       | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1740.788        | 21.71       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1767            | -29.06      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.77      | -13         | Pass    | 8001        |




**9.31. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:31,  
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.11      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 832             | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.54      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1711.05         | 22.4        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2954            | -49.18      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.71      | -13         | Pass    | 8001        |




**9.32. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:32,  
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.27      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 857.806         | -63.92      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.68      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1711.05         | 21.56       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2948            | -49.22      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.71      | -13         | Pass    | 8001        |




**9.33. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:33,  
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.36      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 835.7           | -63.97      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1688            | -52.62      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1723.563        | 22.33       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2954            | -49.17      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.81      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16373           | -34.75      | -13         | Pass    | 8001        |




**9.34. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:34,  
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.75      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 858.906         | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.68      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1723.563        | 21.39       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2941            | -49.22      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 11999           | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16406           | -34.8       | -13         | Pass    | 8001        |




**9.35. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:35,  
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.84      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.404         | -63.99      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -49.83      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1736.075        | 22.3        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1772            | -26.64      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.74      | -13         | Pass    | 8001        |



**9.36. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:36,  
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.19      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.85      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.8           | -63.9       | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.61      | -13         | Pass    | 701         |
| 1700                  | 1765                 | 1         | RMS      | 1736.075        | 21.31       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 1772            | -28.34      | -13         | Pass    | 1236        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.69      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.78      | -13         | Pass    | 8001        |



## 10. LTE\_Band5


**10.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.97      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.43      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.63      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 20.87       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 863.1           | -64.28      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.04      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.74      | -13         | Pass    | 7001        |




## 10.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.39      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.51      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.2           | -55.72      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 19.89       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 870.5           | -64.21      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -47.1       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.77      | -13         | Pass    | 7001        |




### 10.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.23      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.4       | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.2           | -64.23      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 21.02       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 875.6           | -64.18      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -46.62      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.79      | -13         | Pass    | 7001        |




#### 10.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.41      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.1           | -64.36      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 19.98       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 873.3           | -64.28      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -47.7       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.76      | -13         | Pass    | 7001        |




**10.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,  
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.28      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.4           | -64.43      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.8           | 20.95       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862             | -64.2       | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -45.52      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.81      | -13         | Pass    | 7001        |




# 10.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.43      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.56      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 800.7           | -64.42      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.9           | 20.01       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 860.9           | -64.23      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -46.71      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.75      | -13         | Pass    | 7001        |




# 10.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.34      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.96      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.23      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 21.26       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 864.2           | -64.23      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -45.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.75      | -13         | Pass    | 7001        |




# 10.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -72.85      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -62.65      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 20.26       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862.5           | -64.27      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.79      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.77      | -13         | Pass    | 7001        |




# 10.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.42      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.6           | -54.06      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 21.22       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 864.7           | -64.29      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -45.53      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.74      | -13         | Pass    | 7001        |




# 10.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.98      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.28      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -64.18      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 20.15       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 868.2           | -64.25      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -46.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.79      | -13         | Pass    | 7001        |




# 10.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.76      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.7           | -64.37      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 21.22       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 900.3           | -64.23      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -45.53      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.8       | -13         | Pass    | 7001        |




# 10.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.76      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.79      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.1           | -64.45      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 20.3        | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 957.3           | -64.3       | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -46.7       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.83      | -13         | Pass    | 7001        |




### 10.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.63      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -61.78      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 21.06       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 860.3           | -64.09      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.2       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.78      | -13         | Pass    | 7001        |




# 10.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.35      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.87      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 20.01       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 954             | -64.21      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -47.3       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.8       | -13         | Pass    | 7001        |




# 10.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.46      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.99      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 809.9           | -64.35      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 21.1        | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 861.2           | -64.27      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -45.96      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.78      | -13         | Pass    | 7001        |




# 10.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.48      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 725             | -64.41      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 20.28       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 983.3           | -64.16      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -47.09      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.72      | -13         | Pass    | 7001        |




# 10.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.06      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 810.1           | -64.48      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 21.24       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 992.6           | -64.29      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -46.47      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.81      | -13         | Pass    | 7001        |




# 10.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.36      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 801.1           | -64.44      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 20.34       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 869.4           | -64.26      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -47.36      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.78      | -13         | Pass    | 7001        |




**10.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,  
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.38      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.26      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -59.72      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 21.63       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 963.5           | -64.09      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -46.52      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.79      | -13         | Pass    | 7001        |




**10.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.58      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -60.27      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 20.78       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 861.3           | -64.25      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -47.38      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.83      | -13         | Pass    | 7001        |




**10.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,  
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.47      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -63.09      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 21.68       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 894.8           | -64.14      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -46.04      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.72      | -13         | Pass    | 7001        |




## 10.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.74      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -63.17      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 20.67       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 979.3           | -64.21      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -47.09      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.81      | -13         | Pass    | 7001        |




**10.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,  
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.39      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -64.28      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 21.69       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 962.7           | -64.19      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1679            | -46.73      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6967            | -41.79      | -13         | Pass    | 7001        |



# 10.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.82      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 810.8           | -64.41      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 20.81       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 879.2           | -64.23      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1679            | -47.7       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.78      | -13         | Pass    | 7001        |



## 11. LTE\_Band7


### 11.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.59      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.96      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 833.5           | -64.13      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.21      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.125        | 22.74       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2956            | -49.23      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10001           | -45.82      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25995           | -37.16      | -25         | Pass    | 14002       |




## 11.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69         | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.44      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.2           | -63.88      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.32      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.125        | 21.84       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2957            | -49.26      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10001           | -46.83      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 26000           | -37.71      | -25         | Pass    | 14002       |




### 11.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.77      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.1       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 572.1           | -63.9       | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2476            | -50.77      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2532.75         | 22.96       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2952            | -49.24      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10131           | -48.96      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25999           | -37.82      | -25         | Pass    | 14002       |




#### 11.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.78      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.66      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.4           | -64.03      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2480            | -50.71      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2532.75         | 22.15       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2957            | -49.25      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10131           | -49.32      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25996           | -37.82      | -25         | Pass    | 14002       |




# 11.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.51      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.46      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 604.6           | -63.01      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2478            | -50.5       | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2565.15         | 22.82       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -46.87      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10261           | -49.77      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 26000           | -37.67      | -25         | Pass    | 14002       |




# 11.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.08      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.16      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 604.6           | -63.11      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2483            | -50.68      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2565.15         | 22.12       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2960            | -49.24      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10261           | -49.9       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25997           | -37.78      | -25         | Pass    | 14002       |




# 11.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.97      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.8       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.2           | -64.12      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2483            | -42.46      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.575        | 22.59       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2957            | -49.21      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10002           | -46.07      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25999           | -37.86      | -25         | Pass    | 14002       |




# 11.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.16      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.21      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.5           | -64.09      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2483            | -41.99      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2500.575        | 22.03       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2958            | -49.24      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10002           | -46.46      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25996           | -37.77      | -25         | Pass    | 14002       |




# 11.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.6       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.32      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.9           | -64.02      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.38      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2530.5          | 22.99       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2954            | -49.25      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10122           | -48.88      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25994           | -37.69      | -25         | Pass    | 14002       |




# 11.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.86      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.36      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 569.9           | -63.99      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2470            | -50.71      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2530.5          | 22.12       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2954            | -49.24      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10122           | -49.37      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 26000           | -37.77      | -25         | Pass    | 14002       |




**11.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.96      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.65      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 599.9           | -62.07      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2476            | -50.63      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2560.425        | 23.1        | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2580            | -48.51      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10242           | -49.8       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25999           | -37.83      | -25         | Pass    | 14002       |




# 11.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.87      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.09      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 599.9           | -62.89      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2480            | -50.74      | -25         | Pass    | 1491        |
| 2490                  | 2580                 | 1         | RMS      | 2560.425        | 22.17       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2952            | -49.23      | -25         | Pass    | 421         |
| 3000                  | 12000                | 1         | RMS      | 10242           | -50.3       | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25998           | -37.79      | -25         | Pass    | 14002       |




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.06      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.3       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838.2           | -63.86      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2474            | -45.28      | -25         | Pass    | 1491        |
| 2490                  | 2585                 | 1         | RMS      | 2500.688        | 22.71       | 60          | Pass    | 401         |
| 2585                  | 3000                 | 1         | RMS      | 2954            | -49.16      | -25         | Pass    | 416         |
| 3000                  | 12000                | 1         | RMS      | 10003           | -45.88      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25989           | -37.77      | -25         | Pass    | 14002       |




# 11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.65      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.63      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838.2           | -63.84      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2474            | -46.75      | -25         | Pass    | 1491        |
| 2490                  | 2585                 | 1         | RMS      | 2500.688        | 21.74       | 60          | Pass    | 401         |
| 2585                  | 3000                 | 1         | RMS      | 2953            | -49.16      | -25         | Pass    | 416         |
| 3000                  | 12000                | 1         | RMS      | 10003           | -46.57      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25994           | -37.75      | -25         | Pass    | 14002       |




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.15      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.1       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 830.1           | -63.94      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2483            | -50.6       | -25         | Pass    | 1491        |
| 2490                  | 2585                 | 1         | RMS      | 2528.238        | 22.87       | 60          | Pass    | 401         |
| 2585                  | 3000                 | 1         | RMS      | 2961            | -49.16      | -25         | Pass    | 416         |
| 3000                  | 12000                | 1         | RMS      | 10113           | -48.61      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25994           | -37.78      | -25         | Pass    | 14002       |




# 11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -74.36      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -72.8       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 827.6           | -63.94      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2481            | -50.59      | -25         | Pass    | 1491        |
| 2490                  | 2585                 | 1         | RMS      | 2528.238        | 22.07       | 60          | Pass    | 401         |
| 2585                  | 3000                 | 1         | RMS      | 2950            | -49.15      | -25         | Pass    | 416         |
| 3000                  | 12000                | 1         | RMS      | 10113           | -49.14      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25986           | -37.71      | -25         | Pass    | 14002       |




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -74.54      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.17      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 595.1           | -62.28      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2476            | -50.64      | -25         | Pass    | 1491        |
| 2490                  | 2585                 | 1         | RMS      | 2555.788        | 22.8        | 60          | Pass    | 401         |
| 2585                  | 3000                 | 1         | RMS      | 2955            | -49.09      | -25         | Pass    | 416         |
| 3000                  | 12000                | 1         | RMS      | 10223           | -49.45      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25999           | -37.59      | -25         | Pass    | 14002       |




# 11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.35      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.67      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 595.1           | -63.04      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2480            | -50.6       | -25         | Pass    | 1491        |
| 2490                  | 2585                 | 1         | RMS      | 2555.788        | 21.95       | 60          | Pass    | 401         |
| 2585                  | 3000                 | 1         | RMS      | 2956            | -49.16      | -25         | Pass    | 416         |
| 3000                  | 12000                | 1         | RMS      | 10223           | -50.03      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25998           | -37.73      | -25         | Pass    | 14002       |




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -74.18      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.6       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.602         | -63.88      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2487            | -44.75      | -25         | Pass    | 1491        |
| 2490                  | 2590                 | 1         | RMS      | 2501            | 22.52       | 60          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2946            | -49.16      | -25         | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 10004           | -46.18      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25997           | -37.72      | -25         | Pass    | 14002       |




# 11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -74.78      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.59      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 830.5           | -63.9       | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2481            | -46.66      | -25         | Pass    | 1491        |
| 2490                  | 2590                 | 1         | RMS      | 2501            | 21.77       | 60          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2950            | -49.13      | -25         | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 10004           | -46.46      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25994           | -37.74      | -25         | Pass    | 14002       |




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.32      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.34            | -72.7       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 863.61          | -64.03      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -44.27      | -25         | Pass    | 1491        |
| 2490                  | 2590                 | 1         | RMS      | 2526            | 22.71       | 60          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2944            | -49.13      | -25         | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 10104           | -48.49      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25997           | -37.82      | -25         | Pass    | 14002       |




# 11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.96      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.52      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.3           | -64.01      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -47.57      | -25         | Pass    | 1491        |
| 2490                  | 2590                 | 1         | RMS      | 2526            | 21.77       | 60          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2959            | -49.13      | -25         | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 10104           | -49.07      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25998           | -37.73      | -25         | Pass    | 14002       |




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -74.63      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.61      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 590.4           | -62.39      | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2486            | -50.39      | -25         | Pass    | 1491        |
| 2490                  | 2590                 | 1         | RMS      | 2551            | 22.51       | 60          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2960            | -49.17      | -25         | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 10204           | -49.77      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25990           | -37.75      | -25         | Pass    | 14002       |



# 11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -75.42      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.15      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 590.4           | -62.9       | -25         | Pass    | 9701        |
| 1000                  | 2490                 | 1         | RMS      | 2482            | -50.67      | -25         | Pass    | 1491        |
| 2490                  | 2590                 | 1         | RMS      | 2551            | 21.74       | 60          | Pass    | 401         |
| 2590                  | 3000                 | 1         | RMS      | 2955            | -49.15      | -25         | Pass    | 411         |
| 3000                  | 12000                | 1         | RMS      | 10204           | -50.24      | -25         | Pass    | 9002        |
| 12000                 | 26000                | 1         | RMS      | 25998           | -37.82      | -25         | Pass    | 14002       |



## 12. LTE\_Band12


**12.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.33      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.82      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.5           | -63.55      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 20.45       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 843.1           | -63.87      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -44.57      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.65      | -13         | Pass    | 7001        |




## 12.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.8       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -72.86      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.6           | -64.11      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 19.4        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 835.5           | -63.92      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -45.56      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.7       | -13         | Pass    | 7001        |




### 12.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.38      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 498.1           | -64.84      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 707.038         | 20.43       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 861.6           | -63.88      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1414            | -45.14      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.73      | -13         | Pass    | 7001        |




## 12.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.08      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 490.3           | -64.84      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 707.038         | 19.42       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 842.7           | -63.75      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1414            | -46.36      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.79      | -13         | Pass    | 7001        |




**12.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.8       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 611.6           | -64.85      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 714.808         | 19.96       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 864.7           | -63.93      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1429            | -46.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6968            | -41.78      | -13         | Pass    | 7001        |




## 12.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.97      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 482.9           | -64.84      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 714.808         | 18.99       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 814.5           | -63.93      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1429            | -47.83      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.82      | -13         | Pass    | 7001        |




## 12.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.57      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.5           | -63.57      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 20.36       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 854.5           | -63.58      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -44.46      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.79      | -13         | Pass    | 7001        |




## 12.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.68      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.5           | -63.88      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.268         | 19.51       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 845.6           | -63.93      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -45.25      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.77      | -13         | Pass    | 7001        |




## 12.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.69      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 497.1           | -64.88      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.205         | 20.19       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 858.1           | -63.81      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1412            | -48.68      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.75      | -13         | Pass    | 7001        |




## 12.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.73      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 495.5           | -64.91      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.205         | 19.25       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 840.1           | -63.71      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2956            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6959            | -41.81      | -13         | Pass    | 7001        |




### 12.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.67      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 490.5           | -64.86      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 713.235         | 20.55       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 926.4           | -63.86      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2949            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.72      | -13         | Pass    | 7001        |




## 12.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.5       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 493.1           | -64.77      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 713.235         | 19.6        | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 846.5           | -63.89      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2961            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.75      | -13         | Pass    | 7001        |




### 12.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.3       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.6           | -63.31      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.36          | 20.15       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 858.9           | -63.92      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -44.89      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.83      | -13         | Pass    | 7001        |




# 12.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.92      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.6           | -63.92      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.36          | 19.46       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 830.7           | -63.73      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1398            | -45.91      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.71      | -13         | Pass    | 7001        |




# 12.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.43      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 489.2           | -64.86      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.373         | 20.14       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 846.7           | -63.74      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1410            | -46.64      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.73      | -13         | Pass    | 7001        |




# 12.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.28      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.93      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 613.1           | -64.75      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 705.373         | 19.28       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 838.5           | -63.94      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1410            | -47.53      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.81      | -13         | Pass    | 7001        |




# 12.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.45      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.05      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 501.3           | -64.81      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 711.293         | 19.78       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 845.6           | -63.89      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2957            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.84      | -13         | Pass    | 7001        |




# 12.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.26      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -73.34      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 490.9           | -64.78      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 711.293         | 18.98       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 847.5           | -63.93      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2952            | -49.23      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.78      | -13         | Pass    | 7001        |




**12.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,  
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.63      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.9           | -63.04      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.545         | 19.92       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 849.7           | -63.91      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1399            | -45.62      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.86      | -13         | Pass    | 7001        |




## 12.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.9       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 688.9           | -63.54      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 699.545         | 19.03       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 847.7           | -63.92      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1399            | -46.33      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.75      | -13         | Pass    | 7001        |




**12.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,  
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.78      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 491.5           | -64.82      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 703.06          | 20.22       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 839.2           | -63.98      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2960            | -49.25      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.78      | -13         | Pass    | 7001        |




## 12.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.12      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.53      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 400.3           | -64.95      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 703.06          | 19.21       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 846.3           | -63.83      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2947            | -49.25      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.83      | -13         | Pass    | 7001        |




**12.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,  
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.4       | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 689             | -64.38      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.575         | 20.46       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 852.6           | -63.95      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -46.39      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.77      | -13         | Pass    | 7001        |



## 12.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -73.04      | -13         | Pass    | 2986        |
| 30                    | 689                  | 0.1       | RMS      | 689             | -64.79      | -13         | Pass    | 6591        |
| 689                   | 726                  | 0.1       | RMS      | 706.575         | 19.51       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 840.1           | -63.83      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -47.83      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.78      | -13         | Pass    | 7001        |



## 13. LTE\_Band13


### 13.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.43      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 766.6           | -63.33      | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 777.35          | 20.27       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 855.7           | -63.94      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 1554            | -48.71      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6967            | -41.8       | -13         | Pass    | 7001        |




### 13.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.63      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.35      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 766.6           | -63.8       | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 777.35          | 19.56       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 845.7           | -63.73      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 2952            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.78      | -13         | Pass    | 7001        |




### 13.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.86      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.7       | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 755.4           | -64.52      | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 779.825         | 20.4        | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 838             | -63.93      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 1559            | -48.44      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.78      | -13         | Pass    | 7001        |




### 13.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.86      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -72.93      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 757.4           | -64.67      | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 779.825         | 19.65       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 840.9           | -64.03      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 1559            | -49.15      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.76      | -13         | Pass    | 7001        |




### 13.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.49      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.01      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 748.2           | -64.5       | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 782.3           | 20.09       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 850.1           | -63.92      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 1564            | -48.51      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.8       | -13         | Pass    | 7001        |




### 13.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.19      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 735.1           | -64.64      | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 782.3           | 19.38       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 851.7           | -63.95      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 1564            | -49.12      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.75      | -13         | Pass    | 7001        |




**13.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,  
Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.83      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 766.9           | -62.94      | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 777.575         | 20.53       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 834.4           | -63.98      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 1555            | -48.82      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.76      | -13         | Pass    | 7001        |



### 13.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.77      | -13         | Pass    | 2986        |
| 30                    | 767                  | 0.1       | RMS      | 766.9           | -63.28      | -13         | Pass    | 7371        |
| 767                   | 797                  | 0.1       | RMS      | 777.575         | 19.62       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 841.5           | -63.95      | -13         | Pass    | 2031        |
| 1000                  | 3000                 | 1         | RMS      | 2954            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.81      | -13         | Pass    | 7001        |



## 14. LTE\_Band17


### 14.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.67      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 693.6           | -63.18      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 704.32          | 20.28       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 857.1           | -63.92      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2955            | -49.24      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.84      | -13         | Pass    | 7001        |




## 14.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.64      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 693.6           | -63.75      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 704.32          | 19.47       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 849.1           | -63.9       | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2961            | -49.21      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.82      | -13         | Pass    | 7001        |




### 14.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.41      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 628.8           | -64.8       | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 707.84          | 20.52       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 827.6           | -63.86      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1415            | -48.34      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.78      | -13         | Pass    | 7001        |




#### 14.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -72.29      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 477.1           | -64.77      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 707.84          | 19.74       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 849.6           | -63.95      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1415            | -48.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6967            | -41.86      | -13         | Pass    | 7001        |




# 14.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.31      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 493             | -64.87      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 711.36          | 20.17       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 851.2           | -63.85      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2954            | -49.21      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.82      | -13         | Pass    | 7001        |




**14.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,  
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.7       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.36      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 488             | -64.86      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 711.36          | 19.62       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 846.2           | -63.65      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2951            | -49.25      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.84      | -13         | Pass    | 7001        |




**14.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,  
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.15      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.44      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 693.9           | -61.76      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 704.56          | 20.32       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 867.7           | -63.88      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2954            | -49.23      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.75      | -13         | Pass    | 7001        |




**14.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,  
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.9       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.82      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 693.9           | -62.42      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 704.56          | 19.44       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 828.1           | -63.91      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2948            | -49.21      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.84      | -13         | Pass    | 7001        |




**14.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,  
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.38      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.97      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 694             | -64.37      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 705.6           | 20.61       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 845             | -63.9       | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2960            | -49.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.7       | -13         | Pass    | 7001        |




# 14.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.71      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.57      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 693.9           | -64.52      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 705.6           | 19.59       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 835.1           | -63.96      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 2955            | -49.2       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.79      | -13         | Pass    | 7001        |




**14.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.66      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 688.9           | -64.55      | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 706.56          | 20.39       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 820.7           | -63.87      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -46.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.8       | -13         | Pass    | 7001        |



# 14.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.39      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.94      | -13         | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 688.9           | -64.7       | -13         | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 706.56          | 19.45       | 60          | Pass    | 401         |
| 726                   | 1000                 | 0.1       | RMS      | 834.1           | -63.88      | -13         | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -47.67      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.83      | -13         | Pass    | 7001        |



## 15. LTE\_Band26(part22)


**15.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.83      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.27      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.39      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 20.83       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 863.6           | -64.24      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.12      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.75      | -13         | Pass    | 7001        |




## 15.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.43      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.95      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 19.8        | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 867.6           | -64.15      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -47.09      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.73      | -13         | Pass    | 7001        |




**15.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3,  
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.18      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.51      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 810.7           | -64.36      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 20.94       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 860.7           | -64.28      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -46.79      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.79      | -13         | Pass    | 7001        |




**15.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,  
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.1       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -72.37      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 726.8           | -64.43      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 19.84       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 941.6           | -64.31      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -47.79      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.8       | -13         | Pass    | 7001        |




**15.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.43      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.81      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.8           | -64.43      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.8           | 20.86       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 863.1           | -64.16      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -45.65      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.72      | -13         | Pass    | 7001        |




**15.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,  
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.38      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.33      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.9           | -64.4       | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.9           | 19.94       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 870.7           | -64.29      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -46.7       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.87      | -13         | Pass    | 7001        |




# 15.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.42      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -62.3       | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 21.04       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862.5           | -64.2       | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.02      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.78      | -13         | Pass    | 7001        |




**15.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,  
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.72      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -62.67      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 20.19       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 864.1           | -64.2       | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.92      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.77      | -13         | Pass    | 7001        |




# 15.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.82      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 809.7           | -64.47      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 21.12       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 880.1           | -64.25      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -45.77      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.82      | -13         | Pass    | 7001        |




**15.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,  
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.23      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.86      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 809.4           | -64.45      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 20.1        | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 946.8           | -64.05      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -46.91      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.78      | -13         | Pass    | 7001        |




**15.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.19      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 809.2           | -64.49      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 21.04       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 863.9           | -64.04      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -45.78      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.82      | -13         | Pass    | 7001        |




**15.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,  
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.18      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -64.46      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 20.18       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 864.9           | -64.29      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -46.81      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.78      | -13         | Pass    | 7001        |




**15.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,  
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.92      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.32      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 20.99       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 865.6           | -64.28      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -46.35      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.78      | -13         | Pass    | 7001        |




**15.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,  
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.12      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.79      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -62.99      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 19.97       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 958.9           | -64.14      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -47.37      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.8       | -13         | Pass    | 7001        |




**15.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,  
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -73.04      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -64.36      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 20.99       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 865.2           | -64.22      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -46.07      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.72      | -13         | Pass    | 7001        |




**15.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,  
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -72.42      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812             | -64.33      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 20.2        | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 954.3           | -64.24      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -47.05      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.75      | -13         | Pass    | 7001        |




**15.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,  
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.44      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811             | -64.46      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 21.11       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862.3           | -64.17      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -46.59      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6966            | -41.82      | -13         | Pass    | 7001        |




**15.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,  
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.7       | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -64.32      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 20.3        | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 987.6           | -64.28      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -47.44      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.84      | -13         | Pass    | 7001        |




**15.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,  
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.75      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -60.36      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 21.54       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 974.9           | -64.2       | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -46.65      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.77      | -13         | Pass    | 7001        |




**15.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,  
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.4       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.11      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -60.39      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 20.63       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 866.4           | -64.07      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -47.47      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.73      | -13         | Pass    | 7001        |




**15.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,  
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.27      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -63.8       | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 21.55       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 881.1           | -64.21      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -46.17      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.74      | -13         | Pass    | 7001        |




**15.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,  
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.55      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.1           | -64.39      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 20.59       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 966.3           | -64.31      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -47.23      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.82      | -13         | Pass    | 7001        |




**15.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,  
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.72      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.01      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 798.9           | -64.4       | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 21.59       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862.1           | -64.23      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1679            | -46.81      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.85      | -13         | Pass    | 7001        |




**15.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,  
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.83      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.59      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -64.01      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 20.79       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 992.1           | -64.23      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1679            | -47.71      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.71      | -13         | Pass    | 7001        |




**15.25. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:25,  
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.63      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.71      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.5           | -53.44      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.8           | 20.94       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 860.2           | -64.26      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -46.4       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.82      | -13         | Pass    | 7001        |




**15.26. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:26,  
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.32      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.59      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.5           | -54.42      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.8           | 20.11       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 867.7           | -64.21      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -47.22      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.79      | -13         | Pass    | 7001        |




**15.27. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:27,  
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.79      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -61.85      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 829.8           | 21.01       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 863.8           | -64.19      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1659            | -46.19      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6965            | -41.81      | -13         | Pass    | 7001        |




**15.28. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:28,  
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.37      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.8           | -62.01      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 829.8           | 20.03       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 940.2           | -64.25      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1659            | -47.31      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6963            | -41.79      | -13         | Pass    | 7001        |




**15.29. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:29,  
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.1       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.07      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.8           | -61.66      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.8           | 20.84       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 867.2           | -64.1       | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1669            | -45.37      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.85      | -13         | Pass    | 7001        |



**15.30. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:30,  
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -69.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.34      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.8           | -62.23      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.8           | 20.04       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 965.3           | -64.34      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1669            | -46.21      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6964            | -41.84      | -13         | Pass    | 7001        |



## 16. LTE\_Band26(part90)


**16.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -63.91      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.7           | -50.89      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.25          | 26.34       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 830             | -43.85      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.49      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 8122            | -30.44      | -13         | Pass    | 7001        |




## 16.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.31            | -64.9       | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 595.9           | -53.49      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.2           | 26.85       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 839.1           | -53.18      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.38      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7221            | -30.1       | -13         | Pass    | 7001        |




**16.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3,  
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.99      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.38      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 493             | -52.7       | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 818.55          | 26.74       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 989.3           | -53.16      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1637            | -35.79      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6978            | -30.15      | -13         | Pass    | 7001        |




**16.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,  
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -62.34      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 756.8           | -52.76      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 818.6           | 26.41       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 908.3           | -52.89      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1637            | -36.86      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7331            | -30.32      | -13         | Pass    | 7001        |




**16.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,  
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.25            | -64.17      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 538             | -53.1       | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 822.9           | 26.25       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 897.6           | -52.94      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1645            | -36.55      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7196            | -30.51      | -13         | Pass    | 7001        |




**16.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.12      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 755.5           | -53.77      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 822.9           | 26.49       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 956.3           | -53.37      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1646            | -36.09      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7180            | -30.49      | -13         | Pass    | 7001        |




**16.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.92      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.8           | -49.48      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.3           | 26.43       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 840             | -52.59      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.56      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6957            | -29.46      | -13         | Pass    | 7001        |




**16.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,  
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.96      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -63.34      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 809             | -50.03      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.2           | 26.47       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.2           | -52.93      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 2813            | -37.46      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7214            | -30.19      | -13         | Pass    | 7001        |




# 16.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.28            | -64.05      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 807.1           | -52.95      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 817.75          | 26.45       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 938.7           | -53.15      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1635            | -36.92      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6964            | -30.6       | -13         | Pass    | 7001        |




**16.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,  
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.19            | -63.65      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 807.1           | -52.91      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 817.7           | 26.55       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 837             | -52.96      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1635            | -36.03      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7194            | -30.38      | -13         | Pass    | 7001        |




**16.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -66.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -63.26      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 454.3           | -53.2       | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 821.25          | 26.79       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829             | -41.65      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1643            | -36.42      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6933            | -30.55      | -13         | Pass    | 7001        |




**16.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,  
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -64.81      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.26            | -64.7       | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 716             | -53.66      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 821.2           | 26.48       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829             | -41.51      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1642            | -36.44      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7200            | -30.56      | -13         | Pass    | 7001        |




**16.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,  
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.7       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.24            | -64.26      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.8           | -52         | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.35          | 26.46       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 993.7           | -52.51      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.77      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7180            | -30.45      | -13         | Pass    | 7001        |




**16.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,  
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.062           | -66.19      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.36            | -62.73      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.8           | -53.19      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.3           | 26.48       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 998.7           | -53.12      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.58      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7220            | -30.35      | -13         | Pass    | 7001        |




**16.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,  
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.29      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.23            | -63.67      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 501.4           | -53.54      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 816.9           | 26.48       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 834.9           | -44.63      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1634            | -35.84      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6943            | -30.42      | -13         | Pass    | 7001        |




**16.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,  
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -64.55      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 807.3           | -53.13      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 816.8           | 26.62       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 952.9           | -52.78      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1634            | -37.21      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6964            | -30.59      | -13         | Pass    | 7001        |




**16.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,  
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.23      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 764.1           | -53.69      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 819.35          | 26.65       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.2           | -46.91      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1639            | -36.53      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6710            | -30.23      | -13         | Pass    | 7001        |




**16.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,  
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -64.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.34            | -64.28      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.6           | -53.33      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 819.3           | 26.72       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829             | -47.22      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1639            | -37.57      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7260            | -29.01      | -13         | Pass    | 7001        |




**16.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,  
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -64.81      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -64.82      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.9           | -49.9       | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.55          | 26.5        | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.9           | -37.26      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.53      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6985            | -30.32      | -13         | Pass    | 7001        |



**16.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,  
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -65.08      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.21            | -64.57      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 809             | -51.56      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.55          | 26.54       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.9           | -37.95      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.39      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6974            | -30.71      | -13         | Pass    | 7001        |



## 17. LTE\_Band66


**17.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.87      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.5           | -64.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.99      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22.5        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2952            | -49.26      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16396           | -34.72      | -13         | Pass    | 8001        |




**17.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,  
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.27      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.73      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.1           | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.33      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 21.52       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2945            | -49.22      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.76      | -13         | Pass    | 8001        |




**17.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3,  
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -67.72      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -72.64      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 833             | -64.15      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.82      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.55         | 22.36       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2954            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.78      | -13         | Pass    | 8001        |




**17.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,  
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.61      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.301         | -63.98      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.55         | 21.36       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2950            | -49.22      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.72      | -13         | Pass    | 8001        |




**17.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,  
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -67.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.09      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.1           | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -52.84      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.75         | 22.42       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2947            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.8       | -13         | Pass    | 8001        |




**17.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,  
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.38      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.402         | -64.17      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1691            | -52.89      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.75         | 21.49       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2954            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.76      | -13         | Pass    | 8001        |




**17.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,  
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.88      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 860.007         | -64.04      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -51.53      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22.58       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2948            | -49.24      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6966            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16404           | -34.8       | -13         | Pass    | 8001        |




**17.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,  
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.29      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 867.812         | -64.15      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.04      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 21.69       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2949            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.76      | -13         | Pass    | 8001        |




**17.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,  
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.45      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.87      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.1           | -64.08      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1694            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.65         | 22.53       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2959            | -49.18      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.67      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16383           | -34.74      | -13         | Pass    | 8001        |




**17.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,  
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.27      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.48      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 833.2           | -64.1       | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.65         | 21.54       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2953            | -49.22      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6966            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16393           | -34.8       | -13         | Pass    | 8001        |




**17.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -67.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.82      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.4           | -64.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.92      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1777.175        | 22.45       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2957            | -49.18      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16406           | -34.78      | -13         | Pass    | 8001        |




**17.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,  
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.2       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.7           | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.86      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1777.175        | 21.49       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2957            | -49.18      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.66      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16404           | -34.74      | -13         | Pass    | 8001        |




**17.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,  
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.44      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 825.6           | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.87      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22.29       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2955            | -49.2       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16390           | -34.75      | -13         | Pass    | 8001        |




**17.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,  
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.51      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.3           | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.22      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 21.38       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2956            | -49.19      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.71      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16399           | -34.71      | -13         | Pass    | 8001        |




**17.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,  
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -67.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.63      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.9           | -63.96      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1694            | -52.9       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.75         | 22.41       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2952            | -49.22      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.83      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.79      | -13         | Pass    | 8001        |




**17.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,  
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -73.01      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.8           | -64.19      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.92      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.75         | 21.55       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2955            | -49.24      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.79      | -13         | Pass    | 8001        |




**17.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,  
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.58      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 845.5           | -63.95      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.86      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1775.15         | 22.26       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2956            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.75      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.71      | -13         | Pass    | 8001        |




**17.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,  
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.46      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.96      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.702         | -64.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1699            | -52.93      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1775.15         | 21.49       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2951            | -49.2       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.73      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.81      | -13         | Pass    | 8001        |




**17.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,  
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.56      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.68      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.5           | -64.07      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -48.21      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.575        | 22.45       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2948            | -49.25      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.78      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.79      | -13         | Pass    | 8001        |




**17.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,  
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.37      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.2           | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -49.99      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.575        | 21.6        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2947            | -49.22      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6967            | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16402           | -34.78      | -13         | Pass    | 8001        |




**17.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,  
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.85      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 858.006         | -64.14      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.9       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1740.5          | 22.51       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2958            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.78      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.78      | -13         | Pass    | 8001        |




**17.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,  
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.08      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.29      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.4           | -64         | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.89      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1740.5          | 21.5        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2951            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6960            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16408           | -34.69      | -13         | Pass    | 8001        |




**17.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,  
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.36      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.8           | -64.14      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -52.9       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.425        | 22.53       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2962            | -49.2       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.71      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.77      | -13         | Pass    | 8001        |




**17.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,  
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.5       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.07      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.9           | -64.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.425        | 21.59       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2949            | -49.2       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.7       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.76      | -13         | Pass    | 8001        |




**17.25. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:25,  
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.79      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 829             | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -46.46      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.8          | 22.42       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2959            | -49.19      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6964            | -41.7       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16400           | -34.76      | -13         | Pass    | 8001        |




**17.26. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:26,  
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.8       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.04      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 850.301         | -64.02      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -47.97      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.8          | 21.59       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2958            | -49.19      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.72      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16408           | -34.71      | -13         | Pass    | 8001        |




**17.27. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:27,  
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.18      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.1           | -63.98      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.87      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1738.25         | 22.42       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2957            | -49.26      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.69      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16397           | -34.69      | -13         | Pass    | 8001        |




**17.28. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:28,  
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -65.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.42      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.4           | -64.1       | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -52.9       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1738.25         | 21.4        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2963            | -49.19      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.76      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16407           | -34.78      | -13         | Pass    | 8001        |




**17.29. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:29,  
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.55      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.95      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 833.3           | -64.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.88      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1765.7          | 22.41       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 1792            | -29.38      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16401           | -34.79      | -13         | Pass    | 8001        |




**17.30. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:30,  
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -72.84      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.8           | -64.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1695            | -52.91      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1765.7          | 21.53       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 1792            | -28.39      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6967            | -41.77      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16404           | -34.78      | -13         | Pass    | 8001        |




**17.31. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:31,  
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.75      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.8           | -63.99      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.48      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1711.025        | 22.26       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2951            | -49.21      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6961            | -41.7       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16393           | -34.77      | -13         | Pass    | 8001        |




**17.32. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:32,  
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.73      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.6           | -64.15      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.7       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1711.025        | 21.41       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2959            | -49.23      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6962            | -41.71      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16394           | -34.78      | -13         | Pass    | 8001        |




**17.33. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:33,  
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.15      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.51      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 827.5           | -64.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.44      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1736            | 22.26       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2953            | -49.25      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6963            | -41.74      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.78      | -13         | Pass    | 8001        |




**17.34. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:34,  
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -66.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.1       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 836.8           | -64.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -51.66      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1736            | 21.26       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2955            | -49.22      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6959            | -41.69      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16398           | -34.76      | -13         | Pass    | 8001        |




**17.35. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:35,  
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.98      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.7       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.1           | -64.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.92      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1760.975        | 22.24       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 1797            | -29.81      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.68      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16405           | -34.81      | -13         | Pass    | 8001        |



**17.36. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:36,  
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -68.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.87      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 828.6           | -64         | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1696            | -52.94      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1760.975        | 21.29       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 1797            | -31.13      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6965            | -41.78      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 16409           | -34.8       | -13         | Pass    | 8001        |



## 18. LTE\_Band38


**18.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1,  
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.67      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -68.71      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 609.6           | -59.27      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -44.59      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 23.28       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2954.675        | -45.22      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11986           | -47.37      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26017           | -33         | -25         | Pass    | 14502       |




## 18.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.55      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.24      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 609.6           | -59.74      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -45.38      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 22.76       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2960.225        | -45.22      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -47.34      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26002           | -33.08      | -25         | Pass    | 14502       |




### 18.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.32      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.24            | -69.03      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.8           | -60.12      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2518            | -46.71      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2592.725        | 23.99       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2953.75         | -45.21      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10371           | -47.04      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26036           | -33.09      | -25         | Pass    | 14502       |




#### 18.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.02      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.23      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 836.9           | -60.13      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2512            | -46.7       | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2592.725        | 22.99       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2957.45         | -45.22      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10371           | -47.15      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25982           | -33.14      | -25         | Pass    | 14502       |




**18.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,  
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.69      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.84      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.7           | -60         | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2501            | -46.65      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2615.3          | 23.52       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2955.6          | -45.23      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10461           | -47.36      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26034           | -33.03      | -25         | Pass    | 14502       |




**18.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,  
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.82      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -67.86      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844             | -59.99      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2514            | -46.63      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2615.125        | 22.85       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2954.675        | -45.23      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11995           | -47.37      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25992           | -32.99      | -25         | Pass    | 14502       |




**18.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,  
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.85      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -69.05      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 609.9           | -59.1       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2553            | -35.21      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.675        | 23.51       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2953.75         | -45.2       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.34      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26001           | -32.94      | -25         | Pass    | 14502       |




**18.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,  
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.34      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.92      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 609.9           | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2553            | -37.64      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 23.04       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2954.675        | -45.22      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11994           | -47.28      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25997           | -33.05      | -25         | Pass    | 14502       |




**18.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,  
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.87      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.81      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843             | -60.15      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2500            | -46.65      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.625        | 23.79       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2950.05         | -45.23      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11983           | -47.32      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26003           | -33.1       | -25         | Pass    | 14502       |




**18.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,  
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.61      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.06      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.5           | -60.11      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2500            | -46.71      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.625        | 22.53       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2955.6          | -45.23      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10362           | -47.3       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25999           | -33.07      | -25         | Pass    | 14502       |




**18.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,  
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.59      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.28      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 877.419         | -60.08      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2508            | -46.67      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.4          | 24.07       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2954.675        | -45.2       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11997           | -47.38      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26017           | -32.96      | -25         | Pass    | 14502       |




**18.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.061           | -64.48      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -68.96      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 845.6           | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2494            | -46.71      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.575        | 22.84       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2959.3          | -45.25      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11998           | -47.31      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25988           | -33.01      | -25         | Pass    | 14502       |




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.99      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.78      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 974.283         | -59.98      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2545            | -40.27      | -25         | Pass    | 1561        |
| 2560                  | 2635                 | 1         | RMS      | 2570.688        | 23.44       | 60          | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2954.375        | -45.18      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.39      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26001           | -33.05      | -25         | Pass    | 14502       |




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.18      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.95      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 610.1           | -59.64      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2544            | -41.55      | -25         | Pass    | 1561        |
| 2560                  | 2635                 | 1         | RMS      | 2570.688        | 22.33       | 60          | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2954.375        | -45.14      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -47.33      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25994           | -32.99      | -25         | Pass    | 14502       |




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.71      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.12      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839             | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -46.57      | -25         | Pass    | 1561        |
| 2560                  | 2635                 | 1         | RMS      | 2588.313        | 23.96       | 60          | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2958.025        | -45.17      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11994           | -47.34      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26020           | -33.07      | -25         | Pass    | 14502       |




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.2       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.66      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843.9           | -59.81      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -46.57      | -25         | Pass    | 1561        |
| 2560                  | 2635                 | 1         | RMS      | 2588.313        | 22.79       | 60          | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2958.025        | -45.14      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11995           | -47.28      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25999           | -32.88      | -25         | Pass    | 14502       |




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.81      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.16      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.5           | -59.94      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2499            | -46.51      | -25         | Pass    | 1561        |
| 2560                  | 2635                 | 1         | RMS      | 2605.75         | 23.23       | 60          | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2951.638        | -45.17      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11993           | -47.37      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25998           | -33.05      | -25         | Pass    | 14502       |




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.46      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -69.04      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.901         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2501            | -46.6       | -25         | Pass    | 1561        |
| 2560                  | 2635                 | 1         | RMS      | 2605.75         | 23.1        | 60          | Pass    | 401         |
| 2635                  | 3000                 | 1         | RMS      | 2961.675        | -45.19      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11998           | -47.34      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26006           | -33.07      | -25         | Pass    | 14502       |




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.14      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.59      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844             | -60.01      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -40.91      | -25         | Pass    | 1561        |
| 2560                  | 2640                 | 1         | RMS      | 2570.8          | 23.08       | 60          | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2957.7          | -45.15      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10284           | -46.74      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26022           | -33.05      | -25         | Pass    | 14502       |




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.6       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.07      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 610.4           | -59.6       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -40.77      | -25         | Pass    | 1561        |
| 2560                  | 2640                 | 1         | RMS      | 2571            | 22.14       | 60          | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2956.8          | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -47.25      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26002           | -33.06      | -25         | Pass    | 14502       |




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.74      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.1           | -59.89      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2551            | -43.29      | -25         | Pass    | 1561        |
| 2560                  | 2640                 | 1         | RMS      | 2586            | 23.29       | 60          | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2954.1          | -45.11      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.25      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25997           | -33.01      | -25         | Pass    | 14502       |




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.49      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.82      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.3           | -59.9       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2550            | -42.67      | -25         | Pass    | 1561        |
| 2560                  | 2640                 | 1         | RMS      | 2585.8          | 22.12       | 60          | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2955.9          | -45.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.29      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26014           | -33.05      | -25         | Pass    | 14502       |




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -68.37      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 850.601         | -59.93      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2499            | -46.58      | -25         | Pass    | 1561        |
| 2560                  | 2640                 | 1         | RMS      | 2601            | 23.71       | 60          | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2955.9          | -45.15      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10404           | -47.1       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26006           | -32.95      | -25         | Pass    | 14502       |



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.27      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.36      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.3           | -59.97      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2507            | -46.6       | -25         | Pass    | 1561        |
| 2560                  | 2640                 | 1         | RMS      | 2600.8          | 22.29       | 60          | Pass    | 401         |
| 2640                  | 3000                 | 1         | RMS      | 2952.3          | -45.17      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -47.3       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26007           | -33.04      | -25         | Pass    | 14502       |



## 19. LTE\_Band41 120M OPPO


**19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.67      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.73      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 830.3           | -59.98      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.79      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 22.21       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2948.25         | -45.26      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10141           | -46.31      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26011           | -33.73      | -25         | Pass    | 15002       |




## 19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.31      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.54      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849             | -59.98      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.82      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 21.76       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2949            | -45.29      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11992           | -47.41      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26010           | -33.79      | -25         | Pass    | 15002       |




### 19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -69.94      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.35      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.2           | -60.11      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.77      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2605.305        | 21.8        | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2949.75         | -45.25      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11992           | -47.43      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26009           | -33.76      | -25         | Pass    | 15002       |




**19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.92      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 832.5           | -60.14      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2476            | -46.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2604.77         | 21.36       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2952            | -45.26      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11996           | -47.34      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25999           | -33.53      | -25         | Pass    | 15002       |




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.04      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.47      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.602         | -60.11      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2477            | -46.83      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2649.71         | 22.05       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2957.25         | -45.24      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.37      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26013           | -33.68      | -25         | Pass    | 15002       |




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.87      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.55      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.2           | -60.05      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2478            | -46.76      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2650.245        | 21.17       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2949            | -45.26      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.28      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25985           | -33.7       | -25         | Pass    | 15002       |




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.64      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.72      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.3           | -59.91      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.76      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 22.97       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2952            | -45.29      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10142           | -46.02      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26024           | -33.71      | -25         | Pass    | 15002       |




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.19      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -67.99      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 853.103         | -60.09      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2478            | -46.8       | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 21.51       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2955.75         | -45.25      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11990           | -47.45      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26026           | -33.65      | -25         | Pass    | 15002       |




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:40765, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.51      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.74      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 834.3           | -60         | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -46.76      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2602.63         | 22.32       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.19      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11995           | -47.33      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26024           | -33.71      | -25         | Pass    | 15002       |




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40765, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.69      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -68.49      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843.8           | -60.07      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.72      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2602.63         | 21.96       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2952            | -45.26      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11990           | -47.4       | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25998           | -33.73      | -25         | Pass    | 15002       |




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -70.29      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.46      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.901         | -59.98      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.71      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2645.43         | 23.48       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2949            | -45.27      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11998           | -47.41      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26013           | -33.72      | -25         | Pass    | 15002       |




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.78      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.5             | -69.2       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.5           | -60.13      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2478            | -46.8       | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2645.43         | 22.55       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2954.25         | -45.27      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 6958            | -47.35      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26000           | -33.66      | -25         | Pass    | 15002       |




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -69.04      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.5           | -59.96      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -46.74      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 21.97       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2953.5          | -45.27      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10144           | -46.54      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26020           | -33.76      | -25         | Pass    | 15002       |




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.37      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.77      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843.2           | -60.18      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2477            | -46.77      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 21.4        | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2945.25         | -45.28      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10144           | -46.86      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26007           | -33.6       | -25         | Pass    | 15002       |




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -70.42      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -69.38      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 839.9           | -60.14      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -46.77      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2600.49         | 22.29       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2959.5          | -45.27      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.39      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25988           | -33.7       | -25         | Pass    | 15002       |




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.91      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -69.09      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.005         | -60.11      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.84      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2600.49         | 21.46       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2954.25         | -45.28      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11989           | -47.45      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26005           | -33.73      | -25         | Pass    | 15002       |




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.49      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.43      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 858.506         | -60.1       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.77      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2640.615        | 22.36       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2957.25         | -45.25      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.43      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26002           | -33.76      | -25         | Pass    | 15002       |




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.88      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.6       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.605         | -59.9       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -46.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2640.615        | 21.81       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2957.25         | -45.24      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11990           | -47.43      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25982           | -33.75      | -25         | Pass    | 15002       |




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.37      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -68.84      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 853.403         | -60.14      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2476            | -46.75      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 22.08       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2954.25         | -45.26      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10144           | -46.23      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25999           | -33.75      | -25         | Pass    | 15002       |




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -68.5       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.5           | -59.95      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2473            | -46.81      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 21.49       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.28      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 10144           | -47.03      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26000           | -33.64      | -25         | Pass    | 15002       |




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40765, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.25      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.42      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.7           | -60.07      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -46.72      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2598.35         | 22.98       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.25      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -47.38      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26004           | -33.75      | -25         | Pass    | 15002       |




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40765, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.4       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.4       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.102         | -59.93      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2477            | -46.83      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2598.35         | 21.92       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.27      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.4       | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26003           | -33.73      | -25         | Pass    | 15002       |




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.34      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.66      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.005         | -60.06      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -46.73      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2635.8          | 22.03       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2957.25         | -45.3       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11999           | -47.41      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26001           | -33.66      | -25         | Pass    | 15002       |



**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.84      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.47      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 836.8           | -60         | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2475            | -46.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2635.8          | 21.64       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2950.5          | -45.27      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11995           | -47.37      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26004           | -33.75      | -25         | Pass    | 15002       |



--BLANK BELOW--