Report No.: SEWA2301000005RG06

Rev.: Page: 1 of 8

TEST REPORT

SEWA2301000005RG **Application No.:**

Applicant: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Address of Applicant:

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin **Address of Manufacturer:**

Road, Minhang District, Shanghai, China 200233

EUT Description: Wi-Fi & Bluetooth Module

Model No.: AF51Y Trade Mark: Quectel

FCC ID: XMR202303AF51Y Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2023/01/09 Date of Issue: 2023/02/23

Test Result: PASS*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn

In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWA2301000005RG06

Rev.: 01 Page: 2 of 8

Version

Revision Record							
Version Chapter Date Modifier Remark							
01		2023/02/23		Original			

Prepared By	Nick Hu		
	(Nick Hu) / Test Engineer		
Checked By	well wei'		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions.frems-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443, or email: CND Doccheck@sps.com



Report No.: SEWA2301000005RG06

Rev.: 01 Page: 3 of 8

Contents

1	Ver	rsion	2
2	Ge	neral Information	4
		Client Information Test Facility	
	2.3	General Description of EUT	5
3	RF	Exposure Evaluation	6
	3.1	RF Exposure Compliance Requirement	6
	3.1	.1 Limits	6
		.2 Test Procedure	
	3.1	.3 EUT RF Exposure Evaluation	7
		.4 Exposure calculations for multiple sources	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

South of No. Florit, No. 1, Runsherg Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

fame 215000 t (86-512) 62992980 t (86-512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2301000005RG06

Rev.: 01 Page: 4 of 8

2 **General Information**

2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2301000005RG06

Rev.: 01 Page: 5 of 8

2.3 General Description of EUT

EUT Description:	Wi-Fi & Bluetooth Module	
Model No.:	AF51Y	
Trade Mark:	Quectel	
Hardware Version:	R1.0	
Software Version:	NA	
Antenna Type:	External Antenna	
	BT/BLE:	3.44dBi (Ant0)
	2.4G WIFI:	3.44dBi (Ant0); 5.26dBi (Ant1)
	5150MHz to 5250MHz:	3.16dBi (Ant0); 3.26dBi (Ant1)
	5250MHz to 5350MHz:	3.35dBi (Ant0); 3.26dBi (Ant1)
Antenna Gain:	5470MHz to 5725MHz:	3.26dBi (Ant0); 3.28dBi (Ant1)
	5725MHz to 5850MHz:	2.96dBi (Ant0); 3.24dBi (Ant1)
	Note:	
	The antenna gain are der manufacturer.	ived from the gain information report provided by the
Remark:		

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio



Report No.: SEWA2301000005RG06

Rev.: 01 Page: 6 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Electric field strength (V/m) Magnetic field strength (A/m) Power density (mW/cm2)								
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0	0.3-3.0 614 1.63 *(100)									
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	1	1	5	6						
((B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	/	1	f/1500	30						
1500-100,000	1	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents as http://www.sgs.com/en/Terms-and-Conditions.formate-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) tested and such sample(s) are retained for 50 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com

^{*=}Plane-wave equivalent power density



Report No.: SEWA2301000005RG06

Rev.: 01 Page: 7 of 8

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale. Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducte d Average Output Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	according		conclusio n
Bluetooth	2402.0	3.44	NA	11.00	14.44	30.00	0.0055	1.0000				Pass
2.4G WLAN Ant0	2412.0	3.44	NA	19.00	22.44	30.00	0.0349	1.0000				Pass
2.4G WLAN Ant1	2412.0	5.26	NA	19.00	24.26	30.00	0.0531	1.0000				Pass
2.4G WLAN (MIMO)	2412.0	NA	7.41	18.50	25.91	30.00	0.0775	1.0000		NA	NA	Pass
5G WLAN Ant0	5320.0	3.35	NA	17.00	20.35	30.00	0.0216	1.0000				Pass
5G WLAN Ant1	5320.0	3.26	NA	17.00	20.26	30.00	0.0211	1.0000				
5G WLAN (MIMO)	5320.0	NA	6.32	17.00	23.32	30.00	0.0427	1.0000				Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: SEWA2301000005RG06

Rev.: 01 Page: 8 of 8

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration
1	WLAN2.4G Ant0+BT
2	WLAN2.4G Ant1+BT
3	WLAN 2.4G Ant0+WLAN 2.4G Ant1
4	WLAN2.4G Ant0+WLAN 2.4G Ant1+BT
5	WLAN5G Ant0+BT
6	WLAN5G Ant1+BT
7	WLAN5G Ant0+WLAN5G Ant1
8	WLAN5G Ant0+WLAN5G Ant1+BT
9	WLAN2.4G Ant0+WLAN5G Ant1
10	WLAN2.4G Ant1+WLAN5G Ant0

No.	Mode	Power Density (mW/cm²)	MPE Limit (mW/cm²)	Result Ratio	Total Ratio	Limit	Result
	WLAN 2.4G Ant0	0.0349	1.0000	0.0349			
4	WLAN 2.4G Ant1	0.0531	1.0000	0.0531	0.0935	1.0000	Pass
	Bluetooth	0.0055	1.0000	0.0055			

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn t (86-512) 62992980 t (86-512) 62992980