







Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS



Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS




Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS



Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS



Band5-4182-4-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS







Band5-4233-2-0.009~0.15MHz-PASS

Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS

Band5-4233-2-1000~10000MHz-PASS





Band5-4233-3-0.009~0.15MHz-PASS

Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS

Band5-4233-3-1000~10000MHz-PASS



Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-30~1000MHz-PASS

Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-1000~10000MHz-PASS





Band5-4132-1-0.009~0.15MHz-PASS

Band5-4132-1-0.15~30MHz-PASS




Band5-4132-1-30~1000MHz-PASS

Band5-4132-1-1000~10000MHz-PASS




Band5-4132-2-0.009~0.15MHz-PASS

Band5-4132-2-0.15~30MHz-PASS




Band5-4132-2-30~1000MHz-PASS

Band5-4132-2-1000~10000MHz-PASS




Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS



Band5-4132-3-1000~10000MHz-PASS




Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS



Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS



Band5-4132-5-0.009~0.15MHz-PASS


Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS



Band5-4182-1-0.009~0.15MHz-PASS



Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS



Band5-4182-2-0.009~0.15MHz-PASS



Band5-4182-1-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS


Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS



Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS




Band5-4182-3-30~1000MHz-PASS



Band5-4182-3-1000~10000MHz-PASS



Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS





Band5-4182-4-30~1000MHz-PASS

Band5-4182-4-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS

Band5-4182-5-0.15~30MHz-PASS





Band5-4182-5-30~1000MHz-PASS

Band5-4182-5-1000~10000MHz-PASS



Band5-4233-1-0.009~0.15MHz-PASS

Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS


Band5-4233-1-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS




Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS



Band5-4233-2-1000~10000MHz-PASS



Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS



Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS


Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS



Band5-4233-5-0.009~0.15MHz-PASS



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

## Frequency Stability

### Test Result

| Voltage |         |               |                  |                |                 |             |         |
|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band5   | 4132    | VN            | NT               | 1.96           | 0.002372        | ±2.5        | PASS    |
| Band5   | 4132    | VL            | NT               | 1.46           | 0.001767        | ±2.5        | PASS    |
| Band5   | 4132    | VH            | NT               | 1.54           | 0.001864        | ±2.5        | PASS    |
| Band5   | 4182    | VN            | NT               | -0.22          | -0.000263       | ±2.5        | PASS    |
| Band5   | 4182    | VL            | NT               | -0.28          | -0.000335       | ±2.5        | PASS    |
| Band5   | 4182    | VH            | NT               | -0.23          | -0.000275       | ±2.5        | PASS    |
| Band5   | 4233    | VN            | NT               | -2.45          | -0.002894       | ±2.5        | PASS    |
| Band5   | 4233    | VL            | NT               | -2.46          | -0.002906       | ±2.5        | PASS    |
| Band5   | 4233    | VH            | NT               | -2.88          | -0.003402       | ±2.5        | PASS    |

| Temperature |         |               |                  |                |                 |             |         |
|-------------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band5       | 4132    | NV            | -30              | 0.85           | 0.001029        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | -20              | 1.37           | 0.001658        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | -10              | 1.42           | 0.001718        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | 0                | 1.64           | 0.001985        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | 10               | 2.60           | 0.003146        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | 20               | 1.39           | 0.001682        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | 30               | 1.51           | 0.001827        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | 40               | 1.48           | 0.001791        | ±2.5        | PASS    |
| Band5       | 4132    | NV            | 50               | 1.82           | 0.002202        | ±2.5        | PASS    |
| Band5       | 4182    | NV            | -30              | -0.72          | -0.000861       | ±2.5        | PASS    |
| Band5       | 4182    | NV            | -20              | -0.05          | -0.000060       | ±2.5        | PASS    |
| Band5       | 4182    | NV            | -10              | -0.33          | -0.000395       | ±2.5        | PASS    |
| Band5       | 4182    | NV            | 0                | -0.22          | -0.000263       | ±2.5        | PASS    |
| Band5       | 4182    | NV            | 10               | -0.08          | -0.000096       | ±2.5        | PASS    |
| Band5       | 4182    | NV            | 20               | 0.56           | 0.000670        | ±2.5        | PASS    |
| Band5       | 4182    | NV            | 30               | 1.04           | 0.001243        | ±2.5        | PASS    |
| Band5       | 4182    | NV            | 40               | -0.30          | -0.000359       | ±2.5        | PASS    |
| Band5       | 4182    | NV            | 50               | -0.15          | -0.000179       | ±2.5        | PASS    |
| Band5       | 4233    | NV            | -30              | -2.89          | -0.003414       | ±2.5        | PASS    |
| Band5       | 4233    | NV            | -20              | -2.84          | -0.003355       | ±2.5        | PASS    |
| Band5       | 4233    | NV            | -10              | -3.12          | -0.003685       | ±2.5        | PASS    |
| Band5       | 4233    | NV            | 0                | -3.01          | -0.003555       | ±2.5        | PASS    |
| Band5       | 4233    | NV            | 10               | -3.20          | -0.003780       | ±2.5        | PASS    |

|       |      |    |    |       |           |      |      |
|-------|------|----|----|-------|-----------|------|------|
| Band5 | 4233 | NV | 20 | -2.71 | -0.003201 | ±2.5 | PASS |
| Band5 | 4233 | NV | 30 | -2.85 | -0.003366 | ±2.5 | PASS |
| Band5 | 4233 | NV | 40 | -2.93 | -0.003461 | ±2.5 | PASS |
| Band5 | 4233 | NV | 50 | -2.85 | -0.003366 | ±2.5 | PASS |

| Voltage |         |         |               |                  |                |                 |             |         |
|---------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band5   | 4132    | 1       | VN            | NT               | 1.15           | 0.001392        | ±2.5        | PASS    |
| Band5   | 4132    | 1       | VL            | NT               | 1.27           | 0.001537        | ±2.5        | PASS    |
| Band5   | 4132    | 1       | VH            | NT               | 1.55           | 0.001876        | ±2.5        | PASS    |
| Band5   | 4132    | 2       | VN            | NT               | 1.11           | 0.001343        | ±2.5        | PASS    |
| Band5   | 4132    | 2       | VL            | NT               | 1.64           | 0.001985        | ±2.5        | PASS    |
| Band5   | 4132    | 2       | VH            | NT               | 1.54           | 0.001864        | ±2.5        | PASS    |
| Band5   | 4132    | 3       | VN            | NT               | 1.25           | 0.001513        | ±2.5        | PASS    |
| Band5   | 4132    | 3       | VL            | NT               | 0.98           | 0.001186        | ±2.5        | PASS    |
| Band5   | 4132    | 3       | VH            | NT               | 1.70           | 0.002057        | ±2.5        | PASS    |
| Band5   | 4132    | 4       | VN            | NT               | 1.10           | 0.001331        | ±2.5        | PASS    |
| Band5   | 4132    | 4       | VL            | NT               | 1.01           | 0.001222        | ±2.5        | PASS    |
| Band5   | 4132    | 4       | VH            | NT               | 0.90           | 0.001089        | ±2.5        | PASS    |
| Band5   | 4182    | 1       | VN            | NT               | -0.86          | -0.001028       | ±2.5        | PASS    |
| Band5   | 4182    | 1       | VL            | NT               | -0.19          | -0.000227       | ±2.5        | PASS    |
| Band5   | 4182    | 1       | VH            | NT               | -1.00          | -0.001196       | ±2.5        | PASS    |
| Band5   | 4182    | 2       | VN            | NT               | -0.03          | -0.000036       | ±2.5        | PASS    |
| Band5   | 4182    | 2       | VL            | NT               | -0.02          | -0.000024       | ±2.5        | PASS    |
| Band5   | 4182    | 2       | VH            | NT               | 0.54           | 0.000646        | ±2.5        | PASS    |
| Band5   | 4182    | 3       | VN            | NT               | -0.92          | -0.001100       | ±2.5        | PASS    |
| Band5   | 4182    | 3       | VL            | NT               | -0.90          | -0.001076       | ±2.5        | PASS    |
| Band5   | 4182    | 3       | VH            | NT               | -0.25          | -0.000299       | ±2.5        | PASS    |
| Band5   | 4182    | 4       | VN            | NT               | 0.25           | 0.000299        | ±2.5        | PASS    |
| Band5   | 4182    | 4       | VL            | NT               | -0.17          | -0.000203       | ±2.5        | PASS    |
| Band5   | 4182    | 4       | VH            | NT               | -5.31          | -0.006349       | ±2.5        | PASS    |
| Band5   | 4233    | 1       | VN            | NT               | -2.55          | -0.003012       | ±2.5        | PASS    |
| Band5   | 4233    | 1       | VL            | NT               | -1.95          | -0.002303       | ±2.5        | PASS    |
| Band5   | 4233    | 1       | VH            | NT               | -2.28          | -0.002693       | ±2.5        | PASS    |
| Band5   | 4233    | 2       | VN            | NT               | -2.22          | -0.002622       | ±2.5        | PASS    |
| Band5   | 4233    | 2       | VL            | NT               | -2.03          | -0.002398       | ±2.5        | PASS    |
| Band5   | 4233    | 2       | VH            | NT               | -1.96          | -0.002315       | ±2.5        | PASS    |
| Band5   | 4233    | 3       | VN            | NT               | -2.07          | -0.002445       | ±2.5        | PASS    |
| Band5   | 4233    | 3       | VL            | NT               | -2.77          | -0.003272       | ±2.5        | PASS    |
| Band5   | 4233    | 3       | VH            | NT               | -2.03          | -0.002398       | ±2.5        | PASS    |
| Band5   | 4233    | 4       | VN            | NT               | -1.76          | -0.002079       | ±2.5        | PASS    |

|       |      |   |    |    |       |           |      |      |
|-------|------|---|----|----|-------|-----------|------|------|
| Band5 | 4233 | 4 | VL | NT | -2.03 | -0.002398 | ±2.5 | PASS |
| Band5 | 4233 | 4 | VH | NT | -2.33 | -0.002752 | ±2.5 | PASS |

| Temperature |         |         |               |                  |                |                 |             |         |
|-------------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band5       | 4132    | 1       | NV            | -30              | 1.22           | 0.001476        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | -20              | 1.37           | 0.001658        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | -10              | 1.83           | 0.002214        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 0                | 2.64           | 0.003195        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 10               | 2.69           | 0.003255        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 20               | 2.33           | 0.002819        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 30               | 2.39           | 0.002892        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 40               | 1.69           | 0.002045        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 50               | 1.33           | 0.001609        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | -30              | 2.29           | 0.002771        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | -20              | 0.82           | 0.000992        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | -10              | 1.52           | 0.001839        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 0                | 0.82           | 0.000992        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 10               | 1.45           | 0.001755        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 20               | 2.47           | 0.002989        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 30               | 1.79           | 0.002166        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 40               | 1.42           | 0.001718        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 50               | 2.46           | 0.002977        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | -30              | 2.08           | 0.002517        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | -20              | 2.02           | 0.002444        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | -10              | 1.13           | 0.001367        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 0                | 1.42           | 0.001718        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 10               | 0.95           | 0.001150        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 20               | 1.79           | 0.002166        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 30               | 2.18           | 0.002638        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 40               | 2.03           | 0.002456        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 50               | 2.45           | 0.002965        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | -30              | 1.46           | 0.001767        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | -20              | 2.11           | 0.002553        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | -10              | 1.08           | 0.001307        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 0                | 0.17           | 0.000206        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 10               | 1.52           | 0.001839        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 20               | 1.54           | 0.001864        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 30               | 2.12           | 0.002565        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 40               | 1.64           | 0.001985        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 50               | 1.47           | 0.001779        | ±2.5        | PASS    |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band5 | 4182 | 1 | NV | -30 | -0.04 | -0.000048 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | -20 | 0.07  | 0.000084  | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | -10 | 0.14  | 0.000167  | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 0   | -0.79 | -0.000945 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 10  | 0.67  | 0.000801  | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 20  | -0.11 | -0.000132 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 30  | -0.36 | -0.000430 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 40  | -0.10 | -0.000120 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 50  | -0.66 | -0.000789 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | -30 | -0.58 | -0.000693 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | -20 | -0.14 | -0.000167 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | -10 | -0.16 | -0.000191 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 0   | 0.90  | 0.001076  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 10  | 0.18  | 0.000215  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 20  | -0.19 | -0.000227 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 30  | 0.22  | 0.000263  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 40  | 0.17  | 0.000203  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 50  | -0.50 | -0.000598 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | -30 | -0.61 | -0.000729 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | -20 | -0.64 | -0.000765 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | -10 | -0.19 | -0.000227 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 0   | -0.49 | -0.000586 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 10  | 0.11  | 0.000132  | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 20  | -0.29 | -0.000347 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 30  | 0.57  | 0.000681  | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 40  | -0.93 | -0.001112 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 50  | 0.42  | 0.000502  | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | -30 | -0.18 | -0.000215 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | -20 | -0.57 | -0.000681 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | -10 | -0.12 | -0.000143 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 0   | -0.33 | -0.000395 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 10  | -0.25 | -0.000299 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 20  | 0.00  | 0.000000  | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 30  | -0.21 | -0.000251 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 40  | -0.73 | -0.000873 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 50  | -0.07 | -0.000084 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | -30 | -1.75 | -0.002067 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | -20 | -1.34 | -0.001583 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | -10 | -2.38 | -0.002811 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 0   | -1.93 | -0.002280 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 10  | -3.03 | -0.003579 | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band5 | 4233 | 1 | NV | 20  | -2.25 | -0.002658 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 30  | -2.18 | -0.002575 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 40  | -1.41 | -0.001665 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 50  | -3.14 | -0.003709 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | -30 | -1.48 | -0.001748 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | -20 | -2.17 | -0.002563 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | -10 | -2.48 | -0.002929 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 0   | -1.75 | -0.002067 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 10  | -2.81 | -0.003319 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 20  | -2.11 | -0.002492 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 30  | -2.41 | -0.002847 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 40  | -2.21 | -0.002610 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 50  | -1.74 | -0.002055 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | -30 | -2.96 | -0.003496 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | -20 | -2.62 | -0.003095 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | -10 | -1.37 | -0.001618 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 0   | -2.04 | -0.002410 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 10  | -1.42 | -0.001677 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 20  | -2.62 | -0.003095 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 30  | -2.15 | -0.002540 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 40  | -2.52 | -0.002977 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 50  | -2.35 | -0.002776 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | -30 | -2.19 | -0.002587 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | -20 | -2.10 | -0.002481 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | -10 | -1.89 | -0.002232 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 0   | -1.86 | -0.002197 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 10  | -3.35 | -0.003957 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 20  | -1.95 | -0.002303 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 30  | -2.33 | -0.002752 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 40  | -1.74 | -0.002055 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 50  | -2.43 | -0.002870 | ±2.5 | PASS |

| Voltage |         |         |               |                  |                |                 |             |         |
|---------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band5   | 4132    | 1       | VN            | NT               | -1.01          | -0.001222       | ±2.5        | PASS    |
| Band5   | 4132    | 1       | VL            | NT               | -1.66          | -0.002009       | ±2.5        | PASS    |
| Band5   | 4132    | 1       | VH            | NT               | -0.38          | -0.000460       | ±2.5        | PASS    |
| Band5   | 4132    | 2       | VN            | NT               | 0.59           | 0.000714        | ±2.5        | PASS    |
| Band5   | 4132    | 2       | VL            | NT               | -0.07          | -0.000085       | ±2.5        | PASS    |
| Band5   | 4132    | 2       | VH            | NT               | 1.05           | 0.001271        | ±2.5        | PASS    |
| Band5   | 4132    | 3       | VN            | NT               | 0.75           | 0.000908        | ±2.5        | PASS    |
| Band5   | 4132    | 3       | VL            | NT               | 0.54           | 0.000653        | ±2.5        | PASS    |
| Band5   | 4132    | 3       | VH            | NT               | -0.20          | -0.000242       | ±2.5        | PASS    |
| Band5   | 4132    | 4       | VN            | NT               | 0.68           | 0.000823        | ±2.5        | PASS    |
| Band5   | 4132    | 4       | VL            | NT               | 0.33           | 0.000399        | ±2.5        | PASS    |
| Band5   | 4132    | 4       | VH            | NT               | 0.81           | 0.000980        | ±2.5        | PASS    |
| Band5   | 4132    | 5       | VN            | NT               | -0.26          | -0.000315       | ±2.5        | PASS    |
| Band5   | 4132    | 5       | VL            | NT               | 0.33           | 0.000399        | ±2.5        | PASS    |
| Band5   | 4132    | 5       | VH            | NT               | 0.50           | 0.000605        | ±2.5        | PASS    |
| Band5   | 4182    | 1       | VN            | NT               | -0.78          | -0.000933       | ±2.5        | PASS    |
| Band5   | 4182    | 1       | VL            | NT               | -0.97          | -0.001160       | ±2.5        | PASS    |
| Band5   | 4182    | 1       | VH            | NT               | -0.19          | -0.000227       | ±2.5        | PASS    |
| Band5   | 4182    | 2       | VN            | NT               | -0.98          | -0.001172       | ±2.5        | PASS    |
| Band5   | 4182    | 2       | VL            | NT               | -0.25          | -0.000299       | ±2.5        | PASS    |
| Band5   | 4182    | 2       | VH            | NT               | -1.46          | -0.001746       | ±2.5        | PASS    |
| Band5   | 4182    | 3       | VN            | NT               | -0.99          | -0.001184       | ±2.5        | PASS    |
| Band5   | 4182    | 3       | VL            | NT               | -0.32          | -0.000383       | ±2.5        | PASS    |
| Band5   | 4182    | 3       | VH            | NT               | -0.84          | -0.001004       | ±2.5        | PASS    |
| Band5   | 4182    | 4       | VN            | NT               | -0.82          | -0.000980       | ±2.5        | PASS    |
| Band5   | 4182    | 4       | VL            | NT               | -0.18          | -0.000215       | ±2.5        | PASS    |
| Band5   | 4182    | 4       | VH            | NT               | -0.75          | -0.000897       | ±2.5        | PASS    |
| Band5   | 4182    | 5       | VN            | NT               | -1.13          | -0.001351       | ±2.5        | PASS    |
| Band5   | 4182    | 5       | VL            | NT               | -1.05          | -0.001255       | ±2.5        | PASS    |
| Band5   | 4182    | 5       | VH            | NT               | -1.00          | -0.001196       | ±2.5        | PASS    |
| Band5   | 4233    | 1       | VN            | NT               | -1.10          | -0.001299       | ±2.5        | PASS    |
| Band5   | 4233    | 1       | VL            | NT               | -2.04          | -0.002410       | ±2.5        | PASS    |
| Band5   | 4233    | 1       | VH            | NT               | -2.14          | -0.002528       | ±2.5        | PASS    |
| Band5   | 4233    | 2       | VN            | NT               | -2.14          | -0.002528       | ±2.5        | PASS    |
| Band5   | 4233    | 2       | VL            | NT               | -2.39          | -0.002823       | ±2.5        | PASS    |
| Band5   | 4233    | 2       | VH            | NT               | -2.74          | -0.003236       | ±2.5        | PASS    |
| Band5   | 4233    | 3       | VN            | NT               | -2.26          | -0.002670       | ±2.5        | PASS    |
| Band5   | 4233    | 3       | VL            | NT               | -2.38          | -0.002811       | ±2.5        | PASS    |
| Band5   | 4233    | 3       | VH            | NT               | -1.67          | -0.001973       | ±2.5        | PASS    |

|       |      |   |    |    |       |           |      |      |
|-------|------|---|----|----|-------|-----------|------|------|
| Band5 | 4233 | 4 | VN | NT | -1.59 | -0.001878 | ±2.5 | PASS |
| Band5 | 4233 | 4 | VL | NT | -1.43 | -0.001689 | ±2.5 | PASS |
| Band5 | 4233 | 4 | VH | NT | -2.30 | -0.002717 | ±2.5 | PASS |
| Band5 | 4233 | 5 | VN | NT | -2.05 | -0.002421 | ±2.5 | PASS |
| Band5 | 4233 | 5 | VL | NT | -2.46 | -0.002906 | ±2.5 | PASS |
| Band5 | 4233 | 5 | VH | NT | -2.57 | -0.003036 | ±2.5 | PASS |

| Temperature |         |         |               |                  |                |                 |             |         |
|-------------|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | SubTest | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band5       | 4132    | 1       | NV            | -30              | -0.32          | -0.000387       | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | -20              | 0.29           | 0.000351        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | -10              | -0.44          | -0.000532       | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 0                | 0.01           | 0.000012        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 10               | -0.13          | -0.000157       | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 20               | 0.78           | 0.000944        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 30               | 1.32           | 0.001597        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 40               | 0.17           | 0.000206        | ±2.5        | PASS    |
| Band5       | 4132    | 1       | NV            | 50               | 1.03           | 0.001246        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | -30              | 0.72           | 0.000871        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | -20              | 1.35           | 0.001634        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | -10              | 1.25           | 0.001513        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 0                | 1.38           | 0.001670        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 10               | 0.92           | 0.001113        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 20               | 1.40           | 0.001694        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 30               | 1.11           | 0.001343        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 40               | 1.83           | 0.002214        | ±2.5        | PASS    |
| Band5       | 4132    | 2       | NV            | 50               | 0.81           | 0.000980        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | -30              | 1.40           | 0.001694        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | -20              | 1.48           | 0.001791        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | -10              | 1.13           | 0.001367        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 0                | 1.55           | 0.001876        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 10               | 1.68           | 0.002033        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 20               | 1.20           | 0.001452        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 30               | 1.15           | 0.001392        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 40               | 1.67           | 0.002021        | ±2.5        | PASS    |
| Band5       | 4132    | 3       | NV            | 50               | 1.09           | 0.001319        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | -30              | 1.15           | 0.001392        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | -20              | 1.04           | 0.001258        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | -10              | 1.17           | 0.001416        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 0                | 1.21           | 0.001464        | ±2.5        | PASS    |
| Band5       | 4132    | 4       | NV            | 10               | 0.42           | 0.000508        | ±2.5        | PASS    |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band5 | 4132 | 4 | NV | 20  | 1.38  | 0.001670  | ±2.5 | PASS |
| Band5 | 4132 | 4 | NV | 30  | 1.41  | 0.001706  | ±2.5 | PASS |
| Band5 | 4132 | 4 | NV | 40  | 0.96  | 0.001162  | ±2.5 | PASS |
| Band5 | 4132 | 4 | NV | 50  | 0.54  | 0.000653  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | -30 | 0.70  | 0.000847  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | -20 | 0.31  | 0.000375  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | -10 | 1.00  | 0.001210  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | 0   | 0.77  | 0.000932  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | 10  | 1.45  | 0.001755  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | 20  | 1.24  | 0.001500  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | 30  | 1.64  | 0.001985  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | 40  | 1.81  | 0.002190  | ±2.5 | PASS |
| Band5 | 4132 | 5 | NV | 50  | 1.38  | 0.001670  | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | -30 | -0.28 | -0.000335 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | -20 | -0.18 | -0.000215 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | -10 | -0.80 | -0.000956 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 0   | -0.03 | -0.000036 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 10  | -0.68 | -0.000813 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 20  | -0.87 | -0.001040 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 30  | -0.48 | -0.000574 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 40  | -0.05 | -0.000060 | ±2.5 | PASS |
| Band5 | 4182 | 1 | NV | 50  | -0.36 | -0.000430 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | -30 | -0.43 | -0.000514 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | -20 | -0.33 | -0.000395 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | -10 | 0.27  | 0.000323  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 0   | -0.16 | -0.000191 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 10  | -0.15 | -0.000179 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 20  | 0.14  | 0.000167  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 30  | 0.89  | 0.001064  | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 40  | -0.93 | -0.001112 | ±2.5 | PASS |
| Band5 | 4182 | 2 | NV | 50  | 0.06  | 0.000072  | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | -30 | -0.36 | -0.000430 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | -20 | -0.34 | -0.000407 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | -10 | -0.23 | -0.000275 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 0   | 0.63  | 0.000753  | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 10  | 0.52  | 0.000622  | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 20  | -0.43 | -0.000514 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 30  | -0.84 | -0.001004 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 40  | -0.16 | -0.000191 | ±2.5 | PASS |
| Band5 | 4182 | 3 | NV | 50  | 0.20  | 0.000239  | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | -30 | 0.00  | 0.000000  | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band5 | 4182 | 4 | NV | -20 | -0.42 | -0.000502 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | -10 | -0.16 | -0.000191 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 0   | 0.31  | 0.000371  | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 10  | -1.01 | -0.001208 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 20  | -0.91 | -0.001088 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 30  | -0.46 | -0.000550 | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 40  | 0.24  | 0.000287  | ±2.5 | PASS |
| Band5 | 4182 | 4 | NV | 50  | 0.04  | 0.000048  | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | -30 | -0.49 | -0.000586 | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | -20 | -0.53 | -0.000634 | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | -10 | 0.25  | 0.000299  | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | 0   | 0.05  | 0.000060  | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | 10  | -0.66 | -0.000789 | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | 20  | -0.55 | -0.000658 | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | 30  | -0.03 | -0.000036 | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | 40  | 0.30  | 0.000359  | ±2.5 | PASS |
| Band5 | 4182 | 5 | NV | 50  | -0.39 | -0.000466 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | -30 | -2.45 | -0.002894 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | -20 | -2.04 | -0.002410 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | -10 | -2.63 | -0.003107 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 0   | -1.64 | -0.001937 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 10  | -2.62 | -0.003095 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 20  | -1.55 | -0.001831 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 30  | -2.45 | -0.002894 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 40  | -2.58 | -0.003047 | ±2.5 | PASS |
| Band5 | 4233 | 1 | NV | 50  | -2.80 | -0.003307 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | -30 | -1.70 | -0.002008 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | -20 | -1.68 | -0.001984 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | -10 | -1.93 | -0.002280 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 0   | -2.02 | -0.002386 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 10  | -2.18 | -0.002575 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 20  | -2.68 | -0.003166 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 30  | -0.93 | -0.001099 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 40  | -1.87 | -0.002209 | ±2.5 | PASS |
| Band5 | 4233 | 2 | NV | 50  | -1.44 | -0.001701 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | -30 | -2.26 | -0.002670 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | -20 | -1.98 | -0.002339 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | -10 | -2.11 | -0.002492 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 0   | -1.10 | -0.001299 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 10  | -1.11 | -0.001311 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 20  | -2.26 | -0.002670 | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band5 | 4233 | 3 | NV | 30  | -1.88 | -0.002221 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 40  | -1.45 | -0.001713 | ±2.5 | PASS |
| Band5 | 4233 | 3 | NV | 50  | -1.87 | -0.002209 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | -30 | -2.39 | -0.002823 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | -20 | -1.91 | -0.002256 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | -10 | -1.81 | -0.002138 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 0   | -2.69 | -0.003177 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 10  | -1.76 | -0.002079 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 20  | -1.97 | -0.002327 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 30  | -1.86 | -0.002197 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 40  | -2.60 | -0.003071 | ±2.5 | PASS |
| Band5 | 4233 | 4 | NV | 50  | -1.86 | -0.002197 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | -30 | -2.51 | -0.002965 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | -20 | -2.87 | -0.003390 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | -10 | -3.13 | -0.003697 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | 0   | -2.95 | -0.003485 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | 10  | -2.66 | -0.003142 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | 20  | -1.52 | -0.001795 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | 30  | -2.06 | -0.002433 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | 40  | -2.21 | -0.002610 | ±2.5 | PASS |
| Band5 | 4233 | 5 | NV | 50  | -2.15 | -0.002540 | ±2.5 | PASS |

----- THE END -----